




PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18599.085584	36.53	-7.23	54.00	-17.47	150	280	Horizontal
2	19519.217031	46.39	-7.03	54.00	-7.61	150	260	Horizontal
3	21057.436777	39.21	-5.44	54.00	-14.79	150	310	Horizontal
4	21960.565795	48.31	-4.53	54.00	-5.69	150	250	Horizontal
5	23822.831833	41.65	-3.18	54.00	-12.35	150	50	Horizontal
6	24399.914274	49.69	-3.08	54.00	-4.31	150	110	Horizontal

Result: Pass


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery1#
Test Mode	Mode 5	Antenna Polarity	Vertical



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4879.59398	46.96	-8.76	54.00	-7.04	150	290	Vertical
2	7319.215961	49.98	-2.98	54.00	-4.02	150	200	Vertical
3	9759.687984	48.60	0.23	54.00	-5.40	150	50	Vertical
4	12199.309966	49.75	3.03	54.00	-4.25	150	10	Vertical
5	14640.632032	50.88	1.76	54.00	-3.12	150	200	Vertical
6	17080.254013	51.71	3.23	54.00	-2.29	150	310	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18543.077583	36.31	-7.17	54.00	-17.69	150	130	Vertical
2	19519.217031	46.49	-6.99	54.00	-7.51	150	150	Vertical
3	20789.398486	38.52	-5.82	54.00	-15.48	150	170	Vertical
4	21959.565652	48.49	-4.53	54.00	-5.51	150	320	Vertical
5	22818.688384	42.12	-3.51	54.00	-11.88	150	110	Vertical
6	24400.914416	49.11	-3.14	54.00	-4.89	150	240	Vertical


Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Radiated Emissions Test Results for Above 1GHz


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery1#
Test Mode	Mode 6	Antenna Polarity	Horizontal



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4960.348017	46.36	-8.68	54.00	-7.64	150	210	Horizontal
2	7440.772039	50.27	-3.15	54.00	-3.73	150	330	Horizontal
3	9919.495975	49.46	1.15	54.00	-4.54	150	250	Horizontal
4	12399.069954	50.25	2.74	54.00	-3.75	150	80	Horizontal
5	14880.344017	51.51	1.58	54.00	-2.49	150	60	Horizontal
6	17359.067953	50.47	2.76	54.00	-3.53	150	170	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18771.110159	36.54	-7.13	54.00	-17.46	150	170	Horizontal
2	19839.262752	47.23	-7.05	54.00	-6.77	150	320	Horizontal
3	21230.461495	39.96	-5.26	54.00	-14.04	150	30	Horizontal
4	22320.617231	49.75	-4.07	54.00	-4.25	150	60	Horizontal
5	23966.852408	41.41	-3.18	54.00	-12.59	150	60	Horizontal
6	24800.971567	49.23	-2.97	54.00	-4.77	150	80	Horizontal

Result: Pass


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery1#
Test Mode	Mode 6	Antenna Polarity	Vertical



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4959.497975	46.86	-8.68	54.00	-7.14	150	170	Vertical
2	7439.921996	49.84	-3.15	54.00	-4.16	150	250	Vertical
3	9919.495975	49.02	1.15	54.00	-4.98	150	120	Vertical
4	12400.770039	50.13	2.74	54.00	-3.87	150	310	Vertical
5	14880.344017	49.74	1.58	54.00	-4.26	150	300	Vertical
6	16579.578979	51.40	3.84	54.00	-2.60	150	30	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18467.066724	36.42	-7.21	54.00	-17.58	150	270	Vertical
2	19839.262752	48.26	-7.03	54.00	-5.74	150	120	Vertical
3	21057.436777	39.23	-5.44	54.00	-14.77	150	90	Vertical
4	22320.617231	49.12	-4.10	54.00	-4.88	150	120	Vertical
5	23936.848121	41.44	-3.29	54.00	-12.56	150	280	Vertical
6	24799.971425	48.05	-2.99	54.00	-5.95	150	340	Vertical

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Radiated Emissions Test Results for Above 1GHz


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	22.9℃	Relative Humidity	63.7%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery1#
Test Mode	Mode 4	Antenna Polarity	Horizontal



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4803.940197	48.97	-8.83	54.00	-5.03	150	40	Horizontal
2	7206.160308	49.82	-2.83	54.00	-4.18	150	130	Horizontal
3	9608.380419	50.66	-0.64	54.00	-3.34	150	280	Horizontal
4	12009.750488	50.56	3.31	54.00	-3.44	150	240	Horizontal
5	14411.970599	50.34	2.33	54.00	-3.66	150	270	Horizontal
6	17036.901845	50.64	3.31	54.00	-3.36	150	210	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18368.052579	35.90	-7.37	54.00	-18.10	150	30	Horizontal
2	19215.173596	46.97	-7.02	54.00	-7.03	150	270	Horizontal
3	20771.395914	39.08	-5.86	54.00	-14.92	150	260	Horizontal
4	21617.516788	47.20	-4.88	54.00	-6.80	150	120	Horizontal
5	23135.733676	41.64	-3.20	54.00	-12.36	150	270	Horizontal
6	24020.860123	50.70	-3.18	54.00	-3.30	150	190	Horizontal

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
 Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	22.9℃	Relative Humidity	63.7%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery1#
Test Mode	Mode 4	Antenna Polarity	Vertical



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4803.090155	47.45	-8.83	54.00	-6.55	150	190	Vertical
2	7205.310266	50.80	-2.83	54.00	-3.20	150	280	Vertical
3	9608.380419	49.80	-0.64	54.00	-4.20	150	340	Vertical
4	12010.60053	50.25	3.31	54.00	-3.75	150	120	Vertical
5	14411.120556	49.86	2.33	54.00	-4.14	150	130	Vertical
6	17043.702185	51.04	3.30	54.00	-2.96	150	0	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18430.061437	36.48	-7.23	54.00	-17.52	150	210	Vertical
2	19215.173596	46.07	-6.94	54.00	-7.93	150	130	Vertical
3	19933.276182	37.56	-7.05	54.00	-16.44	150	320	Vertical
4	21618.516931	47.02	-4.87	54.00	-6.98	150	40	Vertical
5	22765.680812	40.89	-3.58	54.00	-13.11	150	190	Vertical
6	24020.860123	50.11	-3.27	54.00	-3.89	150	230	Vertical


Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results for Above 1GHz

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery1#
Test Mode	Mode 5	Antenna Polarity	Horizontal




PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4880.444022	46.36	-8.76	54.00	-7.64	150	360	Horizontal
2	7320.916046	49.64	-2.98	54.00	-4.36	150	170	Horizontal
3	9760.538027	50.37	0.24	54.00	-3.63	150	60	Horizontal
4	12199.309966	49.84	3.03	54.00	-4.16	150	300	Horizontal
5	14640.632032	50.05	1.76	54.00	-3.95	150	200	Horizontal
6	17053.902695	50.64	3.27	54.00	-3.36	150	360	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/




PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18449.064152	37.26	-7.32	54.00	-16.74	150	280	Horizontal
2	19519.217031	45.76	-7.03	54.00	-8.24	150	30	Horizontal
3	20829.404201	38.36	-5.77	54.00	-15.64	150	290	Horizontal
4	21960.565795	49.33	-4.53	54.00	-4.67	150	190	Horizontal
5	23233.747678	41.75	-3.20	54.00	-12.25	150	350	Horizontal
6	24399.914274	49.86	-3.08	54.00	-4.14	150	190	Horizontal

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery1#
Test Mode	Mode 5	Antenna Polarity	Vertical



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4880.444022	46.73	-8.76	54.00	-7.27	150	60	Vertical
2	7319.215961	49.53	-2.98	54.00	-4.47	150	290	Vertical
3	9760.538027	49.41	0.24	54.00	-4.59	150	250	Vertical
4	12200.160008	50.10	3.03	54.00	-3.90	150	130	Vertical
5	14639.781989	50.24	1.76	54.00	-3.76	150	110	Vertical
6	17079.40397	50.98	3.23	54.00	-3.02	150	160	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18540.077154	36.56	-7.17	54.00	-17.44	150	260	Vertical
2	19519.217031	45.70	-6.99	54.00	-8.30	150	80	Vertical
3	21161.451636	39.97	-5.34	54.00	-14.03	150	30	Vertical
4	21959.565652	46.73	-4.53	54.00	-7.27	150	0	Vertical
5	22974.710673	41.20	-3.33	54.00	-12.80	150	50	Vertical
6	24399.914274	49.12	-3.14	54.00	-4.88	150	200	Vertical


Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
 Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>


Radiated Emissions Test Results for Above 1GHz

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery1#
Test Mode	Mode 6	Antenna Polarity	Horizontal



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4959.497975	48.58	-8.68	54.00	-5.42	150	330	Horizontal
2	7440.772039	49.31	-3.15	54.00	-4.69	150	210	Horizontal
3	9920.346017	49.62	1.16	54.00	-4.38	150	150	Horizontal
4	12399.069954	50.39	2.74	54.00	-3.61	150	270	Horizontal
5	14879.493975	50.74	1.58	54.00	-3.26	150	300	Horizontal
6	17359.917996	50.92	2.75	54.00	-3.08	150	250	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18868.124018	36.43	-7.08	54.00	-17.57	150	270	Horizontal
2	19839.262752	46.06	-7.05	54.00	-7.94	150	230	Horizontal
3	21534.504929	40.29	-4.96	54.00	-13.71	150	330	Horizontal
4	22319.617088	48.76	-4.08	54.00	-5.24	150	180	Horizontal
5	23576.796685	41.62	-3.19	54.00	-12.38	150	150	Horizontal
6	24800.971567	49.30	-2.97	54.00	-4.70	150	150	Horizontal

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery1#
Test Mode	Mode 6	Antenna Polarity	Vertical



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4960.348017	47.23	-8.68	54.00	-6.77	150	190	Vertical
2	7440.772039	49.15	-3.15	54.00	-4.85	150	40	Vertical
3	9920.346017	51.40	1.16	54.00	-2.60	150	220	Vertical
4	12400.770039	49.70	2.74	54.00	-4.30	150	260	Vertical
5	14879.493975	50.44	1.58	54.00	-3.56	150	60	Vertical
6	17084.504225	50.59	3.22	54.00	-3.41	150	130	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18593.084726	35.95	-7.13	54.00	-18.05	150	70	Vertical
2	19840.262895	46.66	-7.03	54.00	-7.34	150	230	Vertical
3	21456.493785	39.29	-5.04	54.00	-14.71	150	320	Vertical
4	22320.617231	48.73	-4.10	54.00	-5.27	150	230	Vertical
5	23979.854265	42.01	-3.28	54.00	-11.99	150	330	Vertical
6	24800.971567	47.15	-2.99	54.00	-6.85	150	290	Vertical


Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results for Above 1GHz


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	22.9℃	Relative Humidity	63.7%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery2#
Test Mode	Mode 4	Antenna Polarity	Horizontal



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4804.79024	47.98	-8.83	54.00	-6.02	150	150	Horizontal
2	7206.160308	49.69	-2.83	54.00	-4.31	150	320	Horizontal
3	9608.380419	49.89	-0.64	54.00	-4.11	150	280	Horizontal
4	12009.750488	49.78	3.31	54.00	-4.22	150	130	Horizontal
5	14411.970599	50.61	2.33	54.00	-3.39	150	340	Horizontal
6	16813.340667	50.94	3.58	54.00	-3.06	150	310	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18479.068438	36.89	-7.30	54.00	-17.11	150	190	Horizontal
2	19215.173596	46.80	-7.02	54.00	-7.20	150	220	Horizontal
3	20562.366052	37.81	-6.19	54.00	-16.19	150	230	Horizontal
4	21618.516931	48.42	-4.87	54.00	-5.58	150	200	Horizontal
5	22694.670667	41.03	-3.59	54.00	-12.97	150	70	Horizontal
6	24020.860123	49.22	-3.18	54.00	-4.78	150	280	Horizontal

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	22.9℃	Relative Humidity	63.7%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery2#
Test Mode	Mode 4	Antenna Polarity	Vertical




PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4804.79024	48.62	-8.83	54.00	-5.38	150	260	Vertical
2	7205.310266	50.64	-2.83	54.00	-3.36	150	70	Vertical
3	9607.530377	50.22	-0.64	54.00	-3.78	150	270	Vertical
4	12010.60053	50.43	3.31	54.00	-3.57	150	190	Vertical
5	14412.820641	50.02	2.31	54.00	-3.98	150	160	Vertical
6	16813.340667	51.15	3.58	54.00	-2.85	150	160	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18411.058723	35.98	-7.24	54.00	-18.02	150	100	Vertical
2	19215.173596	46.05	-6.94	54.00	-7.95	150	30	Vertical
3	20311.33019	37.52	-6.58	54.00	-16.48	150	30	Vertical
4	21617.516788	47.61	-4.88	54.00	-6.39	150	230	Vertical
5	23173.739106	41.58	-3.30	54.00	-12.42	150	330	Vertical
6	24019.85998	50.73	-3.27	54.00	-3.27	150	90	Vertical


Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results for Above 1GHz

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery2#
Test Mode	Mode 5	Antenna Polarity	Horizontal




PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4879.59398	46.20	-8.76	54.00	-7.80	150	120	Horizontal
2	7320.066003	49.24	-2.98	54.00	-4.76	150	160	Horizontal
3	9760.538027	48.69	0.24	54.00	-5.31	150	350	Horizontal
4	12200.160008	50.58	3.03	54.00	-3.42	150	220	Horizontal
5	14639.781989	50.56	1.76	54.00	-3.44	150	60	Horizontal
6	17079.40397	51.52	3.23	54.00	-2.48	150	110	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>




PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18102.014574	36.23	-7.52	54.00	-17.77	150	350	Horizontal
2	19519.217031	44.06	-7.03	54.00	-9.94	150	120	Horizontal
3	20772.396057	38.41	-5.85	54.00	-15.59	150	30	Horizontal
4	21959.565652	48.21	-4.53	54.00	-5.79	150	160	Horizontal
5	23229.747107	42.00	-3.20	54.00	-12.00	150	10	Horizontal
6	24399.914274	49.79	-3.08	54.00	-4.21	150	270	Horizontal

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
 Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery2#
Test Mode	Mode 5	Antenna Polarity	Vertical



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4880.444022	48.33	-8.76	54.00	-5.67	150	100	Vertical
2	7320.916046	49.69	-2.98	54.00	-4.31	150	260	Vertical
3	9759.687984	50.28	0.23	54.00	-3.72	150	180	Vertical
4	12200.160008	50.48	3.03	54.00	-3.52	150	330	Vertical
5	14640.632032	51.05	1.76	54.00	-2.95	150	330	Vertical
6	17080.254013	51.20	3.23	54.00	-2.80	150	0	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18408.058294	36.72	-7.25	54.00	-17.28	150	120	Vertical
2	19519.217031	43.22	-6.99	54.00	-10.78	150	220	Vertical
3	20913.416202	38.51	-5.63	54.00	-15.49	150	90	Vertical
4	21959.565652	47.05	-4.53	54.00	-6.95	150	310	Vertical
5	23373.767681	42.58	-3.29	54.00	-11.42	150	190	Vertical
6	24399.914274	48.27	-3.14	54.00	-5.73	150	350	Vertical


Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
 Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results for Above 1GHz

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	25℃	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery2#
Test Mode	Mode 6	Antenna Polarity	Horizontal




PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4959.497975	46.48	-8.68	54.00	-7.52	150	300	Horizontal
2	7440.772039	48.81	-3.15	54.00	-5.19	150	100	Horizontal
3	9920.346017	49.93	1.16	54.00	-4.07	150	240	Horizontal
4	12399.919996	50.34	2.74	54.00	-3.66	150	350	Horizontal
5	14879.493975	50.00	1.58	54.00	-4.00	150	170	Horizontal
6	17360.768038	51.33	2.75	54.00	-2.67	150	50	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18482.068867	36.79	-7.30	54.00	-17.21	150	220	Horizontal
2	19839.262752	46.52	-7.05	54.00	-7.48	150	160	Horizontal
3	21159.45135	39.37	-5.34	54.00	-14.63	150	200	Horizontal
4	22320.617231	49.97	-4.07	54.00	-4.03	150	70	Horizontal
5	23733.819117	41.32	-3.19	54.00	-12.68	150	40	Horizontal
6	24799.971425	49.15	-2.97	54.00	-4.85	150	190	Horizontal

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery2#
Test Mode	Mode 6	Antenna Polarity	Vertical



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4960.348017	46.30	-8.68	54.00	-7.70	150	210	Vertical
2	7439.921996	49.76	-3.15	54.00	-4.24	150	10	Vertical
3	9919.495975	50.91	1.15	54.00	-3.09	150	350	Vertical
4	12399.069954	50.09	2.74	54.00	-3.91	150	100	Vertical
5	14880.344017	50.04	1.58	54.00	-3.96	150	330	Vertical
6	17360.768038	51.55	2.75	54.00	-2.45	150	180	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	19122.160309	37.10	-6.92	54.00	-16.90	150	90	Vertical
2	19839.262752	44.44	-7.03	54.00	-9.56	150	160	Vertical
3	21524.503501	38.89	-4.97	54.00	-15.11	150	60	Vertical
4	22320.617231	49.78	-4.10	54.00	-4.22	150	320	Vertical
5	23200.742963	41.99	-3.30	54.00	-12.01	150	90	Vertical
6	24799.971425	49.53	-2.99	54.00	-4.47	150	330	Vertical

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results for Above 1GHz


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	22.9℃	Relative Humidity	63.7%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery2#
Test Mode	Mode 4	Antenna Polarity	Horizontal



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4803.090155	46.89	-8.83	54.00	-7.11	150	80	Horizontal
2	7205.310266	50.21	-2.83	54.00	-3.79	150	30	Horizontal
3	9607.530377	48.54	-0.64	54.00	-5.46	150	40	Horizontal
4	12009.750488	50.96	3.31	54.00	-3.04	150	330	Horizontal
5	14411.970599	49.95	2.33	54.00	-4.05	150	340	Horizontal
6	16813.340667	50.34	3.58	54.00	-3.66	150	290	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18507.072439	36.20	-7.29	54.00	-17.80	150	30	Horizontal
2	19215.173596	46.11	-7.02	54.00	-7.89	150	200	Horizontal
3	20404.343478	37.43	-6.43	54.00	-16.57	150	110	Horizontal
4	21617.516788	47.14	-4.88	54.00	-6.86	150	340	Horizontal
5	22634.662095	41.47	-3.68	54.00	-12.53	150	260	Horizontal
6	24020.860123	49.07	-3.18	54.00	-4.93	150	330	Horizontal

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
 Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	22.9℃	Relative Humidity	63.7%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery2#
Test Mode	Mode 4	Antenna Polarity	Vertical



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4803.090155	47.26	-8.83	54.00	-6.74	150	200	Vertical
2	7206.160308	49.52	-2.83	54.00	-4.48	150	260	Vertical
3	9607.530377	50.10	-0.64	54.00	-3.90	150	300	Vertical
4	12009.750488	50.18	3.31	54.00	-3.82	150	280	Vertical
5	14411.970599	49.89	2.33	54.00	-4.11	150	150	Vertical
6	16454.622731	50.77	3.94	54.00	-3.23	150	240	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18366.052293	36.50	-7.27	54.00	-17.50	150	60	Vertical
2	19215.173596	47.28	-6.94	54.00	-6.72	150	0	Vertical
3	20217.31676	36.65	-6.72	54.00	-17.35	150	80	Vertical
4	21618.516931	49.81	-4.87	54.00	-4.19	150	350	Vertical
5	22743.677668	40.53	-3.61	54.00	-13.47	150	80	Vertical
6	24020.860123	50.05	-3.27	54.00	-3.95	150	240	Vertical


Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
 Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results for Above 1GHz


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery2#
Test Mode	Mode 5	Antenna Polarity	Horizontal



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4879.59398	46.77	-8.76	54.00	-7.23	150	110	Horizontal
2	7320.066003	49.46	-2.98	54.00	-4.54	150	200	Horizontal
3	9759.687984	49.11	0.23	54.00	-4.89	150	20	Horizontal
4	12199.309966	49.75	3.03	54.00	-4.25	150	360	Horizontal
5	14640.632032	50.36	1.76	54.00	-3.64	150	140	Horizontal
6	17079.40397	51.20	3.23	54.00	-2.80	150	80	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18409.058437	36.21	-7.35	54.00	-17.79	150	310	Horizontal
2	19520.217174	45.33	-7.03	54.00	-8.67	150	250	Horizontal
3	20656.379483	38.38	-6.04	54.00	-15.62	150	180	Horizontal
4	21960.565795	49.18	-4.53	54.00	-4.82	150	90	Horizontal
5	23196.742392	41.50	-3.19	54.00	-12.50	150	180	Horizontal
6	24399.914274	50.43	-3.08	54.00	-3.57	150	130	Horizontal

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	25℃	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery2#
Test Mode	Mode 5	Antenna Polarity	Vertical




PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4879.59398	47.77	-8.76	54.00	-6.23	150	220	Vertical
2	7319.215961	50.61	-2.98	54.00	-3.39	150	150	Vertical
3	9759.687984	51.20	0.23	54.00	-2.80	150	310	Vertical
4	12199.309966	50.63	3.03	54.00	-3.37	150	130	Vertical
5	14639.781989	50.09	1.76	54.00	-3.91	150	260	Vertical
6	17080.254013	51.26	3.23	54.00	-2.74	150	210	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18742.106015	36.42	-7.05	54.00	-17.58	150	90	Vertical
2	19519.217031	43.65	-6.99	54.00	-10.35	150	10	Vertical
3	20879.411345	38.11	-5.69	54.00	-15.89	150	180	Vertical
4	21960.565795	49.82	-4.53	54.00	-4.18	150	270	Vertical
5	22595.656522	41.54	-3.78	54.00	-12.46	150	230	Vertical
6	24399.914274	49.52	-3.14	54.00	-4.48	150	290	Vertical


Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results for Above 1GHz

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery2#
Test Mode	Mode 6	Antenna Polarity	Horizontal



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4959.497975	48.79	-8.68	54.00	-5.21	150	140	Horizontal
2	7439.921996	49.13	-3.15	54.00	-4.87	150	20	Horizontal
3	9920.346017	50.24	1.16	54.00	-3.76	150	230	Horizontal
4	12400.770039	49.89	2.74	54.00	-4.11	150	210	Horizontal
5	14880.344017	50.06	1.58	54.00	-3.94	150	230	Horizontal
6	16551.527576	50.64	3.88	54.00	-3.36	150	250	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	19134.162023	37.15	-7.01	54.00	-16.85	150	80	Horizontal
2	19839.262752	46.80	-7.05	54.00	-7.20	150	300	Horizontal
3	20414.344906	38.30	-6.41	54.00	-15.70	150	190	Horizontal
4	22320.617231	48.75	-4.07	54.00	-5.25	150	250	Horizontal
5	23782.826118	41.53	-3.19	54.00	-12.47	150	190	Horizontal
6	24799.971425	49.29	-2.97	54.00	-4.71	150	310	Horizontal

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery2#
Test Mode	Mode 6	Antenna Polarity	Vertical



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4959.497975	48.18	-8.68	54.00	-5.82	150	350	Vertical
2	7439.921996	49.96	-3.15	54.00	-4.04	150	50	Vertical
3	9919.495975	50.94	1.15	54.00	-3.06	150	70	Vertical
4	12400.770039	50.05	2.74	54.00	-3.95	150	110	Vertical
5	14880.344017	51.08	1.58	54.00	-2.92	150	110	Vertical
6	17360.768038	51.27	2.75	54.00	-2.73	150	160	Vertical



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18816.116588	36.89	-7.00	54.00	-17.11	150	60	Vertical
2	19839.262752	45.29	-7.03	54.00	-8.71	150	270	Vertical
3	21221.460209	39.24	-5.28	54.00	-14.76	150	160	Vertical
4	22319.617088	47.94	-4.11	54.00	-6.06	150	90	Vertical
5	23785.826547	41.50	-3.29	54.00	-12.50	150	190	Vertical
6	24800.971567	50.02	-2.99	54.00	-3.98	150	230	Vertical

Result: Pass

Note:

1. Factor = Antenna Factor + Cable loss – Pre-amplifier gain, Margin =Emission Level-Limit.
2. The “Factor” value can be calculated automatically by software of measurement system.
3. All test modes had been pre-tested. The GFSK_2Mbps is the worst case and recorded in the report.


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>


Band Edge Emission Test Results for Restricted Bands

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	DC 9V for Adapter
Test Mode	Mode 1	Antenna Polarity	Horizontal

Test Graph for Peak Measurement



Test Graph for Average Measurement



Result: Pass


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/


Band Edge Emission Test Results for Restricted Bands

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	DC 9V for Adapter
Test Mode	Mode 1	Antenna Polarity	Vertical

Test Graph for Peak Measurement



Test Graph for Average Measurement



Result: Pass


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/


Band Edge Emission Test Results for Restricted Bands

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	DC 9V for Adapter
Test Mode	Mode 3	Antenna Polarity	Horizontal

Test Graph for Peak Measurement



Test Graph for Average Measurement



Result: Pass


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/


Band Edge Emission Test Results for Restricted Bands

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	DC 9V for Adapter
Test Mode	Mode 3	Antenna Polarity	Vertical

Test Graph for Peak Measurement



Test Graph for Average Measurement



Result: Pass


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/


Band Edge Emission Test Results for Restricted Bands

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	DC 9V for Adapter
Test Mode	Mode 4	Antenna Polarity	Horizontal

Test Graph for Peak Measurement



Test Graph for Average Measurement



Result: Pass


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/


Band Edge Emission Test Results for Restricted Bands

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	DC 9V for Adapter
Test Mode	Mode 4	Antenna Polarity	Vertical

Test Graph for Peak Measurement



Test Graph for Average Measurement



Result: Pass


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>


Band Edge Emission Test Results for Restricted Bands

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	DC 9V for Adapter
Test Mode	Mode 6	Antenna Polarity	Horizontal

Test Graph for Peak Measurement



Test Graph for Average Measurement



Result: Pass


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/


Band Edge Emission Test Results for Restricted Bands

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	DC 9V for Adapter
Test Mode	Mode 6	Antenna Polarity	Vertical

Test Graph for Peak Measurement



Test Graph for Average Measurement



Result: Pass

Remark:

- The factor had been edited in the "Input Correction" of the Spectrum Analyzer.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

12. AC Power Line Conducted Emission Test


12.1 Measurement Limit

Frequency	Maximum RF Line Voltage	
	Q.P. (dB μ V)	Average (dB μ V)
150kHz~500kHz	66-56	56-46
500kHz~5MHz	56	46
5MHz~30MHz	60	50

Note:

1. The lower limit shall apply at the transition frequency.
2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz

12.2 Measurement Setup (Block Diagram of Configuration)



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

12.3 Preliminary Procedure of Line Conducted Emission Test

1. The equipment was set up as per the test configuration to simulate typical actual usage per the user's manual. When the EUT is a tabletop system, a wooden table with a height of 0.8 meters is used and is placed on the ground plane as per ANSI C63.10 (see Test Facility for the dimensions of the ground plane used). When the EUT is a floor-standing equipment, it is placed on the ground plane which has a 3-12 mm non-conductive covering to insulate the EUT from the ground plane.
2. Support equipment, if needed, was placed as per ANSI C63.10.
3. All I/O cables were positioned to simulate typical actual usage as per ANSI C63.10.
4. All support equipment received AC120V/60Hz power from a LISN, if any.
5. The EUT received DC 9V power from adapter which received AC120V/60Hz power from a LISN.
6. The test program was started. Emissions were measured on each current carrying line of the EUT using a spectrum Analyzer / Receiver connected to the LISN powering the EUT. The LISN has two monitoring points: Line 1 (Hot Side) and Line 2 (Neutral Side).
7. Two scans were taken: one with Line 1 connected to Analyzer / Receiver and Line 2 connected to a 50 ohm load; the second scan had Line 1 connected to a 50 ohm load and Line 2 connected to the Analyzer / Receiver.
8. Analyzer / Receiver scanned from 150 kHz to 30MHz for emissions in each of the test modes.
9. During the above scans, the emissions were maximized by cable manipulation.
10. The test mode(s) were scanned during the preliminary test.
11. Then, the EUT configuration and cable configuration of the above highest emission level were recorded for reference of final testing.

12.4 Final Procedure of Line Conducted Emission Test

1. EUT and support equipment was set up on the test bench as per step 2 of the preliminary test.
2. A scan was taken on both power lines, Line 1 and Line 2, recording at least the six highest emissions. Emission frequency and amplitude were recorded into a computer in which correction factors were used to calculate the emission level and compare reading to the applicable limit.
3. If EUT emission level was less -2dB to the A.V. limit in Peak mode, then the emission signal was re-checked using Q.P and Average detector.
4. The test data of the worst case condition(s) was reported on the Summary Data page.
5. A conducted emission is calculated by the following equation:
 - Measurement Level (dB μ V) = Receiver reading (dB μ V) + Transd (dB)
 - Transd (dB)= AMN Factor(dB)+Cable Loss(dB)+Attenuation(dB)
 - Margin= Limit-Level


12.5 Measurement Result

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

AC Power Line Conducted Emission Test

Test Mode	Mode 1	LISN Line	Hot Side
-----------	--------	-----------	----------

Remark	DC 9V for Adapter1#+ DC 7.2V by battery1#
--------	---

**MEASUREMENT RESULT: "agc_fin"**

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line	PE
0.582000	37.60	9.9	56	18.4	QP	L1	GND
0.618000	39.90	9.9	56	16.1	QP	L1	GND
0.790000	30.20	9.9	56	25.8	QP	L1	GND
1.246000	31.30	9.9	56	24.7	QP	L1	GND
1.306000	30.80	9.9	56	25.2	QP	L1	GND
1.458000	29.20	9.9	56	26.8	QP	L1	GND

MEASUREMENT RESULT: "agc_fin2"

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line	PE
0.222000	29.50	9.9	53	23.2	AV	L1	GND
0.294000	28.80	9.9	50	21.6	AV	L1	GND
0.586000	30.90	9.9	46	15.1	AV	L1	GND
0.618000	32.20	9.9	46	13.8	AV	L1	GND
1.282000	21.00	9.9	46	25.0	AV	L1	GND
4.898000	19.00	10.0	46	27.0	AV	L1	GND

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

AC Power Line Conducted Emission Test

Test Mode	Mode 1	LISN Line	Neutral Side
Remark	DC 9V for Adapter1#+ DC 7.2V by battery1#		

**MEASUREMENT RESULT: "agc_fin"**

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line	PE
0.510000	30.30	9.9	56	25.7	QP	N	GND
0.550000	32.70	9.9	56	23.3	QP	N	GND
0.618000	39.60	9.9	56	16.4	QP	N	GND
1.102000	30.40	9.9	56	25.6	QP	N	GND
1.186000	30.70	9.9	56	25.3	QP	N	GND
1.310000	30.70	9.9	56	25.3	QP	N	GND

MEASUREMENT RESULT: "agc_fin2"

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line	PE
0.222000	29.80	9.9	53	22.9	AV	N	GND
0.586000	30.50	9.9	46	15.5	AV	N	GND
0.618000	31.80	9.9	46	14.2	AV	N	GND
1.202000	22.10	9.9	46	23.9	AV	N	GND
4.126000	16.60	10.0	46	29.4	AV	N	GND
4.902000	19.40	10.0	46	26.6	AV	N	GND

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

AC Power Line Conducted Emission Test

Test Mode	Mode 1	LISN Line	Hot Side
Remark	DC 9V for Adapter2#+ DC 7.2V by battery1#		



MEASUREMENT RESULT: "agc_fin"

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line	PE
0.438000	31.50	9.9	57	25.6	QP	L1	GND
0.482000	31.50	9.9	56	24.8	QP	L1	GND
0.582000	40.30	9.9	56	15.7	QP	L1	GND
0.622000	43.10	9.9	56	12.9	QP	L1	GND
0.658000	30.60	9.9	56	25.4	QP	L1	GND
0.838000	29.80	9.9	56	26.2	QP	L1	GND

MEASUREMENT RESULT: "agc_fin2"

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line	PE
0.222000	32.70	9.9	53	20.0	AV	L1	GND
0.294000	30.40	9.9	50	20.0	AV	L1	GND
0.554000	28.30	9.9	46	17.7	AV	L1	GND
0.586000	33.50	9.9	46	12.5	AV	L1	GND
0.618000	34.90	9.9	46	11.1	AV	L1	GND
0.650000	25.90	9.9	46	20.1	AV	L1	GND


Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

AC Power Line Conducted Emission Test

Test Mode	Mode 1	LISN Line	Neutral Side
-----------	--------	-----------	--------------

Remark	DC 9V for Adapter2#+ DC 7.2V by battery1#
--------	---

**MEASUREMENT RESULT: "agc_fin"**

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line	PE
0.586000	37.30	9.9	56	18.7	QP	N	GND
0.622000	40.10	9.9	56	15.9	QP	N	GND
1.046000	30.70	9.9	56	25.3	QP	N	GND
1.122000	30.20	9.9	56	25.8	QP	N	GND
1.266000	30.90	9.9	56	25.1	QP	N	GND
1.274000	30.70	9.9	56	25.3	QP	N	GND

MEASUREMENT RESULT: "agc_fin2"

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line	PE
0.226000	28.60	9.9	53	24.0	AV	N	GND
0.294000	28.20	9.9	50	22.2	AV	N	GND
0.586000	30.60	9.9	46	15.4	AV	N	GND
0.618000	32.10	9.9	46	13.9	AV	N	GND
1.210000	21.30	9.9	46	24.7	AV	N	GND
4.906000	18.60	10.0	46	27.4	AV	N	GND

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

AC Power Line Conducted Emission Test

Test Mode	Mode 1	LISN Line	Hot Side
Remark	DC 9V for Adapter1#+ DC 7.2V by battery2#		



MEASUREMENT RESULT: "agc_fin"

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line	PE
0.394000	33.80	9.9	58	24.2	QP	L1	GND
0.446000	30.70	9.9	57	26.2	QP	L1	GND
0.750000	30.60	9.9	56	25.4	QP	L1	GND
0.862000	30.30	9.9	56	25.7	QP	L1	GND
1.050000	30.90	9.9	56	25.1	QP	L1	GND
1.394000	29.80	9.9	56	26.2	QP	L1	GND

MEASUREMENT RESULT: "agc_fin2"


Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line	PE
0.314000	33.30	9.9	50	16.6	AV	L1	GND
0.338000	31.60	9.9	49	17.7	AV	L1	GND
0.362000	36.30	9.9	49	12.4	AV	L1	GND
0.366000	33.10	9.9	49	15.5	AV	L1	GND
0.390000	30.40	9.9	48	17.7	AV	L1	GND
0.622000	29.80	9.9	46	16.2	AV	L1	GND

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

AC Power Line Conducted Emission Test

Test Mode	Mode 1	LISN Line	Neutral Side
Remark	DC 9V for Adapter1#+ DC 7.2V by battery2#		



MEASUREMENT RESULT: "agc_fin"

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line	PE
0.158000	48.20	9.9	66	17.4	QP	N	GND
0.598000	30.70	9.9	56	25.3	QP	N	GND
0.622000	39.00	9.9	56	17.0	QP	N	GND
1.042000	31.10	9.9	56	24.9	QP	N	GND
1.246000	31.90	9.9	56	24.1	QP	N	GND
1.310000	32.10	9.9	56	23.9	QP	N	GND

MEASUREMENT RESULT: "agc_fin2"


Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line	PE
0.314000	32.50	9.9	50	17.4	AV	N	GND
0.358000	34.30	9.9	49	14.5	AV	N	GND
0.366000	33.10	9.9	49	15.5	AV	N	GND
0.382000	31.30	9.9	48	16.9	AV	N	GND
0.586000	29.90	9.9	46	16.1	AV	N	GND
0.618000	31.10	9.9	46	14.9	AV	N	GND

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

AC Power Line Conducted Emission Test

Test Mode	Mode 1	LISN Line	Hot Side
Remark	DC 9V for Adapter2#+ DC 7.2V by battery2#		



MEASUREMENT RESULT: "agc_fin"

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line	PE
0.482000	34.50	9.9	56	21.8	QP	L1	GND
0.574000	31.90	9.9	56	24.1	QP	L1	GND
0.682000	31.70	9.9	56	24.3	QP	L1	GND
0.806000	34.90	9.9	56	21.1	QP	L1	GND
1.382000	34.50	9.9	56	21.5	QP	L1	GND
1.434000	31.10	9.9	56	24.9	QP	L1	GND

MEASUREMENT RESULT: "agc_fin2"


Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line	PE
0.314000	35.00	9.9	50	14.9	AV	L1	GND
0.362000	36.60	9.9	49	12.1	AV	L1	GND
0.366000	33.40	9.9	49	15.2	AV	L1	GND
0.586000	29.90	9.9	46	16.1	AV	L1	GND
0.618000	31.00	9.9	46	15.0	AV	L1	GND
0.642000	22.30	9.9	46	23.7	AV	L1	GND

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

AC Power Line Conducted Emission Test

Test Mode	Mode 1	LISN Line	Neutral Side
Remark	DC 9V for Adapter2#+ DC 7.2V by battery2#		

**MEASUREMENT RESULT: "agc_fin"**

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line	PE
0.426000	32.80	9.9	57	24.5	QP	N	GND
0.618000	38.80	9.9	56	17.2	QP	N	GND
1.138000	33.00	9.9	56	23.0	QP	N	GND
1.178000	35.90	9.9	56	20.1	QP	N	GND
1.318000	31.40	9.9	56	24.6	QP	N	GND
1.578000	29.70	9.9	56	26.3	QP	N	GND

MEASUREMENT RESULT: "agc_fin2"

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line	PE
0.310000	31.30	9.9	50	18.7	AV	N	GND
0.338000	31.50	9.9	49	17.8	AV	N	GND
0.358000	34.40	9.9	49	14.4	AV	N	GND
0.382000	31.20	9.9	48	17.0	AV	N	GND
0.586000	29.80	9.9	46	16.2	AV	N	GND
0.618000	31.10	9.9	46	14.9	AV	N	GND

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Appendix I: Photographs of Test Setup

Refer to the Report No.: AGC16626250902AP02

Appendix II: Photographs of Test EUT

Refer to the Report No.: AGC16626250902AP03

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Conditions of Issuance of Test Reports

1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Co., Ltd (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

-----End of Report-----

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>