


Radiated Emission Test Results at 30MHz-1GHz			
EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery2#
Test Mode	Mode 3	Antenna Polarity	Vertical



Final Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	133.1511	17.60	-20.95	43.50	25.9	100	260	Vertical
2	158.6677	16.89	-19.79	43.50	26.61	100	210	Vertical
3	312.1794	18.79	-18.47	46.00	27.21	100	130	Vertical
4	440.1963	22.38	-15.36	46.00	23.62	100	160	Vertical
5	590.9737	27.72	-11.89	46.00	18.28	100	110	Vertical
6	938.8326	31.93	-6.31	46.00	14.07	100	120	Vertical

Result: Pass


Note:

- Factor=Antenna Factor + Cable loss - Pre-amplifier, Margin=Limit-Measurement.
- All test modes had been pre-tested. The mode 3 is the worst case and recorded in the report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Radiated Emissions Test Results Above 1GHz

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery1#
Test Mode	Mode 1	Antenna Polarity	Horizontal




PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4803.090155	47.42	-8.83	54.00	-6.58	150	70	Horizontal
2	7205.310266	49.53	-2.83	54.00	-4.47	150	130	Horizontal
3	9607.530377	50.62	-0.64	54.00	-3.38	150	30	Horizontal
4	12009.750488	50.79	3.31	54.00	-3.21	150	120	Horizontal
5	14411.120556	49.63	2.33	54.00	-4.37	150	360	Horizontal
6	17280.864043	50.81	2.89	54.00	-3.19	150	170	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	19215.173596	44.28	-7.02	54.00	-9.72	150	160	Horizontal
2	19897.271039	37.90	-7.05	54.00	-16.10	150	260	Horizontal
3	21618.516931	47.39	-4.87	54.00	-6.61	150	230	Horizontal
4	23161.737391	41.97	-3.20	54.00	-12.03	150	160	Horizontal
5	24019.85998	48.65	-3.18	54.00	-5.35	150	180	Horizontal
6	24606.943849	43.19	-3.02	54.00	-10.81	150	300	Horizontal


Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results above 1 GHz


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery1#
Test Mode	Mode 1	Antenna Polarity	Vertical



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4803.940197	46.09	-8.83	54.00	-7.91	150	110	Vertical
2	7206.160308	49.70	-2.83	54.00	-4.30	150	150	Vertical
3	9608.380419	49.04	-0.64	54.00	-4.96	150	200	Vertical
4	12010.60053	50.47	3.31	54.00	-3.53	150	190	Vertical
5	14411.120556	50.76	2.33	54.00	-3.24	150	290	Vertical
6	16488.624431	50.87	3.94	54.00	-3.13	150	310	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18803.114731	36.93	-7.02	54.00	-17.07	150	310	Vertical
2	19215.173596	44.09	-6.94	54.00	-9.91	150	230	Vertical
3	20403.343335	38.68	-6.43	54.00	-15.32	150	160	Vertical
4	21617.516788	48.04	-4.88	54.00	-5.96	150	120	Vertical
5	23243.749107	41.74	-3.29	54.00	-12.26	150	100	Vertical
6	24019.85998	49.92	-3.27	54.00	-4.08	150	340	Vertical


Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results Above 1GHz


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery1#
Test Mode	Mode 2	Antenna Polarity	Horizontal



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4882.99415	47.55	-8.76	54.00	-6.45	150	340	Horizontal
2	7323.466173	49.27	-2.98	54.00	-4.73	150	110	Horizontal
3	9764.788239	50.21	0.27	54.00	-3.79	150	190	Horizontal
4	12204.410221	51.36	3.03	54.00	-2.64	150	130	Horizontal
5	14645.732287	50.65	1.76	54.00	-3.35	150	290	Horizontal
6	17394.769739	50.52	2.70	54.00	-3.48	150	360	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18748.106872	36.62	-7.15	54.00	-17.38	150	270	Horizontal
2	19527.218174	45.31	-7.03	54.00	-8.69	150	50	Horizontal
3	21267.466781	39.45	-5.23	54.00	-14.55	150	70	Horizontal
4	21968.566938	48.69	-4.53	54.00	-5.31	150	270	Horizontal
5	23277.753965	41.77	-3.20	54.00	-12.23	150	60	Horizontal
6	24409.915702	48.96	-3.08	54.00	-5.04	150	250	Horizontal

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results Above 1GHz


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery1#
Test Mode	Mode 2	Antenna Polarity	Vertical



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4882.99415	49.05	-8.76	54.00	-4.95	150	130	Vertical
2	7323.466173	49.43	-2.98	54.00	-4.57	150	30	Vertical
3	9763.938197	49.29	0.26	54.00	-4.71	150	200	Vertical
4	12205.260263	49.52	3.03	54.00	-4.48	150	300	Vertical
5	14646.582329	50.72	1.76	54.00	-3.28	150	70	Vertical
6	17079.40397	51.51	3.23	54.00	-2.49	150	270	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18534.076297	36.44	-7.17	54.00	-17.56	150	60	Vertical
2	19528.218317	44.43	-6.98	54.00	-9.57	150	140	Vertical
3	20851.407344	38.00	-5.73	54.00	-16.00	150	120	Vertical
4	21969.567081	47.34	-4.53	54.00	-6.66	150	210	Vertical
5	23277.753965	41.81	-3.30	54.00	-12.19	150	150	Vertical
6	24409.915702	48.97	-3.14	54.00	-5.03	150	190	Vertical


RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results Above 1GHz


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery1#
Test Mode	Mode 3	Antenna Polarity	Horizontal



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4959.497975	47.03	-8.68	54.00	-6.97	150	70	Horizontal
2	7439.071954	50.13	-3.15	54.00	-3.87	150	30	Horizontal
3	9920.346017	49.36	1.16	54.00	-4.64	150	210	Horizontal
4	12400.770039	50.04	2.74	54.00	-3.96	150	140	Horizontal
5	14880.344017	50.18	1.58	54.00	-3.82	150	130	Horizontal
6	17056.452823	51.39	3.27	54.00	-2.61	150	20	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	19110.158594	36.94	-7.01	54.00	-17.06	150	250	Horizontal
2	19840.262895	46.99	-7.05	54.00	-7.01	150	270	Horizontal
3	21348.478354	39.45	-5.15	54.00	-14.55	150	250	Horizontal
4	22319.617088	47.82	-4.08	54.00	-6.18	150	360	Horizontal
5	23210.744392	42.87	-3.20	54.00	-11.13	150	160	Horizontal
6	24800.971567	50.78	-2.97	54.00	-3.22	150	190	Horizontal

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emission Test Results at Above 1GHz

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery1#
Test Mode	Mode 3	Antenna Polarity	Vertical



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4959.497975	47.06	-8.68	54.00	-6.94	150	270	Vertical
2	7440.772039	49.36	-3.15	54.00	-4.64	150	100	Vertical
3	9920.346017	50.02	1.16	54.00	-3.98	150	50	Vertical
4	12400.770039	49.80	2.74	54.00	-4.20	150	330	Vertical
5	14880.344017	50.42	1.58	54.00	-3.58	150	290	Vertical
6	17360.768038	51.41	2.75	54.00	-2.59	150	130	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18640.091442	37.05	-7.11	54.00	-16.95	150	290	Vertical
2	19839.262752	47.11	-7.03	54.00	-6.89	150	300	Vertical
3	21324.474925	38.88	-5.17	54.00	-15.12	150	90	Vertical
4	22320.617231	47.56	-4.10	54.00	-6.44	150	90	Vertical
5	23220.745821	41.56	-3.29	54.00	-12.44	150	20	Vertical
6	24799.971425	49.50	-2.99	54.00	-4.50	150	190	Vertical


RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results Above 1GHz


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery1#
Test Mode	Mode 1	Antenna Polarity	Horizontal



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4803.940197	48.32	-8.83	54.00	-5.68	150	340	Horizontal
2	7205.310266	49.88	-2.83	54.00	-4.12	150	40	Horizontal
3	9607.530377	50.88	-0.64	54.00	-3.12	150	110	Horizontal
4	12010.60053	51.02	3.31	54.00	-2.98	150	80	Horizontal
5	14411.970599	49.71	2.33	54.00	-4.29	150	230	Horizontal
6	16424.021201	51.02	3.94	54.00	-2.98	150	320	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	19215.173596	42.46	-7.02	54.00	-11.54	150	260	Horizontal
2	20631.375911	38.54	-6.08	54.00	-15.46	150	140	Horizontal
3	21618.516931	48.32	-4.87	54.00	-5.68	150	20	Horizontal
4	22705.672239	41.49	-3.58	54.00	-12.51	150	50	Horizontal
5	24020.860123	48.24	-3.18	54.00	-5.76	150	230	Horizontal
6	24551.935991	42.46	-3.04	54.00	-11.54	150	190	Horizontal

RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Radiated Emissions Test Results for Above 1GHz

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery1#
Test Mode	Mode 1	Antenna Polarity	Vertical



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4803.940197	47.14	-8.83	54.00	-6.86	150	210	Vertical
2	7205.310266	49.48	-2.83	54.00	-4.52	150	320	Vertical
3	9608.380419	50.41	-0.64	54.00	-3.59	150	230	Vertical
4	12009.750488	50.58	3.31	54.00	-3.42	150	140	Vertical
5	14412.820641	49.47	2.31	54.00	-4.53	150	220	Vertical
6	16567.678384	50.94	3.86	54.00	-3.06	150	150	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	19215.173596	45.15	-6.94	54.00	-8.85	150	80	Vertical
2	20593.370482	37.87	-6.13	54.00	-16.13	150	190	Vertical
3	21618.516931	43.73	-4.87	54.00	-10.27	150	0	Vertical
4	22647.663952	40.77	-3.72	54.00	-13.23	150	10	Vertical
5	24019.85998	47.62	-3.27	54.00	-6.38	150	120	Vertical
6	24684.954994	41.69	-3.03	54.00	-12.31	150	200	Vertical


Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results Above 1GHz

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery1#
Test Mode	Mode 2	Antenna Polarity	Horizontal




PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4882.144107	49.51	-8.76	54.00	-4.49	150	230	Horizontal
2	7323.466173	49.06	-2.98	54.00	-4.94	150	90	Horizontal
3	9763.938197	49.71	0.26	54.00	-4.29	150	320	Horizontal
4	12205.260263	50.61	3.03	54.00	-3.39	150	320	Horizontal
5	14645.732287	50.81	1.76	54.00	-3.19	150	130	Horizontal
6	17066.653333	50.21	3.25	54.00	-3.79	150	270	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18980.14002	37.04	-7.01	54.00	-16.96	150	290	Horizontal
2	19527.218174	43.30	-7.03	54.00	-10.70	150	350	Horizontal
3	20710.387198	38.18	-5.96	54.00	-15.82	150	180	Horizontal
4	21969.567081	43.12	-4.53	54.00	-10.88	150	270	Horizontal
5	23546.792399	41.58	-3.19	54.00	-12.42	150	150	Horizontal
6	24410.915845	49.05	-3.08	54.00	-4.95	150	190	Horizontal


Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results for Above 1GHz

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery1#
Test Mode	Mode 1	Antenna Polarity	Vertical




PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4803.940197	47.14	-8.83	54.00	-6.86	150	210	Vertical
2	7205.310266	49.48	-2.83	54.00	-4.52	150	320	Vertical
3	9608.380419	50.41	-0.64	54.00	-3.59	150	230	Vertical
4	12009.750488	50.58	3.31	54.00	-3.42	150	140	Vertical
5	14412.820641	49.47	2.31	54.00	-4.53	150	220	Vertical
6	16567.678384	50.94	3.86	54.00	-3.06	150	150	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	19215.173596	45.15	-6.94	54.00	-8.85	150	80	Vertical
2	20593.370482	37.87	-6.13	54.00	-16.13	150	190	Vertical
3	21618.516931	43.73	-4.87	54.00	-10.27	150	0	Vertical
4	22647.663952	40.77	-3.72	54.00	-13.23	150	10	Vertical
5	24019.85998	47.62	-3.27	54.00	-6.38	150	120	Vertical
6	24684.954994	41.69	-3.03	54.00	-12.31	150	200	Vertical


Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results Above 1GHz


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery1#
Test Mode	Mode 3	Antenna Polarity	Horizontal



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4959.497975	47.21	-8.68	54.00	-6.79	150	140	Horizontal
2	7439.921996	50.52	-3.15	54.00	-3.48	150	280	Horizontal
3	9919.495975	50.41	1.15	54.00	-3.59	150	120	Horizontal
4	12400.770039	49.96	2.74	54.00	-4.04	150	60	Horizontal
5	14879.493975	50.67	1.58	54.00	-3.33	150	80	Horizontal
6	17359.067953	51.20	2.76	54.00	-2.80	150	310	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18699.099871	36.06	-7.17	54.00	-17.94	150	240	Horizontal
2	19839.262752	45.71	-7.05	54.00	-8.29	150	150	Horizontal
3	21716.530933	40.02	-4.77	54.00	-13.98	150	200	Horizontal
4	22320.617231	49.56	-4.07	54.00	-4.44	150	90	Horizontal
5	23588.7984	42.08	-3.18	54.00	-11.92	150	130	Horizontal
6	24799.971425	47.76	-2.97	54.00	-6.24	150	340	Horizontal

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Radiated Emissions Test Results for Above 1GHz


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery1#
Test Mode	Mode 3	Antenna Polarity	Vertical



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4959.497975	48.70	-8.68	54.00	-5.30	150	50	Vertical
2	7439.921996	49.97	-3.15	54.00	-4.03	150	120	Vertical
3	9919.495975	50.77	1.15	54.00	-3.23	150	260	Vertical
4	12399.069954	50.02	2.74	54.00	-3.98	150	290	Vertical
5	14880.344017	50.83	1.58	54.00	-3.17	150	200	Vertical
6	17360.768038	51.07	2.75	54.00	-2.93	150	200	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18932.133162	37.14	-6.94	54.00	-16.86	150	300	Vertical
2	19840.262895	44.93	-7.03	54.00	-9.07	150	20	Vertical
3	21401.485927	39.78	-5.10	54.00	-14.22	150	160	Vertical
4	22320.617231	46.56	-4.10	54.00	-7.44	150	130	Vertical
5	23253.750536	41.88	-3.30	54.00	-12.12	150	10	Vertical
6	24800.971567	50.30	-2.99	54.00	-3.70	150	210	Vertical


RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results Above 1GHz

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery2#
Test Mode	Mode 1	Antenna Polarity	Horizontal




PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4804.79024	46.87	-8.83	54.00	-7.13	150	110	Horizontal
2	7206.160308	49.19	-2.83	54.00	-4.81	150	120	Horizontal
3	9608.380419	50.17	-0.64	54.00	-3.83	150	60	Horizontal
4	12010.60053	49.30	3.31	54.00	-4.70	150	100	Horizontal
5	14411.970599	50.14	2.33	54.00	-3.86	150	360	Horizontal
6	17381.169058	50.19	2.72	54.00	-3.81	150	140	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18255.036434	36.46	-7.43	54.00	-17.54	150	310	Horizontal
2	19215.173596	45.50	-7.02	54.00	-8.50	150	150	Horizontal
3	20550.364338	38.35	-6.20	54.00	-15.65	150	310	Horizontal
4	21617.516788	47.72	-4.88	54.00	-6.28	150	280	Horizontal
5	23023.717674	42.28	-3.20	54.00	-11.72	150	150	Horizontal
6	24019.85998	46.33	-3.18	54.00	-7.67	150	190	Horizontal


Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results above 1 GHz


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery2#
Test Mode	Mode 1	Antenna Polarity	Vertical



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4803.940197	46.27	-8.83	54.00	-7.73	150	110	Vertical
2	7205.310266	49.07	-2.83	54.00	-4.93	150	10	Vertical
3	9608.380419	49.13	-0.64	54.00	-4.87	150	150	Vertical
4	12009.750488	50.03	3.31	54.00	-3.97	150	180	Vertical
5	14412.820641	49.91	2.31	54.00	-4.09	150	290	Vertical
6	17110.0055	50.83	3.18	54.00	-3.17	150	270	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18453.064724	36.42	-7.21	54.00	-17.58	150	240	Vertical
2	19215.173596	45.00	-6.94	54.00	-9.00	150	30	Vertical
3	20615.373625	39.07	-6.10	54.00	-14.93	150	30	Vertical
4	21618.516931	43.06	-4.87	54.00	-10.94	150	60	Vertical
5	23170.738677	42.32	-3.29	54.00	-11.68	150	20	Vertical
6	24019.85998	46.89	-3.27	54.00	-7.11	150	290	Vertical

RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Radiated Emissions Test Results Above 1GHz

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery2#
Test Mode	Mode 2	Antenna Polarity	Horizontal




PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4882.144107	45.59	-8.76	54.00	-8.41	150	190	Horizontal
2	7322.616131	50.60	-2.98	54.00	-3.40	150	100	Horizontal
3	9763.938197	51.28	0.26	54.00	-2.72	150	240	Horizontal
4	12204.410221	51.09	3.03	54.00	-2.91	150	140	Horizontal
5	13006.850343	50.66	3.96	54.00	-3.34	150	340	Horizontal
6	14645.732287	50.14	1.76	54.00	-3.86	150	70	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18963.137591	35.76	-7.02	54.00	-18.24	150	70	Horizontal
2	19527.218174	45.28	-7.03	54.00	-8.72	150	110	Horizontal
3	20777.396771	38.96	-5.85	54.00	-15.04	150	50	Horizontal
4	21969.567081	43.09	-4.53	54.00	-10.91	150	260	Horizontal
5	23218.745535	41.32	-3.19	54.00	-12.68	150	190	Horizontal
6	24409.915702	45.65	-3.08	54.00	-8.35	150	260	Horizontal


Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results above 1 GHz

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery2#
Test Mode	Mode 2	Antenna Polarity	Vertical




PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4882.144107	47.82	-8.76	54.00	-6.18	150	310	Vertical
2	7323.466173	48.46	-2.98	54.00	-5.54	150	30	Vertical
3	9764.788239	50.79	0.27	54.00	-3.21	150	320	Vertical
4	12204.410221	50.02	3.03	54.00	-3.98	150	140	Vertical
5	14645.732287	50.14	1.76	54.00	-3.86	150	140	Vertical
6	16502.225111	50.90	3.94	54.00	-3.10	150	200	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18463.066152	36.66	-7.21	54.00	-17.34	150	60	Vertical
2	19527.218174	46.30	-6.98	54.00	-7.70	150	260	Vertical
3	20484.354908	38.43	-6.31	54.00	-15.57	150	20	Vertical
4	21968.566938	42.49	-4.53	54.00	-11.51	150	140	Vertical
5	23245.749393	41.57	-3.29	54.00	-12.43	150	110	Vertical
6	24409.915702	45.55	-3.14	54.00	-8.45	150	10	Vertical


RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results Above 1GHz

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery2#
Test Mode	Mode 3	Antenna Polarity	Horizontal




PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4959.497975	48.99	-8.68	54.00	-5.01	150	340	Horizontal
2	7440.772039	51.16	-3.15	54.00	-2.84	150	100	Horizontal
3	9920.346017	50.92	1.16	54.00	-3.08	150	320	Horizontal
4	12400.770039	50.16	2.74	54.00	-3.84	150	160	Horizontal
5	14880.344017	50.05	1.58	54.00	-3.95	150	150	Horizontal
6	17039.451973	50.84	3.31	54.00	-3.16	150	100	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18546.078011	37.01	-7.27	54.00	-16.99	150	360	Horizontal
2	19839.262752	44.09	-7.05	54.00	-9.91	150	260	Horizontal
3	21453.493356	39.50	-5.04	54.00	-14.50	150	280	Horizontal
4	22320.617231	48.65	-4.07	54.00	-5.35	150	250	Horizontal
5	23637.805401	41.29	-3.18	54.00	-12.71	150	320	Horizontal
6	24799.971425	47.21	-2.97	54.00	-6.79	150	130	Horizontal

Result: Pass


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery2#
Test Mode	Mode 3	Antenna Polarity	Vertical



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4960.348017	47.38	-8.68	54.00	-6.62	150	100	Vertical
2	7439.921996	50.39	-3.15	54.00	-3.61	150	320	Vertical
3	9919.495975	50.67	1.15	54.00	-3.33	150	140	Vertical
4	12399.069954	49.77	2.74	54.00	-4.23	150	120	Vertical
5	14879.493975	51.14	1.58	54.00	-2.86	150	170	Vertical
6	17169.508475	50.94	3.08	54.00	-3.06	150	340	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	19059.151307	36.06	-6.91	54.00	-17.94	150	250	Vertical
2	19839.262752	44.85	-7.03	54.00	-9.15	150	280	Vertical
3	21153.450493	39.56	-5.34	54.00	-14.44	150	310	Vertical
4	22320.617231	50.10	-4.10	54.00	-3.90	150	120	Vertical
5	24060.865838	41.40	-3.26	54.00	-12.60	150	340	Vertical
6	24800.971567	47.10	-2.99	54.00	-6.90	150	310	Vertical


RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
 Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results Above 1GHz

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery2#
Test Mode	Mode 1	Antenna Polarity	Horizontal




PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4803.090155	46.95	-8.83	54.00	-7.05	150	100	Horizontal
2	7206.160308	50.46	-2.83	54.00	-3.54	150	260	Horizontal
3	10937.846892	50.06	4.29	54.00	-3.94	150	290	Horizontal
4	12009.750488	51.56	3.31	54.00	-2.44	150	20	Horizontal
5	14411.970599	50.29	2.33	54.00	-3.71	150	290	Horizontal
6	17037.751888	50.31	3.31	54.00	-3.69	150	180	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18748.106872	36.58	-7.15	54.00	-17.42	150	190	Horizontal
2	19215.173596	45.28	-7.02	54.00	-8.72	150	30	Horizontal
3	20339.334191	38.19	-6.53	54.00	-15.81	150	350	Horizontal
4	21618.516931	46.63	-4.87	54.00	-7.37	150	350	Horizontal
5	22607.658237	40.86	-3.71	54.00	-13.14	150	140	Horizontal
6	24019.85998	50.96	-3.18	54.00	-3.04	150	50	Horizontal


Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results above 1 GHz

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery2#
Test Mode	Mode 1	Antenna Polarity	Vertical




PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4803.090155	46.84	-8.83	54.00	-7.16	150	210	Vertical
2	7206.160308	50.53	-2.83	54.00	-3.47	150	100	Vertical
3	9607.530377	50.50	-0.64	54.00	-3.50	150	10	Vertical
4	12009.750488	50.38	3.31	54.00	-3.62	150	110	Vertical
5	14411.970599	49.69	2.33	54.00	-4.31	150	20	Vertical
6	17022.451123	51.20	3.33	54.00	-2.80	150	40	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	19215.173596	46.61	-6.94	54.00	-7.39	150	160	Vertical
2	19752.250322	37.69	-7.02	54.00	-16.31	150	200	Vertical
3	21618.516931	49.05	-4.87	54.00	-4.95	150	0	Vertical
4	22927.703958	41.11	-3.38	54.00	-12.89	150	20	Vertical
5	24019.85998	50.10	-3.27	54.00	-3.90	150	150	Vertical
6	24671.953136	43.35	-3.04	54.00	-10.65	150	20	Vertical


RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
 Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results Above 1GHz


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery2#
Test Mode	Mode 2	Antenna Polarity	Horizontal



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4882.99415	47.38	-8.76	54.00	-6.62	150	120	Horizontal
2	7322.616131	49.81	-2.98	54.00	-4.19	150	160	Horizontal
3	9763.088154	49.93	0.26	54.00	-4.07	150	180	Horizontal
4	12204.410221	49.84	3.03	54.00	-4.16	150	260	Horizontal
5	14645.732287	51.32	1.76	54.00	-2.68	150	60	Horizontal
6	17079.40397	51.68	3.23	54.00	-2.32	150	250	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	19528.218317	46.48	-7.03	54.00	-7.52	150	140	Horizontal
2	20281.325904	38.14	-6.62	54.00	-15.86	150	210	Horizontal
3	20949.421346	38.71	-5.58	54.00	-15.29	150	270	Horizontal
4	21969.567081	46.72	-4.53	54.00	-7.28	150	240	Horizontal
5	23131.733105	41.48	-3.20	54.00	-12.52	150	260	Horizontal
6	24409.915702	49.25	-3.08	54.00	-4.75	150	250	Horizontal


Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
 Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results for Above 1GHz

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery2#
Test Mode	Mode 2	Antenna Polarity	Vertical



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4882.144107	47.04	-8.76	54.00	-6.96	150	260	Vertical
2	7323.466173	50.45	-2.98	54.00	-3.55	150	140	Vertical
3	8561.128056	48.65	-1.50	54.00	-5.35	150	110	Vertical
4	9763.088154	51.30	0.26	54.00	-2.70	150	250	Vertical
5	12204.410221	51.35	3.03	54.00	-2.65	150	260	Vertical
6	14645.732287	49.94	1.76	54.00	-4.06	150	160	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18855.12216	36.06	-6.98	54.00	-17.94	150	260	Vertical
2	19528.218317	45.16	-6.98	54.00	-8.84	150	240	Vertical
3	20915.416488	38.08	-5.63	54.00	-15.92	150	10	Vertical
4	21968.566938	47.61	-4.53	54.00	-6.39	150	80	Vertical
5	23216.745249	41.87	-3.29	54.00	-12.13	150	110	Vertical
6	24410.915845	49.13	-3.14	54.00	-4.87	150	160	Vertical


RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results Above 1GHz

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery2#
Test Mode	Mode 3	Antenna Polarity	Horizontal




PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4959.497975	48.47	-8.68	54.00	-5.53	150	220	Horizontal
2	7439.071954	49.02	-3.15	54.00	-4.98	150	150	Horizontal
3	9919.495975	50.79	1.15	54.00	-3.21	150	330	Horizontal
4	12400.770039	49.50	2.74	54.00	-4.50	150	150	Horizontal
5	14880.344017	50.37	1.58	54.00	-3.63	150	340	Horizontal
6	17053.902695	50.41	3.27	54.00	-3.59	150	330	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	19091.155879	38.41	-7.00	54.00	-15.59	150	260	Horizontal
2	19839.262752	44.86	-7.05	54.00	-9.14	150	260	Horizontal
3	20688.384055	38.86	-5.98	54.00	-15.14	150	80	Horizontal
4	22319.617088	48.39	-4.08	54.00	-5.61	150	290	Horizontal
5	23335.762252	41.77	-3.20	54.00	-12.23	150	350	Horizontal
6	24800.971567	49.46	-2.97	54.00	-4.54	150	70	Horizontal


Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results for Above 1GHz


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery2#
Test Mode	Mode 3	Antenna Polarity	Vertical



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4959.497975	49.13	-8.68	54.00	-4.87	150	110	Vertical
2	9920.346017	51.30	1.16	54.00	-2.70	150	330	Vertical
3	12400.770039	50.16	2.74	54.00	-3.84	150	70	Vertical
4	13082.504125	51.43	3.91	54.00	-2.57	150	100	Vertical
5	14880.344017	50.98	1.58	54.00	-3.02	150	280	Vertical
6	17360.768038	50.84	2.75	54.00	-3.16	150	60	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18636.09087	36.36	-7.11	54.00	-17.64	150	20	Vertical
2	19839.262752	46.54	-7.03	54.00	-7.46	150	200	Vertical
3	21168.452636	38.55	-5.33	54.00	-15.45	150	320	Vertical
4	22319.617088	47.71	-4.11	54.00	-6.29	150	210	Vertical
5	23232.747535	42.26	-3.30	54.00	-11.74	150	240	Vertical
6	24799.971425	51.03	-2.99	54.00	-2.97	150	310	Vertical

Note:

1. Factor = Antenna Factor + Cable loss – Pre-amplifier gain, Margin =Emission Level-Limit.
2. The “Factor” value can be calculated automatically by software of measurement system.
3. All test modes had been pre-tested. The GFSK mode is the worst case and recorded in the report.


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>


Band Edge Emission Test Results for Restricted Bands

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter
Test Mode	Mode 1	Antenna Polarity	Horizontal

Test Graph for Peak Measurement



Test Graph for Average Measurement



RESULT: PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/


Band Edge Emission Test Results for Restricted Bands

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter
Test Mode	Mode 1	Antenna Polarity	Vertical

Test Graph for Peak Measurement



Test Graph for Average Measurement



RESULT: PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>


Band Edge Emission Test Results for Restricted Bands

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter
Test Mode	Mode 3	Antenna Polarity	Horizontal

Test Graph for Peak Measurement



Test Graph for Average Measurement



RESULT: PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/


Band Edge Emission Test Results for Restricted Bands

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter
Test Mode	Mode 3	Antenna Polarity	Vertical

Test Graph for Peak Measurement



Test Graph for Average Measurement



RESULT: PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/


Band Edge Emission Test Results for Restricted Bands

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter
Test Mode	Mode 4	Antenna Polarity	Horizontal

Test Graph for Peak Measurement



Test Graph for Average Measurement



RESULT: PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/


Band Edge Emission Test Results for Restricted Bands

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter
Test Mode	Mode 4	Antenna Polarity	Vertical

Test Graph for Peak Measurement



Test Graph for Average Measurement



RESULT: PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/


Band Edge Emission Test Results for Restricted Bands

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter
Test Mode	Mode 6	Antenna Polarity	Horizontal

Test Graph for Peak Measurement



Test Graph for Average Measurement



RESULT: PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/


Band Edge Emission Test Results for Restricted Bands

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter
Test Mode	Mode 6	Antenna Polarity	Vertical

Test Graph for Peak Measurement



Test Graph for Average Measurement



RESULT: PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/


Band Edge Emission Test Results for Restricted Bands

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter
Test Mode	Mode 7	Antenna Polarity	Horizontal

Test Graph for Peak Measurement



Test Graph for Average Measurement



RESULT: PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/


Band Edge Emission Test Results for Restricted Bands

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter
Test Mode	Mode 7	Antenna Polarity	Vertical

Test Graph for Peak Measurement



Test Graph for Average Measurement



RESULT: PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>


Band Edge Emission Test Results for Restricted Bands

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter
Test Mode	Mode 9	Antenna Polarity	Horizontal

Test Graph for Peak Measurement



Test Graph for Average Measurement



RESULT: PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/


Band Edge Emission Test Results for Restricted Bands

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter
Test Mode	Mode 9	Antenna Polarity	Vertical

Test Graph for Peak Measurement



Test Graph for Average Measurement



RESULT: PASS

Remark:

- The factor had been edited in the "Input Correction" of the Spectrum Analyzer.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

10. Number of Hopping Frequency Measurement

10.1 Provisions Applicable


This frequency hopping system must employ a minimum of 15 hopping channels.

10.2 Measurement Procedure

The EUT shall have its hopping function enabled. Use the following spectrum analyzer settings:

1. Span = The frequency band of operation. Depending on the number of channels the device supports, it may be necessary to divide the frequency range of operation across multiple spans, to allow the individual channels to be clearly seen.
2. RBW: To identify clearly the individual channels, set the RBW to less than 30% of the channel spacing or the 20 dB bandwidth, whichever is smaller.
3. VBW $\geq$ RBW
4. Sweep time = Auto couple
5. Detector = Peak
6. Trace mode = Max hold
7. Allow the trace to stabilize

10.3 Measurement Setup (Block Diagram of Configuration)




10.4 Measurement Result


Test Data of Number of Hopping Frequency			
Test Mode	Number of Hopping Frequency	Limits	Pass or Fail
GFSK	79	≥ 15	Pass
$\pi/4$ -DQPSK	79	≥ 15	Pass
8DPSK Hopping	79	≥ 15	Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Graphs of Number of Hopping Frequency




Test_Graph_BR_HOP_ANT1_NA_1Mbps_Number of Hopping



Test_Graph_EDR_HOP_ANT1_NA_2Mbps_Number of Hopping

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

11. Time of Occupancy (Dwell Time) Measurement

11.1 Provisions Applicable


The maximum permissible time of occupancy is 400ms within a period of 400ms multiplied by the number of hopping channels employed.

11.2 Measurement Procedure

The EUT shall have its hopping function enabled. Use the following spectrum analyzer settings:

1. Span = Zero span, centered on a hopping channel.
2. RBW shall be $\leq$ channel spacing and where possible RBW should be set $\gg 1 / T$, where T is the expected dwell time per channel.
3. VBW $\geq$ RBW
4. Sweep time = As necessary to capture the entire dwell time per hopping channel
5. Detector = Peak
6. Trace mode = Free Run
7. Use the marker-delta function to determine the transmit time per hop. If this value varies with different modes of operation (data rate, modulation format, number of hopping channels, etc.), then repeat this test for each variation in transmit time. An oscilloscope may be used instead of a spectrum analyzer. The EUT shall show compliance with the appropriate regulatory limit for the number of hopping channels. A plot of the data shall be included in the test report.

11.3 Measurement Setup (Block Diagram of Configuration)




11.4 Measurement Result


Test Data of Dwell Time					
Channel	Time of Pulse for DH5 (ms)	Number of hops in the period specified in the requirements	Dwell Time (ms)	Limit (ms)	Pass or Fail
2402	2.887	17.0*4	196.316	400	Pass
2441	2.887	21.0*4	242.508	400	Pass
2480	2.887	24.0*4	277.152	400	Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Graphs of Dwell Time




Test_Graph_BR_HOP_ANT1_NA_1Mbps_2402_Number of Burst



Test_Graph_BR_HOP_ANT1_NA_1Mbps_2402_Time per Burst


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



Note: All mode rates are tested and evaluated, GFSK modulated DH5 mode is the worst case and documented in the report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

12. Frequency Separation Measurement

12.1 Provisions Applicable

When the power is less than 0.125W: The minimum permissible channel separation for this system is 2/3 the value of the 20dB BW.


When the power is less than 1W: The minimum permissible channel separation for this system is 20dB BW.

12.2 Measurement Procedure

The EUT shall have its hopping function enabled. Use the following spectrum analyzer settings:

1. Span: Wide enough to capture the peaks of two adjacent channels.
2. RBW: Start with the RBW set to approximately 30% of the channel spacing; adjust as necessary to best identify the center of each individual channel.
3. Video (or average) bandwidth (VBW) $\geq$ RBW.
4. Sweep: Auto.
5. Detector function: Peak.
6. Trace: Max hold. g) Allow the trace to stabilize.
7. Use the marker-delta function to determine the separation between the peaks of the adjacent channels.

12.3 Measurement Setup (Block Diagram of Configuration)




12.4 Measurement Result


Test Data of Frequency Separation			
Test Mode	Channel Separation (MHz)	Limits (MHz)	Pass or Fail
GFSK	0.991	0.627	Pass
π /4-DQPSK	0.976	0.855	Pass
8DPSK	0.993	0.861	Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Graphs of Frequency Separation




Test_Graph_BR_HOP_ANT1_NA_1Mbps_Hopping Separation



Test_Graph_EDR_HOP_ANT1_NA_2Mbps_Hopping Separation

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

13. AC Power Line Conducted Emission Test


13.1 Measurement Limit

Frequency	Maximum RF Line Voltage	
	Q.P. (dB μ V)	Average (dB μ V)
150kHz~500kHz	66-56	56-46
500kHz~5MHz	56	46
5MHz~30MHz	60	50

Note:

1. The lower limit shall apply at the transition frequency.
2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

13.2 Measurement Setup (Block Diagram of Configuration)



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

13.3 Preliminary Procedure of Line Conducted Emission Test

1. The equipment was set up as per the test configuration to simulate typical actual usage per the user's manual. When the EUT is a tabletop system, a wooden table with a height of 0.8 meters is used and is placed on the ground plane as per ANSI C63.10 (see Test Facility for the dimensions of the ground plane used). When the EUT is a floor-standing equipment, it is placed on the ground plane which has a 3-12 mm non-conductive covering to insulate the EUT from the ground plane.
2. Support equipment, if needed, was placed as per ANSI C63.10.
3. All I/O cables were positioned to simulate typical actual usage as per ANSI C63.10.
4. All support equipment received AC120V/60Hz power from a LISN, if any.
5. The EUT received DC 9V power from adapter which received AC120V/60Hz power from a LISN.
6. The test program was started. Emissions were measured on each current carrying line of the EUT using a spectrum Analyzer / Receiver connected to the LISN powering the EUT. The LISN has two monitoring points: Line 1 (Hot Side) and Line 2 (Neutral Side).
7. Two scans were taken: one with Line 1 connected to Analyzer / Receiver and Line 2 connected to a 50 ohm load; the second scan had Line 1 connected to a 50 ohm load and Line 2 connected to the Analyzer / Receiver.
8. Analyzer / Receiver scanned from 150 kHz to 30MHz for emissions in each of the test modes.
9. During the above scans, the emissions were maximized by cable manipulation.
10. The test mode(s) were scanned during the preliminary test.
11. Then, the EUT configuration and cable configuration of the above highest emission level were recorded for reference of final testing.

13.4 Final Procedure of Line Conducted Emission Test


1. EUT and support equipment was set up on the test bench as per step 2 of the preliminary test.
2. A scan was taken on both power lines, Line 1 and Line 2, recording at least the six highest emissions. Emission frequency and amplitude were recorded into a computer in which correction factors were used to calculate the emission level and compare reading to the applicable limit.
3. If EUT emission level was less -2dB to the A.V. limit in Peak mode, then the emission signal was re-checked using Q.P and Average detector.
4. The test data of the worst case condition(s) was reported on the Summary Data page.
5. A conducted emission is calculated by the following equation:
 - Measurement Level (dB μ V) = Receiver reading (dB μ V) + Transd (dB)
 - Transd (dB) = AMN Factor(dB)+Cable Loss(dB)+Attenuation(dB)
 - Margin = Limit-Level

13.5 Measurement Result

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

AC Power Line Conducted Emission Test

Test Mode	Mode 1	LISN Line	Hot Side
Remark	DC 9V for Adapter1#+ DC 7.2V by battery1#		



MEASUREMENT RESULT: "agc_fin"

2025/11/12 10:52

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line
0.558000	33.60	10.3	56	22.4	QP	L1
0.594000	34.50	10.3	56	21.5	QP	L1
0.610000	33.50	10.3	56	22.5	QP	L1
0.650000	32.40	10.3	56	23.6	QP	L1
0.658000	32.80	10.3	56	23.2	QP	L1
0.946000	33.60	10.4	56	22.4	QP	L1

MEASUREMENT RESULT: "agc_fin2"

2025/11/12 10:52

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line
0.658000	21.10	10.3	46	24.9	AV	L1
1.430000	19.90	10.4	46	26.1	AV	L1
12.958000	17.10	12.9	50	32.9	AV	L1
27.938000	18.70	17.5	50	31.3	AV	L1
29.042000	19.20	17.9	50	30.8	AV	L1
29.478000	19.90	18.0	50	30.1	AV	L1

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

AC Power Line Conducted Emission Test			
Test Mode	Mode 1	LISN Line	Neutral Side
Remark	DC 9V for Adapter1#+ DC 7.2V by battery1#		

Level [dBμV]

Frequency [Hz]

xxMES

agc_fin

MEASUREMENT RESULT: "agc_fin"

2025/11/12 10:49

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line
0.566000	36.30	10.3	56	19.7	QP	N
0.606000	37.00	10.3	56	19.0	QP	N
0.630000	35.70	10.3	56	20.3	QP	N
0.670000	35.70	10.3	56	20.3	QP	N
0.894000	35.20	10.4	56	20.8	QP	N
0.922000	35.80	10.4	56	20.2	QP	N

MEASUREMENT RESULT: "agc_fin2"


2025/11/12 10:49

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line
0.362000	21.70	10.3	49	27.0	AV	N
0.630000	21.30	10.3	46	24.7	AV	N
1.554000	19.30	10.4	46	26.7	AV	N
4.334000	13.70	10.7	46	32.3	AV	N
4.930000	13.30	10.8	46	32.7	AV	N
29.594000	17.50	18.0	50	32.5	AV	N

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

AC Power Line Conducted Emission Test			
Test Mode	Mode 1	LISN Line	Hot Side
Remark	DC 9V for Adapter2#+ DC 7.2V by battery1#		



The graph displays the AC power line conducted emission test results for the signal 'agc_fin'. The y-axis represents the Level in dBμV, ranging from -10 to 80. The x-axis represents the Frequency in Hz, ranging from 150k to 30M. There are two limit lines: a red line starting at approximately 65 dBμV at 150k Hz and a blue line starting at approximately 55 dBμV at 150k Hz. Both lines have a slight downward slope until 5M Hz, where they step up to 60 dBμV (red) and 50 dBμV (blue). The test signal is shown as a green trace, which fluctuates between approximately 20 and 50 dBμV. A magenta trace is also visible, generally lower than the green trace. The legend at the bottom left indicates 'x x x MES agc_fin'.

MEASUREMENT RESULT: "agc_fin"

2025/11/12 10:56

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line
0.150000	49.00	10.3	66	17.0	QP	L1
0.514000	47.90	10.3	56	8.1	QP	L1
7.198000	41.20	11.4	60	18.8	QP	L1
7.578000	42.60	11.5	60	17.4	QP	L1
7.766000	43.00	11.6	60	17.0	QP	L1
9.078000	40.70	12.0	60	19.3	QP	L1


MEASUREMENT RESULT: "agc_fin2"

2025/11/12 10:56

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line
0.514000	38.90	10.3	46	7.1	AV	L1
0.662000	26.20	10.3	46	19.8	AV	L1
1.042000	28.50	10.4	46	17.5	AV	L1
1.242000	29.40	10.4	46	16.6	AV	L1
1.806000	28.00	10.4	46	18.0	AV	L1
7.646000	28.70	11.6	50	21.3	AV	L1

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


AC Power Line Conducted Emission Test						
Test Mode	Mode 1	LISN Line	Neutral Side			
Remark	DC 9V for Adapter2#+ DC 7.2V by battery1#					
Level [dBμV]  x x MES agc_fin						
MEASUREMENT RESULT: "agc_fin"						
2025/11/12 10:59						
Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line
0.510000	41.20	10.3	56	14.8	QP	N
6.474000	35.30	11.2	60	24.7	QP	N
6.758000	36.10	11.3	60	23.9	QP	N
6.946000	37.00	11.3	60	23.0	QP	N
7.222000	37.00	11.4	60	23.0	QP	N
7.690000	37.20	11.6	60	22.8	QP	N
MEASUREMENT RESULT: "agc_fin2"						
2025/11/12 10:59						
Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line
0.526000	29.30	10.3	46	16.7	AV	N
0.974000	22.60	10.4	46	23.4	AV	N
4.758000	18.40	10.8	46	27.6	AV	N
6.270000	19.30	11.2	50	30.7	AV	N
7.018000	20.80	11.3	50	29.2	AV	N
7.838000	19.60	11.6	50	30.4	AV	N

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

AC Power Line Conducted Emission Test

Test Mode	Mode 1	LISN Line	Hot Side
Remark	DC 9V for Adapter1#+ DC 7.2V by battery2#		



MEASUREMENT RESULT: "agc_fin"

2025/10/10 11:44

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line
0.498000	41.20	10.3	56	14.8	QP	L1
0.618000	33.50	10.3	56	22.5	QP	L1
0.774000	32.80	10.3	56	23.2	QP	L1
0.830000	32.40	10.4	56	23.6	QP	L1
1.258000	33.20	10.4	56	22.8	QP	L1
1.426000	32.30	10.4	56	23.7	QP	L1

MEASUREMENT RESULT: "agc_fin2"

2025/10/10 11:44

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line
0.194000	24.70	10.3	54	29.2	AV	L1
0.442000	25.20	10.3	47	21.8	AV	L1
1.214000	22.10	10.4	46	23.9	AV	L1
2.226000	17.60	10.5	46	28.4	AV	L1
4.426000	15.70	10.7	46	30.3	AV	L1
5.622000	14.50	11.0	50	35.5	AV	L1

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

AC Power Line Conducted Emission Test			
Test Mode	Mode 1	LISN Line	Neutral Side
Remark	DC 9V for Adapter1#+ DC 7.2V by battery2#		

Level [dBμV]



x x xMES agc_fin

MEASUREMENT RESULT: "agc_fin"

2025/10/10 11:39

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line
0.498000	44.10	10.3	56	11.9	QP	N
0.598000	34.60	10.3	56	21.4	QP	N
0.630000	34.50	10.3	56	21.5	QP	N
0.730000	35.00	10.3	56	21.0	QP	N
0.934000	34.80	10.4	56	21.2	QP	N
1.334000	32.00	10.4	56	24.0	QP	N


MEASUREMENT RESULT: "agc_fin2"

2025/10/10 11:39

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line
0.362000	24.80	10.3	49	23.9	AV	N
0.498000	36.60	10.3	46	9.4	AV	N
1.334000	24.00	10.4	46	22.0	AV	N
2.146000	20.40	10.5	46	25.6	AV	N
6.758000	16.60	11.3	50	33.4	AV	N
7.530000	16.00	11.5	50	34.0	AV	N

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

AC Power Line Conducted Emission Test						
Test Mode	Mode 1		LISN Line	Hot Side		
Remark	DC 9V for Adapter2#+ DC 7.2V by battery2#					
Level [dBμV]  Frequency [Hz] × × ×MES agc_fin						
MEASUREMENT RESULT: "agc_fin"						
2025/10/10 13:49						
Frequency	Level	Transd	Limit	Margin	Detector	Line
MHz	dBμV	dB	dBμV	dB		
0.566000	32.70	10.3	56	23.3	QP	L1
0.618000	33.90	10.3	56	22.1	QP	L1
0.778000	34.70	10.3	56	21.3	QP	L1
0.898000	32.40	10.4	56	23.6	QP	L1
0.946000	32.40	10.4	56	23.6	QP	L1
1.606000	30.50	10.4	56	25.5	QP	L1
MEASUREMENT RESULT: "agc_fin2"						
2025/10/10 13:49						
Frequency	Level	Transd	Limit	Margin	Detector	Line
MHz	dBμV	dB	dBμV	dB		
0.774000	24.40	10.3	46	21.6	AV	L1
1.214000	20.90	10.4	46	25.1	AV	L1
13.754000	15.40	13.0	50	34.6	AV	L1
28.642000	18.70	17.7	50	31.3	AV	L1
28.710000	18.70	17.8	50	31.3	AV	L1
29.806000	19.50	18.1	50	30.5	AV	L1


Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

AC Power Line Conducted Emission Test

Test Mode	Mode 1	LISN Line	Neutral Side
-----------	--------	-----------	--------------

Remark	DC 9V for Adapter2#+ DC 7.2V by battery2#
--------	---

**MEASUREMENT RESULT: "agc_fin"**

2025/10/10 13:46

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line
0.518000	34.00	10.3	56	22.0	QP	N
0.562000	35.00	10.3	56	21.0	QP	N
0.594000	35.60	10.3	56	20.4	QP	N
0.954000	35.10	10.4	56	20.9	QP	N
1.134000	33.40	10.4	56	22.6	QP	N
1.198000	34.60	10.4	56	21.4	QP	N

MEASUREMENT RESULT: "agc_fin2"

2025/10/10 13:46

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line
0.350000	21.40	10.3	49	27.6	AV	N
0.606000	21.30	10.3	46	24.7	AV	N
1.134000	20.40	10.4	46	25.6	AV	N
28.594000	19.10	17.7	50	30.9	AV	N
29.166000	20.50	17.9	50	29.5	AV	N
29.842000	20.40	18.1	50	29.6	AV	N

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Appendix I: Photographs of Test Setup

Refer to the Report No.: AGC16626250902AP02

Appendix II: Photographs of Test EUT

Refer to the Report No.: AGC16626250902AP03

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Conditions of Issuance of Test Reports

1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Co., Ltd (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

-----End of Report-----

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.