

FCC Appendix RF Test Data for 2.4GWIFI

Product Name: Smart Diagnostic System

Test Model: P902

Environmental Conditions

Temperature:	23.8 ° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Zoey Cao
Supervised by:	Eric Wang

1. -6dB Bandwidth

RTL8821:

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	b	2412	Ant0	9.1	≥ 0.5	Pass
NVNT	b	2437	Ant0	9.108	≥ 0.5	Pass
NVNT	b	2462	Ant0	9.098	≥ 0.5	Pass
NVNT	g	2412	Ant0	16.315	≥ 0.5	Pass
NVNT	g	2437	Ant0	16.375	≥ 0.5	Pass
NVNT	g	2462	Ant0	16.361	≥ 0.5	Pass
NVNT	n20	2412	Ant0	17.343	≥ 0.5	Pass
NVNT	n20	2437	Ant0	17.282	≥ 0.5	Pass
NVNT	n20	2462	Ant0	17.47	≥ 0.5	Pass
NVNT	n40	2422	Ant0	35.059	≥ 0.5	Pass
NVNT	n40	2437	Ant0	35.813	≥ 0.5	Pass
NVNT	n40	2452	Ant0	35.692	≥ 0.5	Pass

Test Graphs

-6dB Bandwidth NVNT b 2412MHz Ant0




-6dB Bandwidth NVNT b 2437MHz Ant0




-6dB Bandwidth NVNT b 2462MHz Ant0




-6dB Bandwidth NVNT g 2412MHz Ant0




-6dB Bandwidth NVNT g 2437MHz Ant0




-6dB Bandwidth NVNT g 2462MHz Ant0




-6dB Bandwidth NVNT n20 2412MHz Ant0




-6dB Bandwidth NVNT n20 2437MHz Ant0




-6dB Bandwidth NVNT n20 2462MHz Ant0




-6dB Bandwidth NVNT n40 2422MHz Ant0



-6dB Bandwidth NVNT n40 2437MHz Ant0



-6dB Bandwidth NVNT n40 2452MHz Ant0



ESP32:

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	b	2412	Ant1	9.089	≥ 0.5	Pass
NVNT	b	2437	Ant1	9.105	≥ 0.5	Pass
NVNT	b	2462	Ant1	9.103	≥ 0.5	Pass
NVNT	g	2412	Ant1	16.292	≥ 0.5	Pass
NVNT	g	2437	Ant1	16.384	≥ 0.5	Pass
NVNT	g	2462	Ant1	16.369	≥ 0.5	Pass
NVNT	n20	2412	Ant1	17.26	≥ 0.5	Pass
NVNT	n20	2437	Ant1	17.376	≥ 0.5	Pass
NVNT	n20	2462	Ant1	17.328	≥ 0.5	Pass
NVNT	n40	2422	Ant1	35.518	≥ 0.5	Pass
NVNT	n40	2437	Ant1	35.841	≥ 0.5	Pass
NVNT	n40	2452	Ant1	36.089	≥ 0.5	Pass

Test Graphs

-6dB Bandwidth NVNT b 2412MHz Ant1




-6dB Bandwidth NVNT b 2437MHz Ant1




-6dB Bandwidth NVNT b 2462MHz Ant1




-6dB Bandwidth NVNT g 2412MHz Ant1




-6dB Bandwidth NVNT g 2437MHz Ant1




-6dB Bandwidth NVNT g 2462MHz Ant1




-6dB Bandwidth NVNT n20 2412MHz Ant1




-6dB Bandwidth NVNT n20 2437MHz Ant1




-6dB Bandwidth NVNT n20 2462MHz Ant1




-6dB Bandwidth NVNT n40 2422MHz Ant1



-6dB Bandwidth NVNT n40 2437MHz Ant1



-6dB Bandwidth NVNT n40 2452MHz Ant1



2. Maximum Peak Conducted Output Power

RTL8821:

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant0	16.27	30	Pass
NVNT	b	2437	Ant0	15.50	30	Pass
NVNT	b	2462	Ant0	14.94	30	Pass
NVNT	g	2412	Ant0	14.46	30	Pass
NVNT	g	2437	Ant0	14.61	30	Pass
NVNT	g	2462	Ant0	14.45	30	Pass
NVNT	n20	2412	Ant0	14.03	30	Pass
NVNT	n20	2437	Ant0	14.03	30	Pass
NVNT	n20	2462	Ant0	13.98	30	Pass
NVNT	n40	2422	Ant0	14.19	30	Pass
NVNT	n40	2437	Ant0	14.05	30	Pass
NVNT	n40	2452	Ant0	14.19	30	Pass

ESP32:

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant1	16.16	30	Pass
NVNT	b	2437	Ant1	15.47	30	Pass
NVNT	b	2462	Ant1	14.88	30	Pass
NVNT	g	2412	Ant1	14.40	30	Pass
NVNT	g	2437	Ant1	14.48	30	Pass
NVNT	g	2462	Ant1	14.51	30	Pass
NVNT	n20	2412	Ant1	13.98	30	Pass
NVNT	n20	2437	Ant1	13.99	30	Pass
NVNT	n20	2462	Ant1	13.91	30	Pass
NVNT	n40	2422	Ant1	14.23	30	Pass
NVNT	n40	2437	Ant1	14.07	30	Pass
NVNT	n40	2452	Ant1	14.13	30	Pass

3. Maximum Power Spectral Density Level

RTL8821:


Condition	Mode	Frequency (MHz)	Antenna	Total PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	b	2412	Ant0	-7.1	8	Pass
NVNT	b	2437	Ant0	-5.07	8	Pass
NVNT	b	2462	Ant0	-8.12	8	Pass
NVNT	g	2412	Ant0	-15.83	8	Pass
NVNT	g	2437	Ant0	-15.46	8	Pass
NVNT	g	2462	Ant0	-16.39	8	Pass
NVNT	n20	2412	Ant0	-14.90	8	Pass
NVNT	n20	2437	Ant0	-16.38	8	Pass
NVNT	n20	2462	Ant0	-16.89	8	Pass
NVNT	n40	2422	Ant0	-19.01	8	Pass
NVNT	n40	2437	Ant0	-19.30	8	Pass
NVNT	n40	2452	Ant0	-19.57	8	Pass

ESP32:


Condition	Mode	Frequency (MHz)	Antenna	Total PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	b	2412	Ant1	-8.37	8	Pass
NVNT	b	2437	Ant1	-8.06	8	Pass
NVNT	b	2462	Ant1	-8.66	8	Pass
NVNT	g	2412	Ant1	-16.63	8	Pass
NVNT	g	2437	Ant1	-16.39	8	Pass
NVNT	g	2462	Ant1	-16.17	8	Pass
NVNT	n20	2412	Ant1	-16.36	8	Pass
NVNT	n20	2437	Ant1	-16.03	8	Pass
NVNT	n20	2462	Ant1	-16.87	8	Pass
NVNT	n40	2422	Ant1	-19.37	8	Pass
NVNT	n40	2437	Ant1	-19.19	8	Pass
NVNT	n40	2452	Ant1	-19.09	8	Pass

Test Graphs


PSD NVNT b 2412MHz Ant0




PSD NVNT b 2437MHz Ant0




PSD NVNT b 2462MHz Ant0




PSD NVNT g 2412MHz Ant0




PSD NVNT g 2437MHz Ant0




PSD NVNT g 2462MHz Ant0




PSD NVNT n20 2412MHz Ant0




PSD NVNT n20 2437MHz Ant0




PSD NVNT n20 2462MHz Ant0




PSD NVNT n40 2422MHz Ant0



PSD NVNT n40 2437MHz Ant0




PSD NVNT n40 2452MHz Ant0




Test Graphs


PSD NVNT b 2412MHz Ant1




PSD NVNT b 2437MHz Ant1




PSD NVNT b 2462MHz Ant1




PSD NVNT g 2412MHz Ant1




PSD NVNT g 2437MHz Ant1




PSD NVNT g 2462MHz Ant1




PSD NVNT n20 2412MHz Ant1




PSD NVNT n20 2437MHz Ant1




PSD NVNT n20 2462MHz Ant1




PSD NVNT n40 2422MHz Ant1



PSD NVNT n40 2437MHz Ant1



PSD NVNT n40 2452MHz Ant1




4. Band Edge

RTL8821:

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant0	-46.31	-20	Pass
NVNT	b	2462	Ant0	-59.19	-20	Pass
NVNT	g	2412	Ant0	-33.16	-20	Pass
NVNT	g	2462	Ant0	-41.24	-20	Pass
NVNT	n20	2412	Ant0	-34.01	-20	Pass
NVNT	n20	2462	Ant0	-37.48	-20	Pass
NVNT	n40	2422	Ant0	-34.94	-20	Pass
NVNT	n40	2452	Ant0	-34.48	-20	Pass


Band Edge NVNT g 2412MHz Ant0 Ref



Band Edge NVNT g 2412MHz Ant0 Emission




Band Edge NVNT g 2462MHz Ant0 Ref



Band Edge NVNT g 2462MHz Ant0 Emission




Band Edge NVNT n20 2412MHz Ant0 Ref



Band Edge NVNT n20 2412MHz Ant0 Emission




Band Edge NVNT n20 2462MHz Ant0 Ref




Band Edge NVNT n20 2462MHz Ant0 Emission




Band Edge NVNT n40 2422MHz Ant0 Ref




Band Edge NVNT n40 2422MHz Ant0 Emission



Band Edge NVNT n40 2452MHz Ant0 Ref



Band Edge NVNT n40 2452MHz Ant0 Emission



ESP32:

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-46.96	-20	Pass
NVNT	b	2462	Ant1	-59.67	-20	Pass
NVNT	g	2412	Ant1	-33.75	-20	Pass
NVNT	g	2462	Ant1	-40.45	-20	Pass
NVNT	n20	2412	Ant1	-33.92	-20	Pass
NVNT	n20	2462	Ant1	-38.54	-20	Pass
NVNT	n40	2422	Ant1	-37.08	-20	Pass
NVNT	n40	2452	Ant1	-36.69	-20	Pass


Band Edge NVNT b 2462MHz Ant1 Ref



Band Edge NVNT b 2462MHz Ant1 Emission




Band Edge NVNT g 2412MHz Ant1 Ref



Band Edge NVNT g 2412MHz Ant1 Emission




Band Edge NVNT g 2462MHz Ant1 Ref



Band Edge NVNT g 2462MHz Ant1 Emission




Band Edge NVNT n20 2412MHz Ant1 Ref



Band Edge NVNT n20 2412MHz Ant1 Emission




Band Edge NVNT n20 2462MHz Ant1 Ref



Band Edge NVNT n20 2462MHz Ant1 Emission




Band Edge NVNT n40 2422MHz Ant1 Ref




Band Edge NVNT n40 2422MHz Ant1 Emission



Band Edge NVNT n40 2452MHz Ant1 Ref



Band Edge NVNT n40 2452MHz Ant1 Emission



5. Conducted RF Spurious Emission

RTL8821:


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant0	-52.58	-20	Pass
NVNT	b	2437	Ant0	-51.07	-20	Pass
NVNT	b	2462	Ant0	-50.94	-20	Pass
NVNT	g	2412	Ant0	-43.9	-20	Pass
NVNT	g	2437	Ant0	-45.09	-20	Pass
NVNT	g	2462	Ant0	-44.8	-20	Pass
NVNT	n20	2412	Ant0	-44.12	-20	Pass
NVNT	n20	2437	Ant0	-43.25	-20	Pass
NVNT	n20	2462	Ant0	-42.59	-20	Pass
NVNT	n40	2422	Ant0	-41.91	-20	Pass
NVNT	n40	2437	Ant0	-39.85	-20	Pass
NVNT	n40	2452	Ant0	-41.01	-20	Pass

Test Graphs

Tx. Spurious NVNT b 2412MHz Ant0 Ref




Tx. Spurious NVNT b 2412MHz Ant0 Emission



Tx. Spurious NVNT b 2437MHz Ant0 Ref




Tx. Spurious NVNT b 2437MHz Ant0 Emission




Tx. Spurious NVNT b 2462MHz Ant0 Ref




Tx. Spurious NVNT b 2462MHz Ant0 Emission




Tx. Spurious NVNT g 2412MHz Ant0 Ref




Tx. Spurious NVNT g 2412MHz Ant0 Emission




Tx. Spurious NVNT g 2437MHz Ant0 Ref




Tx. Spurious NVNT g 2437MHz Ant0 Emission



Tx. Spurious NVNT g 2462MHz Ant0 Ref




Tx. Spurious NVNT g 2462MHz Ant0 Emission




Tx. Spurious NVNT n20 2412MHz Ant0 Ref




Tx. Spurious NVNT n20 2412MHz Ant0 Emission




Tx. Spurious NVNT n20 2437MHz Ant0 Ref




Tx. Spurious NVNT n20 2437MHz Ant0 Emission




Tx. Spurious NVNT n20 2462MHz Ant0 Ref




Tx. Spurious NVNT n20 2462MHz Ant0 Emission




Tx. Spurious NVNT n40 2422MHz Ant0 Ref




Tx. Spurious NVNT n40 2422MHz Ant0 Emission




Tx. Spurious NVNT n40 2437MHz Ant0 Ref




Tx. Spurious NVNT n40 2437MHz Ant0 Emission



Tx. Spurious NVNT n40 2452MHz Ant0 Ref



Tx. Spurious NVNT n40 2452MHz Ant0 Emission



ESP32:


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-51.47	-20	Pass
NVNT	b	2437	Ant1	-51.7	-20	Pass
NVNT	b	2462	Ant1	-50.57	-20	Pass
NVNT	g	2412	Ant1	-43.93	-20	Pass
NVNT	g	2437	Ant1	-44.62	-20	Pass
NVNT	g	2462	Ant1	-44.25	-20	Pass
NVNT	n20	2412	Ant1	-43.34	-20	Pass
NVNT	n20	2437	Ant1	-44.22	-20	Pass
NVNT	n20	2462	Ant1	-44.15	-20	Pass
NVNT	n40	2422	Ant1	-40.64	-20	Pass
NVNT	n40	2437	Ant1	-40.1	-20	Pass
NVNT	n40	2452	Ant1	-41.02	-20	Pass

Test Graphs

Tx. Spurious NVNT b 2412MHz Ant1 Ref




Tx. Spurious NVNT b 2412MHz Ant1 Emission



Tx. Spurious NVNT b 2437MHz Ant1 Ref




Tx. Spurious NVNT b 2437MHz Ant1 Emission




Tx. Spurious NVNT b 2462MHz Ant1 Ref




Tx. Spurious NVNT b 2462MHz Ant1 Emission




Tx. Spurious NVNT g 2412MHz Ant1 Ref




Tx. Spurious NVNT g 2412MHz Ant1 Emission




Tx. Spurious NVNT g 2437MHz Ant1 Ref




Tx. Spurious NVNT g 2437MHz Ant1 Emission



Tx. Spurious NVNT g 2462MHz Ant1 Ref




Tx. Spurious NVNT g 2462MHz Ant1 Emission




MARKER	MODE	TRC	SOL	FREQ	POWER	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	f		2.469 7 GHz	-4.692 dBm			
2	N	f		26.106 5 GHz	-46.097 dBm			
3	N	f		4.989 6 GHz	-66.193 dBm			
4	N	f		7.403 7 GHz	-66.628 dBm			
5	N	f		9.803 6 GHz	-66.384 dBm			
6								
7								
8								
9								
10								
11								


Tx. Spurious NVNT n20 2412MHz Ant1 Ref




Tx. Spurious NVNT n20 2412MHz Ant1 Emission




Tx. Spurious NVNT n20 2462MHz Ant1 Ref




Tx. Spurious NVNT n20 2462MHz Ant1 Emission




Tx. Spurious NVNT n40 2422MHz Ant1 Ref




Tx. Spurious NVNT n40 2422MHz Ant1 Emission




Tx. Spurious NVNT n40 2437MHz Ant1 Ref




Tx. Spurious NVNT n40 2437MHz Ant1 Emission



Tx. Spurious NVNT n40 2452MHz Ant1 Ref



Tx. Spurious NVNT n40 2452MHz Ant1 Emission




6. Duty Cycle


RTL8821:

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	b	2412	Ant0	99.16	0	0.15
NVNT	b	2437	Ant0	99.13	0	0.15
NVNT	b	2462	Ant0	99.13	0	0.15
NVNT	g	2412	Ant0	97.75	0.1	0.37
NVNT	g	2437	Ant0	97.75	0.1	0.37
NVNT	g	2462	Ant0	97.68	0.1	0.37
NVNT	n20	2412	Ant0	97.33	0.12	0.44
NVNT	n20	2437	Ant0	97.25	0.12	0.44
NVNT	n20	2462	Ant0	97.25	0.12	0.44
NVNT	n40	2422	Ant0	94.7	0.24	0.9
NVNT	n40	2437	Ant0	94.7	0.24	0.9
NVNT	n40	2452	Ant0	94.87	0.23	0.9


Duty Cycle NVNT b 2462MHz Ant0




Duty Cycle NVNT g 2412MHz Ant0




Duty Cycle NVNT g 2437MHz Ant0




Duty Cycle NVNT g 2462MHz Ant0




Duty Cycle NVNT n20 2412MHz Ant0




Duty Cycle NVNT n20 2437MHz Ant0



Duty Cycle NVNT n40 2437MHz Ant0





Duty Cycle NVNT n40 2452MHz Ant0




ESP32:

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	b	2412	Ant1	99.13	0	0.15
NVNT	b	2437	Ant1	99.16	0	0.15
NVNT	b	2462	Ant1	99.13	0	0.15
NVNT	g	2412	Ant1	97.75	0.1	0.37
NVNT	g	2437	Ant1	97.75	0.1	0.37
NVNT	g	2462	Ant1	97.75	0.1	0.37
NVNT	n20	2412	Ant1	97.33	0.12	0.44
NVNT	n20	2437	Ant1	97.25	0.12	0.44
NVNT	n20	2462	Ant1	97.33	0.12	0.44
NVNT	n40	2422	Ant1	94.71	0.24	0.9
NVNT	n40	2437	Ant1	94.7	0.24	0.9
NVNT	n40	2452	Ant1	94.87	0.23	0.9


Duty Cycle NVNT b 2412MHz Ant1




Duty Cycle NVNT b 2462MHz Ant1




Duty Cycle NVNT g 2412MHz Ant1




Duty Cycle NVNT n20 2462MHz Ant1




Duty Cycle NVNT n40 2422MHz Ant1



Duty Cycle NVNT n40 2437MHz Ant1



Duty Cycle NVNT n40 2452MHz Ant1



7. Restrict Band

RTL8821:


Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant0	2310	-51.01	2	-	46.25	Peak	74	Pass
NVNT	b	2412	Ant0	2310	-58.53	2	0	38.73	Average	54	Pass
NVNT	b	2412	Ant0	2389.092	-46.06	2	-	51.2	Peak	74	Pass
NVNT	b	2412	Ant0	2389.209	-54.9	2	0	42.36	Average	54	Pass
NVNT	b	2412	Ant0	2390	-47.31	2	-	49.95	Peak	74	Pass
NVNT	b	2412	Ant0	2390	-55.33	2	0	41.93	Average	54	Pass
NVNT	b	2462	Ant0	2483.5	-44.61	2	-	52.65	Peak	74	Pass
NVNT	b	2462	Ant0	2483.5	-54.84	2	0	42.42	Average	54	Pass
NVNT	b	2462	Ant0	2485.478	-38.46	2	-	58.8	Peak	74	Pass
NVNT	b	2462	Ant0	2484.895	-52.82	2	0	44.44	Average	54	Pass
NVNT	b	2462	Ant0	2500	-47.54	2	-	49.72	Peak	74	Pass
NVNT	b	2462	Ant0	2500	-58.06	2	0	39.2	Average	54	Pass
NVNT	g	2412	Ant0	2310	-49.84	2	-	47.42	Peak	74	Pass
NVNT	g	2412	Ant0	2310	-58.68	2	0.1	38.68	Average	54	Pass
NVNT	g	2412	Ant0	2388.507	-37.14	2	-	60.12	Peak	74	Pass
NVNT	g	2412	Ant0	2389.911	-52.12	2	0.1	45.24	Average	54	Pass
NVNT	g	2412	Ant0	2390	-37.97	2	-	59.29	Peak	74	Pass
NVNT	g	2412	Ant0	2390	-53.06	2	0.1	44.3	Average	54	Pass
NVNT	g	2462	Ant0	2483.5	-48.33	2	-	48.93	Peak	74	Pass
NVNT	g	2462	Ant0	2483.5	-54.51	2	0.1	42.85	Average	54	Pass
NVNT	g	2462	Ant0	2484.418	-42.63	2	-	54.63	Peak	74	Pass
NVNT	g	2462	Ant0	2483.57	-53.8	2	0.1	43.56	Average	54	Pass
NVNT	g	2462	Ant0	2500	-49.48	2	-	47.78	Peak	74	Pass
NVNT	g	2462	Ant0	2500	-57.82	2	0.1	39.54	Average	54	Pass
NVNT	n20	2412	Ant0	2310	-50.12	2	-	47.14	Peak	74	Pass
NVNT	n20	2412	Ant0	2310	-58.73	2	0.12	38.65	Average	54	Pass
NVNT	n20	2412	Ant0	2389.677	-39.32	2	-	57.94	Peak	74	Pass
NVNT	n20	2412	Ant0	2389.677	-56.36	2	0.12	41.02	Average	54	Pass
NVNT	n20	2412	Ant0	2390	-45.94	2	-	51.32	Peak	74	Pass
NVNT	n20	2412	Ant0	2390	-55.22	2	0.12	42.16	Average	54	Pass
NVNT	n20	2462	Ant0	2483.5	-43.49	2	-	53.77	Peak	74	Pass
NVNT	n20	2462	Ant0	2483.5	-55.09	2	0.12	42.29	Average	54	Pass
NVNT	n20	2462	Ant0	2483.57	-40.66	2	-	56.6	Peak	74	Pass
NVNT	n20	2462	Ant0	2484.365	-54.25	2	0.12	43.13	Average	54	Pass
NVNT	n20	2462	Ant0	2500	-49.98	2	-	47.28	Peak	74	Pass
NVNT	n20	2462	Ant0	2500	-57.66	2	0.12	39.72	Average	54	Pass
NVNT	n40	2422	Ant0	2310	-48.46	2	-	48.8	Peak	74	Pass
NVNT	n40	2422	Ant0	2310	-57.88	2	0.24	39.62	Average	54	Pass

NVNT	n40	2422	Ant0	2389.662	-38.93	2	-	58.33	Peak	74	Pass
NVNT	n40	2422	Ant0	2389.946	-54.5	2	0.24	43	Average	54	Pass
NVNT	n40	2422	Ant0	2390	-39.36	2	-	57.9	Peak	74	Pass
NVNT	n40	2422	Ant0	2390	-54.5	2	0.24	43	Average	54	Pass
NVNT	n40	2452	Ant0	2483.5	-38.97	2	-	58.29	Peak	74	Pass
NVNT	n40	2452	Ant0	2483.5	-53.8	2	0.23	43.69	Average	54	Pass
NVNT	n40	2452	Ant0	2483.542	-37.34	2	-	59.92	Peak	74	Pass
NVNT	n40	2452	Ant0	2484.01	-52.8	2	0.23	44.69	Average	54	Pass
NVNT	n40	2452	Ant0	2500	-48.91	2	-	48.35	Peak	74	Pass
NVNT	n40	2452	Ant0	2500	-57.17	2	0.23	40.32	Average	54	Pass

Restrict Band NVNT n40 2422MHz Ant0 Peak



Restrict Band NVNT n40 2422MHz Ant0 Average



ESP32:


Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant1	2310	-48.85	2	-	48.41	Peak	74	Pass
NVNT	b	2412	Ant1	2310	-58.65	2	0	38.61	Average	54	Pass
NVNT	b	2412	Ant1	2387.805	-44.56	2	-	52.7	Peak	74	Pass
NVNT	b	2412	Ant1	2389.56	-54.75	2	0	42.51	Average	54	Pass
NVNT	b	2412	Ant1	2390	-47.65	2	-	49.61	Peak	74	Pass
NVNT	b	2412	Ant1	2390	-55.55	2	0	41.71	Average	54	Pass
NVNT	b	2462	Ant1	2483.5	-45.8	2	-	51.46	Peak	74	Pass
NVNT	b	2462	Ant1	2483.5	-54.61	2	0	42.65	Average	54	Pass
NVNT	b	2462	Ant1	2485.425	-44.25	2	-	53.01	Peak	74	Pass
NVNT	b	2462	Ant1	2485.001	-53.58	2	0	43.68	Average	54	Pass
NVNT	b	2462	Ant1	2500	-50.71	2	-	46.55	Peak	74	Pass
NVNT	b	2462	Ant1	2500	-57.84	2	0	39.42	Average	54	Pass
NVNT	g	2412	Ant1	2310	-50.64	2	-	46.62	Peak	74	Pass
NVNT	g	2412	Ant1	2310	-58.18	2	0.1	39.18	Average	54	Pass
NVNT	g	2412	Ant1	2389.326	-38.59	2	-	58.67	Peak	74	Pass
NVNT	g	2412	Ant1	2389.677	-52.98	2	0.1	44.38	Average	54	Pass
NVNT	g	2412	Ant1	2390	-39.11	2	-	58.15	Peak	74	Pass
NVNT	g	2412	Ant1	2390	-54.35	2	0.1	43.01	Average	54	Pass
NVNT	g	2462	Ant1	2483.5	-43.89	2	-	53.37	Peak	74	Pass
NVNT	g	2462	Ant1	2483.5	-56.37	2	0.1	40.99	Average	54	Pass
NVNT	g	2462	Ant1	2483.623	-41.04	2	-	56.22	Peak	74	Pass
NVNT	g	2462	Ant1	2483.57	-55.36	2	0.1	42	Average	54	Pass
NVNT	g	2462	Ant1	2500	-49.39	2	-	47.87	Peak	74	Pass
NVNT	g	2462	Ant1	2500	-58.26	2	0.1	39.1	Average	54	Pass
NVNT	n20	2412	Ant1	2310	-51.13	2	-	46.13	Peak	74	Pass
NVNT	n20	2412	Ant1	2310	-58.55	2	0.12	38.83	Average	54	Pass
NVNT	n20	2412	Ant1	2389.326	-44.87	2	-	52.39	Peak	74	Pass
NVNT	n20	2412	Ant1	2389.794	-56.01	2	0.12	41.37	Average	54	Pass
NVNT	n20	2412	Ant1	2390	-45.64	2	-	51.62	Peak	74	Pass
NVNT	n20	2412	Ant1	2390	-56.79	2	0.12	40.59	Average	54	Pass
NVNT	n20	2462	Ant1	2483.5	-40.69	2	-	56.57	Peak	74	Pass
NVNT	n20	2462	Ant1	2483.5	-55.37	2	0.12	42.01	Average	54	Pass
NVNT	n20	2462	Ant1	2484.471	-38.66	2	-	58.6	Peak	74	Pass
NVNT	n20	2462	Ant1	2484.047	-53.9	2	0.12	43.48	Average	54	Pass
NVNT	n20	2462	Ant1	2500	-48.6	2	-	48.66	Peak	74	Pass
NVNT	n20	2462	Ant1	2500	-57.87	2	0.12	39.51	Average	54	Pass
NVNT	n40	2422	Ant1	2310	-51.22	2	-	46.04	Peak	74	Pass
NVNT	n40	2422	Ant1	2310	-58.44	2	0.24	39.06	Average	54	Pass
NVNT	n40	2422	Ant1	2388.526	-39.79	2	-	57.47	Peak	74	Pass
NVNT	n40	2422	Ant1	2389.946	-54.89	2	0.24	42.61	Average	54	Pass

NVNT	n40	2422	Ant1	2390	-44.03	2	-	53.23	Peak	74	Pass
NVNT	n40	2422	Ant1	2390	-54.89	2	0.24	42.61	Average	54	Pass
NVNT	n40	2452	Ant1	2483.5	-39.03	2	-	58.23	Peak	74	Pass
NVNT	n40	2452	Ant1	2483.5	-52.58	2	0.23	44.91	Average	54	Pass
NVNT	n40	2452	Ant1	2484.634	-34.94	2	-	62.32	Peak	74	Pass
NVNT	n40	2452	Ant1	2484.01	-53.09	2	0.23	44.4	Average	54	Pass
NVNT	n40	2452	Ant1	2500	-49.41	2	-	47.85	Peak	74	Pass
NVNT	n40	2452	Ant1	2500	-57.87	2	0.23	39.62	Average	54	Pass

Restrict Band NVNT g 2412MHz Ant1 Peak




Restrict Band NVNT g 2412MHz Ant1 Average




Restrict Band NVNT g 2462MHz Ant1 Peak



Restrict Band NVNT g 2462MHz Ant1 Average



Restrict Band NVNT n40 2452MHz Ant1 Peak



Restrict Band NVNT n40 2452MHz Ant1 Average

