



Test Mode:	802.11a 20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	39.57	6.74	46.31	74.00	-27.69	peak
2	9244.000	37.77	10.49	48.26	74.00	-25.74	peak
3	11609.000	32.08	16.98	49.06	74.00	-24.94	peak
4	12676.000	31.45	18.05	49.50	74.00	-24.50	peak
5	14073.000	27.56	21.57	49.13	74.00	-24.87	peak
6	17978.000	22.48	25.97	48.45	74.00	-25.55	peak

Test Mode:	802.11a 20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.56	6.74	47.30	74.00	-26.70	peak
2	9112.000	37.50	10.41	47.91	74.00	-26.09	peak
3	11653.000	33.09	17.05	50.14	74.00	-23.86	peak
4	12654.000	32.03	18.01	50.04	74.00	-23.96	peak
5	13886.000	28.11	21.60	49.71	74.00	-24.29	peak
6	17956.000	23.05	25.82	48.87	74.00	-25.13	peak

Test Mode:	802.11a 20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	38.69	6.74	45.43	74.00	-28.57	peak
2	9112.000	38.11	10.41	48.52	74.00	-25.48	peak
3	11004.000	33.49	14.74	48.23	74.00	-25.77	peak
4	12236.000	31.49	17.76	49.25	74.00	-24.75	peak
5	12665.000	31.31	18.04	49.35	74.00	-24.65	peak
6	17945.000	23.27	25.75	49.02	74.00	-24.98	peak

Test Mode:	802.11a 20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.57	6.74	47.31	74.00	-26.69	peak
2	9145.000	38.93	10.43	49.36	74.00	-24.64	peak
3	10784.000	35.71	13.91	49.62	74.00	-24.38	peak
4	11433.000	33.72	16.50	50.22	74.00	-23.78	peak
5	13919.000	28.53	21.68	50.21	74.00	-23.79	peak
6	17956.000	24.86	25.82	50.68	74.00	-23.32	peak

Test Mode:	802.11a 20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	38.84	6.74	45.58	74.00	-28.42	peak
2	9145.000	37.15	10.43	47.58	74.00	-26.42	peak
3	11444.000	34.32	16.53	50.85	74.00	-23.15	peak
4	13556.000	29.76	20.78	50.54	74.00	-23.46	peak
5	17714.000	26.20	24.16	50.36	74.00	-23.64	peak
6	17967.000	24.55	25.89	50.44	74.00	-23.56	peak

Test Mode:	802.11a 20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.72	6.74	47.46	74.00	-26.54	peak
2	10223.000	35.04	12.24	47.28	74.00	-26.72	peak
3	11620.000	32.34	16.99	49.33	74.00	-24.67	peak
4	12665.000	32.55	18.04	50.59	74.00	-23.41	peak
5	13919.000	28.42	21.68	50.10	74.00	-23.90	peak
6	17989.000	23.42	26.04	49.46	74.00	-24.54	peak

Test Mode:	802.11a 20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	38.91	6.74	45.65	74.00	-28.35	peak
2	9233.000	36.49	10.48	46.97	74.00	-27.03	peak
3	11059.000	34.84	14.96	49.80	74.00	-24.20	peak
4	12676.000	31.64	18.05	49.69	74.00	-24.31	peak
5	13919.000	28.74	21.68	50.42	74.00	-23.58	peak
6	17989.000	24.32	26.04	50.36	74.00	-23.64	peak

Test Mode:	802.11a 20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.90	6.74	47.64	74.00	-26.36	peak
2	9255.000	39.67	10.51	50.18	74.00	-23.82	peak
3	11565.000	32.38	16.89	49.27	74.00	-24.73	peak
4	12643.000	31.04	18.01	49.05	74.00	-24.95	peak
5	13006.000	30.92	18.47	49.39	74.00	-24.61	peak
6	17989.000	23.57	26.04	49.61	74.00	-24.39	peak

Test Mode:	802.11a 20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	39.34	6.74	46.08	74.00	-27.92	peak
2	9057.000	36.77	10.38	47.15	74.00	-26.85	peak
3	11576.000	32.64	16.91	49.55	74.00	-24.45	peak
4	11884.000	32.05	17.48	49.53	74.00	-24.47	peak
5	14018.000	28.13	21.80	49.93	74.00	-24.07	peak
6	17989.000	24.78	26.04	50.82	74.00	-23.18	peak

Test Mode:	802.11a 20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.67	6.74	47.41	74.00	-26.59	peak
2	9277.000	36.22	10.51	46.73	74.00	-27.27	peak
3	11301.000	33.24	15.95	49.19	74.00	-24.81	peak
4	12698.000	31.46	18.08	49.54	74.00	-24.46	peak
5	13600.000	28.30	20.89	49.19	74.00	-24.81	peak
6	17989.000	23.24	26.04	49.28	74.00	-24.72	peak

Test Mode:	802.11a 20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7341.000	37.88	6.93	44.81	74.00	-29.19	peak
2	9255.000	37.48	10.51	47.99	74.00	-26.01	peak
3	11004.000	34.68	14.74	49.42	74.00	-24.58	peak
4	12621.000	31.38	17.98	49.36	74.00	-24.64	peak
5	13611.000	28.03	20.92	48.95	74.00	-25.05	peak
6	17945.000	23.22	25.75	48.97	74.00	-25.03	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	39.93	6.74	46.67	74.00	-27.33	peak
2	10355.000	38.09	12.52	50.61	74.00	-23.39	peak
3	11697.000	31.81	17.13	48.94	74.00	-25.06	peak
4	12698.000	30.98	18.08	49.06	74.00	-24.94	peak
5	13919.000	27.28	21.68	48.96	74.00	-25.04	peak
6	17923.000	23.29	25.60	48.89	74.00	-25.11	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	38.67	6.68	45.35	74.00	-28.65	peak
2	8947.000	36.67	9.98	46.65	74.00	-27.35	peak
3	10355.000	38.24	12.52	50.76	74.00	-23.24	peak
4	11048.000	34.17	14.91	49.08	74.00	-24.92	peak
5	13919.000	27.07	21.68	48.75	74.00	-25.25	peak
6	17945.000	23.52	25.75	49.27	74.00	-24.73	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.54	6.74	47.28	74.00	-26.72	peak
2	10399.000	38.73	12.61	51.34	74.00	-22.66	peak
3	10795.000	35.84	13.94	49.78	74.00	-24.22	peak
4	11653.000	32.88	17.05	49.93	74.00	-24.07	peak
5	13919.000	28.66	21.68	50.34	74.00	-23.66	peak
6	17978.000	23.49	25.97	49.46	74.00	-24.54	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.54	6.74	47.28	74.00	-26.72	peak
2	10399.000	38.10	12.61	50.71	74.00	-23.29	peak
3	11510.000	33.01	16.79	49.80	74.00	-24.20	peak
4	12676.000	32.13	18.05	50.18	74.00	-23.82	peak
5	13930.000	27.23	21.71	48.94	74.00	-25.06	peak
6	17956.000	22.93	25.82	48.75	74.00	-25.25	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.45	6.74	47.19	74.00	-26.81	peak
2	9211.000	36.41	10.47	46.88	74.00	-27.12	peak
3	10476.000	39.35	12.77	52.12	74.00	-21.88	peak
4	11400.000	32.60	16.36	48.96	74.00	-25.04	peak
5	12687.000	31.63	18.05	49.68	74.00	-24.32	peak
6	17989.000	23.49	26.04	49.53	74.00	-24.47	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	38.28	6.74	45.02	74.00	-28.98	peak
2	9233.000	35.94	10.48	46.42	74.00	-27.58	peak
3	11015.000	34.64	14.79	49.43	74.00	-24.57	peak
4	11686.000	32.69	17.12	49.81	74.00	-24.19	peak
5	13963.000	28.59	21.78	50.37	74.00	-23.63	peak
6	17934.000	24.02	25.67	49.69	74.00	-24.31	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	41.35	6.74	48.09	74.00	-25.91	peak
2	9332.000	36.96	10.54	47.50	74.00	-26.50	peak
3	10509.000	38.83	12.85	51.68	74.00	-22.32	peak
4	11840.000	32.23	17.40	49.63	74.00	-24.37	peak
5	13941.000	27.48	21.73	49.21	74.00	-24.79	peak
6	17956.000	23.87	25.82	49.69	74.00	-24.31	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.96	10.21	47.17	74.00	-26.83	peak
2	10531.000	35.93	12.94	48.87	74.00	-25.13	peak
3	11510.000	33.54	16.79	50.33	74.00	-23.67	peak
4	12709.000	32.18	18.09	50.27	74.00	-23.73	peak
5	13688.000	27.99	21.10	49.09	74.00	-24.91	peak
6	18000.000	22.76	26.12	48.88	74.00	-25.12	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	41.66	6.74	48.40	74.00	-25.60	peak
2	10553.000	39.47	13.02	52.49	74.00	-21.51	peak
3	11477.000	33.35	16.67	50.02	74.00	-23.98	peak
4	12709.000	31.73	18.09	49.82	74.00	-24.18	peak
5	13864.000	27.71	21.53	49.24	74.00	-24.76	peak
6	18000.000	23.84	26.12	49.96	74.00	-24.04	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7341.000	39.01	6.93	45.94	74.00	-28.06	peak
2	8991.000	36.57	10.28	46.85	74.00	-27.15	peak
3	11059.000	34.51	14.96	49.47	74.00	-24.53	peak
4	12665.000	30.77	18.04	48.81	74.00	-25.19	peak
5	13952.000	27.65	21.76	49.41	74.00	-24.59	peak
6	17967.000	23.44	25.89	49.33	74.00	-24.67	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.46	6.74	47.20	74.00	-26.80	peak
2	9255.000	35.96	10.51	46.47	74.00	-27.53	peak
3	10641.000	36.31	13.36	49.67	74.00	-24.33	peak
4	11675.000	32.75	17.10	49.85	74.00	-24.15	peak
5	13919.000	28.10	21.68	49.78	74.00	-24.22	peak
6	17978.000	23.66	25.97	49.63	74.00	-24.37	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	39.39	6.74	46.13	74.00	-27.87	peak
2	9365.000	36.71	10.57	47.28	74.00	-26.72	peak
3	11400.000	33.32	16.36	49.68	74.00	-24.32	peak
4	12698.000	32.11	18.08	50.19	74.00	-23.81	peak
5	13897.000	27.64	21.62	49.26	74.00	-24.74	peak
6	17989.000	22.49	26.04	48.53	74.00	-25.47	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	41.33	6.74	48.07	74.00	-25.93	peak
2	9145.000	36.04	10.43	46.47	74.00	-27.53	peak
3	10784.000	34.10	13.91	48.01	74.00	-25.99	peak
4	11763.000	31.28	17.26	48.54	74.00	-25.46	peak
5	13457.000	28.28	20.46	48.74	74.00	-25.26	peak
6	17967.000	23.38	25.89	49.27	74.00	-24.73	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	38.56	6.74	45.30	74.00	-28.70	peak
2	9134.000	36.73	10.41	47.14	74.00	-26.86	peak
3	10916.000	34.51	14.39	48.90	74.00	-25.10	peak
4	12643.000	31.20	18.01	49.21	74.00	-24.79	peak
5	13006.000	30.68	18.47	49.15	74.00	-24.85	peak
6	17945.000	23.62	25.75	49.37	74.00	-24.63	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.08	6.74	46.82	74.00	-27.18	peak
2	9211.000	36.63	10.47	47.10	74.00	-26.90	peak
3	11004.000	33.79	14.74	48.53	74.00	-25.47	peak
4	12632.000	29.82	17.99	47.81	74.00	-26.19	peak
5	13380.000	27.77	20.12	47.89	74.00	-26.11	peak
6	17967.000	21.58	25.89	47.47	74.00	-26.53	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.67	6.74	47.41	74.00	-26.59	peak
2	9255.000	36.25	10.51	46.76	74.00	-27.24	peak
3	10872.000	34.43	14.23	48.66	74.00	-25.34	peak
4	11697.000	32.34	17.13	49.47	74.00	-24.53	peak
5	12643.000	31.30	18.01	49.31	74.00	-24.69	peak
6	18000.000	22.68	26.12	48.80	74.00	-25.20	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	37.02	10.41	47.43	74.00	-26.57	peak
2	10949.000	33.71	14.52	48.23	74.00	-25.77	peak
3	11697.000	32.57	17.13	49.70	74.00	-24.30	peak
4	12698.000	30.72	18.08	48.80	74.00	-25.20	peak
5	13853.000	26.83	21.52	48.35	74.00	-25.65	peak
6	17956.000	22.53	25.82	48.35	74.00	-25.65	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	36.33	10.41	46.74	74.00	-27.26	peak
2	10916.000	34.71	14.39	49.10	74.00	-24.90	peak
3	11521.000	32.38	16.82	49.20	74.00	-24.80	peak
4	12621.000	31.50	17.98	49.48	74.00	-24.52	peak
5	13919.000	27.79	21.68	49.47	74.00	-24.53	peak
6	17967.000	23.51	25.89	49.40	74.00	-24.60	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.49	6.74	47.23	74.00	-26.77	peak
2	9145.000	36.66	10.43	47.09	74.00	-26.91	peak
3	10784.000	35.24	13.91	49.15	74.00	-24.85	peak
4	11433.000	32.68	16.50	49.18	74.00	-24.82	peak
5	13633.000	28.07	20.97	49.04	74.00	-24.96	peak
6	17923.000	22.75	25.60	48.35	74.00	-25.65	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.38	6.74	47.12	74.00	-26.88	peak
2	9145.000	37.78	10.43	48.21	74.00	-25.79	peak
3	11004.000	35.18	14.74	49.92	74.00	-24.08	peak
4	11642.000	32.99	17.03	50.02	74.00	-23.98	peak
5	13754.000	28.12	21.27	49.39	74.00	-24.61	peak
6	17967.000	23.65	25.89	49.54	74.00	-24.46	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	41.60	6.74	48.34	74.00	-25.66	peak
2	9189.000	38.41	10.46	48.87	74.00	-25.13	peak
3	11048.000	35.08	14.91	49.99	74.00	-24.01	peak
4	11488.000	33.54	16.72	50.26	74.00	-23.74	peak
5	13633.000	28.37	20.97	49.34	74.00	-24.66	peak
6	17978.000	23.58	25.97	49.55	74.00	-24.45	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	38.98	6.74	45.72	74.00	-28.28	peak
2	9189.000	36.89	10.46	47.35	74.00	-26.65	peak
3	11048.000	35.43	14.91	50.34	74.00	-23.66	peak
4	12610.000	32.03	17.97	50.00	74.00	-24.00	peak
5	13864.000	28.07	21.53	49.60	74.00	-24.40	peak
6	18000.000	23.35	26.12	49.47	74.00	-24.53	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.58	6.74	47.32	74.00	-26.68	peak
2	11048.000	35.79	14.91	50.70	74.00	-23.30	peak
3	11576.000	36.33	16.91	53.24	74.00	-20.76	peak
4	11576.000	28.80	16.91	45.71	54.00	-8.29	AVG
5	12610.000	32.38	17.97	50.35	74.00	-23.65	peak
6	13611.000	30.02	20.92	50.94	74.00	-23.06	peak
7	17923.000	24.43	25.60	50.03	74.00	-23.97	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	39.58	6.74	46.32	74.00	-27.68	peak
2	8958.000	36.99	10.05	47.04	74.00	-26.96	peak
3	11059.000	33.75	14.96	48.71	74.00	-25.29	peak
4	12698.000	31.46	18.08	49.54	74.00	-24.46	peak
5	14029.000	27.42	21.76	49.18	74.00	-24.82	peak
6	17989.000	23.07	26.04	49.11	74.00	-24.89	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.97	6.74	47.71	74.00	-26.29	peak
2	9321.000	37.07	10.53	47.60	74.00	-26.40	peak
3	11213.000	34.15	15.59	49.74	74.00	-24.26	peak
4	11642.000	36.24	17.03	53.27	74.00	-20.73	peak
5	11642.000	31.47	17.03	48.50	54.00	-5.50	AVG
6	13567.000	29.28	20.80	50.08	74.00	-23.92	peak
7	17989.000	24.27	26.04	50.31	74.00	-23.69	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	38.76	6.74	45.50	74.00	-28.50	peak
2	10234.000	35.78	12.26	48.04	74.00	-25.96	peak
3	11059.000	34.37	14.96	49.33	74.00	-24.67	peak
4	11895.000	31.64	17.51	49.15	74.00	-24.85	peak
5	13754.000	28.27	21.27	49.54	74.00	-24.46	peak
6	18000.000	23.57	26.12	49.69	74.00	-24.31	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5190
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.80	6.74	47.54	74.00	-26.46	peak
2	9189.000	36.01	10.46	46.47	74.00	-27.53	peak
3	10377.000	37.01	12.56	49.57	74.00	-24.43	peak
4	11312.000	33.09	16.00	49.09	74.00	-24.91	peak
5	12632.000	31.29	17.99	49.28	74.00	-24.72	peak
6	17989.000	23.55	26.04	49.59	74.00	-24.41	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5190
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	36.46	10.46	46.92	74.00	-27.08	peak
2	10366.000	36.69	12.54	49.23	74.00	-24.77	peak
3	11763.000	32.95	17.26	50.21	74.00	-23.79	peak
4	12258.000	32.19	17.77	49.96	74.00	-24.04	peak
5	13567.000	29.18	20.80	49.98	74.00	-24.02	peak
6	17956.000	23.25	25.82	49.07	74.00	-24.93	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5230
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	42.20	6.74	48.94	74.00	-25.06	peak
2	9123.000	36.81	10.42	47.23	74.00	-26.77	peak
3	11081.000	34.46	15.05	49.51	74.00	-24.49	peak
4	11730.000	32.94	17.19	50.13	74.00	-23.87	peak
5	13919.000	28.60	21.68	50.28	74.00	-23.72	peak
6	17978.000	24.75	25.97	50.72	74.00	-23.28	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5230
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.35	6.74	47.09	74.00	-26.91	peak
2	9255.000	36.86	10.51	47.37	74.00	-26.63	peak
3	10872.000	35.16	14.23	49.39	74.00	-24.61	peak
4	12698.000	31.64	18.08	49.72	74.00	-24.28	peak
5	13919.000	27.50	21.68	49.18	74.00	-24.82	peak
6	17978.000	23.33	25.97	49.30	74.00	-24.70	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5270
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.61	6.74	47.35	74.00	-26.65	peak
2	8936.000	37.43	9.90	47.33	74.00	-26.67	peak
3	10553.000	36.26	13.02	49.28	74.00	-24.72	peak
4	12115.000	31.78	17.73	49.51	74.00	-24.49	peak
5	13886.000	26.83	21.60	48.43	74.00	-25.57	peak
6	17989.000	23.26	26.04	49.30	74.00	-24.70	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5270
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.08	6.74	46.82	74.00	-27.18	peak
2	9211.000	36.58	10.47	47.05	74.00	-26.95	peak
3	10531.000	36.23	12.94	49.17	74.00	-24.83	peak
4	12709.000	31.87	18.09	49.96	74.00	-24.04	peak
5	13490.000	28.61	20.60	49.21	74.00	-24.79	peak
6	17978.000	24.15	25.97	50.12	74.00	-23.88	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5310
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	41.43	6.74	48.17	74.00	-25.83	peak
2	8870.000	37.64	9.44	47.08	74.00	-26.92	peak
3	10784.000	34.94	13.91	48.85	74.00	-25.15	peak
4	11862.000	31.82	17.45	49.27	74.00	-24.73	peak
5	13600.000	28.46	20.89	49.35	74.00	-24.65	peak
6	17989.000	23.69	26.04	49.73	74.00	-24.27	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5310
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	36.75	10.55	47.30	74.00	-26.70	peak
2	10982.000	34.79	14.64	49.43	74.00	-24.57	peak
3	11653.000	32.71	17.05	49.76	74.00	-24.24	peak
4	12698.000	32.34	18.08	50.42	74.00	-23.58	peak
5	14018.000	27.86	21.80	49.66	74.00	-24.34	peak
6	18000.000	23.88	26.12	50.00	74.00	-24.00	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5510
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.68	6.74	47.42	74.00	-26.58	peak
2	10619.000	36.13	13.28	49.41	74.00	-24.59	peak
3	11884.000	32.84	17.48	50.32	74.00	-23.68	peak
4	12698.000	32.70	18.08	50.78	74.00	-23.22	peak
5	13853.000	28.65	21.52	50.17	74.00	-23.83	peak
6	17945.000	24.33	25.75	50.08	74.00	-23.92	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5510
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	39.98	6.74	46.72	74.00	-27.28	peak
2	9057.000	36.58	10.38	46.96	74.00	-27.04	peak
3	11411.000	33.90	16.41	50.31	74.00	-23.69	peak
4	12247.000	32.55	17.77	50.32	74.00	-23.68	peak
5	13468.000	30.21	20.50	50.71	74.00	-23.29	peak
6	18000.000	24.17	26.12	50.29	74.00	-23.71	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5550
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	42.07	6.74	48.81	74.00	-25.19	peak
2	8881.000	38.26	9.52	47.78	74.00	-26.22	peak
3	10883.000	34.93	14.27	49.20	74.00	-24.80	peak
4	12698.000	31.25	18.08	49.33	74.00	-24.67	peak
5	13457.000	28.99	20.46	49.45	74.00	-24.55	peak
6	17989.000	23.38	26.04	49.42	74.00	-24.58	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5550
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	38.86	6.68	45.54	74.00	-28.46	peak
2	9343.000	37.18	10.55	47.73	74.00	-26.27	peak
3	11180.000	33.92	15.46	49.38	74.00	-24.62	peak
4	12654.000	32.37	18.01	50.38	74.00	-23.62	peak
5	13567.000	28.60	20.80	49.40	74.00	-24.60	peak
6	17945.000	23.75	25.75	49.50	74.00	-24.50	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5670
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9068.000	37.16	10.39	47.55	74.00	-26.45	peak
2	11246.000	33.46	15.73	49.19	74.00	-24.81	peak
3	11730.000	32.34	17.19	49.53	74.00	-24.47	peak
4	12643.000	32.21	18.01	50.22	74.00	-23.78	peak
5	13996.000	27.42	21.87	49.29	74.00	-24.71	peak
6	17989.000	23.77	26.04	49.81	74.00	-24.19	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5670
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9068.000	38.46	10.39	48.85	74.00	-25.15	peak
2	11015.000	34.77	14.79	49.56	74.00	-24.44	peak
3	11653.000	32.98	17.05	50.03	74.00	-23.97	peak
4	12599.000	32.02	17.95	49.97	74.00	-24.03	peak
5	13985.000	27.65	21.85	49.50	74.00	-24.50	peak
6	17956.000	23.14	25.82	48.96	74.00	-25.04	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5710
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	42.04	6.74	48.78	74.00	-25.22	peak
2	9134.000	38.94	10.41	49.35	74.00	-24.65	peak
3	11048.000	34.64	14.91	49.55	74.00	-24.45	peak
4	12621.000	31.59	17.98	49.57	74.00	-24.43	peak
5	13886.000	27.43	21.60	49.03	74.00	-24.97	peak
6	17956.000	23.95	25.82	49.77	74.00	-24.23	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5710
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	39.69	6.74	46.43	74.00	-27.57	peak
2	9134.000	37.58	10.41	47.99	74.00	-26.01	peak
3	11048.000	35.04	14.91	49.95	74.00	-24.05	peak
4	11752.000	33.66	17.24	50.90	74.00	-23.10	peak
5	13391.000	30.53	20.16	50.69	74.00	-23.31	peak
6	17956.000	24.13	25.82	49.95	74.00	-24.05	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5755
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.76	6.74	47.50	74.00	-26.50	peak
2	10443.000	36.45	12.70	49.15	74.00	-24.85	peak
3	11400.000	33.11	16.36	49.47	74.00	-24.53	peak
4	13886.000	28.18	21.60	49.78	74.00	-24.22	peak
5	17703.000	25.68	24.09	49.77	74.00	-24.23	peak
6	18000.000	23.72	26.12	49.84	74.00	-24.16	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5755
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.12	6.74	46.86	74.00	-27.14	peak
2	9200.000	36.30	10.46	46.76	74.00	-27.24	peak
3	10883.000	35.52	14.27	49.79	74.00	-24.21	peak
4	12643.000	32.03	18.01	50.04	74.00	-23.96	peak
5	13347.000	29.32	19.97	49.29	74.00	-24.71	peak
6	17967.000	23.26	25.89	49.15	74.00	-24.85	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5795
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	41.22	6.74	47.96	74.00	-26.04	peak
2	9266.000	37.80	10.51	48.31	74.00	-25.69	peak
3	11059.000	34.20	14.96	49.16	74.00	-24.84	peak
4	12687.000	32.08	18.05	50.13	74.00	-23.87	peak
5	13864.000	26.93	21.53	48.46	74.00	-25.54	peak
6	18000.000	22.34	26.12	48.46	74.00	-25.54	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5795
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9354.000	36.39	10.56	46.95	74.00	-27.05	peak
2	11147.000	34.10	15.32	49.42	74.00	-24.58	peak
3	11642.000	32.57	17.03	49.60	74.00	-24.40	peak
4	12500.000	31.56	17.83	49.39	74.00	-24.61	peak
5	13985.000	27.48	21.85	49.33	74.00	-24.67	peak
6	17923.000	23.21	25.60	48.81	74.00	-25.19	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	41.16	6.74	47.90	74.00	-26.10	peak
2	10443.000	44.77	12.70	57.47	74.00	-16.53	peak
3	11048.000	34.73	14.91	49.64	74.00	-24.36	peak
4	12687.000	31.17	18.05	49.22	74.00	-24.78	peak
5	13919.000	27.43	21.68	49.11	74.00	-24.89	peak
6	17923.000	23.52	25.60	49.12	74.00	-24.88	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5210
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.45	10.46	46.91	74.00	-27.09	peak
2	10443.000	40.75	12.70	53.45	74.00	-20.55	peak
3	11895.000	31.77	17.51	49.28	74.00	-24.72	peak
4	12687.000	31.33	18.05	49.38	74.00	-24.62	peak
5	13875.000	27.61	21.57	49.18	74.00	-24.82	peak
6	17923.000	24.09	25.60	49.69	74.00	-24.31	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8463.000	40.28	6.85	47.13	74.00	-26.87	peak
2	10597.000	42.08	13.19	55.27	74.00	-18.73	peak
3	11763.000	33.27	17.26	50.53	74.00	-23.47	peak
4	12709.000	32.27	18.09	50.36	74.00	-23.64	peak
5	13963.000	29.11	21.78	50.89	74.00	-23.11	peak
6	17978.000	24.53	25.97	50.50	74.00	-23.50	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5290
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	36.59	10.38	46.97	74.00	-27.03	peak
2	10575.000	36.04	13.10	49.14	74.00	-24.86	peak
3	11400.000	32.98	16.36	49.34	74.00	-24.66	peak
4	12698.000	32.09	18.08	50.17	74.00	-23.83	peak
5	13930.000	28.38	21.71	50.09	74.00	-23.91	peak
6	17967.000	24.10	25.89	49.99	74.00	-24.01	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.83	6.74	47.57	74.00	-26.43	peak
2	9068.000	37.07	10.39	47.46	74.00	-26.54	peak
3	11081.000	35.61	15.05	50.66	74.00	-23.34	peak
4	12676.000	32.28	18.05	50.33	74.00	-23.67	peak
5	13556.000	29.28	20.78	50.06	74.00	-23.94	peak
6	17978.000	24.21	25.97	50.18	74.00	-23.82	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5530
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.35	6.74	47.09	74.00	-26.91	peak
2	9222.000	36.47	10.48	46.95	74.00	-27.05	peak
3	11081.000	35.06	15.05	50.11	74.00	-23.89	peak
4	11884.000	32.43	17.48	49.91	74.00	-24.09	peak
5	13974.000	27.85	21.82	49.67	74.00	-24.33	peak
6	17989.000	23.67	26.04	49.71	74.00	-24.29	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8969.000	38.00	10.13	48.13	74.00	-25.87	peak
2	10784.000	36.00	13.91	49.91	74.00	-24.09	peak
3	11664.000	32.87	17.08	49.95	74.00	-24.05	peak
4	12698.000	32.33	18.08	50.41	74.00	-23.59	peak
5	13391.000	29.73	20.16	49.89	74.00	-24.11	peak
6	17912.000	23.38	25.52	48.90	74.00	-25.10	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5610
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	37.17	10.49	47.66	74.00	-26.34	peak
2	11081.000	34.86	15.05	49.91	74.00	-24.09	peak
3	11873.000	32.73	17.46	50.19	74.00	-23.81	peak
4	12709.000	32.13	18.09	50.22	74.00	-23.78	peak
5	13446.000	29.29	20.41	49.70	74.00	-24.30	peak
6	17967.000	23.18	25.89	49.07	74.00	-24.93	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5690
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.38	6.74	47.12	74.00	-26.88	peak
2	9101.000	36.35	10.40	46.75	74.00	-27.25	peak
3	11389.000	33.01	16.31	49.32	74.00	-24.68	peak
4	11884.000	30.87	17.48	48.35	74.00	-25.65	peak
5	13919.000	26.54	21.68	48.22	74.00	-25.78	peak
6	17989.000	22.83	26.04	48.87	74.00	-25.13	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5690
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	39.47	6.74	46.21	74.00	-27.79	peak
2	9101.000	37.42	10.40	47.82	74.00	-26.18	peak
3	10905.000	34.53	14.36	48.89	74.00	-25.11	peak
4	12709.000	30.92	18.09	49.01	74.00	-24.99	peak
5	13567.000	28.27	20.80	49.07	74.00	-24.93	peak
6	17813.000	23.89	24.84	48.73	74.00	-25.27	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	37.81	10.48	48.29	74.00	-25.71	peak
2	11015.000	34.72	14.79	49.51	74.00	-24.49	peak
3	11565.000	33.34	16.89	50.23	74.00	-23.77	peak
4	12698.000	30.97	18.08	49.05	74.00	-24.95	peak
5	13919.000	27.39	21.68	49.07	74.00	-24.93	peak
6	17714.000	25.52	24.16	49.68	74.00	-24.32	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5775
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	38.60	6.74	45.34	74.00	-28.66	peak
2	9178.000	37.04	10.45	47.49	74.00	-26.51	peak
3	11323.000	34.13	16.05	50.18	74.00	-23.82	peak
4	12687.000	32.26	18.05	50.31	74.00	-23.69	peak
5	13864.000	28.87	21.53	50.40	74.00	-23.60	peak
6	17978.000	23.24	25.97	49.21	74.00	-24.79	peak

Test Mode:	802.11ac VHT160	Frequency(MHz):	5250
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.42	6.74	47.16	74.00	-26.84	peak
2	10509.000	40.83	12.85	53.68	74.00	-20.32	peak
3	11400.000	33.04	16.36	49.40	74.00	-24.60	peak
4	12687.000	31.45	18.05	49.50	74.00	-24.50	peak
5	13919.000	27.80	21.68	49.48	74.00	-24.52	peak
6	17989.000	22.72	26.04	48.76	74.00	-25.24	peak

Test Mode:	802.11ac VHT160	Frequency(MHz):	5250
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	39.43	6.74	46.17	74.00	-27.83	peak
2	9574.000	35.82	10.81	46.63	74.00	-27.37	peak
3	11312.000	33.40	16.00	49.40	74.00	-24.60	peak
4	11851.000	31.85	17.43	49.28	74.00	-24.72	peak
5	13908.000	28.84	21.66	50.50	74.00	-23.50	peak
6	17879.000	24.48	25.29	49.77	74.00	-24.23	peak

Test Mode:	802.11ac VHT160	Frequency(MHz):	5570
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	41.87	6.74	48.61	74.00	-25.39	peak
2	9255.000	36.21	10.51	46.72	74.00	-27.28	peak
3	11268.000	33.29	15.83	49.12	74.00	-24.88	peak
4	12698.000	31.27	18.08	49.35	74.00	-24.65	peak
5	13864.000	27.71	21.53	49.24	74.00	-24.76	peak
6	17912.000	23.87	25.52	49.39	74.00	-24.61	peak

Test Mode:	802.11ac VHT160	Frequency(MHz):	5570
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	39.32	6.74	46.06	74.00	-27.94	peak
2	8903.000	37.69	9.66	47.35	74.00	-26.65	peak
3	11070.000	34.80	15.01	49.81	74.00	-24.19	peak
4	12687.000	32.00	18.05	50.05	74.00	-23.95	peak
5	13996.000	28.17	21.87	50.04	74.00	-23.96	peak
6	17989.000	24.34	26.04	50.38	74.00	-23.62	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.80	6.74	47.54	74.00	-26.46	peak
2	10355.000	47.04	12.52	59.56	74.00	-14.44	peak
3	11730.000	33.03	17.19	50.22	74.00	-23.78	peak
4	12698.000	32.35	18.08	50.43	74.00	-23.57	peak
5	13864.000	29.24	21.53	50.77	74.00	-23.23	peak
6	17956.000	24.19	25.82	50.01	74.00	-23.99	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	37.29	10.49	47.78	74.00	-26.22	peak
2	10366.000	45.72	12.54	58.26	74.00	-15.74	peak
3	11741.000	32.69	17.22	49.91	74.00	-24.09	peak
4	12709.000	31.70	18.09	49.79	74.00	-24.21	peak
5	13996.000	27.65	21.87	49.52	74.00	-24.48	peak
6	17989.000	24.05	26.04	50.09	74.00	-23.91	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	42.32	6.74	49.06	74.00	-24.94	peak
2	9211.000	35.94	10.47	46.41	74.00	-27.59	peak
3	10410.000	41.34	12.62	53.96	74.00	-20.04	peak
4	11400.000	33.51	16.36	49.87	74.00	-24.13	peak
5	13930.000	28.12	21.71	49.83	74.00	-24.17	peak
6	18000.000	24.07	26.12	50.19	74.00	-23.81	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.30	10.21	46.51	74.00	-27.49	peak
2	10399.000	38.34	12.61	50.95	74.00	-23.05	peak
3	11774.000	31.25	17.28	48.53	74.00	-25.47	peak
4	12665.000	30.77	18.04	48.81	74.00	-25.19	peak
5	13875.000	27.24	21.57	48.81	74.00	-25.19	peak
6	17945.000	23.65	25.75	49.40	74.00	-24.60	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	41.39	6.74	48.13	74.00	-25.87	peak
2	10487.000	40.21	12.79	53.00	74.00	-21.00	peak
3	11312.000	33.65	16.00	49.65	74.00	-24.35	peak
4	12621.000	32.80	17.98	50.78	74.00	-23.22	peak
5	13853.000	27.91	21.52	49.43	74.00	-24.57	peak
6	17978.000	24.05	25.97	50.02	74.00	-23.98	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	38.80	6.74	45.54	74.00	-28.46	peak
2	9101.000	36.88	10.40	47.28	74.00	-26.72	peak
3	10476.000	38.33	12.77	51.10	74.00	-22.90	peak
4	11873.000	32.50	17.46	49.96	74.00	-24.04	peak
5	13380.000	29.78	20.12	49.90	74.00	-24.10	peak
6	17934.000	23.90	25.67	49.57	74.00	-24.43	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	42.03	6.74	48.77	74.00	-25.23	peak
2	10509.000	40.86	12.85	53.71	74.00	-20.29	peak
3	11906.000	32.57	17.52	50.09	74.00	-23.91	peak
4	12555.000	32.63	17.90	50.53	74.00	-23.47	peak
5	13985.000	27.85	21.85	49.70	74.00	-24.30	peak
6	17967.000	24.21	25.89	50.10	74.00	-23.90	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	39.52	6.74	46.26	74.00	-27.74	peak
2	8991.000	37.11	10.28	47.39	74.00	-26.61	peak
3	10509.000	38.85	12.85	51.70	74.00	-22.30	peak
4	11664.000	33.10	17.08	50.18	74.00	-23.82	peak
5	12698.000	31.79	18.08	49.87	74.00	-24.13	peak
6	18000.000	23.55	26.12	49.67	74.00	-24.33	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.83	6.74	47.57	74.00	-26.43	peak
2	9332.000	36.95	10.54	47.49	74.00	-26.51	peak
3	10564.000	44.64	13.06	57.70	74.00	-16.30	peak
4	11510.000	32.99	16.79	49.78	74.00	-24.22	peak
5	13127.000	30.78	19.01	49.79	74.00	-24.21	peak
6	17978.000	24.02	25.97	49.99	74.00	-24.01	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.29	6.74	47.03	74.00	-26.97	peak
2	10564.000	40.35	13.06	53.41	74.00	-20.59	peak
3	11785.000	33.23	17.30	50.53	74.00	-23.47	peak
4	12676.000	31.31	18.05	49.36	74.00	-24.64	peak
5	13380.000	29.15	20.12	49.27	74.00	-24.73	peak
6	17967.000	23.33	25.89	49.22	74.00	-24.78	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.50	6.74	47.24	74.00	-26.76	peak
2	9200.000	36.49	10.46	46.95	74.00	-27.05	peak
3	10641.000	37.87	13.36	51.23	74.00	-22.77	peak
4	10641.000	28.45	13.36	41.81	54.00	-12.19	AVG
5	11730.000	31.92	17.19	49.11	74.00	-24.89	peak
6	13006.000	30.72	18.47	49.19	74.00	-24.81	peak
7	17714.000	24.77	24.16	48.93	74.00	-25.07	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9068.000	36.41	10.39	46.80	74.00	-27.20	peak
2	10630.000	37.01	13.31	50.32	74.00	-23.68	peak
3	11026.000	35.31	14.82	50.13	74.00	-23.87	peak
4	12610.000	32.78	17.97	50.75	74.00	-23.25	peak
5	13622.000	29.20	20.95	50.15	74.00	-23.85	peak
6	17967.000	24.14	25.89	50.03	74.00	-23.97	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	41.36	6.74	48.10	74.00	-25.90	peak
2	9354.000	36.54	10.56	47.10	74.00	-26.90	peak
3	11004.000	33.39	14.74	48.13	74.00	-25.87	peak
4	11917.000	31.35	17.54	48.89	74.00	-25.11	peak
5	13314.000	28.98	19.83	48.81	74.00	-25.19	peak
6	17967.000	24.19	25.89	50.08	74.00	-23.92	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	39.59	6.74	46.33	74.00	-27.67	peak
2	9189.000	37.12	10.46	47.58	74.00	-26.42	peak
3	11004.000	36.03	14.74	50.77	74.00	-23.23	peak
4	11774.000	32.34	17.28	49.62	74.00	-24.38	peak
5	13974.000	27.86	21.82	49.68	74.00	-24.32	peak
6	18000.000	23.65	26.12	49.77	74.00	-24.23	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	41.47	6.74	48.21	74.00	-25.79	peak
2	8925.000	38.06	9.82	47.88	74.00	-26.12	peak
3	11147.000	35.33	15.32	50.65	74.00	-23.35	peak
4	11653.000	31.42	17.05	48.47	74.00	-25.53	peak
5	13028.000	28.97	18.57	47.54	74.00	-26.46	peak
6	17967.000	22.46	25.89	48.35	74.00	-25.65	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.20	6.74	46.94	74.00	-27.06	peak
2	8925.000	38.11	9.82	47.93	74.00	-26.07	peak
3	11158.000	35.14	15.37	50.51	74.00	-23.49	peak
4	12621.000	31.37	17.98	49.35	74.00	-24.65	peak
5	13611.000	28.02	20.92	48.94	74.00	-25.06	peak
6	17846.000	23.84	25.08	48.92	74.00	-25.08	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.48	6.74	47.22	74.00	-26.78	peak
2	9112.000	38.79	10.41	49.20	74.00	-24.80	peak
3	10883.000	35.12	14.27	49.39	74.00	-24.61	peak
4	12698.000	30.36	18.08	48.44	74.00	-25.56	peak
5	13424.000	28.65	20.30	48.95	74.00	-25.05	peak
6	17989.000	24.13	26.04	50.17	74.00	-23.83	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7627.000	39.70	6.76	46.46	74.00	-27.54	peak
2	9112.000	38.02	10.41	48.43	74.00	-25.57	peak
3	11400.000	35.98	16.36	52.34	74.00	-21.66	peak
4	11400.000	26.49	16.36	42.85	54.00	-11.15	AVG
5	12258.000	32.21	17.77	49.98	74.00	-24.02	peak
6	13512.000	27.92	20.68	48.60	74.00	-25.40	peak
7	17989.000	22.10	26.04	48.14	74.00	-25.86	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.83	6.74	47.57	74.00	-26.43	peak
2	9145.000	39.23	10.43	49.66	74.00	-24.34	peak
3	11444.000	38.05	16.53	54.58	74.00	-19.42	peak
4	11444.000	30.40	16.53	46.93	54.00	-7.07	AVG
5	12599.000	31.02	17.95	48.97	74.00	-25.03	peak
6	13589.000	27.94	20.86	48.80	74.00	-25.20	peak
7	17978.000	23.80	25.97	49.77	74.00	-24.23	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	37.14	10.48	47.62	74.00	-26.38	peak
2	11070.000	34.25	15.01	49.26	74.00	-24.74	peak
3	11884.000	32.24	17.48	49.72	74.00	-24.28	peak
4	12698.000	32.19	18.08	50.27	74.00	-23.73	peak
5	13556.000	28.95	20.78	49.73	74.00	-24.27	peak
6	18000.000	24.09	26.12	50.21	74.00	-23.79	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	41.07	6.74	47.81	74.00	-26.19	peak
2	9189.000	37.81	10.46	48.27	74.00	-25.73	peak
3	11488.000	36.32	16.72	53.04	74.00	-20.96	peak
4	11488.000	25.99	16.72	42.71	54.00	-11.29	AVG
5	12632.000	31.49	17.99	49.48	74.00	-24.52	peak
6	13985.000	26.64	21.85	48.49	74.00	-25.51	peak
7	17923.000	23.09	25.60	48.69	74.00	-25.31	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	37.70	10.46	48.16	74.00	-25.84	peak
2	11037.000	33.79	14.87	48.66	74.00	-25.34	peak
3	11598.000	32.66	16.96	49.62	74.00	-24.38	peak
4	12709.000	31.64	18.09	49.73	74.00	-24.27	peak
5	13963.000	27.35	21.78	49.13	74.00	-24.87	peak
6	17945.000	23.02	25.75	48.77	74.00	-25.23	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	41.77	6.74	48.51	74.00	-25.49	peak
2	9255.000	38.71	10.51	49.22	74.00	-24.78	peak
3	11565.000	35.78	16.89	52.67	74.00	-21.33	peak
4	11565.000	24.94	16.89	41.83	54.00	-12.17	AVG
5	13127.000	31.07	19.01	50.08	74.00	-23.92	peak
6	13974.000	27.77	21.82	49.59	74.00	-24.41	peak
7	17967.000	24.59	25.89	50.48	74.00	-23.52	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.98	10.46	47.44	74.00	-26.56	peak
2	11048.000	34.36	14.91	49.27	74.00	-24.73	peak
3	11565.000	33.90	16.89	50.79	74.00	-23.21	peak
4	12698.000	31.86	18.08	49.94	74.00	-24.06	peak
5	13864.000	28.45	21.53	49.98	74.00	-24.02	peak
6	17989.000	23.89	26.04	49.93	74.00	-24.07	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9288.000	36.58	10.52	47.10	74.00	-26.90	peak
2	11015.000	34.76	14.79	49.55	74.00	-24.45	peak
3	11653.000	37.15	17.05	54.20	74.00	-19.80	peak
4	11653.000	28.56	17.05	45.61	54.00	-8.39	AVG
5	12676.000	31.61	18.05	49.66	74.00	-24.34	peak
6	13589.000	29.62	20.86	50.48	74.00	-23.52	peak
7	17934.000	24.20	25.67	49.87	74.00	-24.13	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8914.000	37.00	9.75	46.75	74.00	-27.25	peak
2	11147.000	34.40	15.32	49.72	74.00	-24.28	peak
3	11642.000	36.15	17.03	53.18	74.00	-20.82	peak
4	11642.000	24.71	17.03	41.74	54.00	-12.26	AVG
5	12566.000	32.17	17.91	50.08	74.00	-23.92	peak
6	13963.000	27.74	21.78	49.52	74.00	-24.48	peak
7	17967.000	24.13	25.89	50.02	74.00	-23.98	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5190
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.31	6.74	47.05	74.00	-26.95	peak
2	10366.000	45.30	12.54	57.84	74.00	-16.16	peak
3	11906.000	32.25	17.52	49.77	74.00	-24.23	peak
4	12687.000	32.08	18.05	50.13	74.00	-23.87	peak
5	13116.000	30.65	18.96	49.61	74.00	-24.39	peak
6	17934.000	23.60	25.67	49.27	74.00	-24.73	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5190
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	39.41	6.74	46.15	74.00	-27.85	peak
2	9321.000	36.16	10.53	46.69	74.00	-27.31	peak
3	10366.000	36.97	12.54	49.51	74.00	-24.49	peak
4	11730.000	31.40	17.19	48.59	74.00	-25.41	peak
5	14062.000	27.30	21.62	48.92	74.00	-25.08	peak
6	17956.000	23.10	25.82	48.92	74.00	-25.08	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5230
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.85	6.74	47.59	74.00	-26.41	peak
2	9255.000	36.30	10.51	46.81	74.00	-27.19	peak
3	10454.000	46.29	12.73	59.02	74.00	-14.98	peak
4	11884.000	33.48	17.48	50.96	74.00	-23.04	peak
5	13930.000	29.16	21.71	50.87	74.00	-23.13	peak
6	17989.000	24.74	26.04	50.78	74.00	-23.22	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5230
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.99	10.21	47.20	74.00	-26.80	peak
2	10454.000	39.72	12.73	52.45	74.00	-21.55	peak
3	11763.000	32.39	17.26	49.65	74.00	-24.35	peak
4	12610.000	31.11	17.97	49.08	74.00	-24.92	peak
5	13809.000	27.55	21.41	48.96	74.00	-25.04	peak
6	17978.000	24.17	25.97	50.14	74.00	-23.86	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5270
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	42.53	6.74	49.27	74.00	-24.73	peak
2	9211.000	36.98	10.47	47.45	74.00	-26.55	peak
3	10531.000	44.32	12.94	57.26	74.00	-16.74	peak
4	11840.000	32.57	17.40	49.97	74.00	-24.03	peak
5	13468.000	29.42	20.50	49.92	74.00	-24.08	peak
6	17956.000	24.20	25.82	50.02	74.00	-23.98	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5270
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.81	10.48	47.29	74.00	-26.71	peak
2	10520.000	37.73	12.90	50.63	74.00	-23.37	peak
3	12291.000	32.27	17.78	50.05	74.00	-23.95	peak
4	13622.000	28.28	20.95	49.23	74.00	-24.77	peak
5	14414.000	28.91	20.14	49.05	74.00	-24.95	peak
6	17989.000	23.90	26.04	49.94	74.00	-24.06	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5310
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.90	6.74	47.64	74.00	-26.36	peak
2	10608.000	42.32	13.23	55.55	74.00	-18.45	peak
3	10608.000	33.97	13.23	47.20	54.00	-6.80	AVG
4	11455.000	33.30	16.58	49.88	74.00	-24.12	peak
5	12258.000	32.44	17.77	50.21	74.00	-23.79	peak
6	13853.000	28.48	21.52	50.00	74.00	-24.00	peak
7	17604.000	26.58	23.41	49.99	74.00	-24.01	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5310
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7968.000	38.76	6.45	45.21	74.00	-28.79	peak
2	9101.000	37.15	10.40	47.55	74.00	-26.45	peak
3	10608.000	37.52	13.23	50.75	74.00	-23.25	peak
4	11653.000	32.68	17.05	49.73	74.00	-24.27	peak
5	13501.000	29.28	20.64	49.92	74.00	-24.08	peak
6	18000.000	23.70	26.12	49.82	74.00	-24.18	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5510
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	42.04	6.74	48.78	74.00	-25.22	peak
2	9233.000	37.33	10.48	47.81	74.00	-26.19	peak
3	11015.000	39.20	14.79	53.99	74.00	-20.01	peak
4	11015.000	29.51	14.79	44.30	54.00	-9.70	AVG
5	11664.000	33.23	17.08	50.31	74.00	-23.69	peak
6	12632.000	32.19	17.99	50.18	74.00	-23.82	peak
7	17615.000	25.45	23.49	48.94	74.00	-25.06	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5510
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9178.000	36.92	10.45	47.37	74.00	-26.63	peak
2	11015.000	35.24	14.79	50.03	74.00	-23.97	peak
3	11862.000	31.75	17.45	49.20	74.00	-24.80	peak
4	12742.000	31.21	18.13	49.34	74.00	-24.66	peak
5	13501.000	28.98	20.64	49.62	74.00	-24.38	peak
6	17967.000	23.01	25.89	48.90	74.00	-25.10	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5550
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	36.96	10.43	47.39	74.00	-26.61	peak
2	10784.000	35.43	13.91	49.34	74.00	-24.66	peak
3	11092.000	35.01	15.10	50.11	74.00	-23.89	peak
4	11906.000	31.99	17.52	49.51	74.00	-24.49	peak
5	13611.000	29.14	20.92	50.06	74.00	-23.94	peak
6	17989.000	24.42	26.04	50.46	74.00	-23.54	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5550
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.89	10.49	47.38	74.00	-26.62	peak
2	10773.000	33.73	13.85	47.58	74.00	-26.42	peak
3	11642.000	32.42	17.03	49.45	74.00	-24.55	peak
4	12687.000	31.20	18.05	49.25	74.00	-24.75	peak
5	13996.000	27.68	21.87	49.55	74.00	-24.45	peak
6	17989.000	23.84	26.04	49.88	74.00	-24.12	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5670
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	41.46	6.74	48.20	74.00	-25.80	peak
2	9068.000	39.36	10.39	49.75	74.00	-24.25	peak
3	10784.000	35.35	13.91	49.26	74.00	-24.74	peak
4	11345.000	33.65	16.14	49.79	74.00	-24.21	peak
5	12621.000	30.79	17.98	48.77	74.00	-25.23	peak
6	17978.000	22.68	25.97	48.65	74.00	-25.35	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5670
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	38.89	6.74	45.63	74.00	-28.37	peak
2	9068.000	36.60	10.39	46.99	74.00	-27.01	peak
3	11059.000	34.39	14.96	49.35	74.00	-24.65	peak
4	12236.000	31.65	17.76	49.41	74.00	-24.59	peak
5	13358.000	29.56	20.02	49.58	74.00	-24.42	peak
6	17967.000	22.85	25.89	48.74	74.00	-25.26	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5710
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.47	6.74	47.21	74.00	-26.79	peak
2	9134.000	40.40	10.41	50.81	74.00	-23.19	peak
3	11422.000	38.35	16.46	54.81	74.00	-19.19	peak
4	11422.000	29.14	16.46	45.60	54.00	-8.40	AVG
5	12632.000	31.61	17.99	49.60	74.00	-24.40	peak
6	13633.000	28.26	20.97	49.23	74.00	-24.77	peak
7	17956.000	24.35	25.82	50.17	74.00	-23.83	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5710
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	37.52	10.41	47.93	74.00	-26.07	peak
2	10212.000	36.14	12.21	48.35	74.00	-25.65	peak
3	11015.000	34.94	14.79	49.73	74.00	-24.27	peak
4	11785.000	32.29	17.30	49.59	74.00	-24.41	peak
5	13864.000	28.15	21.53	49.68	74.00	-24.32	peak
6	17989.000	23.63	26.04	49.67	74.00	-24.33	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5755
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	40.68	6.74	47.42	74.00	-26.58	peak
2	9211.000	37.11	10.47	47.58	74.00	-26.42	peak
3	11510.000	33.31	16.79	50.10	74.00	-23.90	peak
4	12709.000	32.43	18.09	50.52	74.00	-23.48	peak
5	13853.000	28.67	21.52	50.19	74.00	-23.81	peak
6	17989.000	23.99	26.04	50.03	74.00	-23.97	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5755
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8573.000	38.84	7.40	46.24	74.00	-27.76	peak
2	9332.000	36.82	10.54	47.36	74.00	-26.64	peak
3	11070.000	34.04	15.01	49.05	74.00	-24.95	peak
4	12676.000	31.46	18.05	49.51	74.00	-24.49	peak
5	13919.000	27.73	21.68	49.41	74.00	-24.59	peak
6	17978.000	22.93	25.97	48.90	74.00	-25.10	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5795
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	37.57	10.51	48.08	74.00	-25.92	peak
2	11059.000	34.92	14.96	49.88	74.00	-24.12	peak
3	11587.000	35.04	16.93	51.97	74.00	-22.03	peak
4	11587.000	24.87	16.93	41.80	54.00	-12.20	AVG
5	12698.000	31.79	18.08	49.87	74.00	-24.13	peak
6	13974.000	28.23	21.82	50.05	74.00	-23.95	peak
7	17967.000	23.59	25.89	49.48	74.00	-24.52	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5795
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	39.34	6.74	46.08	74.00	-27.92	peak
2	9266.000	36.77	10.51	47.28	74.00	-26.72	peak
3	10894.000	34.04	14.32	48.36	74.00	-25.64	peak
4	12698.000	30.80	18.08	48.88	74.00	-25.12	peak
5	13699.000	28.18	21.14	49.32	74.00	-24.68	peak
6	17967.000	23.52	25.89	49.41	74.00	-24.59	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	42.04	6.74	48.78	74.00	-25.22	peak
2	10410.000	44.50	12.62	57.12	74.00	-16.88	peak
3	10784.000	36.30	13.91	50.21	74.00	-23.79	peak
4	12665.000	32.03	18.04	50.07	74.00	-23.93	peak
5	13908.000	28.54	21.66	50.20	74.00	-23.80	peak
6	17967.000	24.08	25.89	49.97	74.00	-24.03	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5210
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	38.70	6.74	45.44	74.00	-28.56	peak
2	9255.000	35.84	10.51	46.35	74.00	-27.65	peak
3	10432.000	38.13	12.67	50.80	74.00	-23.20	peak
4	11059.000	35.14	14.96	50.10	74.00	-23.90	peak
5	13072.000	31.66	18.77	50.43	74.00	-23.57	peak
6	17967.000	24.74	25.89	50.63	74.00	-23.37	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8463.000	40.52	6.85	47.37	74.00	-26.63	peak
2	10564.000	42.62	13.06	55.68	74.00	-18.32	peak
3	11400.000	34.22	16.36	50.58	74.00	-23.42	peak
4	11664.000	33.07	17.08	50.15	74.00	-23.85	peak
5	13809.000	28.65	21.41	50.06	74.00	-23.94	peak
6	17615.000	25.70	23.49	49.19	74.00	-24.81	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5290
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	39.66	6.74	46.40	74.00	-27.60	peak
2	9145.000	36.33	10.43	46.76	74.00	-27.24	peak
3	10564.000	37.68	13.06	50.74	74.00	-23.26	peak
4	11884.000	33.27	17.48	50.75	74.00	-23.25	peak
5	13919.000	28.76	21.68	50.44	74.00	-23.56	peak
6	17967.000	25.15	25.89	51.04	74.00	-22.96	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	41.58	6.74	48.32	74.00	-25.68	peak
2	10212.000	35.62	12.21	47.83	74.00	-26.17	peak
3	11081.000	34.67	15.05	49.72	74.00	-24.28	peak
4	12709.000	31.61	18.09	49.70	74.00	-24.30	peak
5	13589.000	28.76	20.86	49.62	74.00	-24.38	peak
6	17956.000	24.51	25.82	50.33	74.00	-23.67	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5530
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	39.24	6.74	45.98	74.00	-28.02	peak
2	9189.000	36.54	10.46	47.00	74.00	-27.00	peak
3	11070.000	35.10	15.01	50.11	74.00	-23.89	peak
4	12687.000	32.29	18.05	50.34	74.00	-23.66	peak
5	13589.000	28.88	20.86	49.74	74.00	-24.26	peak
6	17978.000	24.46	25.97	50.43	74.00	-23.57	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	41.31	6.74	48.05	74.00	-25.95	peak
2	8969.000	38.12	10.13	48.25	74.00	-25.75	peak
3	11037.000	35.37	14.87	50.24	74.00	-23.76	peak
4	12665.000	31.98	18.04	50.02	74.00	-23.98	peak
5	13875.000	29.10	21.57	50.67	74.00	-23.33	peak
6	17945.000	24.48	25.75	50.23	74.00	-23.77	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5610
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	39.95	6.74	46.69	74.00	-27.31	peak
2	8969.000	37.54	10.13	47.67	74.00	-26.33	peak
3	11235.000	34.16	15.68	49.84	74.00	-24.16	peak
4	11730.000	33.22	17.19	50.41	74.00	-23.59	peak
5	14018.000	27.98	21.80	49.78	74.00	-24.22	peak
6	17989.000	23.98	26.04	50.02	74.00	-23.98	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5690
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	41.77	6.74	48.51	74.00	-25.49	peak
2	10784.000	35.93	13.91	49.84	74.00	-24.16	peak
3	11642.000	33.60	17.03	50.63	74.00	-23.37	peak
4	12643.000	32.32	18.01	50.33	74.00	-23.67	peak
5	14007.000	28.13	21.85	49.98	74.00	-24.02	peak
6	18000.000	24.33	26.12	50.45	74.00	-23.55	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5690
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	38.93	6.74	45.67	74.00	-28.33	peak
2	9101.000	37.01	10.40	47.41	74.00	-26.59	peak
3	11389.000	33.83	16.31	50.14	74.00	-23.86	peak
4	12698.000	32.15	18.08	50.23	74.00	-23.77	peak
5	13875.000	28.98	21.57	50.55	74.00	-23.45	peak
6	18000.000	24.24	26.12	50.36	74.00	-23.64	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	42.36	6.74	49.10	74.00	-24.90	peak
2	9233.000	38.29	10.48	48.77	74.00	-25.23	peak
3	10784.000	35.33	13.91	49.24	74.00	-24.76	peak
4	11565.000	32.35	16.89	49.24	74.00	-24.76	peak
5	14007.000	28.72	21.85	50.57	74.00	-23.43	peak
6	17989.000	24.62	26.04	50.66	74.00	-23.34	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5775
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	37.42	10.48	47.90	74.00	-26.10	peak
2	10883.000	33.59	14.27	47.86	74.00	-26.14	peak
3	11521.000	33.56	16.82	50.38	74.00	-23.62	peak
4	12665.000	31.14	18.04	49.18	74.00	-24.82	peak
5	13864.000	27.53	21.53	49.06	74.00	-24.94	peak
6	17956.000	23.05	25.82	48.87	74.00	-25.13	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	5250
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	41.49	6.74	48.23	74.00	-25.77	peak
2	9541.000	36.38	10.74	47.12	74.00	-26.88	peak
3	10509.000	40.45	12.85	53.30	74.00	-20.70	peak
4	11664.000	33.56	17.08	50.64	74.00	-23.36	peak
5	12698.000	31.83	18.08	49.91	74.00	-24.09	peak
6	17978.000	23.85	25.97	49.82	74.00	-24.18	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	5250
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	36.55	9.90	46.45	74.00	-27.55	peak
2	11191.000	34.31	15.50	49.81	74.00	-24.19	peak
3	11686.000	33.21	17.12	50.33	74.00	-23.67	peak
4	12698.000	32.24	18.08	50.32	74.00	-23.68	peak
5	14139.000	29.54	21.30	50.84	74.00	-23.16	peak
6	17967.000	25.18	25.89	51.07	74.00	-22.93	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	5570
Polarity:	Horizontal	Test Voltage:	AC 120V_60Hz



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	41.09	6.74	47.83	74.00	-26.17	peak
2	9255.000	36.89	10.51	47.40	74.00	-26.60	peak
3	11400.000	33.21	16.36	49.57	74.00	-24.43	peak
4	12698.000	31.42	18.08	49.50	74.00	-24.50	peak
5	14436.000	29.83	20.05	49.88	74.00	-24.12	peak
6	17989.000	24.29	26.04	50.33	74.00	-23.67	peak


Test Mode:	802.11ax HE160	Frequency(MHz):	5570
Polarity:	Vertical	Test Voltage:	AC 120V_60Hz



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	39.23	6.74	45.97	74.00	-28.03	peak
2	9332.000	37.27	10.54	47.81	74.00	-26.19	peak
3	11059.000	34.65	14.96	49.61	74.00	-24.39	peak
4	12665.000	31.63	18.04	49.67	74.00	-24.33	peak
5	13468.000	28.97	20.50	49.47	74.00	-24.53	peak
6	17978.000	23.08	25.97	49.05	74.00	-24.95	peak


8.4. SPURIOUS EMISSIONS(9 KHZ~30 MHZ)

Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	AC 120, 60 Hz




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	0.0100	77.22	-101.40	-24.18	47.60	-71.78	peak
2	0.0114	75.88	-101.40	-25.52	46.46	-71.98	peak
3	0.0206	71.42	-101.35	-29.93	41.32	-71.25	peak
4	0.0279	69.17	-101.38	-32.21	38.69	-70.90	peak
5	0.0675	63.14	-101.56	-38.42	31.02	-69.44	peak
6	0.0810	61.52	-101.64	-40.12	29.43	-69.55	peak

Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	AC 120, 60 Hz



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	0.1554	76.27	-101.65	-25.38	23.77	-49.15	peak
2	0.1621	75.42	-101.65	-26.23	23.41	-49.64	peak
3	0.1801	72.53	-101.68	-29.15	22.50	-51.65	peak
4	0.2020	69.50	-101.72	-32.22	21.49	-53.71	peak
5	0.2305	67.44	-101.77	-34.33	20.35	-54.68	peak
6	0.2837	64.22	-101.83	-37.61	18.54	-56.15	peak

Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	AC 120, 60 Hz



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	0.5039	65.43	-62.07	3.36	33.56	-30.20	peak
2	0.8296	62.94	-62.17	0.77	29.23	-28.46	peak
3	1.5564	59.68	-62.02	-2.34	23.76	-26.10	peak
4	3.7100	54.70	-61.41	-6.71	29.54	-36.25	peak
5	6.5998	53.62	-61.27	-7.65	29.54	-37.19	peak
6	11.8513	52.56	-60.88	-8.32	29.54	-37.86	peak