


Test_Mode	BLE 1M GFSK Transmitting	Test_Frequency	2402MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18757.8903	-26.37	62.73	36.36	74.00	37.64	PASS	Vertical	PK
2	19994.5198	-24.64	60.71	36.07	74.00	37.93	PASS	Vertical	PK
3	21574.223	-25.76	62.79	37.03	74.00	36.97	PASS	Vertical	PK
4	23012.1405	-25.60	58.45	32.85	74.00	41.15	PASS	Vertical	PK
5	24439.1776	-21.72	57.47	35.75	74.00	38.25	PASS	Vertical	PK
6	26081.4433	-21.09	58.78	37.69	74.00	36.31	PASS	Vertical	PK

Test_Mode	BLE 1M GFSK Transmitting	Test_Frequency	2440MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1706.9805	14.11	37.22	51.33	74.00	22.67	PASS	Horizontal	PK
2	2821.5881	17.15	37.63	54.78	74.00	19.22	PASS	Horizontal	PK
3	3987.0658	-11.74	54.38	42.64	74.00	31.36	PASS	Horizontal	PK
4	6323.2215	-4.61	45.87	41.26	74.00	32.74	PASS	Horizontal	PK
5	10252.4835	1.98	43.17	45.15	74.00	28.85	PASS	Horizontal	PK
6	17802.9869	15.80	37.83	53.63	74.00	20.37	PASS	Horizontal	PK
7	2799.1866	17.25	18.91	36.16	54.00	17.84	PASS	Horizontal	AV

Test_Mode	BLE 1M GFSK Transmitting	Test_Frequency	2440MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1395.493	12.81	36.80	49.61	74.00	24.39	PASS	Vertical	PK
2	2775.585	16.98	36.92	53.90	74.00	20.10	PASS	Vertical	PK
3	3983.0655	-11.76	54.93	43.17	74.00	30.83	PASS	Vertical	PK
4	6646.2431	-3.97	50.85	46.88	74.00	27.12	PASS	Vertical	PK
5	12146.6098	2.84	46.35	49.19	74.00	24.81	PASS	Vertical	PK
6	17662.9775	14.73	38.70	53.43	74.00	20.57	PASS	Vertical	PK

Test_Mode	BLE 1M GFSK Transmitting	Test_Frequency	2440MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19009.5004	-26.26	62.18	35.92	74.00	38.08	PASS	Horizontal	PK
2	20268.2307	-25.50	60.86	35.36	74.00	38.64	PASS	Horizontal	PK
3	21430.3972	-25.85	61.29	35.44	74.00	38.56	PASS	Horizontal	PK
4	22735.0294	-25.03	59.63	34.60	74.00	39.40	PASS	Horizontal	PK
5	23887.6755	-22.15	58.75	36.60	74.00	37.40	PASS	Horizontal	PK
6	25083.8434	-21.68	57.43	35.75	74.00	38.25	PASS	Horizontal	PK

Test_Mode	BLE 1M GFSK Transmitting	Test_Frequency	2440MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19027.8611	-26.24	62.25	36.01	74.00	37.99	PASS	Vertical	PK
2	20355.6142	-25.49	62.13	36.64	74.00	37.36	PASS	Vertical	PK
3	21589.1836	-25.75	61.36	35.61	74.00	38.39	PASS	Vertical	PK
4	22752.3701	-25.04	59.08	34.04	74.00	39.96	PASS	Vertical	PK
5	24063.8026	-22.16	57.42	35.26	74.00	38.74	PASS	Vertical	PK
6	25454.7982	-21.24	56.79	35.55	74.00	38.45	PASS	Vertical	PK

Test_Mode	BLE 1M GFSK Transmitting	Test_Frequency	2480MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1570.8381	13.48	35.52	49.00	74.00	25.00	PASS	Horizontal	PK
2	2703.0469	17.07	36.57	53.64	74.00	20.36	PASS	Horizontal	PK
3	3803.0535	-12.41	53.60	41.19	74.00	32.81	PASS	Horizontal	PK
4	6664.2443	-3.79	45.12	41.33	74.00	32.67	PASS	Horizontal	PK
5	10928.5286	2.16	42.79	44.95	74.00	29.05	PASS	Horizontal	PK
6	16353.8903	11.46	42.17	53.63	74.00	20.37	PASS	Horizontal	PK

Test_Mode	BLE 1M GFSK Transmitting	Test_Frequency	2480MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1362.0241	12.64	35.57	48.21	74.00	25.79	PASS	Vertical	PK
2	2797.9865	17.26	37.62	54.88	74.00	19.12	PASS	Vertical	PK
3	3996.0664	-11.70	54.72	43.02	74.00	30.98	PASS	Vertical	PK
4	6659.244	-3.85	50.01	46.16	74.00	27.84	PASS	Vertical	PK
5	12133.6089	2.90	44.98	47.88	74.00	26.12	PASS	Vertical	PK
6	17335.9557	14.17	39.30	53.47	74.00	20.53	PASS	Vertical	PK
7	2782.5188	17.13	18.50	35.63	54.00	18.37	PASS	Vertical	AV

Test_Mode	BLE 1M GFSK Transmitting	Test_Frequency	2480MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18946.9379	-26.28	61.92	35.64	74.00	38.36	PASS	Horizontal	PK
2	20102.6441	-25.08	61.23	36.15	74.00	37.85	PASS	Horizontal	PK
3	21137.9855	-25.83	61.47	35.64	74.00	38.36	PASS	Horizontal	PK
4	22632.3453	-25.01	58.94	33.93	74.00	40.07	PASS	Horizontal	PK
5	23885.6354	-22.17	58.37	36.20	74.00	37.80	PASS	Horizontal	PK
6	25338.8536	-21.32	58.73	37.41	74.00	36.59	PASS	Horizontal	PK

Test_Mode	BLE 1M GFSK Transmitting	Test_Frequency	2480MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18931.6373	-26.28	61.88	35.60	74.00	38.40	PASS	Vertical	PK
2	20074.083	-24.95	61.14	36.19	74.00	37.81	PASS	Vertical	PK
3	21394.0158	-25.87	60.59	34.72	74.00	39.28	PASS	Vertical	PK
4	22609.5644	-25.00	59.79	34.79	74.00	39.21	PASS	Vertical	PK
5	23918.6167	-22.10	58.72	36.62	74.00	37.38	PASS	Vertical	PK
6	25256.2302	-21.15	57.40	36.25	74.00	37.75	PASS	Vertical	PK

Test_Mode	BLE 2M GFSK Transmitting	Test_Frequency	2402MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1603.7736	13.73	35.68	49.41	74.00	24.59	PASS	Horizontal	PK
2	2981.4654	17.87	36.92	54.79	74.00	19.21	PASS	Horizontal	PK
3	3986.0657	-11.75	54.87	43.12	74.00	30.88	PASS	Horizontal	PK
4	7745.3164	-1.45	46.05	44.60	74.00	29.40	PASS	Horizontal	PK
5	13055.6704	6.03	42.35	48.38	74.00	25.62	PASS	Horizontal	PK
6	17299.9533	14.14	38.78	52.92	74.00	21.08	PASS	Horizontal	PK
7	2967.8645	17.90	18.21	36.11	54.00	17.89	PASS	Horizontal	AV

Test_Mode	BLE 2M GFSK Transmitting	Test_Frequency	2402MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1511.9008	13.29	36.31	49.60	74.00	24.40	PASS	Vertical	PK
2	2891.8595	17.63	36.14	53.77	74.00	20.23	PASS	Vertical	PK
3	3910.0607	-11.96	53.16	41.20	74.00	32.80	PASS	Vertical	PK
4	6660.244	-3.84	50.61	46.77	74.00	27.23	PASS	Vertical	PK
5	10495.4997	2.05	42.41	44.46	74.00	29.54	PASS	Vertical	PK
6	16738.9159	12.02	40.67	52.69	74.00	21.31	PASS	Vertical	PK

Test_Mode	BLE 2M GFSK Transmitting	Test_Frequency	2402MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18768.0907	-26.35	62.50	36.15	74.00	37.85	PASS	Horizontal	PK
2	20039.7416	-24.80	61.81	37.01	74.00	36.99	PASS	Horizontal	PK
3	21197.1479	-25.75	61.22	35.47	74.00	38.53	PASS	Horizontal	PK
4	22706.1282	-25.03	59.60	34.57	74.00	39.43	PASS	Horizontal	PK
5	24319.8328	-22.06	57.99	35.93	74.00	38.07	PASS	Horizontal	PK
6	25867.2347	-20.85	57.55	36.70	74.00	37.30	PASS	Horizontal	PK

Test_Mode	BLE 2M GFSK Transmitting	Test_Frequency	2402MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19126.8051	-26.13	62.10	35.97	74.00	38.03	PASS	Vertical	PK
2	20513.7205	-25.82	60.92	35.10	74.00	38.90	PASS	Vertical	PK
3	22015.9006	-25.78	60.12	34.34	74.00	39.66	PASS	Vertical	PK
4	23150.186	-24.62	59.14	34.52	74.00	39.48	PASS	Vertical	PK
5	24626.185	-21.89	57.77	35.88	74.00	38.12	PASS	Vertical	PK
6	25830.8532	-20.83	57.57	36.74	74.00	37.26	PASS	Vertical	PK

Test_Mode	BLE 2M GFSK Transmitting	Test_Frequency	2440MHz
Remark:	/	Test_Date	2026/5/19

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1604.707	13.73	36.67	50.40	74.00	23.60	PASS	Horizontal	PK
2	2687.3125	17.20	37.09	54.29	74.00	19.71	PASS	Horizontal	PK
3	3985.0657	-11.75	53.50	41.75	74.00	32.25	PASS	Horizontal	PK
4	6649.2433	-3.97	44.39	40.42	74.00	33.58	PASS	Horizontal	PK
5	11971.5981	3.11	44.74	47.85	74.00	26.15	PASS	Horizontal	PK
6	17775.9851	16.32	37.52	53.84	74.00	20.16	PASS	Horizontal	PK
7	2670.378	17.12	18.70	35.82	54.00	18.18	PASS	Horizontal	AV