


Test_Mode	802.11 g Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1783.2522	14.26	36.47	50.73	74.00	23.27	PASS	Vertical	PK
2	2882.2588	17.45	37.32	54.77	74.00	19.23	PASS	Vertical	PK
3	3989.0659	-11.73	57.54	45.81	74.00	28.19	PASS	Vertical	PK
4	6659.244	-3.85	48.91	45.06	74.00	28.94	PASS	Vertical	PK
5	11047.5365	2.15	43.17	45.32	74.00	28.68	PASS	Vertical	PK
6	16903.9269	13.32	40.06	53.38	74.00	20.62	PASS	Vertical	PK
7	2892.5262	17.64	17.99	35.63	54.00	18.37	PASS	Vertical	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19010.1804	-26.26	62.89	36.63	74.00	37.37	PASS	Horizontal	PK
2	20283.8714	-25.50	61.05	35.55	74.00	38.45	PASS	Horizontal	PK
3	21772.1109	-25.56	61.13	35.57	74.00	38.43	PASS	Horizontal	PK
4	23006.3603	-25.64	58.95	33.31	74.00	40.69	PASS	Horizontal	PK
5	24158.6663	-22.49	57.92	35.43	74.00	38.57	PASS	Horizontal	PK
6	25659.1464	-20.74	58.83	38.09	74.00	35.91	PASS	Horizontal	PK

Test_Mode	802.11 g Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18904.0962	-26.28	62.44	36.16	74.00	37.84	PASS	Vertical	PK
2	20259.3904	-25.50	60.10	34.60	74.00	39.40	PASS	Vertical	PK
3	21467.4587	-25.84	60.88	35.04	74.00	38.96	PASS	Vertical	PK
4	22555.1622	-25.03	59.34	34.31	74.00	39.69	PASS	Vertical	PK
5	24067.5427	-22.17	57.53	35.36	74.00	38.64	PASS	Vertical	PK
6	25883.8954	-20.85	57.50	36.65	74.00	37.35	PASS	Vertical	PK

Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1727.3818	14.19	35.69	49.88	74.00	24.12	PASS	Horizontal	PK
2	2844.1229	17.43	36.95	54.38	74.00	19.62	PASS	Horizontal	PK
3	3851.0567	-12.08	54.76	42.68	74.00	31.32	PASS	Horizontal	PK
4	7763.3176	-1.61	45.08	43.47	74.00	30.53	PASS	Horizontal	PK
5	12656.6438	4.44	45.55	49.99	74.00	24.01	PASS	Horizontal	PK
6	17330.9554	14.16	38.89	53.05	74.00	20.95	PASS	Horizontal	PK
7	2843.8563	17.43	18.48	35.91	54.00	18.09	PASS	Horizontal	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1771.6514	14.38	36.55	50.93	74.00	23.07	PASS	Vertical	PK
2	2749.7166	16.99	36.61	53.60	74.00	20.40	PASS	Vertical	PK
3	3994.0663	-11.71	54.76	43.05	74.00	30.95	PASS	Vertical	PK
4	6657.2438	-3.88	49.70	45.82	74.00	28.18	PASS	Vertical	PK
5	10351.4901	1.84	42.38	44.22	74.00	29.78	PASS	Vertical	PK
6	17307.9539	14.15	37.87	52.02	74.00	21.98	PASS	Vertical	PK

Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18901.3761	-26.28	62.09	35.81	74.00	38.19	PASS	Horizontal	PK
2	20396.4159	-25.48	60.93	35.45	74.00	38.55	PASS	Horizontal	PK
3	21636.1054	-25.70	61.42	35.72	74.00	38.28	PASS	Horizontal	PK
4	23164.1266	-24.52	59.34	34.82	74.00	39.18	PASS	Horizontal	PK
5	24678.2071	-21.91	57.42	35.51	74.00	38.49	PASS	Horizontal	PK
6	26048.1219	-21.01	58.51	37.50	74.00	36.50	PASS	Horizontal	PK

Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19205.0082	-26.05	62.65	36.60	74.00	37.40	PASS	Vertical	PK
2	20351.8741	-25.49	60.91	35.42	74.00	38.58	PASS	Vertical	PK
3	21560.6224	-25.77	62.19	36.42	74.00	37.58	PASS	Vertical	PK
4	22912.1765	-25.40	59.07	33.67	74.00	40.33	PASS	Vertical	PK
5	24339.8936	-21.97	58.56	36.59	74.00	37.41	PASS	Vertical	PK
6	25799.912	-20.82	57.95	37.13	74.00	36.87	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1662.7108	13.82	35.80	49.62	74.00	24.38	PASS	Horizontal	PK
2	2874.525	17.42	36.96	54.38	74.00	19.62	PASS	Horizontal	PK
3	3981.0654	-11.77	53.78	42.01	74.00	31.99	PASS	Horizontal	PK
4	6186.2124	-4.69	45.39	40.70	74.00	33.30	PASS	Horizontal	PK
5	10275.485	1.93	44.12	46.05	74.00	27.95	PASS	Horizontal	PK
6	17755.9837	16.76	36.66	53.42	74.00	20.58	PASS	Horizontal	PK
7	2905.327	17.75	18.09	35.84	54.00	18.16	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1636.3091	13.97	35.93	49.90	74.00	24.10	PASS	Vertical	PK
2	2696.3798	17.12	36.71	53.83	74.00	20.17	PASS	Vertical	PK
3	3983.0655	-11.76	56.10	44.34	74.00	29.66	PASS	Vertical	PK
4	6667.2445	-3.75	45.40	41.65	74.00	32.35	PASS	Vertical	PK
5	12037.6025	2.95	44.76	47.71	74.00	26.29	PASS	Vertical	PK
6	16812.9209	11.76	41.27	53.03	74.00	20.97	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19336.9335	-25.76	61.92	36.16	74.00	37.84	PASS	Horizontal	PK
2	20826.5331	-25.70	61.39	35.69	74.00	38.31	PASS	Horizontal	PK
3	22467.4387	-25.07	59.72	34.65	74.00	39.35	PASS	Horizontal	PK
4	23909.7764	-22.12	58.34	36.22	74.00	37.78	PASS	Horizontal	PK
5	25274.251	-21.19	57.39	36.20	74.00	37.80	PASS	Horizontal	PK
6	25977.7391	-20.89	57.10	36.21	74.00	37.79	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19094.5038	-26.17	63.87	37.70	74.00	36.30	PASS	Vertical	PK
2	20377.3751	-25.48	60.50	35.02	74.00	38.98	PASS	Vertical	PK
3	21757.8303	-25.58	61.46	35.88	74.00	38.12	PASS	Vertical	PK
4	22583.7233	-25.01	60.16	35.15	74.00	38.85	PASS	Vertical	PK
5	24135.8854	-22.42	58.29	35.87	74.00	38.13	PASS	Vertical	PK
6	25723.749	-20.78	57.91	37.13	74.00	36.87	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1499.0999	13.35	36.53	49.88	74.00	24.12	PASS	Horizontal	PK
2	2682.1121	17.12	36.71	53.83	74.00	20.17	PASS	Horizontal	PK
3	3989.0659	-11.73	56.12	44.39	74.00	29.61	PASS	Horizontal	PK
4	6771.2514	-3.43	45.98	42.55	74.00	31.45	PASS	Horizontal	PK
5	12563.6376	4.40	45.84	50.24	74.00	23.76	PASS	Horizontal	PK
6	17293.9529	14.06	38.75	52.81	74.00	21.19	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1358.9573	12.61	35.94	48.55	74.00	25.45	PASS	Vertical	PK
2	2794.1196	17.28	36.87	54.15	74.00	19.85	PASS	Vertical	PK
3	3989.0659	-11.73	56.79	45.06	74.00	28.94	PASS	Vertical	PK
4	6645.243	-3.97	49.72	45.75	74.00	28.25	PASS	Vertical	PK
5	11097.5398	2.18	44.40	46.58	74.00	27.42	PASS	Vertical	PK
6	17769.9847	16.45	36.40	52.85	74.00	21.15	PASS	Vertical	PK
7	2806.6538	17.26	18.18	35.44	54.00	18.56	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19083.9634	-26.18	62.64	36.46	74.00	37.54	PASS	Horizontal	PK
2	20223.3489	-25.51	60.62	35.11	74.00	38.89	PASS	Horizontal	PK
3	21254.2702	-25.79	60.96	35.17	74.00	38.83	PASS	Horizontal	PK
4	22100.224	-25.60	60.65	35.05	74.00	38.95	PASS	Horizontal	PK
5	23347.7339	-23.74	58.54	34.80	74.00	39.20	PASS	Horizontal	PK
6	25105.2642	-21.56	57.23	35.67	74.00	38.33	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/5/19

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19047.5819	-26.22	61.63	35.41	74.00	38.59	PASS	Vertical	PK
2	20313.1125	-25.49	62.04	36.55	74.00	37.45	PASS	Vertical	PK
3	21680.3072	-25.65	61.83	36.18	74.00	37.82	PASS	Vertical	PK
4	22831.9333	-25.15	59.31	34.16	74.00	39.84	PASS	Vertical	PK
5	24344.3138	-21.95	58.13	36.18	74.00	37.82	PASS	Vertical	PK
6	25647.2459	-20.74	56.85	36.11	74.00	37.89	PASS	Vertical	PK