


Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1736.3158	14.15	36.14	50.29	74.00	23.71	PASS	Horizontal	PK
2	2666.6444	17.05	37.59	54.64	74.00	19.36	PASS	Horizontal	PK
3	4211.0807	-10.94	52.32	41.38	74.00	32.62	PASS	Horizontal	PK
4	7087.2725	-3.23	44.52	41.29	74.00	32.71	PASS	Horizontal	PK
5	11035.5357	2.10	43.72	45.82	74.00	28.18	PASS	Horizontal	PK
6	17880.9921	15.38	37.37	52.75	74.00	21.25	PASS	Horizontal	PK
7	2680.6454	17.10	18.66	35.76	54.00	18.24	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1687.9125	14.02	36.94	50.96	74.00	23.04	PASS	Vertical	PK
2	2927.3285	17.69	36.94	54.63	74.00	19.37	PASS	Vertical	PK
3	3988.0659	-11.74	55.48	43.74	74.00	30.26	PASS	Vertical	PK
4	6648.2432	-3.97	53.61	49.64	74.00	24.36	PASS	Vertical	PK
5	11169.5446	2.09	44.27	46.36	74.00	27.64	PASS	Vertical	PK
6	17676.9785	15.04	38.48	53.52	74.00	20.48	PASS	Vertical	PK
7	2900.9267	17.72	17.93	35.65	54.00	18.35	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19291.7117	-25.86	62.26	36.40	74.00	37.60	PASS	Horizontal	PK
2	20365.4746	-25.49	61.08	35.59	74.00	38.41	PASS	Horizontal	PK
3	21460.9984	-25.84	61.39	35.55	74.00	38.45	PASS	Horizontal	PK
4	22997.8599	-25.67	59.82	34.15	74.00	39.85	PASS	Horizontal	PK
5	24064.1426	-22.16	58.75	36.59	74.00	37.41	PASS	Horizontal	PK
6	25752.6501	-20.79	57.45	36.66	74.00	37.34	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19175.087	-26.08	61.24	35.16	74.00	38.84	PASS	Vertical	PK
2	20571.5229	-25.99	60.74	34.75	74.00	39.25	PASS	Vertical	PK
3	22078.1231	-25.65	60.45	34.80	74.00	39.20	PASS	Vertical	PK
4	23313.3925	-23.86	59.24	35.38	74.00	38.62	PASS	Vertical	PK
5	24542.5417	-21.82	57.62	35.80	74.00	38.20	PASS	Vertical	PK
6	25801.6121	-20.82	57.25	36.43	74.00	37.57	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1686.0457	14.02	36.43	50.45	74.00	23.55	PASS	Horizontal	PK
2	2971.0647	17.93	36.62	54.55	74.00	19.45	PASS	Horizontal	PK
3	3778.0519	-12.63	54.31	41.68	74.00	32.32	PASS	Horizontal	PK
4	6247.2165	-4.76	45.78	41.02	74.00	32.98	PASS	Horizontal	PK
5	10139.476	1.58	43.30	44.88	74.00	29.12	PASS	Horizontal	PK
6	17750.9834	16.87	37.12	53.99	74.00	20.01	PASS	Horizontal	PK
7	2978.6652	17.88	18.10	35.98	54.00	18.02	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1743.6496	14.11	37.23	51.34	74.00	22.66	PASS	Vertical	PK
2	2685.179	17.17	36.65	53.82	74.00	20.18	PASS	Vertical	PK
3	3997.0665	-11.70	54.79	43.09	74.00	30.91	PASS	Vertical	PK
4	6643.2429	-3.97	50.60	46.63	74.00	27.37	PASS	Vertical	PK
5	11287.5525	2.43	44.99	47.42	74.00	26.58	PASS	Vertical	PK
6	17876.9918	15.47	38.39	53.86	74.00	20.14	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19248.1899	-25.95	62.36	36.41	74.00	37.59	PASS	Horizontal	PK
2	20772.8109	-25.71	61.70	35.99	74.00	38.01	PASS	Horizontal	PK
3	22082.8833	-25.64	60.66	35.02	74.00	38.98	PASS	Horizontal	PK
4	23494.2798	-23.32	58.92	35.60	74.00	38.40	PASS	Horizontal	PK
5	25024.681	-22.01	57.25	35.24	74.00	38.76	PASS	Horizontal	PK
6	26078.0431	-21.08	57.95	36.87	74.00	37.13	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18958.8384	-26.27	61.96	35.69	74.00	38.31	PASS	Vertical	PK
2	20438.5775	-25.59	60.87	35.28	74.00	38.72	PASS	Vertical	PK
3	21599.724	-25.74	60.96	35.22	74.00	38.78	PASS	Vertical	PK
4	23203.2281	-24.26	59.07	34.81	74.00	39.19	PASS	Vertical	PK
5	24656.7863	-21.89	56.99	35.10	74.00	38.90	PASS	Vertical	PK
6	26066.8227	-21.05	58.28	37.23	74.00	36.77	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1745.6497	14.09	35.84	49.93	74.00	24.07	PASS	Horizontal	PK
2	2894.793	17.66	36.87	54.53	74.00	19.47	PASS	Horizontal	PK
3	3994.0663	-11.71	54.00	42.29	74.00	31.71	PASS	Horizontal	PK
4	8122.3415	-1.12	45.09	43.97	74.00	30.03	PASS	Horizontal	PK
5	12638.6426	4.51	45.40	49.91	74.00	24.09	PASS	Horizontal	PK
6	16495.8997	11.86	41.66	53.52	74.00	20.48	PASS	Horizontal	PK
7	2906.9271	17.76	18.10	35.86	54.00	18.14	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1760.0507	14.23	36.97	51.20	74.00	22.80	PASS	Vertical	PK
2	2842.3895	17.47	37.04	54.51	74.00	19.49	PASS	Vertical	PK
3	3995.0663	-11.70	57.11	45.41	74.00	28.59	PASS	Vertical	PK
4	6665.2444	-3.77	51.72	47.95	74.00	26.05	PASS	Vertical	PK
5	10386.4924	1.89	42.41	44.30	74.00	29.70	PASS	Vertical	PK
6	17123.9416	13.03	39.34	52.37	74.00	21.63	PASS	Vertical	PK
7	2840.656	17.51	18.12	35.63	54.00	18.37	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18998.2799	-26.27	61.67	35.40	74.00	38.60	PASS	Horizontal	PK
2	20278.7712	-25.50	61.58	36.08	74.00	37.92	PASS	Horizontal	PK
3	21321.5929	-25.83	60.29	34.46	74.00	39.54	PASS	Horizontal	PK
4	22449.078	-25.07	59.83	34.76	74.00	39.24	PASS	Horizontal	PK
5	23800.632	-22.33	58.17	35.84	74.00	38.16	PASS	Horizontal	PK
6	25382.3753	-21.40	57.49	36.09	74.00	37.91	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18970.0588	-26.27	62.17	35.90	74.00	38.10	PASS	Vertical	PK
2	20218.5887	-25.51	60.36	34.85	74.00	39.15	PASS	Vertical	PK
3	21707.5083	-25.63	61.17	35.54	74.00	38.46	PASS	Vertical	PK
4	23335.4934	-23.79	58.98	35.19	74.00	38.81	PASS	Vertical	PK
5	24913.4965	-22.06	57.13	35.07	74.00	38.93	PASS	Vertical	PK
6	26127.6851	-21.19	57.92	36.73	74.00	37.27	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1637.6425	14.00	37.14	51.14	74.00	22.86	PASS	Horizontal	PK
2	2667.3112	17.07	36.57	53.64	74.00	20.36	PASS	Horizontal	PK
3	3721.0481	-12.81	53.33	40.52	74.00	33.48	PASS	Horizontal	PK
4	5544.1696	-6.30	47.52	41.22	74.00	32.78	PASS	Horizontal	PK
5	9618.4412	1.34	43.57	44.91	74.00	29.09	PASS	Horizontal	PK
6	17723.9816	16.18	37.48	53.66	74.00	20.34	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/5/19

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1844.0563	14.37	36.91	51.28	74.00	22.72	PASS	Vertical	PK
2	2685.4457	17.18	37.57	54.75	74.00	19.25	PASS	Vertical	PK
3	3984.0656	-11.76	55.34	43.58	74.00	30.42	PASS	Vertical	PK
4	6664.2443	-3.79	49.25	45.46	74.00	28.54	PASS	Vertical	PK
5	12123.6082	2.94	45.19	48.13	74.00	25.87	PASS	Vertical	PK
6	17721.9815	16.13	38.04	54.17	74.00	19.83	PASS	Vertical	PK
7	2673.3116	17.11	18.50	35.61	54.00	18.39	PASS	Vertical	AV
8	17774.985	16.33	19.50	35.83	54.00	18.17	PASS	Vertical	AV