


Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19114.2246	-26.15	62.87	36.72	74.00	37.28	PASS	Horizontal	PK
2	20455.9182	-25.64	60.76	35.12	74.00	38.88	PASS	Horizontal	PK
3	21766.6707	-25.57	61.61	36.04	74.00	37.96	PASS	Horizontal	PK
4	23045.8018	-25.36	59.91	34.55	74.00	39.45	PASS	Horizontal	PK
5	24538.1215	-21.81	58.48	36.67	74.00	37.33	PASS	Horizontal	PK
6	25848.874	-20.84	57.27	36.43	74.00	37.57	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19107.0843	-26.16	61.89	35.73	74.00	38.27	PASS	Vertical	PK
2	20713.9886	-25.83	61.28	35.45	74.00	38.55	PASS	Vertical	PK
3	21982.5793	-25.78	60.72	34.94	74.00	39.06	PASS	Vertical	PK
4	23151.5461	-24.61	60.34	35.73	74.00	38.27	PASS	Vertical	PK
5	24518.4007	-21.79	57.61	35.82	74.00	38.18	PASS	Vertical	PK
6	25684.6474	-20.75	59.74	38.99	74.00	35.01	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1816.5878	14.34	35.89	50.23	74.00	23.77	PASS	Horizontal	PK
2	2802.2535	17.24	36.32	53.56	74.00	20.44	PASS	Horizontal	PK
3	3988.0659	-11.74	53.05	41.31	74.00	32.69	PASS	Horizontal	PK
4	5309.1539	-7.05	50.23	43.18	74.00	30.82	PASS	Horizontal	PK
5	9149.41	0.07	44.45	44.52	74.00	29.48	PASS	Horizontal	PK
6	17825.9884	15.95	38.31	54.26	74.00	19.74	PASS	Horizontal	PK
7	17761.9841	16.62	19.29	35.91	54.00	18.09	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1823.2549	14.37	35.92	50.29	74.00	23.71	PASS	Vertical	PK
2	2904.6603	17.75	36.70	54.45	74.00	19.55	PASS	Vertical	PK
3	3985.0657	-11.75	54.37	42.62	74.00	31.38	PASS	Vertical	PK
4	6660.244	-3.84	48.93	45.09	74.00	28.91	PASS	Vertical	PK
5	9840.456	1.32	43.75	45.07	74.00	28.93	PASS	Vertical	PK
6	17355.9571	14.10	39.39	53.49	74.00	20.51	PASS	Vertical	PK
7	2875.9917	17.42	18.24	35.66	54.00	18.34	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19055.0622	-26.21	62.07	35.86	74.00	38.14	PASS	Horizontal	PK
2	20364.7946	-25.49	60.52	35.03	74.00	38.97	PASS	Horizontal	PK
3	21809.8524	-25.55	62.10	36.55	74.00	37.45	PASS	Horizontal	PK
4	23091.3637	-25.03	59.12	34.09	74.00	39.91	PASS	Horizontal	PK
5	24653.3861	-21.89	56.83	34.94	74.00	39.06	PASS	Horizontal	PK
6	25783.2513	-20.81	57.20	36.39	74.00	37.61	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18685.8074	-26.52	63.35	36.83	74.00	37.17	PASS	Vertical	PK
2	20011.1804	-24.67	60.95	36.28	74.00	37.72	PASS	Vertical	PK
3	21224.349	-25.77	60.46	34.69	74.00	39.31	PASS	Vertical	PK
4	22513.6805	-25.04	59.82	34.78	74.00	39.22	PASS	Vertical	PK
5	23827.1531	-22.28	58.37	36.09	74.00	37.91	PASS	Vertical	PK
6	25234.4694	-21.11	58.06	36.95	74.00	37.05	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1621.5081	13.72	37.45	51.17	74.00	22.83	PASS	Horizontal	PK
2	2831.3221	17.28	36.31	53.59	74.00	20.41	PASS	Horizontal	PK
3	3782.0521	-12.59	54.78	42.19	74.00	31.81	PASS	Horizontal	PK
4	6437.2291	-4.28	45.20	40.92	74.00	33.08	PASS	Horizontal	PK
5	10208.4806	1.60	44.22	45.82	74.00	28.18	PASS	Horizontal	PK
6	17775.9851	16.32	37.93	54.25	74.00	19.75	PASS	Horizontal	PK
7	17783.9856	16.13	19.69	35.82	54.00	18.18	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1616.7078	13.71	36.72	50.43	74.00	23.57	PASS	Vertical	PK
2	2676.9118	17.10	36.70	53.80	74.00	20.20	PASS	Vertical	PK
3	3396.0264	-13.97	53.88	39.91	74.00	34.09	PASS	Vertical	PK
4	5319.1546	-7.02	52.50	45.48	74.00	28.52	PASS	Vertical	PK
5	8792.3862	-0.10	44.49	44.39	74.00	29.61	PASS	Vertical	PK
6	17771.9848	16.40	37.36	53.76	74.00	20.24	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19324.353	-25.79	62.10	36.31	74.00	37.69	PASS	Horizontal	PK
2	20485.4994	-25.73	61.03	35.30	74.00	38.70	PASS	Horizontal	PK
3	21756.8103	-25.58	62.40	36.82	74.00	37.18	PASS	Horizontal	PK
4	23389.2156	-23.59	58.96	35.37	74.00	38.63	PASS	Horizontal	PK
5	24652.7061	-21.89	58.06	36.17	74.00	37.83	PASS	Horizontal	PK
6	25895.1158	-20.86	57.09	36.23	74.00	37.77	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19316.5327	-25.81	62.15	36.34	74.00	37.66	PASS	Vertical	PK
2	20778.5911	-25.69	61.55	35.86	74.00	38.14	PASS	Vertical	PK
3	22076.4231	-25.65	60.18	34.53	74.00	39.47	PASS	Vertical	PK
4	23259.6704	-24.06	58.51	34.45	74.00	39.55	PASS	Vertical	PK
5	24370.4948	-21.82	57.87	36.05	74.00	37.95	PASS	Vertical	PK
6	25769.9908	-20.81	57.31	36.50	74.00	37.50	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1656.4438	13.83	36.15	49.98	74.00	24.02	PASS	Horizontal	PK
2	2762.6508	16.90	36.78	53.68	74.00	20.32	PASS	Horizontal	PK
3	3798.0532	-12.45	53.76	41.31	74.00	32.69	PASS	Horizontal	PK
4	6001.2001	-5.38	46.03	40.65	74.00	33.35	PASS	Horizontal	PK
5	10260.484	1.97	42.93	44.90	74.00	29.10	PASS	Horizontal	PK
6	16975.9317	12.97	40.58	53.55	74.00	20.45	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1463.2309	13.03	36.17	49.20	74.00	24.80	PASS	Vertical	PK
2	2901.9935	17.73	37.08	54.81	74.00	19.19	PASS	Vertical	PK
3	3988.0659	-11.74	55.98	44.24	74.00	29.76	PASS	Vertical	PK
4	6661.2441	-3.83	50.54	46.71	74.00	27.29	PASS	Vertical	PK
5	11553.5702	2.50	44.01	46.51	74.00	27.49	PASS	Vertical	PK
6	17730.9821	16.38	36.49	52.87	74.00	21.13	PASS	Vertical	PK
7	2901.7268	17.73	17.94	35.67	54.00	18.33	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19147.5459	-26.11	62.30	36.19	74.00	37.81	PASS	Horizontal	PK
2	20588.5235	-26.04	60.86	34.82	74.00	39.18	PASS	Horizontal	PK
3	21786.0514	-25.54	61.34	35.80	74.00	38.20	PASS	Horizontal	PK
4	23241.6497	-24.12	58.95	34.83	74.00	39.17	PASS	Horizontal	PK
5	24754.3702	-21.94	56.92	34.98	74.00	39.02	PASS	Horizontal	PK
6	26022.2809	-20.95	57.58	36.63	74.00	37.37	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18988.7596	-26.27	63.51	37.24	74.00	36.76	PASS	Vertical	PK
2	20225.729	-25.51	61.00	35.49	74.00	38.51	PASS	Vertical	PK
3	21272.9709	-25.80	60.89	35.09	74.00	38.91	PASS	Vertical	PK
4	22182.8473	-25.43	62.20	36.77	74.00	37.23	PASS	Vertical	PK
5	23461.9785	-23.41	58.20	34.79	74.00	39.21	PASS	Vertical	PK
6	25146.7459	-21.33	58.18	36.85	74.00	37.15	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2422MHz
Remark:	/	Test_Date	2026/5/19

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1401.2267	12.79	36.79	49.58	74.00	24.42	PASS	Horizontal	PK
2	2754.3836	16.96	37.63	54.59	74.00	19.41	PASS	Horizontal	PK
3	3712.0475	-12.80	53.98	41.18	74.00	32.82	PASS	Horizontal	PK
4	6678.2452	-3.62	46.11	42.49	74.00	31.51	PASS	Horizontal	PK
5	10677.5118	2.39	42.61	45.00	74.00	29.00	PASS	Horizontal	PK
6	17889.9927	15.17	38.04	53.21	74.00	20.79	PASS	Horizontal	PK
7	2761.7174	16.91	18.40	35.31	54.00	18.69	PASS	Horizontal	AV