


Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5180MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2257.3503	15.64	34.39	50.03	74.00	23.97	PASS	Vertical	PK
2	4224.009	22.43	31.78	54.21	74.00	19.79	PASS	Vertical	PK
3	6478.2191	28.60	32.84	61.44	68.20	6.76	PASS	Vertical	PK
4	7977.8239	-1.30	50.91	49.61	68.20	18.59	PASS	Vertical	PK
5	11691.9346	3.03	44.21	47.24	74.00	26.76	PASS	Vertical	PK
6	17592.8796	14.08	41.47	55.55	68.20	12.65	PASS	Vertical	PK
7	4251.9501	22.58	8.68	31.26	54.00	22.74	PASS	Vertical	AV
8	6488.7796	28.62	9.81	38.43	54.00	15.57	PASS	Vertical	AV
9	17586.5543	14.06	24.34	38.40	54.00	15.60	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5180MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19999.44	-24.62	57.68	33.06	74.00	40.94	PASS	Horizontal	PK
2	23950.798	-22.04	55.30	33.26	74.00	40.74	PASS	Horizontal	PK
3	27443.6577	-21.62	54.86	33.24	68.20	34.96	PASS	Horizontal	PK
4	30815.9526	-19.60	52.91	33.31	68.20	34.89	PASS	Horizontal	PK
5	34405.6162	-17.18	49.01	31.83	68.20	36.37	PASS	Horizontal	PK
6	38726.5891	-13.51	45.58	32.07	68.20	36.13	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5180MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20036.4015	-24.78	57.70	32.92	74.00	41.08	PASS	Vertical	PK
2	23719.3488	-22.62	56.25	33.63	74.00	40.37	PASS	Vertical	PK
3	27133.8854	-21.88	54.57	32.69	68.20	35.51	PASS	Vertical	PK
4	31169.7268	-19.93	52.47	32.54	68.20	35.66	PASS	Vertical	PK
5	34628.2651	-16.15	47.63	31.48	68.20	36.72	PASS	Vertical	PK
6	38930.7572	-12.99	45.11	32.12	68.20	36.08	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5200MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1887.9555	14.50	34.07	48.57	68.20	19.63	PASS	Horizontal	PK
2	3091.8437	18.36	34.71	53.07	68.20	15.13	PASS	Horizontal	PK
3	5366.7347	27.93	32.08	60.01	74.00	13.99	PASS	Horizontal	PK
4	7594.8547	-1.71	47.72	46.01	74.00	27.99	PASS	Horizontal	PK
5	11815.5658	2.50	45.88	48.38	74.00	25.62	PASS	Horizontal	PK
6	17028.7764	12.49	42.63	55.12	68.20	13.08	PASS	Horizontal	PK
7	5328.8932	27.86	9.22	37.08	54.00	16.92	PASS	Horizontal	AV
8	17096.0548	12.26	28.38	40.64	54.00	13.36	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5200MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1656.5063	13.91	33.43	47.34	68.20	20.86	PASS	Vertical	PK
2	3058.1823	18.35	35.15	53.50	68.20	14.70	PASS	Vertical	PK
3	5362.9945	27.93	32.89	60.82	74.00	13.18	PASS	Vertical	PK
4	7995.6498	-1.18	50.63	49.45	68.20	18.75	PASS	Vertical	PK
5	12532.6266	4.89	44.32	49.21	74.00	24.79	PASS	Vertical	PK
6	17739.512	15.85	40.25	56.10	74.00	17.90	PASS	Vertical	PK
7	5363.2145	27.93	9.23	37.16	54.00	16.84	PASS	Vertical	AV
8	17728.5864	15.77	22.15	37.92	54.00	16.08	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5200MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19810.2324	-25.20	57.90	32.70	74.00	41.30	PASS	Horizontal	PK
2	21836.9535	-25.58	57.71	32.13	68.20	36.07	PASS	Horizontal	PK
3	25241.8097	-21.12	55.56	34.44	68.20	33.76	PASS	Horizontal	PK
4	28689.7876	-21.74	55.03	33.29	68.20	34.91	PASS	Horizontal	PK
5	32271.5309	-18.86	51.86	33.00	68.20	35.20	PASS	Horizontal	PK
6	37263.0905	-16.12	46.37	30.25	68.20	37.95	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5200MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19559.4224	-25.60	58.17	32.57	74.00	41.43	PASS	Vertical	PK
2	22366.7347	-25.15	56.77	31.62	74.00	42.38	PASS	Vertical	PK
3	25772.4709	-20.81	54.50	33.69	68.20	34.51	PASS	Vertical	PK
4	29533.7414	-20.84	54.07	33.23	68.20	34.97	PASS	Vertical	PK
5	33158.6063	-18.34	50.93	32.59	68.20	35.61	PASS	Vertical	PK
6	37287.7315	-16.07	46.91	30.84	68.20	37.36	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5240MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1760.7904	14.34	33.67	48.01	68.20	20.19	PASS	Horizontal	PK
2	3702.1481	20.20	32.93	53.13	74.00	20.87	PASS	Horizontal	PK
3	6430.2572	28.24	32.88	61.12	68.20	7.08	PASS	Horizontal	PK
4	7747.8124	-1.86	47.37	45.51	74.00	28.49	PASS	Horizontal	PK
5	11965.0733	2.89	45.90	48.79	74.00	25.21	PASS	Horizontal	PK
6	17562.4031	13.94	40.77	54.71	68.20	13.49	PASS	Horizontal	PK
7	6461.4985	28.26	9.81	38.07	54.00	15.93	PASS	Horizontal	AV
8	17581.9541	14.03	24.91	38.94	54.00	15.06	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5240MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1923.5969	14.87	35.17	50.04	68.20	18.16	PASS	Vertical	PK
2	3213.5085	18.50	35.21	53.71	68.20	14.49	PASS	Vertical	PK
3	6418.1567	28.12	33.12	61.24	68.20	6.96	PASS	Vertical	PK
4	7982.9992	-1.27	49.93	48.66	68.20	19.54	PASS	Vertical	PK
5	12827.0414	5.03	45.42	50.45	68.20	17.75	PASS	Vertical	PK
6	17728.0114	15.77	39.97	55.74	74.00	18.26	PASS	Vertical	PK
7	6452.9181	28.32	9.75	38.07	54.00	15.93	PASS	Vertical	AV
8	17572.7536	13.99	25.46	39.45	54.00	14.55	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5240MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20024.961	-24.73	58.54	33.81	74.00	40.19	PASS	Horizontal	PK
2	22497.8599	-25.05	57.94	32.89	74.00	41.11	PASS	Horizontal	PK
3	25577.9831	-20.79	54.70	33.91	68.20	34.29	PASS	Horizontal	PK
4	29134.2054	-21.42	54.42	33.00	68.20	35.20	PASS	Horizontal	PK
5	32920.1168	-18.75	50.30	31.55	68.20	36.65	PASS	Horizontal	PK
6	37675.827	-15.01	46.16	31.15	68.20	37.05	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5240MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	19978.3191	-24.68	57.53	32.85	74.00	41.15	PASS	Vertical	PK
2	23322.4529	-23.83	56.51	32.68	68.20	35.52	PASS	Vertical	PK
3	26218.6487	-21.35	54.40	33.05	68.20	35.15	PASS	Vertical	PK
4	29610.3044	-20.62	53.85	33.23	68.20	34.97	PASS	Vertical	PK
5	33557.2623	-17.50	50.15	32.65	68.20	35.55	PASS	Vertical	PK
6	37718.0687	-15.11	46.03	30.92	68.20	37.28	PASS	Vertical	PK

Test_Mode	802.11ax(HE40)Transmittin g	Test_Frequency	5190MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1653.4261	13.98	33.97	47.95	68.20	20.25	PASS	Horizontal	PK
2	3226.9291	18.63	34.05	52.68	68.20	15.52	PASS	Horizontal	PK
3	5946.0178	27.26	32.10	59.36	68.20	8.84	PASS	Horizontal	PK
4	8304.4402	-1.03	46.91	45.88	74.00	28.12	PASS	Horizontal	PK
5	13089.2545	6.41	43.13	49.54	68.20	18.66	PASS	Horizontal	PK
6	17740.087	15.86	39.61	55.47	74.00	18.53	PASS	Horizontal	PK
7	5967.7987	27.37	9.12	36.49	54.00	17.51	PASS	Horizontal	AV
8	17571.6036	13.98	24.65	38.63	54.00	15.37	PASS	Horizontal	AV

Test_Mode	802.11ax(HE40)Transmitting	Test_Frequency	5190MHz
Remark:	/	Test_Date	2026/5/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1887.7355	14.50	33.70	48.20	68.20	20.00	PASS	Vertical	PK
2	3535.6014	19.42	33.81	53.23	68.20	14.97	PASS	Vertical	PK
3	6294.7318	27.98	32.85	60.83	68.20	7.37	PASS	Vertical	PK
4	7996.2248	-1.17	49.27	48.10	68.20	20.10	PASS	Vertical	PK
5	11823.6162	2.64	45.59	48.23	74.00	25.77	PASS	Vertical	PK
6	17732.6116	15.80	39.40	55.20	74.00	18.80	PASS	Vertical	PK
7	6343.1337	28.24	8.90	37.14	54.00	16.86	PASS	Vertical	AV
8	17578.5039	14.02	24.83	38.85	54.00	15.15	PASS	Vertical	AV

Test_Mode	802.11ax(HE40)Transmittin g	Test_Frequency	5190MHz
Remark:	/	Test_Date	2026/5/19

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	20152.5661	-25.30	57.98	32.68	74.00	41.32	PASS	Horizontal	PK
2	22794.4318	-25.05	58.87	33.82	74.00	40.18	PASS	Horizontal	PK
3	25609.6644	-20.72	54.04	33.32	68.20	34.88	PASS	Horizontal	PK
4	28827.0731	-21.45	54.49	33.04	68.20	35.16	PASS	Horizontal	PK
5	32729.1492	-18.81	50.93	32.12	68.20	36.08	PASS	Horizontal	PK
6	36601.3041	-15.76	48.13	32.37	68.20	35.83	PASS	Horizontal	PK