


Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5280MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2036.4615	14.78	34.05	48.83	68.20	19.37	PASS	Vertical	PK
2	3596.3239	19.80	33.16	52.96	68.20	15.24	PASS	Vertical	PK
3	6121.1448	28.02	32.05	60.07	68.20	8.13	PASS	Vertical	PK
4	7605.2053	-1.64	48.57	46.93	74.00	27.07	PASS	Vertical	PK
5	11892.6196	3.07	45.97	49.04	74.00	24.96	PASS	Vertical	PK
6	17071.3286	12.31	42.98	55.29	68.20	12.91	PASS	Vertical	PK
7	6120.0448	28.02	9.36	37.38	54.00	16.62	PASS	Vertical	AV
8	17098.9299	12.25	28.62	40.87	54.00	13.13	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5280MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	20164.0066	-25.35	57.29	31.94	74.00	42.06	PASS	Horizontal	PK
2	23699.988	-22.70	54.92	32.22	74.00	41.78	PASS	Horizontal	PK
3	27388.2155	-21.65	54.73	33.08	68.20	35.12	PASS	Horizontal	PK
4	30889.8756	-19.50	52.73	33.23	68.20	34.97	PASS	Horizontal	PK
5	35004.0402	-16.10	48.83	32.73	68.20	35.47	PASS	Horizontal	PK
6	38674.667	-13.71	45.92	32.21	68.20	35.99	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5280MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	20082.1633	-24.99	58.27	33.28	74.00	40.72	PASS	Vertical	PK
2	23316.2927	-23.85	56.57	32.72	68.20	35.48	PASS	Vertical	PK
3	26593.5437	-21.11	53.59	32.48	68.20	35.72	PASS	Vertical	PK
4	29750.23	-20.88	53.33	32.45	68.20	35.75	PASS	Vertical	PK
5	33005.4802	-18.76	49.94	31.18	68.20	37.02	PASS	Vertical	PK
6	38990.5996	-12.88	45.36	32.48	68.20	35.72	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5320MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1704.2482	14.19	33.19	47.38	74.00	26.62	PASS	Horizontal	PK
2	3050.482	18.20	34.06	52.26	68.20	15.94	PASS	Horizontal	PK
3	5355.9542	27.91	32.23	60.14	74.00	13.86	PASS	Horizontal	PK
4	7618.4309	-1.71	48.69	46.98	74.00	27.02	PASS	Horizontal	PK
5	11755.1878	2.34	45.50	47.84	74.00	26.16	PASS	Horizontal	PK
6	17545.1523	13.80	40.45	54.25	68.20	13.95	PASS	Horizontal	PK
7	5325.373	27.85	9.04	36.89	54.00	17.11	PASS	Horizontal	AV
8	17652.1076	14.38	23.88	38.26	54.00	15.74	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5320MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1661.1264	13.86	34.76	48.62	74.00	25.38	PASS	Vertical	PK
2	3059.7224	18.38	34.33	52.71	68.20	15.49	PASS	Vertical	PK
3	5994.1998	27.51	32.52	60.03	68.20	8.17	PASS	Vertical	PK
4	7961.7231	-1.41	48.29	46.88	68.20	21.32	PASS	Vertical	PK
5	11844.3172	3.01	46.55	49.56	74.00	24.44	PASS	Vertical	PK
6	17579.079	14.02	40.86	54.88	68.20	13.32	PASS	Vertical	PK
7	5966.6987	27.33	9.31	36.64	54.00	17.36	PASS	Vertical	AV
8	17579.654	14.02	24.88	38.90	54.00	15.10	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5320MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	20047.8419	-24.83	58.63	33.80	74.00	40.20	PASS	Horizontal	PK
2	23713.1885	-22.64	55.37	32.73	74.00	41.27	PASS	Horizontal	PK
3	26737.8695	-21.41	54.30	32.89	68.20	35.31	PASS	Horizontal	PK
4	30872.2749	-19.52	52.65	33.13	68.20	35.07	PASS	Horizontal	PK
5	33781.6713	-17.76	48.18	30.42	68.20	37.78	PASS	Horizontal	PK
6	37291.2516	-16.06	46.13	30.07	68.20	38.13	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5320MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19983.5993	-24.67	57.17	32.50	74.00	41.50	PASS	Vertical	PK
2	23083.9634	-25.09	55.97	30.88	74.00	43.12	PASS	Vertical	PK
3	26354.1742	-21.22	54.23	33.01	68.20	35.19	PASS	Vertical	PK
4	29715.9086	-20.82	53.52	32.70	68.20	35.50	PASS	Vertical	PK
5	33175.327	-18.30	50.10	31.80	68.20	36.40	PASS	Vertical	PK
6	37534.1414	-15.17	46.43	31.26	68.20	36.94	PASS	Vertical	PK

Test_Mode	802.11ax(HE40)Transmittin g	Test_Frequency	5270MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2026.3411	14.69	33.65	48.34	68.20	19.86	PASS	Horizontal	PK
2	3398.5359	19.20	33.12	52.32	68.20	15.88	PASS	Horizontal	PK
3	5520.3008	26.84	33.36	60.20	68.20	8.00	PASS	Horizontal	PK
4	8480.399	-0.70	47.27	46.57	74.00	27.43	PASS	Horizontal	PK
5	12376.2188	4.43	45.34	49.77	74.00	24.23	PASS	Horizontal	PK
6	17741.2371	15.86	39.88	55.74	74.00	18.26	PASS	Horizontal	PK
7	5526.6811	26.77	9.84	36.61	54.00	17.39	PASS	Horizontal	AV
8	17587.7044	14.06	24.50	38.56	54.00	15.44	PASS	Horizontal	AV

Test_Mode	802.11ax(HE40)Transmitting	Test_Frequency	5270MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2038.8816	14.81	34.67	49.48	68.20	18.72	PASS	Vertical	PK
2	3595.6638	19.80	33.27	53.07	68.20	15.13	PASS	Vertical	PK
3	6390.6556	28.34	32.51	60.85	68.20	7.35	PASS	Vertical	PK
4	7983.5742	-1.27	47.89	46.62	68.20	21.58	PASS	Vertical	PK
5	12565.4033	4.81	44.68	49.49	74.00	24.51	PASS	Vertical	PK
6	17662.4581	14.63	40.61	55.24	68.20	12.96	PASS	Vertical	PK
7	6341.8137	28.19	9.50	37.69	54.00	16.31	PASS	Vertical	AV
8	17573.9037	13.99	25.07	39.06	54.00	14.94	PASS	Vertical	AV

Test_Mode	802.11ax(HE40)Transmittin g	Test_Frequency	5270MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20075.123	-24.95	58.07	33.12	74.00	40.88	PASS	Horizontal	PK
2	23198.3679	-24.28	56.67	32.39	68.20	35.81	PASS	Horizontal	PK
3	26227.4491	-21.34	54.84	33.50	68.20	34.70	PASS	Horizontal	PK
4	29850.554	-21.01	52.76	31.75	68.20	36.45	PASS	Horizontal	PK
5	33111.0844	-18.47	50.92	32.45	68.20	35.75	PASS	Horizontal	PK
6	36545.8618	-16.02	47.24	31.22	68.20	36.98	PASS	Horizontal	PK

Test_Mode	802.11ax(HE40)Transmittin g	Test_Frequency	5270MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19948.3979	-24.78	57.94	33.16	74.00	40.84	PASS	Vertical	PK
2	23184.2874	-24.38	56.78	32.40	68.20	35.80	PASS	Vertical	PK
3	26049.682	-21.01	55.00	33.99	68.20	34.21	PASS	Vertical	PK
4	29636.7055	-20.67	53.31	32.64	68.20	35.56	PASS	Vertical	PK
5	33253.6501	-18.21	50.41	32.20	68.20	36.00	PASS	Vertical	PK
6	37755.9102	-15.20	46.06	30.86	68.20	37.34	PASS	Vertical	PK

Test_Mode	802.11ax(HE40)Transmitting	Test_Frequency	5310MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1685.5474	14.12	34.34	48.46	74.00	25.54	PASS	Horizontal	PK
2	3207.1283	18.44	34.13	52.57	68.20	15.63	PASS	Horizontal	PK
3	6098.0439	27.64	32.90	60.54	68.20	7.66	PASS	Horizontal	PK
4	7430.9715	-2.66	48.32	45.66	74.00	28.34	PASS	Horizontal	PK
5	11910.4455	2.98	45.29	48.27	74.00	25.73	PASS	Horizontal	PK
6	17573.9037	13.99	41.14	55.13	68.20	13.07	PASS	Horizontal	PK
7	6125.985	28.02	9.20	37.22	54.00	16.78	PASS	Horizontal	AV
8	17591.1546	14.08	24.44	38.52	54.00	15.48	PASS	Horizontal	AV

Test_Mode	802.11ax(HE40)Transmitting	Test_Frequency	5310MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1663.5465	13.94	33.91	47.85	74.00	26.15	PASS	Vertical	PK
2	3168.6267	18.30	35.13	53.43	68.20	14.77	PASS	Vertical	PK
3	6378.3351	28.21	32.84	61.05	68.20	7.15	PASS	Vertical	PK
4	7993.9247	-1.20	46.07	44.87	68.20	23.33	PASS	Vertical	PK
5	12029.4765	3.55	45.23	48.78	74.00	25.22	PASS	Vertical	PK
6	17654.9827	14.45	41.10	55.55	68.20	12.65	PASS	Vertical	PK
7	6380.5352	28.23	9.44	37.67	54.00	16.33	PASS	Vertical	AV
8	17577.3539	14.01	24.77	38.78	54.00	15.22	PASS	Vertical	AV

Test_Mode	802.11ax(HE40)Transmittin g	Test_Frequency	5310MHz
Remark:	/	Test_Date	2026/5/21

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	20019.6808	-24.71	57.36	32.65	74.00	41.35	PASS	Horizontal	PK
2	22198.6479	-25.40	56.85	31.45	74.00	42.55	PASS	Horizontal	PK
3	24793.8718	-21.96	54.87	32.91	68.20	35.29	PASS	Horizontal	PK
4	27784.2314	-21.10	56.14	35.04	68.20	33.16	PASS	Horizontal	PK
5	31168.8468	-19.92	52.43	32.51	68.20	35.69	PASS	Horizontal	PK
6	35040.1216	-16.06	47.75	31.69	68.20	36.51	PASS	Horizontal	PK