


Test_Mode	802.11ax(HE40)Transmittin g	Test_Frequency	5310MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20010.8804	-24.67	57.50	32.83	74.00	41.17	PASS	Vertical	PK
2	22434.4974	-25.08	57.55	32.47	74.00	41.53	PASS	Vertical	PK
3	24794.7518	-21.96	55.12	33.16	68.20	35.04	PASS	Vertical	PK
4	27826.4731	-21.08	54.98	33.90	68.20	34.30	PASS	Vertical	PK
5	30714.7486	-20.04	52.87	32.83	68.20	35.37	PASS	Vertical	PK
6	34945.9578	-16.21	48.93	32.72	68.20	35.48	PASS	Vertical	PK

Test_Mode	802.11ax(HE80)Transmittin g	Test_Frequency	5290MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2150.866	15.42	33.99	49.41	68.20	18.79	PASS	Horizontal	PK
2	3522.4009	19.37	33.91	53.28	68.20	14.92	PASS	Horizontal	PK
3	6044.5818	27.94	32.51	60.45	68.20	7.75	PASS	Horizontal	PK
4	8468.3234	-0.73	46.65	45.92	74.00	28.08	PASS	Horizontal	PK
5	11822.4661	2.62	46.27	48.89	74.00	25.11	PASS	Horizontal	PK
6	17064.4282	12.32	42.58	54.90	68.20	13.30	PASS	Horizontal	PK
7	6039.0816	27.91	8.99	36.90	54.00	17.10	PASS	Horizontal	AV
8	17097.2049	12.26	28.92	41.18	54.00	12.82	PASS	Horizontal	AV

Test_Mode	802.11ax(HE80)Transmitting	Test_Frequency	5290MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2097.6239	15.26	34.80	50.06	68.20	18.14	PASS	Vertical	PK
2	3946.5779	21.56	33.20	54.76	74.00	19.24	PASS	Vertical	PK
3	6334.1134	28.03	32.50	60.53	68.20	7.67	PASS	Vertical	PK
4	7974.9487	-1.33	48.30	46.97	68.20	21.23	PASS	Vertical	PK
5	12545.8523	5.04	44.62	49.66	74.00	24.34	PASS	Vertical	PK
6	17654.9827	14.45	41.13	55.58	68.20	12.62	PASS	Vertical	PK
7	6346.6539	28.38	9.16	37.54	54.00	16.46	PASS	Vertical	AV
8	17571.0286	13.98	24.55	38.53	54.00	15.47	PASS	Vertical	AV

Test_Mode	802.11ax(HE80)Transmittin g	Test_Frequency	5290MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19961.5985	-24.74	58.27	33.53	74.00	40.47	PASS	Horizontal	PK
2	22633.3853	-25.01	56.66	31.65	74.00	42.35	PASS	Horizontal	PK
3	25724.949	-20.78	53.60	32.82	68.20	35.38	PASS	Horizontal	PK
4	29161.4865	-21.45	54.38	32.93	68.20	35.27	PASS	Horizontal	PK
5	32403.5361	-18.05	51.62	33.57	68.20	34.63	PASS	Horizontal	PK
6	35941.2777	-17.11	47.29	30.18	68.20	38.02	PASS	Horizontal	PK

Test_Mode	802.11ax(HE80)Transmittin g	Test_Frequency	5290MHz
Remark:	/	Test_Date	2026/5/21

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	20030.2412	-24.75	57.55	32.80	74.00	41.20	PASS	Vertical	PK
2	23133.2453	-24.74	55.94	31.20	68.20	37.00	PASS	Vertical	PK
3	26366.4947	-21.21	55.28	34.07	68.20	34.13	PASS	Vertical	PK
4	29715.9086	-20.82	53.37	32.55	68.20	35.65	PASS	Vertical	PK
5	32425.537	-18.14	51.59	33.45	68.20	34.75	PASS	Vertical	PK
6	36597.7839	-15.76	46.86	31.10	68.20	37.10	PASS	Vertical	PK

U-NII-2C:

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5500MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	1821.2929	14.52	33.94	48.46	68.20	19.74	PASS	Horizont	PK
2	3194.3678	18.44	34.63	53.07	68.20	15.13	PASS	Horizont	PK
3	6252.7101	28.70	31.83	60.53	68.20	7.67	PASS	Horizont	PK
4	8571.8286	-0.58	47.13	46.55	68.20	21.65	PASS	Horizont	PK
5	12557.9279	4.95	44.08	49.03	74.00	24.97	PASS	Horizont	PK
6	17026.4763	12.51	42.76	55.27	68.20	12.93	PASS	Horizont	PK
7	6265.6906	28.53	8.48	37.01	54.00	16.99	PASS	Horizont	AV
8	17025.3263	12.52	28.09	40.61	54.00	13.39	PASS	Horizont	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5500MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	1665.5266	14.00	33.62	47.62	74.00	26.38	PASS	Vertical	PK
2	2743.1297	17.09	35.37	52.46	74.00	21.54	PASS	Vertical	PK
3	6149.306	27.97	33.20	61.17	68.20	7.03	PASS	Vertical	PK
4	7897.8949	-1.54	46.10	44.56	68.20	23.64	PASS	Vertical	PK
5	11899.52	3.06	46.63	49.69	74.00	24.31	PASS	Vertical	PK
6	17649.8075	14.33	41.31	55.64	68.20	12.56	PASS	Vertical	PK
7	6153.7061	28.09	9.23	37.32	54.00	16.68	PASS	Vertical	AV
8	17568.1534	13.97	24.73	38.70	54.00	15.30	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5500MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20054.0022	-24.86	58.51	33.65	74.00	40.35	PASS	Horizontal	PK
2	24042.3217	-22.09	55.85	33.76	68.20	34.44	PASS	Horizontal	PK
3	28936.1974	-21.36	54.60	33.24	68.20	34.96	PASS	Horizontal	PK
4	32440.4976	-18.21	50.97	32.76	68.20	35.44	PASS	Horizontal	PK
5	36252.8101	-16.73	47.08	30.35	68.20	37.85	PASS	Horizontal	PK
6	38111.4445	-14.51	45.02	30.51	68.20	37.69	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5500MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20347.9339	-25.49	59.44	33.95	74.00	40.05	PASS	Vertical	PK
2	23499.34	-23.31	55.12	31.81	68.20	36.39	PASS	Vertical	PK
3	26428.9772	-21.17	54.50	33.33	68.20	34.87	PASS	Vertical	PK
4	30004.5602	-21.08	53.13	32.05	68.20	36.15	PASS	Vertical	PK
5	33981.4393	-17.89	48.73	30.84	68.20	37.36	PASS	Vertical	PK
6	38172.1669	-14.23	44.87	30.64	68.20	37.56	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5580MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	1739.8896	14.17	33.22	47.39	68.20	20.81	PASS	Horizontal	PK
2	2932.3373	17.88	33.80	51.68	68.20	16.52	PASS	Horizontal	PK
3	5600.384	26.63	33.74	60.37	68.20	7.83	PASS	Horizontal	PK
4	8427.4964	-0.69	48.77	48.08	74.00	25.92	PASS	Horizontal	PK
5	11945.5223	2.71	47.24	49.95	74.00	24.05	PASS	Horizontal	PK
6	17580.229	14.02	42.52	56.54	68.20	11.66	PASS	Horizontal	PK
7	5582.7833	26.75	9.60	36.35	54.00	17.65	PASS	Horizontal	AV
8	17579.079	14.02	24.72	38.74	54.00	15.26	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5580MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1719.4288	14.31	34.47	48.78	74.00	25.22	PASS	Vertical	PK
2	3048.7219	18.19	35.46	53.65	68.20	14.55	PASS	Vertical	PK
3	6183.4073	28.26	31.62	59.88	68.20	8.32	PASS	Vertical	PK
4	7984.7242	-1.26	48.48	47.22	68.20	20.98	PASS	Vertical	PK
5	11267.5634	2.42	46.26	48.68	74.00	25.32	PASS	Vertical	PK
6	17603.2302	14.13	42.06	56.19	68.20	12.01	PASS	Vertical	PK
7	3053.1221	18.25	11.73	29.98	54.00	24.02	PASS	Vertical	AV
8	6160.0864	28.26	8.86	37.12	54.00	16.88	PASS	Vertical	AV
9	17572.7536	13.99	25.08	39.07	54.00	14.93	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5580MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	20088.3235	-25.01	58.44	33.43	74.00	40.57	PASS	Horizontal	PK
2	23452.6981	-23.43	56.40	32.97	68.20	35.23	PASS	Horizontal	PK
3	26544.2618	-21.13	54.88	33.75	68.20	34.45	PASS	Horizontal	PK
4	29158.8464	-21.44	54.28	32.84	68.20	35.36	PASS	Horizontal	PK
5	32315.5326	-18.57	52.03	33.46	68.20	34.74	PASS	Horizontal	PK
6	36595.1438	-15.77	46.63	30.86	68.20	37.34	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5580MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19914.9566	-24.88	58.06	33.18	74.00	40.82	PASS	Vertical	PK
2	22830.5132	-25.14	56.28	31.14	74.00	42.86	PASS	Vertical	PK
3	25731.1092	-20.78	54.16	33.38	68.20	34.82	PASS	Vertical	PK
4	28625.545	-21.88	53.93	32.05	68.20	36.15	PASS	Vertical	PK
5	33177.0871	-18.29	51.19	32.90	68.20	35.30	PASS	Vertical	PK
6	37999.68	-15.03	45.83	30.80	68.20	37.40	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5700MHz
Remark:	/	Test_Date	2026/5/21

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1962.5385	14.78	32.90	47.68	68.20	20.52	PASS	Horizontal	PK
2	3053.7822	18.26	34.09	52.35	68.20	15.85	PASS	Horizontal	PK
3	6368.4347	28.21	32.49	60.70	68.20	7.50	PASS	Horizontal	PK
4	8453.9477	-0.78	46.94	46.16	74.00	27.84	PASS	Horizontal	PK
5	12488.9244	4.23	44.99	49.22	74.00	24.78	PASS	Horizontal	PK
6	17580.804	14.03	41.56	55.59	68.20	12.61	PASS	Horizontal	PK
7	6384.4954	28.27	9.29	37.56	54.00	16.44	PASS	Horizontal	AV
8	17577.9289	14.02	24.96	38.98	54.00	15.02	PASS	Horizontal	AV