


Test_Mode	802.11ax(HE40)Transmittin g	Test_Frequency	5670MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	20015.2806	-24.69	58.47	33.78	74.00	40.22	PASS	Vertical	PK
2	21860.7144	-25.62	58.44	32.82	68.20	35.38	PASS	Vertical	PK
3	24851.9541	-22.01	54.79	32.78	68.20	35.42	PASS	Vertical	PK
4	27735.8294	-21.22	54.50	33.28	68.20	34.92	PASS	Vertical	PK
5	31126.6051	-19.77	52.67	32.90	68.20	35.30	PASS	Vertical	PK
6	36826.5931	-16.93	47.12	30.19	68.20	38.01	PASS	Vertical	PK

Test_Mode	802.11ax(HE80)Transmittin g	Test_Frequency	5530MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1970.8988	14.76	34.14	48.90	68.20	19.30	PASS	Horizontal	PK
2	3596.1038	19.80	33.53	53.33	68.20	14.87	PASS	Horizontal	PK
3	5368.7147	27.94	32.48	60.42	74.00	13.58	PASS	Horizontal	PK
4	7221.0861	-3.10	51.01	47.91	68.20	20.29	PASS	Horizontal	PK
5	11864.4432	3.10	46.77	49.87	74.00	24.13	PASS	Horizontal	PK
6	17640.607	14.29	41.19	55.48	68.20	12.72	PASS	Horizontal	PK
7	5328.4531	27.86	9.06	36.92	54.00	17.08	PASS	Horizontal	AV
8	17557.2279	13.92	24.38	38.30	54.00	15.70	PASS	Horizontal	AV

Test_Mode	802.11ax(HE80)Transmitting	Test_Frequency	5530MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1919.6368	14.92	33.86	48.78	68.20	19.42	PASS	Vertical	PK
2	3201.4081	18.38	34.16	52.54	68.20	15.66	PASS	Vertical	PK
3	5272.3509	27.74	31.88	59.62	68.20	8.58	PASS	Vertical	PK
4	7716.1858	-1.79	47.80	46.01	74.00	27.99	PASS	Vertical	PK
5	12495.2498	4.39	45.39	49.78	74.00	24.22	PASS	Vertical	PK
6	17002.9001	12.66	42.53	55.19	68.20	13.01	PASS	Vertical	PK
7	5329.1132	27.86	8.85	36.71	54.00	17.29	PASS	Vertical	AV
8	17032.8016	12.46	28.53	40.99	54.00	13.01	PASS	Vertical	AV

Test_Mode	802.11ax(HE80)Transmittin g	Test_Frequency	5530MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20227.3691	-25.51	57.56	32.05	74.00	41.95	PASS	Horizontal	PK
2	23727.2691	-22.60	55.50	32.90	74.00	41.10	PASS	Horizontal	PK
3	26951.7181	-21.77	55.04	33.27	68.20	34.93	PASS	Horizontal	PK
4	30450.738	-20.40	53.40	33.00	68.20	35.20	PASS	Horizontal	PK
5	34118.7247	-17.60	49.07	31.47	68.20	36.73	PASS	Horizontal	PK
6	37547.3419	-15.11	46.12	31.01	68.20	37.19	PASS	Horizontal	PK

Test_Mode	802.11ax(HE80)Transmittin g	Test_Frequency	5530MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	20032.8813	-24.77	57.80	33.03	74.00	40.97	PASS	Vertical	PK
2	22739.8696	-25.04	56.61	31.57	74.00	42.43	PASS	Vertical	PK
3	25721.4289	-20.78	54.02	33.24	68.20	34.96	PASS	Vertical	PK
4	28937.0775	-21.36	53.79	32.43	68.20	35.77	PASS	Vertical	PK
5	32418.4967	-18.12	51.15	33.03	68.20	35.17	PASS	Vertical	PK
6	36266.0106	-16.74	48.25	31.51	68.20	36.69	PASS	Vertical	PK

Test_Mode	802.11ax(HE80)Transmittin g	Test_Frequency	5500MHz
Remark:	/	Test_Date	2026/5/21

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1974.419	14.71	33.90	48.61	68.20	19.59	PASS	Horizontal	PK
2	3066.1026	18.36	33.59	51.95	68.20	16.25	PASS	Horizontal	PK
3	6413.7566	28.27	32.56	60.83	68.20	7.37	PASS	Horizontal	PK
4	7724.8112	-1.81	47.01	45.20	74.00	28.80	PASS	Horizontal	PK
5	11473.9987	2.43	45.90	48.33	74.00	25.67	PASS	Horizontal	PK
6	17659.583	14.57	41.05	55.62	68.20	12.58	PASS	Horizontal	PK
7	6391.3157	28.34	9.38	37.72	54.00	16.28	PASS	Horizontal	AV
8	17574.4787	13.99	25.83	39.82	54.00	14.18	PASS	Horizontal	AV

U-NII-3:

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5745MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1480.7192	13.27	36.43	49.70	74.00	24.30	PASS	Horizont	PK
2	3020.7808	18.07	33.22	51.29	68.20	16.91	PASS	Horizont	PK
3	6479.7592	28.66	33.18	61.84	68.20	6.36	PASS	Horizont	PK
4	9116.9558	0.08	46.29	46.37	74.00	27.63	PASS	Horizont	PK
5	13173.7837	6.29	44.99	51.28	68.20	16.92	PASS	Horizont	PK
6	17030.5015	12.48	43.25	55.73	68.20	12.47	PASS	Horizont	PK
7	6481.0792	28.66	9.85	38.51	54.00	15.49	PASS	Horizont	AV
8	17032.8016	12.46	28.59	41.05	54.00	12.95	PASS	Horizont	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5745MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1480.0592	13.25	36.52	49.77	74.00	24.23	PASS	Vertical	PK
2	3047.4019	18.19	34.74	52.93	68.20	15.27	PASS	Vertical	PK
3	6484.1594	28.65	33.03	61.68	68.20	6.52	PASS	Vertical	PK
4	8559.178	-0.51	46.57	46.06	68.20	22.14	PASS	Vertical	PK
5	12580.929	4.53	44.97	49.50	74.00	24.50	PASS	Vertical	PK
6	17570.4535	13.98	41.21	55.19	68.20	13.01	PASS	Vertical	PK
7	6493.6197	28.50	10.11	38.61	54.00	15.39	PASS	Vertical	AV
8	17606.1053	14.15	24.44	38.59	54.00	15.41	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5745MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20196.5679	-25.49	57.50	32.01	74.00	41.99	PASS	Horizont	PK
2	24088.9636	-22.25	55.57	33.32	68.20	34.88	PASS	Horizont	PK
3	27631.1052	-21.49	54.37	32.88	68.20	35.32	PASS	Horizont	PK
4	30922.4369	-19.44	52.75	33.31	68.20	34.89	PASS	Horizont	PK
5	34874.675	-16.35	48.06	31.71	68.20	36.49	PASS	Horizont	PK
6	37916.0766	-15.14	46.52	31.38	68.20	36.82	PASS	Horizont	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5745MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20071.6029	-24.94	58.84	33.90	74.00	40.10	PASS	Vertical	PK
2	22772.4309	-25.05	56.74	31.69	74.00	42.31	PASS	Vertical	PK
3	26016.2406	-20.94	54.74	33.80	68.20	34.40	PASS	Vertical	PK
4	28552.5021	-21.83	54.39	32.56	68.20	35.64	PASS	Vertical	PK
5	32090.2436	-20.00	51.74	31.74	68.20	36.46	PASS	Vertical	PK
6	37630.0652	-14.90	45.93	31.03	68.20	37.17	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5785MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1946.6979	14.90	34.06	48.96	68.20	19.24	PASS	Horizontal	PK
2	3599.404	19.81	32.71	52.52	68.20	15.68	PASS	Horizontal	PK
3	6229.8292	28.83	31.18	60.01	68.20	8.19	PASS	Horizontal	PK
4	7589.1045	-1.79	47.55	45.76	74.00	28.24	PASS	Horizontal	PK
5	11831.0916	2.78	46.84	49.62	74.00	24.38	PASS	Horizontal	PK
6	17018.4259	12.56	42.39	54.95	68.20	13.25	PASS	Horizontal	PK
7	6272.2909	28.27	8.77	37.04	54.00	16.96	PASS	Horizontal	AV
8	17092.0296	12.26	28.38	40.64	54.00	13.36	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5785MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	1714.8086	14.27	34.69	48.96	68.20	19.24	PASS	Vertical	PK
2	3227.5891	18.63	33.26	51.89	68.20	16.31	PASS	Vertical	PK
3	5815.5526	27.49	32.57	60.06	68.20	8.14	PASS	Vertical	PK
4	7654.0827	-1.86	47.45	45.59	74.00	28.41	PASS	Vertical	PK
5	12516.5258	4.70	45.49	50.19	74.00	23.81	PASS	Vertical	PK
6	17031.6516	12.47	42.91	55.38	68.20	12.82	PASS	Vertical	PK
7	5821.9329	27.62	8.84	36.46	54.00	17.54	PASS	Vertical	AV
8	17095.4798	12.26	28.79	41.05	54.00	12.95	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5785MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20031.1212	-24.76	58.27	33.51	74.00	40.49	PASS	Horizontal	PK
2	22766.2707	-25.04	56.37	31.33	74.00	42.67	PASS	Horizontal	PK
3	25908.8764	-20.87	54.18	33.31	68.20	34.89	PASS	Horizontal	PK
4	30189.3676	-21.32	52.79	31.47	68.20	36.73	PASS	Horizontal	PK
5	34395.0558	-17.22	48.97	31.75	68.20	36.45	PASS	Horizontal	PK
6	37975.919	-15.06	45.57	30.51	68.20	37.69	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5785MHz
Remark:	/	Test_Date	2026/5/21

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19959.8384	-24.74	58.65	33.91	74.00	40.09	PASS	Vertical	PK
2	22346.4939	-25.18	58.00	32.82	74.00	41.18	PASS	Vertical	PK
3	26298.7319	-21.27	55.80	34.53	68.20	33.67	PASS	Vertical	PK
4	29649.026	-20.70	53.90	33.20	68.20	35.00	PASS	Vertical	PK
5	33275.651	-18.20	50.10	31.90	68.20	36.30	PASS	Vertical	PK
6	37701.3481	-15.07	46.10	31.03	68.20	37.17	PASS	Vertical	PK