


Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5825MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1590.2836	13.81	33.34	47.15	74.00	26.85	PASS	Horizontal	PK
2	2726.8491	17.23	34.08	51.31	74.00	22.69	PASS	Horizontal	PK
3	5575.963	26.89	33.81	60.70	68.20	7.50	PASS	Horizontal	PK
4	7609.2305	-1.66	48.19	46.53	74.00	27.47	PASS	Horizontal	PK
5	11262.9631	2.43	45.63	48.06	74.00	25.94	PASS	Horizontal	PK
6	16987.3744	12.46	41.91	54.37	68.20	13.83	PASS	Horizontal	PK
7	5537.0215	26.91	9.57	36.48	54.00	17.52	PASS	Horizontal	AV
8	17010.3755	12.61	28.23	40.84	54.00	13.16	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5825MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1620.2048	13.83	33.99	47.82	74.00	26.18	PASS	Vertical	PK
2	2532.5813	16.72	34.23	50.95	68.20	17.25	PASS	Vertical	PK
3	5369.8148	27.94	31.94	59.88	74.00	14.12	PASS	Vertical	PK
4	6971.5236	-3.05	48.14	45.09	68.20	23.11	PASS	Vertical	PK
5	11297.4649	2.39	45.99	48.38	74.00	25.62	PASS	Vertical	PK
6	16496.8748	10.68	42.84	53.52	68.20	14.68	PASS	Vertical	PK
7	5328.2331	27.86	9.21	37.07	54.00	16.93	PASS	Vertical	AV
8	16535.4018	11.00	30.99	41.99	54.00	12.01	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5825MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20005.6002	-24.64	57.87	33.23	74.00	40.77	PASS	Horizontal	PK
2	22837.5535	-25.17	57.28	32.11	74.00	41.89	PASS	Horizontal	PK
3	25952.8781	-20.88	53.99	33.11	68.20	35.09	PASS	Horizontal	PK
4	29186.1274	-21.46	54.30	32.84	68.20	35.36	PASS	Horizontal	PK
5	33135.7254	-18.40	50.69	32.29	68.20	35.91	PASS	Horizontal	PK
6	36669.9468	-16.15	47.59	31.44	68.20	36.76	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5825MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20079.5232	-24.97	58.25	33.28	74.00	40.72	PASS	Vertical	PK
2	22900.036	-25.37	56.28	30.91	74.00	43.09	PASS	Vertical	PK
3	26175.527	-21.30	54.82	33.52	68.20	34.68	PASS	Vertical	PK
4	29723.829	-20.84	53.84	33.00	68.20	35.20	PASS	Vertical	PK
5	33115.4846	-18.45	50.62	32.17	68.20	36.03	PASS	Vertical	PK
6	37152.2061	-16.47	47.04	30.57	68.20	37.63	PASS	Vertical	PK

Test_Mode	802.11ax(HE40)Transmittin g	Test_Frequency	5755MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1705.5682	14.20	33.66	47.86	74.00	26.14	PASS	Horizontal	PK
2	4125.665	21.99	31.90	53.89	74.00	20.11	PASS	Horizontal	PK
3	6498.2399	28.36	32.82	61.18	68.20	7.02	PASS	Horizontal	PK
4	9668.9834	1.16	46.21	47.37	68.20	20.83	PASS	Horizontal	PK
5	13750.5375	7.22	43.53	50.75	68.20	17.45	PASS	Horizontal	PK
6	17573.9037	13.99	41.37	55.36	68.20	12.84	PASS	Horizontal	PK
7	6480.8592	28.66	9.93	38.59	54.00	15.41	PASS	Horizontal	AV
8	17565.2783	13.96	25.40	39.36	54.00	14.64	PASS	Horizontal	AV

Test_Mode	802.11ax(HE40)Transmitting	Test_Frequency	5755MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1664.2066	13.96	33.56	47.52	74.00	26.48	PASS	Vertical	PK
2	3231.1092	18.65	34.27	52.92	68.20	15.28	PASS	Vertical	PK
3	6475.579	28.49	32.91	61.40	68.20	6.80	PASS	Vertical	PK
4	8567.8034	-0.56	47.40	46.84	68.20	21.36	PASS	Vertical	PK
5	13050.1525	6.41	43.61	50.02	68.20	18.18	PASS	Vertical	PK
6	17664.7582	14.69	40.91	55.60	68.20	12.60	PASS	Vertical	PK
7	6491.6397	28.57	10.29	38.86	54.00	15.14	PASS	Vertical	AV
8	17584.8292	14.04	24.49	38.53	54.00	15.47	PASS	Vertical	AV

Test_Mode	802.11ax(HE40)Transmittin g	Test_Frequency	5755MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18371.3749	-26.74	60.38	33.64	74.00	40.36	PASS	Horizontal	PK
2	23854.8742	-22.22	55.90	33.68	74.00	40.32	PASS	Horizontal	PK
3	27959.3584	-21.18	55.64	34.46	68.20	33.74	PASS	Horizontal	PK
4	32364.8146	-18.25	52.22	33.97	68.20	34.23	PASS	Horizontal	PK
5	36598.6639	-15.76	47.19	31.43	68.20	36.77	PASS	Horizontal	PK
6	39019.6408	-12.86	44.27	31.41	68.20	36.79	PASS	Horizontal	PK

Test_Mode	802.11ax(HE40)Transmittin g	Test_Frequency	5755MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18309.7724	-26.82	61.19	34.37	74.00	39.63	PASS	Vertical	PK
2	23995.6798	-21.95	56.12	34.17	74.00	39.83	PASS	Vertical	PK
3	27925.037	-21.15	54.97	33.82	68.20	34.38	PASS	Vertical	PK
4	30905.7162	-19.47	54.01	34.54	68.20	33.66	PASS	Vertical	PK
5	35110.5244	-15.99	48.45	32.46	68.20	35.74	PASS	Vertical	PK
6	39046.0418	-12.86	43.27	30.41	68.20	37.79	PASS	Vertical	PK

Test_Mode	802.11ax(HE40)Transmitting	Test_Frequency	5795MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1362.7945	12.70	35.01	47.71	74.00	26.29	PASS	Horizontal	PK
2	3642.5257	20.09	31.92	52.01	74.00	21.99	PASS	Horizontal	PK
3	6420.1368	28.06	34.68	62.74	68.20	5.46	PASS	Horizontal	PK
4	9039.902	0.06	46.99	47.05	74.00	26.95	PASS	Horizontal	PK
5	12455.5728	3.44	46.10	49.54	74.00	24.46	PASS	Horizontal	PK
6	17545.7273	13.81	41.96	55.77	68.20	12.43	PASS	Horizontal	PK
7	6456.6583	28.29	9.89	38.18	54.00	15.82	PASS	Horizontal	AV
8	17583.6792	14.04	25.83	39.87	54.00	14.13	PASS	Horizontal	AV

Test_Mode	802.11ax(HE40)Transmittin g	Test_Frequency	5795MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1422.8569	12.99	34.59	47.58	74.00	26.42	PASS	Vertical	PK
2	3480.8192	19.23	33.65	52.88	68.20	15.32	PASS	Vertical	PK
3	6479.7592	28.66	32.18	60.84	68.20	7.36	PASS	Vertical	PK
4	9595.9548	1.22	46.08	47.30	68.20	20.90	PASS	Vertical	PK
5	13719.486	7.24	43.89	51.13	68.20	17.07	PASS	Vertical	PK
6	17591.1546	14.08	41.23	55.31	68.20	12.89	PASS	Vertical	PK
7	6490.9796	28.59	9.99	38.58	54.00	15.42	PASS	Vertical	AV
8	17577.3539	14.01	24.77	38.78	54.00	15.22	PASS	Vertical	AV

Test_Mode	802.11ax(HE40)Transmittin g	Test_Frequency	5795MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18487.5395	-26.70	60.73	34.03	74.00	39.97	PASS	Horizontal	PK
2	23940.2376	-22.05	55.89	33.84	74.00	40.16	PASS	Horizontal	PK
3	27947.0379	-21.16	55.70	34.54	68.20	33.66	PASS	Horizontal	PK
4	30878.4351	-19.51	53.21	33.70	68.20	34.50	PASS	Horizontal	PK
5	34942.4377	-16.21	49.24	33.03	68.20	35.17	PASS	Horizontal	PK
6	38739.7896	-13.46	45.67	32.21	68.20	35.99	PASS	Horizontal	PK

Test_Mode	802.11ax(HE40)Transmittin g	Test_Frequency	5795MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18293.9318	-26.84	60.54	33.70	74.00	40.30	PASS	Vertical	PK
2	23824.073	-22.28	56.03	33.75	74.00	40.25	PASS	Vertical	PK
3	27984.8794	-21.19	55.92	34.73	68.20	33.47	PASS	Vertical	PK
4	32404.4162	-18.05	51.73	33.68	68.20	34.52	PASS	Vertical	PK
5	35845.3538	-16.87	48.53	31.66	68.20	36.54	PASS	Vertical	PK
6	39013.4805	-12.86	44.69	31.83	68.20	36.37	PASS	Vertical	PK

Test_Mode	802.11ax(HE80)Transmittin g	Test_Frequency	5775MHz
Remark:	/	Test_Date	2026/5/21


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2002.5801	14.84	34.35	49.19	68.20	19.01	PASS	Horizontal	PK
2	3955.3782	21.58	31.74	53.32	74.00	20.68	PASS	Horizontal	PK
3	6488.1195	28.62	32.82	61.44	68.20	6.76	PASS	Horizontal	PK
4	9616.0808	1.23	47.05	48.28	68.20	19.92	PASS	Horizontal	PK
5	13816.6658	7.10	43.56	50.66	68.20	17.54	PASS	Horizontal	PK
6	17724.5612	15.74	39.37	55.11	74.00	18.89	PASS	Horizontal	PK
7	6491.1996	28.58	10.05	38.63	54.00	15.37	PASS	Horizontal	AV
8	17585.4043	14.05	25.12	39.17	54.00	14.83	PASS	Horizontal	AV

Test_Mode	802.11ax(HE80)Transmitting	Test_Frequency	5775MHz
Remark:	/	Test_Date	2026/5/21

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1524.721	13.54	34.42	47.96	74.00	26.04	PASS	Vertical	PK
2	2692.9677	17.37	34.03	51.40	74.00	22.60	PASS	Vertical	PK
3	6422.9969	28.11	32.88	60.99	68.20	7.21	PASS	Vertical	PK
4	7620.156	-1.72	48.25	46.53	74.00	27.47	PASS	Vertical	PK
5	11177.2839	2.53	47.15	49.68	74.00	24.32	PASS	Vertical	PK
6	16982.1991	12.37	43.11	55.48	68.20	12.72	PASS	Vertical	PK
7	6410.4564	28.37	9.50	37.87	54.00	16.13	PASS	Vertical	AV
8	17032.2266	12.47	28.71	41.18	54.00	12.82	PASS	Vertical	AV