


Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2412MHz
-----------	---------------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	1268.8179	11.91	37.36	49.27	74.00	24.73	PASS	Vertical	PK
2	1647.5098	14.03	35.78	49.81	74.00	24.19	PASS	Vertical	PK
3	3319.0213	-14.06	56.94	42.88	74.00	31.12	PASS	Vertical	PK
4	3985.0657	-11.75	56.78	45.03	74.00	28.97	PASS	Vertical	PK
5	4825.1217	-8.53	57.01	48.48	74.00	25.52	PASS	Vertical	PK
6	6665.2444	-3.77	49.04	45.27	74.00	28.73	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2412MHz
-----------	---------------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19002.0201	-26.27	62.30	36.03	74.00	37.97	PASS	Horizontal	PK
2	20548.4019	-25.92	61.07	35.15	74.00	38.85	PASS	Horizontal	PK
3	21190.3476	-25.76	61.26	35.50	74.00	38.50	PASS	Horizontal	PK
4	22466.0786	-25.07	60.31	35.24	74.00	38.76	PASS	Horizontal	PK
5	23381.7353	-23.63	58.81	35.18	74.00	38.82	PASS	Horizontal	PK
6	24117.5247	-22.35	57.66	35.31	74.00	38.69	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2412MHz
-----------	---------------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18437.9375	-26.70	63.08	36.38	74.00	37.62	PASS	Vertical	PK
2	19789.8316	-25.25	61.33	36.08	74.00	37.92	PASS	Vertical	PK
3	20668.7668	-25.93	61.73	35.80	74.00	38.20	PASS	Vertical	PK
4	22082.8833	-25.64	60.59	34.95	74.00	39.05	PASS	Vertical	PK
5	23192.6877	-24.32	58.88	34.56	74.00	39.44	PASS	Vertical	PK
6	23915.8966	-22.10	58.37	36.27	74.00	37.73	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2437MHz
-----------	---------------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1353.2235	12.51	36.40	48.91	74.00	25.09	PASS	Horizontal	PK
2	1998.0665	14.75	35.76	50.51	74.00	23.49	PASS	Horizontal	PK
3	3899.0599	-11.97	58.92	46.95	74.00	27.05	PASS	Horizontal	PK
4	4870.1247	-8.40	62.26	53.86	74.00	20.14	PASS	Horizontal	PK
5	5855.1903	-5.45	48.71	43.26	74.00	30.74	PASS	Horizontal	PK
6	9201.4134	0.24	46.19	46.43	74.00	27.57	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2437MHz
-----------	---------------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1212.0141	11.61	36.83	48.44	74.00	25.56	PASS	Vertical	PK
2	1639.376	14.04	35.96	50.00	74.00	24.00	PASS	Vertical	PK
3	3998.0665	-11.69	53.30	41.61	74.00	32.39	PASS	Vertical	PK
4	4875.125	-8.37	55.10	46.73	74.00	27.27	PASS	Vertical	PK
5	7582.3055	-2.16	46.37	44.21	74.00	29.79	PASS	Vertical	PK
6	9138.4092	0.09	45.91	46.00	74.00	28.00	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2437MHz
-----------	---------------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18728.3091	-26.43	63.12	36.69	74.00	37.31	PASS	Horizontal	PK
2	19613.7045	-25.57	61.95	36.38	74.00	37.62	PASS	Horizontal	PK
3	20971.3789	-25.95	61.92	35.97	74.00	38.03	PASS	Horizontal	PK
4	21789.7916	-25.54	62.11	36.57	74.00	37.43	PASS	Horizontal	PK
5	22481.3793	-25.06	60.08	35.02	74.00	38.98	PASS	Horizontal	PK
6	23851.2941	-22.23	58.17	35.94	74.00	38.06	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2437MHz
-----------	---------------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18588.9036	-26.69	63.36	36.67	74.00	37.33	PASS	Vertical	PK
2	19510.0004	-25.61	61.57	35.96	74.00	38.04	PASS	Vertical	PK
3	20384.5154	-25.48	61.07	35.59	74.00	38.41	PASS	Vertical	PK
4	21181.1672	-25.77	61.74	35.97	74.00	38.03	PASS	Vertical	PK
5	21924.437	-25.71	60.36	34.65	74.00	39.35	PASS	Vertical	PK
6	23250.49	-24.09	59.32	35.23	74.00	38.77	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2462MHz
-----------	---------------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1386.6924	12.81	37.69	50.50	74.00	23.50	PASS	Horizontal	PK
2	1760.0507	14.23	36.29	50.52	74.00	23.48	PASS	Horizontal	PK
3	3939.0626	-11.93	60.00	48.07	74.00	25.93	PASS	Horizontal	PK
4	4914.1276	-8.22	60.87	52.65	74.00	21.35	PASS	Horizontal	PK
5	7739.316	-1.48	45.85	44.37	74.00	29.63	PASS	Horizontal	PK
6	10262.4842	1.96	44.26	46.22	74.00	27.78	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2462MHz
-----------	---------------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1290.4194	12.00	36.39	48.39	74.00	25.61	PASS	Vertical	PK
2	1663.7776	13.85	36.12	49.97	74.00	24.03	PASS	Vertical	PK
3	3325.0217	-14.04	59.13	45.09	74.00	28.91	PASS	Vertical	PK
4	3981.0654	-11.77	54.81	43.04	74.00	30.96	PASS	Vertical	PK
5	5319.1546	-7.02	54.98	47.96	74.00	26.04	PASS	Vertical	PK
6	6641.2428	-3.96	50.38	46.42	74.00	27.58	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2462MHz
-----------	---------------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18486.5595	-26.70	63.08	36.38	74.00	37.62	PASS	Horizontal	PK
2	19464.0986	-25.61	62.11	36.50	74.00	37.50	PASS	Horizontal	PK
3	20507.9403	-25.80	61.04	35.24	74.00	38.76	PASS	Horizontal	PK
4	21849.634	-25.60	61.80	36.20	74.00	37.80	PASS	Horizontal	PK
5	23261.3705	-24.06	58.66	34.60	74.00	39.40	PASS	Horizontal	PK
6	23846.1938	-22.24	59.11	36.87	74.00	37.13	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2462MHz
-----------	---------------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18912.5965	-26.28	62.88	36.60	74.00	37.40	PASS	Vertical	PK
2	19971.0588	-24.71	60.95	36.24	74.00	37.76	PASS	Vertical	PK
3	20387.2355	-25.48	62.33	36.85	74.00	37.15	PASS	Vertical	PK
4	21905.3962	-25.68	61.40	35.72	74.00	38.28	PASS	Vertical	PK
5	22567.0627	-25.02	60.17	35.15	74.00	38.85	PASS	Vertical	PK
6	23601.044	-23.06	58.36	35.30	74.00	38.70	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2422MHz
-----------	---------------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1196.0131	11.62	36.70	48.32	74.00	25.68	PASS	Horizontal	PK
2	1580.172	13.55	36.41	49.96	74.00	24.04	PASS	Horizontal	PK
3	3875.0583	-12.02	59.24	47.22	74.00	26.78	PASS	Horizontal	PK
4	4848.1232	-8.47	59.29	50.82	74.00	23.18	PASS	Horizontal	PK
5	5813.1875	-5.69	52.38	46.69	74.00	27.31	PASS	Horizontal	PK
6	8452.3635	-0.52	46.18	45.66	74.00	28.34	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2422MHz
-----------	---------------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	1411.4941	12.92	37.18	50.10	74.00	23.90	PASS	Vertical	PK
2	1963.9309	14.62	35.30	49.92	74.00	24.08	PASS	Vertical	PK
3	3331.0221	-14.04	60.07	46.03	74.00	27.97	PASS	Vertical	PK
4	4843.1229	-8.49	51.46	42.97	74.00	31.03	PASS	Vertical	PK
5	5324.1549	-7.01	52.77	45.76	74.00	28.24	PASS	Vertical	PK
6	6647.2432	-3.97	52.93	48.96	74.00	25.04	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2422MHz
-----------	---------------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18567.4827	-26.69	63.38	36.69	74.00	37.31	PASS	Horizontal	PK
2	19591.9437	-25.59	61.81	36.22	74.00	37.78	PASS	Horizontal	PK
3	20449.118	-25.62	60.95	35.33	74.00	38.67	PASS	Horizontal	PK
4	21427.3371	-25.86	60.99	35.13	74.00	38.87	PASS	Horizontal	PK
5	22581.0032	-25.01	60.02	35.01	74.00	38.99	PASS	Horizontal	PK
6	23962.8185	-22.01	57.85	35.84	74.00	38.16	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2422MHz
-----------	---------------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18866.3547	-26.28	63.47	37.19	74.00	36.81	PASS	Vertical	PK
2	20385.5354	-25.48	61.08	35.60	74.00	38.40	PASS	Vertical	PK
3	20877.1951	-25.79	61.48	35.69	74.00	38.31	PASS	Vertical	PK
4	21794.2118	-25.53	61.04	35.51	74.00	38.49	PASS	Vertical	PK
5	22806.0922	-25.07	59.49	34.42	74.00	39.58	PASS	Vertical	PK
6	24087.6035	-22.25	57.77	35.52	74.00	38.48	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2437MHz
-----------	---------------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1335.3557	12.37	36.33	48.70	74.00	25.30	PASS	Horizontal	PK
2	1727.6485	14.19	35.50	49.69	74.00	24.31	PASS	Horizontal	PK
3	3899.0599	-11.97	58.33	46.36	74.00	27.64	PASS	Horizontal	PK
4	4881.1254	-8.36	60.27	51.91	74.00	22.09	PASS	Horizontal	PK
5	6328.2219	-4.56	47.46	42.90	74.00	31.10	PASS	Horizontal	PK
6	9610.4407	1.37	44.66	46.03	74.00	27.97	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2437MHz
-----------	---------------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1394.693	12.81	36.14	48.95	74.00	25.05	PASS	Vertical	PK
2	2058.3372	14.71	37.66	52.37	74.00	21.63	PASS	Vertical	PK
3	3992.0661	-11.72	55.24	43.52	74.00	30.48	PASS	Vertical	PK
4	5308.1539	-7.05	54.28	47.23	74.00	26.77	PASS	Vertical	PK
5	6646.2431	-3.97	50.47	46.50	74.00	27.50	PASS	Vertical	PK
6	7973.3316	-1.38	46.14	44.76	74.00	29.24	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2437MHz
-----------	---------------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18652.8261	-26.58	63.01	36.43	74.00	37.57	PASS	Horizontal	PK
2	19467.1587	-25.61	61.79	36.18	74.00	37.82	PASS	Horizontal	PK
3	20401.8561	-25.49	61.58	36.09	74.00	37.91	PASS	Horizontal	PK
4	21687.4475	-25.65	61.92	36.27	74.00	37.73	PASS	Horizontal	PK
5	22487.4995	-25.06	60.29	35.23	74.00	38.77	PASS	Horizontal	PK
6	23863.1945	-22.20	58.51	36.31	74.00	37.69	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2437MHz
-----------	---------------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19036.7015	-26.23	62.82	36.59	74.00	37.41	PASS	Vertical	PK
2	20027.1611	-24.74	60.62	35.88	74.00	38.12	PASS	Vertical	PK
3	20596.3439	-26.06	61.28	35.22	74.00	38.78	PASS	Vertical	PK
4	21528.3211	-25.79	60.89	35.10	74.00	38.90	PASS	Vertical	PK
5	22466.0786	-25.07	59.83	34.76	74.00	39.24	PASS	Vertical	PK
6	24140.6456	-22.43	58.93	36.50	74.00	37.50	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2452MHz
-----------	---------------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1408.1605	12.90	37.50	50.40	74.00	23.60	PASS	Horizontal	PK
2	1598.8399	13.74	35.99	49.73	74.00	24.27	PASS	Horizontal	PK
3	3923.0615	-11.95	63.50	51.55	74.00	22.45	PASS	Horizontal	PK
4	4901.1267	-8.29	59.42	51.13	74.00	22.87	PASS	Horizontal	PK
5	8446.3631	-0.54	45.91	45.37	74.00	28.63	PASS	Horizontal	PK
6	10198.4799	1.52	44.28	45.80	74.00	28.20	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2452MHz
-----------	---------------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1079.872	11.26	36.96	48.22	74.00	25.78	PASS	Vertical	PK
2	1903.2602	14.67	35.69	50.36	74.00	23.64	PASS	Vertical	PK
3	3322.0215	-14.06	59.03	44.97	74.00	29.03	PASS	Vertical	PK
4	5323.1549	-7.01	51.80	44.79	74.00	29.21	PASS	Vertical	PK
5	6648.2432	-3.97	52.48	48.51	74.00	25.49	PASS	Vertical	PK
6	8407.3605	-0.80	46.22	45.42	74.00	28.58	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2452MHz
-----------	---------------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18703.8282	-26.48	63.00	36.52	74.00	37.48	PASS	Horizontal	PK
2	19817.0327	-25.18	61.33	36.15	74.00	37.85	PASS	Horizontal	PK
3	21071.6829	-25.91	61.03	35.12	74.00	38.88	PASS	Horizontal	PK
4	21823.793	-25.57	60.98	35.41	74.00	38.59	PASS	Horizontal	PK
5	22678.9272	-25.02	60.01	34.99	74.00	39.01	PASS	Horizontal	PK
6	24392.9357	-21.72	57.68	35.96	74.00	38.04	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2452MHz
-----------	---------------------------------	----------------	---------

Test Graph



Suspected List

NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19112.1845	-26.15	62.67	36.52	74.00	37.48	PASS	Vertical	PK
2	19840.8336	-25.10	61.75	36.65	74.00	37.35	PASS	Vertical	PK
3	20367.5147	-25.48	61.05	35.57	74.00	38.43	PASS	Vertical	PK
4	21586.1234	-25.75	61.30	35.55	74.00	38.45	PASS	Vertical	PK
5	23270.5508	-24.02	58.88	34.86	74.00	39.14	PASS	Vertical	PK
6	24037.9615	-22.08	58.43	36.35	74.00	37.65	PASS	Vertical	PK

Remark:

- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:
Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor
- Scan from 9kHz to 25GHz, the disturbance above 10GHz and below 30MHz was very low. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. As the PK values are all below 54dBμV/m. So, only the peak measurements were shown in the report.


Restricted bands:

Test plot as follows:

Test_Mode	802.11 b Transmitting	Test_Frequency	2412MHz
-----------	--------------------------	----------------	---------

Hotline:400-6788-333 www.cti-cert.com E-mail:info@cti-cert.com Complaint call:0755-33681700 Complaint E-mail:complaint@cti-cert.com


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	33.66	49.62	74.00	24.38	PASS	Horizontal	PK
2	2390	15.96	20.52	36.48	74.00	37.52	PASS	Horizontal	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2412MHz
-----------	--------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	34.77	50.73	74.00	23.27	PASS	Vertical	PK
2	2390	15.96	20.82	36.78	74.00	37.22	PASS	Vertical	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2462MHz
-----------	--------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	33.31	49.60	74.00	24.40	PASS	Horizontal	PK
2	2483.5	16.29	20.51	36.80	74.00	37.20	PASS	Horizontal	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2462MHz
-----------	--------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	34.52	50.81	74.00	23.19	PASS	Vertical	PK
2	2483.5	16.29	20.06	36.35	74.00	37.65	PASS	Vertical	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2412MHz
-----------	--------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	38.67	54.63	74.00	19.37	PASS	Horizontal	PK
2	2390	15.96	20.71	36.67	74.00	37.33	PASS	Horizontal	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2412MHz
-----------	--------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	33.69	49.65	74.00	24.35	PASS	Vertical	PK
2	2390	15.96	20.72	36.68	74.00	37.32	PASS	Vertical	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
-----------	--------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	34.80	51.09	74.00	22.91	PASS	Horizontal	PK
2	2483.5	16.29	20.91	37.20	74.00	36.80	PASS	Horizontal	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
-----------	--------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	34.00	50.29	74.00	23.71	PASS	Vertical	PK
2	2483.5	16.29	20.11	36.40	74.00	37.60	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
-----------	--------------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	37.97	53.93	74.00	20.07	PASS	Horizontal	PK
2	2390	15.96	22.11	38.07	74.00	35.93	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
-----------	--------------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	35.03	50.99	74.00	23.01	PASS	Vertical	PK
2	2390	15.96	20.16	36.12	74.00	37.88	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
-----------	--------------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	35.69	51.98	74.00	22.02	PASS	Horizontal	PK
2	2483.5	16.29	20.86	37.15	74.00	36.85	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
-----------	--------------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	35.47	51.43	74.00	22.57	PASS	Horizontal	PK
2	2390	15.96	23.62	39.58	74.00	34.42	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
-----------	--------------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	36.57	52.53	74.00	21.47	PASS	Vertical	PK
2	2390	15.96	23.29	39.25	74.00	34.75	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
-----------	--------------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	35.66	51.95	74.00	22.05	PASS	Horizontal	PK
2	2483.5	16.29	22.32	38.61	74.00	35.39	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
-----------	--------------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	35.86	52.15	74.00	21.85	PASS	Vertical	PK
2	2483.5	16.29	22.20	38.49	74.00	35.51	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2412MHz
-----------	---------------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	41.83	57.79	74.00	16.21	PASS	Horizontal	PK
2	2390	15.96	21.75	37.71	74.00	36.29	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2412MHz
-----------	---------------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	35.59	51.55	74.00	22.45	PASS	Vertical	PK
2	2390	15.96	20.08	36.04	74.00	37.96	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2462MHz
-----------	---------------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	37.32	53.61	74.00	20.39	PASS	Horizontal	PK
2	2483.5	16.29	20.70	36.99	74.00	37.01	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2462MHz
-----------	---------------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	34.00	50.29	74.00	23.71	PASS	Vertical	PK
2	2483.5	16.29	20.04	36.33	74.00	37.67	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2422MHz
-----------	---------------------------------	----------------	---------


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	38.49	54.45	74.00	19.55	PASS	Horizontal	PK
2	2390	15.96	22.99	38.95	74.00	35.05	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2422MHz
-----------	---------------------------------	----------------	---------

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	36.22	52.18	74.00	21.82	PASS	Vertical	PK
2	2390	15.96	23.23	39.19	74.00	34.81	PASS	Vertical	AV