


Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5310MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1395.5758	12.84	35.52	48.36	74.00	25.64	PASS	Vertical	PK
2	2064.1826	14.85	32.42	47.27	68.20	20.93	PASS	Vertical	PK
3	3453.5381	19.31	34.01	53.32	68.20	14.88	PASS	Vertical	PK
4	7388.9944	-3.10	49.61	46.51	74.00	27.49	PASS	Vertical	PK
5	11041.002	2.30	45.49	47.79	74.00	26.21	PASS	Vertical	PK
6	15419.271	10.10	42.26	52.36	74.00	21.64	PASS	Vertical	PK

Test_Mode	802.11ax(HE80)Transmittin g	Test_Frequency	5290MHz
Remark:	/	Test_Date	2026/3/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1309.7724	12.34	35.02	47.36	74.00	26.64	PASS	Horizon	PK
2	1861.3345	14.71	33.07	47.78	68.20	20.42	PASS	Horizon	PK
3	2570.4228	16.68	34.15	50.83	68.20	17.37	PASS	Horizon	PK
4	6909.9955	-3.27	49.11	45.84	68.20	22.36	PASS	Horizon	PK
5	10234.2367	1.85	45.73	47.58	68.20	20.62	PASS	Horizon	PK
6	14950.6225	9.22	43.16	52.38	68.20	15.82	PASS	Horizon	PK

Test_Mode	802.11ax(HE80)Transmitting	Test_Frequency	5290MHz
Remark:	/	Test_Date	2026/3/27

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1192.9477	11.53	35.36	46.89	74.00	27.11	PASS	Vertical	PK
2	1947.7979	14.92	38.45	53.37	68.20	14.83	PASS	Vertical	PK
3	3054.0022	18.26	34.76	53.02	68.20	15.18	PASS	Vertical	PK
4	8554.0027	-0.48	46.71	46.23	68.20	21.97	PASS	Vertical	PK
5	11931.7216	2.81	46.17	48.98	74.00	25.02	PASS	Vertical	PK
6	16452.5976	10.37	43.05	53.42	68.20	14.78	PASS	Vertical	PK

Above 18GHz

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5260MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20096.2438	-25.05	58.22	33.17	74.00	40.83	PASS	Horizon	PK
2	22783.8714	-25.05	57.53	32.48	74.00	41.52	PASS	Horizon	PK
3	25622.8649	-20.73	54.27	33.54	68.20	34.66	PASS	Horizon	PK
4	29235.4094	-21.45	54.15	32.70	68.20	35.50	PASS	Horizon	PK
5	32924.517	-18.76	50.76	32.00	68.20	36.20	PASS	Horizon	PK
6	36334.6534	-16.72	48.00	31.28	68.20	36.92	PASS	Horizon	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5260MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20033.7614	-24.77	58.04	33.27	74.00	40.73	PASS	Vertical	PK
2	22638.6655	-25.01	56.91	31.90	74.00	42.10	PASS	Vertical	PK
3	27389.9756	-21.65	55.58	33.93	68.20	34.27	PASS	Vertical	PK
4	30890.7556	-19.49	54.37	34.88	68.20	33.32	PASS	Vertical	PK
5	35152.7661	-15.94	48.35	32.41	68.20	35.79	PASS	Vertical	PK
6	38431.7773	-13.60	45.20	31.60	68.20	36.60	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5300MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20127.0451	-25.19	58.47	33.28	74.00	40.72	PASS	Horizon	PK
2	23225.649	-24.18	57.08	32.90	68.20	35.30	PASS	Horizon	PK
3	26931.4773	-21.73	56.35	34.62	68.20	33.58	PASS	Horizon	PK
4	30975.239	-19.37	53.34	33.97	68.20	34.23	PASS	Horizon	PK
5	34931.8773	-16.23	49.68	33.45	68.20	34.75	PASS	Horizon	PK
6	38377.2151	-13.58	44.39	30.81	68.20	37.39	PASS	Horizon	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5300MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20002.0801	-24.63	58.27	33.64	74.00	40.36	PASS	Vertical	PK
2	23848.7139	-22.23	55.75	33.52	74.00	40.48	PASS	Vertical	PK
3	28437.2175	-21.58	55.26	33.68	68.20	34.52	PASS	Vertical	PK
4	31948.5579	-20.39	52.34	31.95	68.20	36.25	PASS	Vertical	PK
5	35182.6873	-15.91	49.16	33.25	68.20	34.95	PASS	Vertical	PK
6	38070.0828	-14.71	46.29	31.58	68.20	36.62	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5320MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20085.6834	-25.00	58.43	33.43	74.00	40.57	PASS	Horizon	PK
2	22865.7146	-25.26	57.67	32.41	74.00	41.59	PASS	Horizon	PK
3	27298.4519	-21.78	55.69	33.91	68.20	34.29	PASS	Horizon	PK
4	30450.738	-20.40	54.74	34.34	68.20	33.86	PASS	Horizon	PK
5	34636.1854	-16.16	47.42	31.26	68.20	36.94	PASS	Horizon	PK
6	37560.5424	-15.04	46.77	31.73	68.20	36.47	PASS	Horizon	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5320MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19339.4136	-25.75	58.30	32.55	74.00	41.45	PASS	Vertical	PK
2	21754.2302	-25.58	58.41	32.83	68.20	35.37	PASS	Vertical	PK
3	24854.5942	-22.01	54.74	32.73	68.20	35.47	PASS	Vertical	PK
4	28364.1746	-21.47	56.14	34.67	68.20	33.53	PASS	Vertical	PK
5	31868.4747	-20.13	52.98	32.85	68.20	35.35	PASS	Vertical	PK
6	35836.5535	-16.84	48.21	31.37	68.20	36.83	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5270MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20110.3244	-25.11	58.70	33.59	74.00	40.41	PASS	Horizon	PK
2	22499.62	-25.05	57.56	32.51	74.00	41.49	PASS	Horizon	PK
3	26098.0839	-21.13	55.26	34.13	68.20	34.07	PASS	Horizon	PK
4	29945.5978	-21.04	53.29	32.25	68.20	35.95	PASS	Horizon	PK
5	33124.285	-18.44	52.02	33.58	68.20	34.62	PASS	Horizon	PK
6	36258.9704	-16.73	48.91	32.18	68.20	36.02	PASS	Horizon	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5310MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20105.9242	-25.09	58.90	33.81	74.00	40.19	PASS	Horizon	PK
2	23358.5343	-23.71	56.56	32.85	68.20	35.35	PASS	Horizon	PK
3	26605.8642	-21.12	55.16	34.04	68.20	34.16	PASS	Horizon	PK
4	30440.1776	-20.38	53.37	32.99	68.20	35.21	PASS	Horizon	PK
5	33483.3393	-17.80	51.26	33.46	68.20	34.74	PASS	Horizon	PK
6	36855.6342	-16.97	47.12	30.15	68.20	38.05	PASS	Horizon	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5310MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20014.4006	-24.68	58.21	33.53	74.00	40.47	PASS	Vertical	PK
2	23058.4423	-25.27	56.45	31.18	74.00	42.82	PASS	Vertical	PK
3	25964.3186	-20.89	55.64	34.75	68.20	33.45	PASS	Vertical	PK
4	29195.8078	-21.48	55.94	34.46	68.20	33.74	PASS	Vertical	PK
5	31813.9126	-19.95	52.56	32.61	68.20	35.59	PASS	Vertical	PK
6	35852.3941	-16.89	49.24	32.35	68.20	35.85	PASS	Vertical	PK

Test_Mode	802.11ax(HE80)Transmittin g	Test_Frequency	5290MHz
Remark:	/	Test_Date	2026/3/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20046.0818	-24.83	58.88	34.05	74.00	39.95	PASS	Horizon	PK
2	23189.5676	-24.34	57.72	33.38	68.20	34.82	PASS	Horizon	PK
3	25394.0558	-21.43	56.15	34.72	68.20	33.48	PASS	Horizon	PK
4	27891.5957	-21.13	56.63	35.50	68.20	32.70	PASS	Horizon	PK
5	30903.0761	-19.48	53.40	33.92	68.20	34.28	PASS	Horizon	PK
6	36627.7051	-15.91	48.14	32.23	68.20	35.97	PASS	Horizon	PK

Test_Mode	802.11ax(HE80)Transmittin g	Test_Frequency	5290MHz
Remark:	/	Test_Date	2026/3/27

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19897.3559	-24.93	58.70	33.77	74.00	40.23	PASS	Vertical	PK
2	21931.9973	-25.71	58.80	33.09	68.20	35.11	PASS	Vertical	PK
3	25278.7712	-21.19	55.18	33.99	68.20	34.21	PASS	Vertical	PK
4	27942.6377	-21.16	55.98	34.82	68.20	33.38	PASS	Vertical	PK
5	30990.1996	-19.35	53.45	34.10	68.20	34.10	PASS	Vertical	PK
6	34879.0752	-16.34	48.96	32.62	68.20	35.58	PASS	Vertical	PK

U-NII-2C:

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5500MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1314.3926	12.85	34.75	47.60	74.00	26.40	PASS	Horizon	PK
2	1982.9993	15.21	34.17	49.38	68.20	18.82	PASS	Horizon	PK
3	2674.487	17.93	33.58	51.51	68.20	16.69	PASS	Horizon	PK
4	7742.5097	-1.85	47.82	45.97	74.00	28.03	PASS	Horizon	PK
5	10384.8554	1.86	45.70	47.56	68.20	20.64	PASS	Horizon	PK
6	15831.0132	9.45	43.33	52.78	74.00	21.22	PASS	Horizon	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5500MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1330.8932	12.84	34.50	47.34	74.00	26.66	PASS	Vertical	PK
2	2004.3402	15.48	33.91	49.39	68.20	18.81	PASS	Vertical	PK
3	2764.6906	17.77	33.68	51.45	74.00	22.55	PASS	Vertical	PK
4	8418.7367	-0.64	46.88	46.24	74.00	27.76	PASS	Vertical	PK
5	11141.1256	2.20	45.26	47.46	74.00	26.54	PASS	Vertical	PK
6	13886.0554	7.82	42.64	50.46	68.20	17.74	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5580MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1272.1509	12.36	35.16	47.52	68.20	20.68	PASS	Horizon	PK
2	1848.3539	15.01	33.60	48.61	68.20	19.59	PASS	Horizon	PK
3	2654.0262	17.79	33.69	51.48	68.20	16.72	PASS	Horizon	PK
4	7540.1016	-2.41	48.50	46.09	74.00	27.91	PASS	Horizon	PK
5	10356.3343	1.93	45.39	47.32	68.20	20.88	PASS	Horizon	PK
6	15730.7292	10.23	41.77	52.00	74.00	22.00	PASS	Horizon	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5580MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1394.6958	13.35	34.58	47.93	74.00	26.07	PASS	Vertical	PK
2	2042.6217	15.48	34.49	49.97	68.20	18.23	PASS	Vertical	PK
3	3080.6232	19.00	33.54	52.54	68.20	15.66	PASS	Vertical	PK
4	7652.8061	-1.86	47.20	45.34	74.00	28.66	PASS	Vertical	PK
5	11239.5696	2.50	45.10	47.60	74.00	26.40	PASS	Vertical	PK
6	14517.2007	8.64	42.40	51.04	68.20	17.16	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5700MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	1331.1132	12.84	34.28	47.12	74.00	26.88	PASS	Horizon	PK
2	1856.2743	15.12	33.15	48.27	68.20	19.93	PASS	Horizon	PK
3	2733.4493	17.86	33.85	51.71	74.00	22.29	PASS	Horizon	PK
4	7451.7781	-2.34	47.72	45.38	74.00	28.62	PASS	Horizon	PK
5	10653.0461	2.56	44.93	47.49	74.00	26.51	PASS	Horizon	PK
6	16380.2752	10.55	41.41	51.96	68.20	16.24	PASS	Horizon	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5700MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1391.1756	13.35	34.34	47.69	74.00	26.31	PASS	Vertical	PK
2	1893.0157	15.23	33.81	49.04	68.20	19.16	PASS	Vertical	PK
3	2937.1775	18.60	33.84	52.44	68.20	15.76	PASS	Vertical	PK
4	7367.1347	-2.95	48.56	45.61	74.00	28.39	PASS	Vertical	PK
5	11069.8228	2.18	45.26	47.44	74.00	26.56	PASS	Vertical	PK
6	14384.2554	9.11	41.30	50.41	68.20	17.79	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5510MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1402.3961	13.39	35.24	48.63	74.00	25.37	PASS	Horizon	PK
2	1928.4371	15.40	34.69	50.09	68.20	18.11	PASS	Horizon	PK
3	2647.8659	17.77	34.54	52.31	68.20	15.89	PASS	Horizon	PK
4	7017.5207	-3.37	49.24	45.87	68.20	22.33	PASS	Horizon	PK
5	9324.973	1.18	45.24	46.42	74.00	27.58	PASS	Horizon	PK
6	13097.5839	6.41	42.87	49.28	68.20	18.92	PASS	Horizon	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5510MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1405.0362	13.42	35.17	48.59	74.00	25.41	PASS	Vertical	PK
2	2127.3251	16.17	33.93	50.10	68.20	18.10	PASS	Vertical	PK
3	2699.348	17.88	34.91	52.79	74.00	21.21	PASS	Vertical	PK
4	8534.6614	-0.52	47.19	46.67	68.20	21.53	PASS	Vertical	PK
5	11254.2902	2.43	45.09	47.52	74.00	26.48	PASS	Vertical	PK
6	15496.5799	10.04	42.45	52.49	74.00	21.51	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5550MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1401.5161	13.38	34.47	47.85	74.00	26.15	PASS	Horizon	PK
2	1924.917	15.49	34.01	49.50	68.20	18.70	PASS	Horizon	PK
3	2687.2475	18.04	34.25	52.29	68.20	15.91	PASS	Horizon	PK
4	7645.9058	-1.84	47.36	45.52	74.00	28.48	PASS	Horizon	PK
5	9757.3903	1.10	46.00	47.10	68.20	21.10	PASS	Horizon	PK
6	13209.8284	6.52	42.96	49.48	68.20	18.72	PASS	Horizon	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5550MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1366.5347	13.20	34.11	47.31	74.00	26.69	PASS	Vertical	PK
2	1852.9741	15.08	33.61	48.69	68.20	19.51	PASS	Vertical	PK
3	2575.483	17.38	33.79	51.17	68.20	17.03	PASS	Vertical	PK
4	7294.4518	-2.49	48.04	45.55	74.00	28.45	PASS	Vertical	PK
5	11022.9009	2.28	45.49	47.77	74.00	26.23	PASS	Vertical	PK
6	14895.7958	9.39	42.05	51.44	68.20	16.76	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5670MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1409.6564	13.48	35.09	48.57	74.00	25.43	PASS	Horizon	PK
2	1918.9768	15.62	33.75	49.37	68.20	18.83	PASS	Horizon	PK
3	2580.3232	17.38	34.96	52.34	68.20	15.86	PASS	Horizon	PK
4	7472.0189	-2.38	48.12	45.74	74.00	28.26	PASS	Horizon	PK
5	10638.3255	2.45	45.06	47.51	74.00	26.49	PASS	Horizon	PK
6	15477.2591	9.94	41.93	51.87	74.00	22.13	PASS	Horizon	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5670MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1401.9561	13.38	34.81	48.19	74.00	25.81	PASS	Vertical	PK
2	1862.8745	15.21	33.69	48.90	68.20	19.30	PASS	Vertical	PK
3	2564.0426	17.42	34.61	52.03	68.20	16.17	PASS	Vertical	PK
4	7726.4091	-1.81	46.87	45.06	74.00	28.94	PASS	Vertical	PK
5	11164.5866	2.40	47.92	50.32	74.00	23.68	PASS	Vertical	PK
6	13699.288	7.24	42.53	49.77	68.20	18.43	PASS	Vertical	PK

Test_Mode	802.11ax(HE80)Transmittin g	Test_Frequency	5530MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1403.4961	13.40	34.59	47.99	74.00	26.01	PASS	Horizon	PK
2	1920.0768	15.61	34.07	49.68	68.20	18.52	PASS	Horizon	PK
3	2816.6127	18.02	34.16	52.18	74.00	21.82	PASS	Horizon	PK
4	7567.7027	-2.12	48.37	46.25	74.00	27.75	PASS	Horizon	PK
5	10259.7304	1.95	45.93	47.88	68.20	20.32	PASS	Horizon	PK
6	16453.4181	10.37	42.15	52.52	68.20	15.68	PASS	Horizon	PK

Test_Mode	802.11ax(HE80)Transmittin g	Test_Frequency	5530MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1394.4758	13.35	34.57	47.92	74.00	26.08	PASS	Vertical	PK
2	2212.4685	15.93	34.14	50.07	74.00	23.93	PASS	Vertical	PK
3	2943.3377	18.54	34.11	52.65	68.20	15.55	PASS	Vertical	PK
4	8200.688	-1.35	47.32	45.97	74.00	28.03	PASS	Vertical	PK
5	11942.4777	2.73	45.62	48.35	74.00	25.65	PASS	Vertical	PK
6	15491.0596	10.01	41.93	51.94	74.00	22.06	PASS	Vertical	PK

Test_Mode	802.11ax(HE80)Transmittin g	Test_Frequency	5610MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1433.1973	13.33	34.10	47.43	68.20	20.77	PASS	Horizon	PK
2	2137.2255	16.12	34.66	50.78	68.20	17.42	PASS	Horizon	PK
3	2881.0752	18.27	33.75	52.02	74.00	21.98	PASS	Horizon	PK
4	8380.0952	-0.84	47.09	46.25	74.00	27.75	PASS	Horizon	PK
5	12347.2939	4.68	44.53	49.21	74.00	24.79	PASS	Horizon	PK
6	15460.6984	9.85	41.25	51.10	74.00	22.90	PASS	Horizon	PK

Test_Mode	802.11ax(HE80)Transmittin g	Test_Frequency	5610MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1336.3935	12.96	34.70	47.66	74.00	26.34	PASS	Vertical	PK
2	1989.8196	15.28	34.22	49.50	68.20	18.70	PASS	Vertical	PK
3	2991.5197	18.77	33.94	52.71	68.20	15.49	PASS	Vertical	PK
4	7575.063	-2.00	47.78	45.78	74.00	28.22	PASS	Vertical	PK
5	10852.2341	2.06	45.65	47.71	74.00	26.29	PASS	Vertical	PK
6	15474.039	9.92	41.83	51.75	74.00	22.25	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5500MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20351.4541	-25.49	58.68	33.19	74.00	40.81	PASS	Horizon	PK
2	22146.7259	-25.51	57.95	32.44	74.00	41.56	PASS	Horizon	PK
3	25292.8517	-21.22	55.29	34.07	68.20	34.13	PASS	Horizon	PK
4	27402.2961	-21.64	55.85	34.21	68.20	33.99	PASS	Horizon	PK
5	31324.613	-19.83	52.98	33.15	74.00	40.85	PASS	Horizon	PK
6	34963.5585	-16.18	48.86	32.68	68.20	35.52	PASS	Horizon	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5500MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20491.3797	-25.75	58.39	32.64	74.00	41.36	PASS	Vertical	PK
2	22539.2216	-25.03	57.08	32.05	74.00	41.95	PASS	Vertical	PK
3	25987.1995	-20.89	55.56	34.67	68.20	33.53	PASS	Vertical	PK
4	28625.545	-21.88	55.42	33.54	68.20	34.66	PASS	Vertical	PK
5	33400.616	-18.14	51.44	33.30	68.20	34.90	PASS	Vertical	PK
6	35842.7137	-16.86	48.74	31.88	68.20	36.32	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5580MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	19693.1877	-25.42	58.76	33.34	74.00	40.66	PASS	Horizon	PK
2	22467.0587	-25.07	57.88	32.81	74.00	41.19	PASS	Horizon	PK
3	25319.2528	-21.28	55.93	34.65	68.20	33.55	PASS	Horizon	PK
4	27771.0308	-21.13	56.09	34.96	68.20	33.24	PASS	Horizon	PK
5	30975.239	-19.37	53.34	33.97	68.20	34.23	PASS	Horizon	PK
6	34177.6871	-17.45	49.54	32.09	68.20	36.11	PASS	Horizon	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5580MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20002.0801	-24.63	58.27	33.64	74.00	40.36	PASS	Vertical	PK
2	22640.4256	-25.01	58.09	33.08	74.00	40.92	PASS	Vertical	PK
3	25666.8667	-20.75	54.85	34.10	68.20	34.10	PASS	Vertical	PK
4	28719.7088	-21.66	55.19	33.53	68.20	34.67	PASS	Vertical	PK
5	33102.2841	-18.49	51.26	32.77	68.20	35.43	PASS	Vertical	PK
6	38070.0828	-14.71	46.29	31.58	68.20	36.62	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5700MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20369.9348	-25.48	59.16	33.68	74.00	40.32	PASS	Horizon	PK
2	22439.7776	-25.08	57.79	32.71	74.00	41.29	PASS	Horizon	PK
3	25517.2607	-21.02	56.76	35.74	68.20	32.46	PASS	Horizon	PK
4	28704.7482	-21.70	55.93	34.23	68.20	33.97	PASS	Horizon	PK
5	32370.0948	-18.22	52.62	34.40	68.20	33.80	PASS	Horizon	PK
6	36315.2926	-16.73	49.36	32.63	68.20	35.57	PASS	Horizon	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5700MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19923.757	-24.86	58.31	33.45	74.00	40.55	PASS	Vertical	PK
2	22577.9431	-25.01	57.23	32.22	74.00	41.78	PASS	Vertical	PK
3	26076.9631	-21.08	55.39	34.31	68.20	33.89	PASS	Vertical	PK
4	29606.7843	-20.61	54.31	33.70	68.20	34.50	PASS	Vertical	PK
5	32425.537	-18.14	51.83	33.69	68.20	34.51	PASS	Vertical	PK
6	37578.1431	-14.95	46.59	31.64	68.20	36.56	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5510MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20105.9242	-25.09	58.90	33.81	74.00	40.19	PASS	Horizon	PK
2	21765.6706	-25.57	58.57	33.00	68.20	35.20	PASS	Horizon	PK
3	23855.7542	-22.22	56.40	34.18	74.00	39.82	PASS	Horizon	PK
4	26067.2827	-21.05	55.59	34.54	68.20	33.66	PASS	Horizon	PK
5	27970.7988	-21.18	55.11	33.93	68.20	34.27	PASS	Horizon	PK
6	31615.0246	-19.65	52.48	32.83	74.00	41.17	PASS	Horizon	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5510MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19424.777	-25.62	59.19	33.57	74.00	40.43	PASS	Vertical	PK
2	23157.0063	-24.58	57.18	32.60	68.20	35.60	PASS	Vertical	PK
3	25844.6338	-20.84	55.18	34.34	68.20	33.86	PASS	Vertical	PK
4	29689.5076	-20.77	54.23	33.46	68.20	34.74	PASS	Vertical	PK
5	32792.5117	-18.73	51.32	32.59	68.20	35.61	PASS	Vertical	PK
6	36541.4617	-16.03	48.06	32.03	68.20	36.17	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5550MHz
Remark:	/	Test_Date	2026/3/26

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20131.4453	-25.20	58.19	32.99	74.00	41.01	PASS	Vertical	PK
2	23674.467	-22.79	55.53	32.74	74.00	41.26	PASS	Vertical	PK
3	25323.6529	-21.29	56.13	34.84	68.20	33.36	PASS	Vertical	PK
4	29180.8472	-21.46	54.71	33.25	68.20	34.95	PASS	Vertical	PK
5	31532.3013	-19.66	53.06	33.40	74.00	40.60	PASS	Vertical	PK
6	35055.0822	-16.05	49.11	33.06	68.20	35.14	PASS	Vertical	PK