


Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5190MHz
Ant	/	Test_Date	2026/3/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	31.32	55.40	68.20	12.80	PASS	Vertical	PK
2	5150	24.08	15.76	39.84	54.00	14.16	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5230MHz
Ant	/	Test_Date	2026/3/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.08	51.16	68.20	17.04	PASS	Horizontal	PK
2	5150	24.08	14.63	38.71	54.00	15.29	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5230MHz
Ant	/	Test_Date	2026/3/24


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	26.70	50.78	68.20	17.42	PASS	Vertical	PK
2	5150	24.08	13.99	38.07	54.00	15.93	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5180MHz
Ant	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	29.84	53.92	68.20	14.28	PASS	Horizontal	PK
2	5150	24.08	14.76	38.84	54.00	15.16	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5180MHz
Ant	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	31.68	55.76	68.20	12.44	PASS	Vertical	PK
2	5150	24.08	15.03	39.11	54.00	14.89	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5240MHz
Ant	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.10	52.18	68.20	16.02	PASS	Horizontal	PK
2	5150	24.08	14.56	38.64	54.00	15.36	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5240MHz
Ant	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.93	53.01	68.20	15.19	PASS	Vertical	PK
2	5150	24.08	14.53	38.61	54.00	15.39	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5190MHz
Ant	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	30.24	54.32	68.20	13.88	PASS	Horizontal	PK
2	5150	24.08	17.57	41.65	54.00	12.35	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5190MHz
Ant	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	34.82	58.90	68.20	9.30	PASS	Vertical	PK
2	5150	24.08	16.13	40.21	54.00	13.79	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5230MHz
Ant	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.54	52.62	68.20	15.58	PASS	Horizontal	PK
2	5150	24.08	14.25	38.33	54.00	15.67	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5230MHz
Ant	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.49	51.57	68.20	16.63	PASS	Vertical	PK
2	5150	24.08	14.41	38.49	54.00	15.51	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5210MHz
Ant	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	32.27	56.35	68.20	11.85	PASS	Horizontal	PK
2	5150	24.08	18.85	42.93	54.00	11.07	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5210MHz
Ant	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	35.26	59.34	68.20	8.86	PASS	Vertical	PK
2	5150	24.08	16.15	40.23	54.00	13.77	PASS	Vertical	AV

Test_Mode	802.11ax(HE20)Transmittin g	Test_Frequency	5240MHz
Ant	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.34	52.42	68.20	15.78	PASS	Horizontal	PK
2	5150	24.08	14.73	38.81	54.00	15.19	PASS	Horizontal	AV

Test_Mode	802.11ax(HE20)Transmitting	Test_Frequency	5240MHz
Ant	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.28	52.36	68.20	15.84	PASS	Vertical	PK
2	5150	24.08	15.37	39.45	54.00	14.55	PASS	Vertical	AV

Test_Mode	802.11ax(HE40)Transmitting	Test_Frequency	5190MHz
Ant	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	35.86	59.94	68.20	8.26	PASS	Horizontal	PK
2	5150	24.08	16.91	40.99	54.00	13.01	PASS	Horizontal	AV

Test_Mode	802.11ax(HE40)Transmitting	Test_Frequency	5190MHz
Ant	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	31.78	55.86	68.20	12.34	PASS	Vertical	PK
2	5150	24.08	15.65	39.73	54.00	14.27	PASS	Vertical	AV

Test_Mode	802.11ax(HE40)Transmitting	Test_Frequency	5230MHz
Ant	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.01	52.09	68.20	16.11	PASS	Horizontal	PK
2	5150	24.08	14.90	38.98	54.00	15.02	PASS	Horizontal	AV

Test_Mode	802.11ax(HE40)Transmittin g	Test_Frequency	5230MHz
Ant	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.57	52.65	68.20	15.55	PASS	Vertical	PK
2	5150	24.08	14.02	38.10	54.00	15.90	PASS	Vertical	AV

Test_Mode	802.11ax(HE80)Transmitting	Test_Frequency	5210MHz
Ant	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	35.91	59.99	68.20	8.21	PASS	Horizontal	PK
2	5150	24.08	18.12	42.20	54.00	11.80	PASS	Horizontal	AV

Test_Mode	802.11ax(HE80)Transmitting	Test_Frequency	5210MHz
Ant	/	Test_Date	2026/3/26

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	30.89	54.97	68.20	13.23	PASS	Vertical	PK
2	5150	24.08	18.15	42.23	54.00	11.77	PASS	Vertical	AV

U-NII-2A:

Test_Mode	802.11 a Transmitting	Test_Frequency	5260MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	29.70	54.07	68.20	14.13	PASS	Horizon	PK
2	5350	24.37	15.80	40.17	54.00	13.83	PASS	Horizon	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5260MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	28.93	53.30	68.20	14.90	PASS	Vertical	PK
2	5350	24.37	15.85	40.22	54.00	13.78	PASS	Vertical	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5320MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	42.77	67.14	68.20	1.06	PASS	Horizon	PK
2	5350	24.37	23.20	47.57	54.00	6.43	PASS	Horizon	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5320MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	36.77	61.14	68.20	7.06	PASS	Vertical	PK
2	5350	24.37	21.90	46.27	54.00	7.73	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5260MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	29.49	53.86	68.20	14.34	PASS	Horizon	PK
2	5350	24.37	16.19	40.56	54.00	13.44	PASS	Horizon	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5260MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	30.78	55.15	68.20	13.05	PASS	Vertical	PK
2	5350	24.37	16.43	40.80	54.00	13.20	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5320MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	37.69	62.06	68.20	6.14	PASS	Horizon	PK
2	5350	24.37	22.18	46.55	54.00	7.45	PASS	Horizon	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5320MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	34.87	59.24	68.20	8.96	PASS	Vertical	PK
2	5350	24.37	16.98	41.35	54.00	12.65	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5270MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	29.98	54.35	68.20	13.85	PASS	Horizon	PK
2	5350	24.37	16.32	40.69	54.00	13.31	PASS	Horizon	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5270MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	30.53	54.90	68.20	13.30	PASS	Vertical	PK
2	5350	24.37	15.74	40.11	54.00	13.89	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5310MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	39.07	63.44	68.20	4.76	PASS	Horizon	PK
2	5350	24.37	21.97	46.34	54.00	7.66	PASS	Horizon	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5310MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	37.95	62.32	68.20	5.88	PASS	Vertical	PK
2	5350	24.37	19.90	44.27	54.00	9.73	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5260MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	30.40	54.77	68.20	13.43	PASS	Horizon	PK
2	5350	24.37	16.11	40.48	54.00	13.52	PASS	Horizon	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5260MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	29.88	54.25	68.20	13.95	PASS	Vertical	PK
2	5350	24.37	15.62	39.99	54.00	14.01	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5320MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	36.56	60.93	68.20	7.27	PASS	Horizon	PK
2	5350	24.37	17.44	41.81	54.00	12.19	PASS	Horizon	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5320MHz
Remark:	/	Test_Date	2026/3/26

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	34.16	58.53	68.20	9.67	PASS	Vertical	PK
2	5350	24.37	17.47	41.84	54.00	12.16	PASS	Vertical	AV