


Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5270MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	29.02	53.39	68.20	14.81	PASS	Horizon	PK
2	5350	24.37	15.77	40.14	54.00	13.86	PASS	Horizon	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5270MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	30.36	54.73	68.20	13.47	PASS	Vertical	PK
2	5350	24.37	16.02	40.39	54.00	13.61	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5310MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	29.39	53.76	68.20	14.44	PASS	Horizon	PK
2	5350	24.37	16.34	40.71	54.00	13.29	PASS	Horizon	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5310MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	29.66	54.03	68.20	14.17	PASS	Vertical	PK
2	5350	24.37	16.01	40.38	54.00	13.62	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5290MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	31.39	55.76	68.20	12.44	PASS	Horizon	PK
2	5350	24.37	17.82	42.19	54.00	11.81	PASS	Horizon	AV

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5290MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	30.36	54.73	68.20	13.47	PASS	Vertical	PK
2	5350	24.37	16.28	40.65	54.00	13.35	PASS	Vertical	AV

Test_Mode	802.11ax(HE20)Transmitting	Test_Frequency	5320MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	34.27	58.64	68.20	9.56	PASS	Horizon	PK
2	5350	24.37	21.55	45.92	54.00	8.08	PASS	Horizon	AV

Test_Mode	802.11ax(HE20)Transmitting	Test_Frequency	5320MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	39.16	63.53	68.20	4.67	PASS	Vertical	PK
2	5350	24.37	20.93	45.30	54.00	8.70	PASS	Vertical	AV

Test_Mode	802.11ax(HE40)Transmittin g	Test_Frequency	5270MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	29.85	54.22	68.20	13.98	PASS	Horizon	PK
2	5350	24.37	16.35	40.72	54.00	13.28	PASS	Horizon	AV

Test_Mode	802.11ax(HE40)Transmittin g	Test_Frequency	5270MHz
Remark:	/	Test_Date	2026/3/26


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	30.29	54.66	68.20	13.54	PASS	Vertical	PK
2	5350	24.37	17.16	41.53	54.00	12.47	PASS	Vertical	AV

Test_Mode	802.11ax(HE40)Transmitting	Test_Frequency	5310MHz
Remark:	/	Test_Date	2026/3/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	30.45	54.82	68.20	13.38	PASS	Horizon	PK
2	5350	24.37	16.47	40.84	54.00	13.16	PASS	Horizon	AV

Test_Mode	802.11ax(HE40)Transmitting	Test_Frequency	5310MHz
Remark:	/	Test_Date	2026/3/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	31.70	56.07	68.20	12.13	PASS	Vertical	PK
2	5350	24.37	16.57	40.94	54.00	13.06	PASS	Vertical	AV

Test_Mode	802.11ax(HE80)Transmittin g	Test_Frequency	5290MHz
Remark:	/	Test_Date	2026/3/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	32.07	56.44	68.20	11.76	PASS	Horizon	PK
2	5350	24.37	18.56	42.93	54.00	11.07	PASS	Horizon	AV

Test_Mode	802.11ax(HE80)Transmitting	Test_Frequency	5290MHz
Remark:	/	Test_Date	2026/3/27

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	31.94	56.31	68.20	11.89	PASS	Vertical	PK
2	5350	24.37	17.03	41.40	54.00	12.60	PASS	Vertical	AV

U-NII-2C:

Test_Mode	802.11 a Transmitting	Test_Frequency	5500MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	30.76	55.53	68.20	12.67	PASS	Horizon	PK
2	5460	24.77	17.11	41.88	54.00	12.12	PASS	Horizon	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5500MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	31.36	56.13	68.20	12.07	PASS	Vertical	PK
2	5460	24.77	17.09	41.86	54.00	12.14	PASS	Vertical	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5700MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5725	25.35	31.37	56.72	68.20	11.48	PASS	Horizon	PK
2	5725	25.35	22.12	47.47	54.00	6.53	PASS	Horizon	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5700MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5725	25.35	32.25	57.60	68.20	10.60	PASS	Vertical	PK
2	5725	25.35	17.43	42.78	54.00	11.22	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5500MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	31.60	56.37	68.20	11.83	PASS	Horizon	PK
2	5460	24.77	17.29	42.06	54.00	11.94	PASS	Horizon	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5500MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	30.92	55.69	68.20	12.51	PASS	Vertical	PK
2	5460	24.77	16.83	41.60	54.00	12.40	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5700MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5725	25.35	31.38	56.73	68.20	11.47	PASS	Horizon	PK
2	5725	25.35	17.18	42.53	54.00	11.47	PASS	Horizon	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5700MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5725	25.35	34.75	60.10	68.20	8.10	PASS	Vertical	PK
2	5725	25.35	22.20	47.55	54.00	6.45	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5510MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	32.68	57.45	68.20	10.75	PASS	Horizon	PK
2	5460	24.77	16.75	41.52	54.00	12.48	PASS	Horizon	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5510MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	30.50	55.27	68.20	12.93	PASS	Vertical	PK
2	5460	24.77	17.40	42.17	54.00	11.83	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5670MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5725	25.35	30.52	55.87	68.20	12.33	PASS	Horizon	PK
2	5725	25.35	16.52	41.87	54.00	12.13	PASS	Horizon	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5670MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5725	25.35	29.73	55.08	68.20	13.12	PASS	Vertical	PK
2	5725	25.35	16.62	41.97	54.00	12.03	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5500MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	31.03	55.80	68.20	12.40	PASS	Horizon	PK
2	5460	24.77	17.80	42.57	54.00	11.43	PASS	Horizon	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5500MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	30.25	55.02	68.20	13.18	PASS	Vertical	PK
2	5460	24.77	16.49	41.26	54.00	12.74	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5700MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5725	25.35	31.52	56.87	68.20	11.33	PASS	Horizon	PK
2	5725	25.35	18.61	43.96	54.00	10.04	PASS	Horizon	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5700MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5725	25.35	35.31	60.66	68.20	7.54	PASS	Vertical	PK
2	5725	25.35	17.00	42.35	54.00	11.65	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5510MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	30.90	55.67	68.20	12.53	PASS	Horizon	PK
2	5460	24.77	17.90	42.67	54.00	11.33	PASS	Horizon	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5510MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	30.83	55.60	68.20	12.60	PASS	Vertical	PK
2	5460	24.77	16.20	40.97	54.00	13.03	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5670MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5725	25.35	30.19	55.54	68.20	12.66	PASS	Horizon	PK
2	5725	25.35	15.84	41.19	54.00	12.81	PASS	Horizon	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5670MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5725	25.35	29.21	54.56	68.20	13.64	PASS	Vertical	PK
2	5725	25.35	16.21	41.56	54.00	12.44	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5530MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	36.69	61.46	68.20	6.74	PASS	Horizon	PK
2	5460	24.77	19.70	44.47	54.00	9.53	PASS	Horizon	AV

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5530MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	32.49	57.26	68.20	10.94	PASS	Vertical	PK
2	5460	24.77	18.05	42.82	54.00	11.18	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5610MHz
Remark:	/	Test_Date	2026/3/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5725	25.35	27.34	52.69	68.20	15.51	PASS	Horizon	PK
2	5725	25.35	12.93	38.28	54.00	15.72	PASS	Horizon	AV

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5610MHz
Remark:	/	Test_Date	2026/3/30

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5725	25.35	26.77	52.12	68.20	16.08	PASS	Vertical	PK
2	5725	25.35	13.33	38.68	54.00	15.32	PASS	Vertical	AV