



TEST REPORT

Application No.: SZEM2010010202CR
Applicant: Mavenir Systems, Inc.
Address of Applicant: 1700 International Parkway, Ste 200, Richardson, Texas 75081 USA
Manufacturer: Mavenir Systems, Inc.
Address of Manufacturer: 1700 International Parkway, Ste 200, Richardson, Texas 75081 USA
Factory: Sunwave Communications Co., Ltd.
Address of Factory: 581 Huoju Avenue, Binjiang District, Hangzhou, P.R.China Zip: 310053
Equipment Under Test (EUT):
EUT Name: Remote Unit
Model No.: DRRU-R304024
FCC ID: 2AWAS-910-00021
Standard(s) : 47 CFR Part 2
47 CFR Part 96
Date of Receipt: 2020-09-21
Date of Test: 2020-09-21 to 2020-11-21
Date of Issue: 2020-11-22

Test Result:	Pass
---------------------	-------------

* In the configuration tested, the EUT complied with the standards specified above.

Keny Xu

Keny Xu
EMC Laboratory Manager



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch EMC Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.ssgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Revision Record				
Version	Chapter	Date	Modifier	Remark
01		2020-10-16		Original

Authorized for issue by:			
			
		Edison Li /Project Engineer	
			
		Eric Fu /Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

2 Test Summary

Test Item	FCC Rule No.	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §96.41	PASS
Peak-Average Ratio	§96.41	PASS
Modulation Characteristics	§2.1047	PASS
Bandwidth	§96.41	PASS
Band Edge Compliance	§2.1051, §96.41	PASS
Spurious emissions at antenna terminals	§2.1051, §96.41	PASS
Field strength of spurious radiation	§2.1051, §96.41	PASS
Frequency stability	§2.1055,	PASS

Remark:

This EUT is a remote unit which is part of Distributed base station systems. The distributed base station system is an O-RAN system and contains CU & DU. CU and DU works as BBU. Detailed information of CU and DU show in clause 4.3.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.ssgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

3 Contents

	Page
1 COVER PAGE	1
2 TEST SUMMARY	3
3 CONTENTS	4
4 GENERAL INFORMATION	6
4.1 Details of E.U.T.....	6
4.2 Test Frequency.....	7
4.3 Measurement Uncertainty	9
4.4 Test Location	10
4.5 Test Facility.....	10
4.6 Deviation from Standards.....	10
4.7 Abnormalities from Standard Conditions.....	10
5 EQUIPMENT LIST	11
6 RADIO SPECTRUM MATTER TEST RESULTS	13
6.1 Effective (Isotropic) Radiated Power Output Data.....	13
6.1.1 E.U.T. Operation.....	13
6.1.2 Test Setup Diagram	13
6.1.3 Measurement Data.....	13
6.2 Peak-Average Ratio.....	14
6.2.1 E.U.T. Operation.....	14
6.2.2 Test Setup Diagram	14
6.2.3 Measurement Data.....	14
6.3 Bandwidth.....	15
6.3.1 E.U.T. Operation.....	15
6.3.2 Test Setup Diagram	15
6.3.3 Measurement Data.....	15
6.4 Band Edge Compliance.....	16
6.4.1 E.U.T. Operation.....	16
6.4.2 Test Setup Diagram	17
6.4.3 Measurement Data.....	17
6.5 Spurious emissions at antenna terminals.....	18
6.5.1 E.U.T. Operation.....	18
6.5.2 Test Setup Diagram	19
6.5.3 Measurement Data.....	19
6.6 Field strength of spurious radiation.....	20
6.6.1 E.U.T. Operation.....	20
6.6.2 Test Setup Diagram	20
6.6.3 Measurement Procedure and Data.....	21
6.7 Frequency stability	24
6.7.1 E.U.T. Operation.....	24
6.7.2 Test Setup Diagram	24



6.7.3	Measurement Data	24
6.8	Modulation Characteristics	25
6.8.1	E.U.T. Operation	25
6.8.2	Test Setup Diagram	25
6.8.3	Measurement Data	25
7	PHOTOGRAPHS	26
7.1	Setup photo	26
7.2	EUT Constructional Details (EUT Photos)	26
8	APPENDIX F	27
8.1	Frequency stability	27
8.2	Modulation Characteristics	33-41



4 General Information

4.1 Details of E.U.T.

Product Name:	Remote Unit
Model No.:	DRRU-R304024
Trade Mark:	MAVENIR
Sample Type:	Fixed production
Antenna Gain:	4dBi
Power Supply:	DC48V
Optical Fiber:	200cm (unshielded)
DC Cable:	200cm (unshielded)
RF Cable:	200cm (shielded)
Type of Modulation	TDD
Frequency Band:	Downlink 3550MHz to 3700MHz
Modulation Type:	QPSK, 16QAM, 64QAM, 256QAM
Channel Bandwidth:	Single carrier: 5MHz, 10MHz, 15MHz, 20MHz; Multi-carrier enabled, up to 60MHz. Detailed Multi-carrier combination please refer to clause 4.2
System Gain:	20dB
MIMO:	2T2R MIMO or 4T4R MIMO
Power Control Method:	ALC



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.ssgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.2 Test Frequency

Configuration	Carrier	Carrier Bandwidth	Carrier Frequency Configuration(MHz)		
			Low(L)	Middle(M)	High(H)
LTE_5MHz_Single carrier	1C	5MHz	3552.5	3625	3697.5
LTE_10MHz_Single carrier	1C	10MHz	3555	3625	3695
LTE_15MHz_Single carrier	1C	15MHz	3557.5	3625	3692.5
LTE_20MHz_Single carrier	1C	20MHz	3560	3625	3690
LTE_5MHz_2 carriers contiguous	2C	5MHz+5MHz	3552.5+3557.5	3622.5+3627.5	3692.5+3697.5
LTE_10MHz_2 carriers contiguous	2C	10MHz+10MHz	3555+3565	3620+3630	3685+3695
LTE_15MHz_2 carriers contiguous	2C	15MHz+15MHz	3557.5+3572.5	3617.5+3632.5	3677.5+3692.5
LTE_20MHz_2 carriers contiguous	2C	20MHz+20MHz	3560+3580	3615+3635	3670+3690
LTE_5MHz_3 carriers contiguous	3C	5MHz+5MHz+5MHz	3552.5+3557.5+3562.5	3620+3625+3630	3687.5+3692.5+3697.5
LTE_10MHz_3 carriers contiguous	3C	10MHz+10MHz+10MHz	3555+3565+3575	3615+3625+3635	3675+3685+3695
LTE_15MHz_3 carriers contiguous	3C	15MHz+15MHz+15MHz	3557.5+3572.5+3587.5	3610+3625+3640	3662.5+3677.5+3692.5
LTE_20MHz_3 carriers contiguous	3C	20MHz+20MHz+20MHz	3560+3580+3600	3605+3625+3645	3650+3670+3690
LTE_5MHz_2 carriers non-contiguous	2C	5MHz+5MHz	3552.5+3642.5	/	3607.5+3697.5
LTE_10MHz_2 carriers non-contiguous	2C	10MHz+10MHz	3555+3635	/	3515+3695
LTE_15MHz_2 carriers non-contiguous	2C	15MHz+15MHz	3557.5+3627.5	/	3622.5+3692.5
LTE_20MHz_2 carriers non-contiguous	2C	20MHz+20MHz	3560+3620	/	3630+3690
LTE_5MHz_3 carriers non-contiguous	3C	5MHz+5MHz+5MHz	3552.5+3592.5+3632.5	/	3617.5+3657.5+3697.5
LTE_10MHz_3 carriers non-contiguous	3C	10MHz+10MHz+10MHz	3555+3595+3635	/	3615+3655+3695
LTE_15MHz_3 carriers non-contiguous	3C	15MHz+15MHz+15MHz	3557.5+3597.5+3637.5	/	3612.5+3652.5+3692.5



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SGS-CSTC Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

LTE_20MHz_3 carriers non-contiguous	3C	20MHz+20MHz+ 20MHz	3560+3595+363 0	/	3620+3655+369 0
LTE_5M+10M_contiguous	2C	5MHz+10MHz	3555+3562.5	3622.5+3630	3687.5+3695
LTE_5M+15M_contiguous	2C	5MHz+15MHz	3557.5+3567.5	3622.5+3632.5	3682.5+3692.5
LTE_5M+20M_contiguous	2C	5MHz+20MHz	3560+3572.5	3622.5+3635	3677.5+3690
LTE_10M+15M_contiguous	2C	10MHz+15MHz	3557.5+3570	3620+3632.5	3680+3692.5
LTE_10M+20M_contiguous	2C	10MHz+20MHz	3560+3575	3620+3635	3675+3690
LTE_15M+20M_contiguous	2C	15MHz+20MHz	3560+3577.5	3617.5+3635	3672.5+3690
LTE_5M+10M+15M_contiguous	3C	5MHz+10MHz+1 5MHz	3557.5+3567.5+ 3575	3617.5+3627.5+ 3635	3675+3682.5+36 92.5
LTE_5M+10M+20M_contiguous	3C	5MHz+10MHz+2 0MHz	3560+3572.5+35 80	3617.5+3630+36 37.5	3670+3677.5+36 90
LTE_5M+15M+20M_contiguous	3C	5MHz+15MHz+2 0MHz	3560+3572.5+35 82.5	3615+3627.5+36 37.5	3667.5+3677.5+ 3690
LTE_10M+15M+20M_contiguous	3C	10MHz+15MHz+ 20MHz	3560+3575+358 7.5	3612.5+3627.5+ 3640	3662.5+3675+36 90
LTE_5M+10M_non-contiguous	2C	5MHz+10MHz	3555+3615	/	3635+3695
LTE_5M+15M_non-contiguous	2C	5MHz+15MHz	3557.5+3617.5	/	3632.5+3692.5
LTE_5M+20M_non-contiguous	2C	5MHz+20MHz	3560+3620	/	3630+3690
LTE_10M+15M_non-contiguous	2C	10MHz+15MHz	3557.5+3617.5	/	3632.5+3692.5
LTE_10M+20M_non-contiguous	2C	10MHz+20MHz	3560+3620	/	3630+3690
LTE_15M+20M_non-contiguous	2C	15MHz+20MHz	3560+3620	/	3630+3690
LTE_5M+10M+15M_non-contiguous	3C	5MHz+10MHz+1 5MHz	3557.5+3592.5+ 3627.5	/	3622.5+3657.5+ 3692.5
LTE_5M+10M+20M_non-contiguous	3C	5MHz+10MHz+2 0MHz	3560+3595+363 0	/	3620+3655+369 0
LTE_5M+15M+20M_non-contiguous	3C	5MHz+15MHz+2 0MHz	3560+3595+363 0	/	3620+3655+369 0
LTE_10M+15M+20M_non-contiguous	3C	10MHz+15MHz+ 20MHz	3560+3595+363 0	/	3620+3655+369 0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: C.N.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.3 Test Support Unit

Description	Manufacture	Model No.	S/N
CU	Dell	E385	/
DU	KONTRON	ME1100	/

4.4 Measurement Uncertainty

No.	Item	Measurement Uncertainty
1	Radio Frequency	$\pm 7.25 \times 10^{-8}$
2	Duty cycle	$\pm 0.37\%$
3	Occupied Bandwidth	$\pm 3\%$
4	RF conducted power	$\pm 0.75\text{dB}$
5	RF power density	$\pm 2.84\text{dB}$
6	Conducted Spurious emissions	$\pm 0.75\text{dB}$
7	RF Radiated power	$\pm 4.5\text{dB}$ (below 1GHz)
		$\pm 4.8\text{dB}$ (above 1GHz)
8	Radiated Spurious emission test	$\pm 4.5\text{dB}$ (Below 1GHz)
		$\pm 4.8\text{dB}$ (Above 1GHz)
9	Temperature test	$\pm 1^\circ\text{C}$
10	Humidity test	$\pm 3\%$
11	Supply voltages	$\pm 1.5\%$
12	Time	$\pm 3\%$

4.5 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, Guangdong, China.
518057.

Tel: +86 755 2601 2053 Fax: +86 755 2671 0594

No tests were sub-contracted.

4.6 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

- **A2LA (Certificate No. 3816.01)**

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

- **VCCI**

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

- **FCC –Designation Number: CN1178**

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1178. Test Firm Registration Number: 406779.

- **Innovation, Science and Economic Development Canada**

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0006.

IC#: 4620C.

4.7 Deviation from Standards

None

4.8 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch EMC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

5 Equipment List

RF test system					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Date	Cal. Due date
Shielding Room	SAEMC	MSR733	SEM001-09	2019-06-13	2022-06-12
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-17	2020-05-21	2021-05-20
MXG Vector Signal Generator	KEYSIGHT	N5182A	SEM006-14	2020-03-23	2021-03-22
MXG Vector Signal Generator	KEYSIGHT	N5182B	MT-W840	2020-07-03	2021-07-02
MXA Signal Analyzer	KEYSIGHT	N9020B	MT-W841	2020-07-11	2021-07-10
DC Power Supply	Rohde & Schwarz	NGSM 32/10	SEM011-04	2020-03-24	2021-03-23
Manual Step Attenuator	KEYSIGHT	8494B	SEM021-05	2020-04-09	2021-04-08
Manual Step Attenuator	KEYSIGHT	8496B	SEM021-06	2020-04-09	2021-04-08
Power Sensor	KEYSIGHT	U2021XA	SEM009-20	2020-05-21	2021-05-20
Power Sensor	KEYSIGHT	U2021XA	SEM009-21	2020-05-21	2021-05-20
Programmable Temperature & Humidity Chamber	Votsch Industrietechnik GmbH	VT 4002	SEM002-15	2020-03-25	2021-03-24
Coaxial Cable	SGS	N/A	SEM031-03	2020-07-10	2021-07-09

RE in Chamber (Above 1GHz)					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Date	Cal. Due date
3m Semi-Anechoic Chamber	AUDIX	N/A	SEM001-02	2020-05-10	2021-05-09
EXA Spectrum Analyzer	Agilent Technologies Inc	N9010A	SEM004-09	2020-07-19	2021-07-18
Log Antenna (26-3000MHz)	ETS-Lindgren	3142C	SEM003-02	2017-11-15	2020-11-14
Amplifier (0.1-1300MHz)	HP	8447D	SEM005-02	2019-10-09 2020-10-09	2020-10-08 2021-10-08
Horn Antenna (1-18GHz)	Rohde & Schwarz	HF907	SEM003-07	2018-06-14	2021-06-13
Horn Antenna (18-26GHz)	ETS-Lindgren	3160	SEM003-12	2017-11-24	2020-11-23
Horn Antenna (26GHz-40GHz)	A.H.Systems, inc.	SAS-573	SEM003-13	2018-02-12	2021-02-11
Low Noise Amplifier	Black Diamond Series	BDLNA-0118-352810	SEM005-05	2019-10-09 2020-10-09	2020-10-08 2021-10-08



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Band filter	Amindeon	Asi 3314	SEM023-01	N/A	N/A
Coaxial Cable	SGS	N/A	SEM026-01	2020-07-13	2021-07-12

RE in Chamber (Below 1GHz)

Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Date	Cal. Due date
10m Semi-Anechoic Chamber	SAEMC	FSAC1018	SEM001-03	2020-05-10	2021-05-09
EMI Test Receiver (9k-7GHz)	Rohde & Schwarz	ESR	SEM004-03	2020-04-25	2021-04-24
log-Broadband Antenna(30M-1GHz)	Schwarzbeck	VULB9168	SEM003-18	2019-06-29	2022-06-28
Pre-amplifier	Sonoma Instrument Co	310N	SEM005-03	2020-06-05	2021-06-04
Loop Antenna	ETS-Lindgren	6502	SEM003-08	2018-08-14	2021-08-13
Coaxial Cable	SGS	N/A	SEM029-01	2020-07-13	2021-07-12



6 Radio Spectrum Matter Test Results


6.1 Effective (Isotropic) Radiated Power Output Data

Test Requirement: §2.1046, §96.41
Test Method: ANSI C63.26, KDB 971168 D01 v03
Limit: EIRP ≤ 30dBm/10MHz, PSD ≤ 20dBm/MHz (LTE Band 48)

6.1.1 E.U.T. Operation

Operating Environment:
Temperature: 22.7 °C Humidity: 68.2 % RH Atmospheric Pressure: 1030 mbar
Test mode: m: Tx mode, Keep the EUT in transmitting mode.

6.1.2 Test Setup Diagram



6.1.3 Measurement Data

Please refer to Appendix A-Output power


6.2 Peak-Average Ratio

Test Requirement: §96.41
Test Method: ANSI C63.26, KDB 971168 D01 v03
Limit: ≤13dB

6.2.1 E.U.T. Operation

Operating Environment:
Temperature: 22.7 °C Humidity: 68.2 % RH Atmospheric Pressure: 1030 mbar
Test mode: m: Tx mode, Keep the EUT in transmitting mode.

6.2.2 Test Setup Diagram



6.2.3 Measurement Data

Please refer to Appendix B- Peak-Average Ratio


6.3 Bandwidth

Test Requirement: §2.1049(h)
Test Method: ANSI C63.26, KDB 971168 D01 v03
Limit: OBW: No limit
EBW: No limit

6.3.1 E.U.T. Operation

Operating Environment:
Temperature: 22.7 °C Humidity: 68.2 % RH Atmospheric Pressure: 1030 mbar
Test mode: m: Tx mode, Keep the EUT in transmitting mode.

6.3.2 Test Setup Diagram



6.3.3 Measurement Data

Please refer to Appendix C- Bandwidth

6.4 Band Edge Compliance

Test Requirement: §2.1051, §96.41

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: Except as otherwise specified in paragraph (e)(2) of this section, for channel and frequency assignments made by the SAS to CBSDs, the conducted power of any CBSD emission outside the fundamental emission bandwidth as specified in paragraph (e)(3) of this section (whether the emission is inside or outside of the authorized band) shall not exceed -13 dBm/MHz within 0-10 megahertz above the upper SAS-assigned channel edge and within 0-10 megahertz below the lower SAS-assigned channel edge. At all frequencies greater than 10 megahertz above the upper SAS assigned channel edge and less than 10 MHz below the lower SAS assigned channel edge, the conducted power of any CBSD emission shall not exceed -25 dBm/MHz. The upper and lower SAS assigned channel edges are the upper and lower limits of any channel assigned to a CBSD by an SAS, or in the case of multiple contiguous channels, the upper and lower limits of the combined contiguous channels.

Additional protection levels. Notwithstanding paragraph (e)(1) of this section, for CBSDs and End User Devices, the conducted power of emissions below 3540 MHz or above 3710 MHz shall not exceed -25 dBm/MHz, and the conducted power of emissions below 3530 MHz or above 3720 MHz shall not exceed -40dBm/MHz.

6.4.1 E.U.T. Operation


Operating Environment:

Temperature: 22.7 °C Humidity: 68.2 % RH Atmospheric Pressure: 1030 mbar

Test mode: m: Tx mode, Keep the EUT in transmitting mode.



6.4.2 Test Setup Diagram



6.4.3 Measurement Data

Please refer to Appendix D- Conducted band edge

6.5 Spurious emissions at antenna terminals

Test Requirement: §2.1051, §96.41

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: Except as otherwise specified in paragraph (e)(2) of this section, for channel and frequency assignments made by the SAS to CBSDs, the conducted power of any CBSD emission outside the fundamental emission bandwidth as specified in paragraph (e)(3) of this section (whether the emission is inside or outside of the authorized band) shall not exceed -13 dBm/MHz within 0-10 megahertz above the upper SAS-assigned channel edge and within 0-10 megahertz below the lower SAS-assigned channel edge. At all frequencies greater than 10 megahertz above the upper SAS assigned channel edge and less than 10 MHz below the lower SAS assigned channel edge, the conducted power of any CBSD emission shall not exceed -25 dBm/MHz. The upper and lower SAS assigned channel edges are the upper and lower limits of any channel assigned to a CBSD by an SAS, or in the case of multiple contiguous channels, the upper and lower limits of the combined contiguous channels.

Additional protection levels. Notwithstanding paragraph (e)(1) of this section, for CBSDs and End User Devices, the conducted power of emissions below 3540 MHz or above 3710 MHz shall not exceed -25 dBm/MHz, and the conducted power of emissions below 3530 MHz or above 3720 MHz shall not exceed -40dBm/MHz.

6.5.1 E.U.T. Operation


Operating Environment:

Temperature: 22.7 °C Humidity: 68.2 % RH Atmospheric Pressure: 1030 mbar

Test mode: m: Tx mode, Keep the EUT in transmitting mode.



6.5.2 Test Setup Diagram



6.5.3 Measurement Data

Please refer to Appendix D- Conducted Spurious Emission

6.6 Field strength of spurious radiation

Test Requirement: §2.1051, §96.41

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: Except as otherwise specified in paragraph (e)(2) of this section, for channel and frequency assignments made by the SAS to CBSDs, the conducted power of any CBSD emission outside the fundamental emission bandwidth as specified in paragraph (e)(3) of this section (whether the emission is inside or outside of the authorized band) shall not exceed -13 dBm/MHz within 0-10 megahertz above the upper SAS-assigned channel edge and within 0-10 megahertz below the lower SAS-assigned channel edge. At all frequencies greater than 10 megahertz above the upper SAS assigned channel edge and less than 10 MHz below the lower SAS assigned channel edge, the conducted power of any CBSD emission shall not exceed -25 dBm/MHz. The upper and lower SAS assigned channel edges are the upper and lower limits of any channel assigned to a CBSD by an SAS, or in the case of multiple contiguous channels, the upper and lower limits of the combined contiguous channels.

Additional protection levels. Notwithstanding paragraph (e)(1) of this section, for CBSDs and End User Devices, the conducted power of emissions below 3540 MHz or above 3710 MHz shall not exceed -25 dBm/MHz, and the conducted power of emissions below 3530 MHz or above 3720 MHz shall not exceed -40dBm/MHz.


6.6.1 E.U.T. Operation

Operating Environment:

Temperature: 22.7 °C Humidity: 68.2 % RH Atmospheric Pressure: 1030 mbar

Test mode: m: Tx mode, Keep the EUT in transmitting mode.

6.6.2 Test Setup Diagram



6.6.3 Measurement Procedure and Data

Test Procedure:

- (1) On a test site, the EUT shall be placed on a turntable and in the position closest to the normal use as declared by the user.
- (2) The test antenna shall be oriented initially for vertical polarization located 3m from the EUT to correspond to the transmitter.
- (3) The output of the antenna shall be connected to the measuring receiver and either a peak or quasi-peak detector was used for the measurement as indicated on the report. The detector selection is based on how close the emission level was approaching the limit.
- (4) The transmitter shall be switched on; if possible, without the modulation and the measurement receiver shall be tuned to the frequency of the transmitter under test.
- (5) The test antenna shall be raised and lowered through the specified range of height until the measuring receiver detects a maximum signal level.
- (6) The transmitter shall then be rotated through 360° in the horizontal plane, until the maximum signal level is detected by the measuring receiver.
- (7) The test antenna shall be raised and lowered again through the specified range of height until the measuring receiver detects a maximum signal level.
- (8) The maximum signal level detected by the measuring receiver shall be noted.
- (9) The measurement shall be repeated with the test antenna set to horizontal polarization.
- (10) Replace the antenna with a proper Antenna (substitution antenna).
- (11) The substitution antenna shall be oriented for vertical polarization and, if necessary, the length of the substitution antenna shall be adjusted to correspond to the frequency of transmitting.
- (12) The substitution antenna shall be connected to a calibrated signal generator.
- (13) If necessary, the input attenuator setting of the measuring receiver shall be adjusted in order to increase the sensitivity of the measuring receiver.
- (14) The test antenna shall be raised and lowered through the specified range of the height to ensure that the maximum signal is received.
- (15) The input signal to substitution antenna shall be adjusted to the level that produces a level detected by the measuring receiver, that is equal to the level noted while the transmitter radiated power was measured, corrected for the change of input attenuation setting of the measuring receiver.
- (16) The input level to the substitution antenna shall be recorded as power level in dBm, corrected for any change of input attenuator setting of the measuring receiver.
- (17) The measurement shall be repeated with the test antenna and the substitution antenna oriented for horizontal polarization.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
 Shenzhen Branch / CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Lowest Channel						
Frequency	Spurious Emission Level			Limit	Over limit	Result
(MHz)	(Deg)	Polaxis	(dBm)	dBm	dB	
624.07	0.0	H	-60.21	-40	-20.21	Pass
866.53	225.0	H	-62.91	-40	-22.91	Pass
2348.50	176.0	H	-44.27	-40	-4.27	Pass
6024.77	127.0	H	-53.93	-40	-13.93	Pass
9127.55	322.0	H	-52.12	-40	-12.12	Pass
10667.72	194.0	H	-51.02	-40	-11.02	Pass

Lowest Channel						
Frequency	Spurious Emission Level			Limit	Over limit	Result
(MHz)	(Deg)	Polaxis	(dBm)	dBm	dB	
867.31	338.0	V	-64.00	-40	-24.00	Pass
1582.00	298.0	V	-53.28	-40	-13.28	Pass
2346.50	201.0	V	-45.04	-40	-5.04	Pass
5898.35	4.0	V	-50.75	-40	-10.75	Pass
8847.72	322.0	V	-51.96	-40	-11.96	Pass
11900.45	0.0	V	-51.54	-40	-11.54	Pass

Middle Channel						
Frequency	Spurious Emission Level			Limit	Over limit	Result
(MHz)	(Deg)	Polaxis	(dBm)	dBm	dB	
634.295833	0.0	H	-60.38	-40	-20.38	Pass
2361.000000	164.0	H	-46.20	-40	-6.20	Pass
4901.900000	322.0	H	-56.19	-40	-16.19	Pass
6405.350000	358.0	H	-54.00	-40	-14.00	Pass
9082.700000	298.0	H	-51.68	-40	-11.68	Pass
10467.200000	92.0	H	-51.96	-40	-11.96	Pass

Lowest Channel						
Frequency	Spurious Emission Level			Limit	Over limit	Result
(MHz)	(Deg)	Polaxis	(dBm)	dBm	dB	
1380.000000	41.0	V	-53.71	-40	-13.71	Pass
2351.000000	269.0	V	-45.37	-40	-5.37	Pass
4275.950000	95.0	V	-56.99	-40	-16.99	Pass
5898.350000	0.0	V	-51.19	-40	-11.19	Pass
7908.150000	128.0	V	-52.04	-40	-12.04	Pass
10635.875000	128.0	V	-51.36	-40	-11.36	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Highest Channel						
Frequency	Spurious Emission Level			Limit	Over limit	Result
(MHz)	(Deg)	Polaxis	(dBm)	dBm	dB	
260.60	103.0	H	-69.57	-40	-29.57	Pass
2351.50	163.0	H	-45.12	-40	-5.12	Pass
4708.20	116.0	H	-56.24	-40	-16.24	Pass
6732.95	25.0	H	-52.75	-40	-12.75	Pass
9270.22	105.0	H	-51.01	-40	-11.01	Pass
2351.50	242.0	H	-51.57	-40	-11.57	Pass

Highest Channel						
Frequency	Spurious Emission Level			Limit	Over limit	Result
(MHz)	(Deg)	Polaxis	(dBm)	dBm	dB	
144.50	60.0	V	-73.12	-40	-33.12	Pass
2661.00	62.0	V	-45.02	-40	-5.02	Pass
4784.25	208.0	V	-56.12	-40	-16.12	Pass
5898.02	0.0	V	-51.12	-40	-11.12	Pass
7879.55	175.0	V	-52.51	-40	-12.51	Pass
10530.57	197.0	V	-50.83	-40	-10.83	Pass

Remark:

- 1) Pretest with normal and extreme conditions, only the worst case data was showed in the test report.
- 2) We have tested all modulation and all Channel, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: C.N.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


6.7 Frequency stability

Test Requirement: §2.1055
Test Method: ANSI C63.26, KDB 971168 D01 v03
Limit: Fundamental emission stays within authorized frequency block

6.7.1 E.U.T. Operation

Operating Environment:
Temperature: 22.7 °C Humidity: 68.2 % RH Atmospheric Pressure: 1030 mbar
Test mode: m: Tx mode, Keep the EUT in transmitting mode.

6.7.2 Test Setup Diagram



6.7.3 Measurement Data

Please refer to Appendix F


6.8 Modulation Characteristics

Test Requirement: §2.1047
Test Method: ANSI C63.26, KDB 971168 D01 v03
Limit: Digital modulation

6.8.1 E.U.T. Operation

Operating Environment:
Temperature: 22.7 °C Humidity: 68.2 % RH Atmospheric Pressure: 1030 mbar
Test mode: m: Tx mode, Keep the EUT in transmitting mode.

6.8.2 Test Setup Diagram



6.8.3 Measurement Data

Please refer to Appendix F

7 Photographs

7.1 Setup photo

Please refer to setup photos.

7.2 EUT Constructional Details (EUT Photos)

Please refer to external and internal photos for details.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
 Shenzhen Branch (SGS-CSTC Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

8 Appendix F

8.1 Frequency stability

Test Band: 48 _ 5MHz Bandwidth (Frequency Error VS. Voltage)												
Test Mode	RB Allocation		Temp. (°C)	Volt. (Vdc)	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	25	0	20	38.4	3.5	3.0	2.8	0.00099	0.00083	0.00076	2.50	PASS
				48.0	1.9	4.2	3.8	0.00053	0.00116	0.00103	2.50	PASS
				57.6	4.1	3.7	3.6	0.00115	0.00102	0.00097	2.50	PASS
16QAM	25	0	20	38.4	2.9	4.3	3.1	0.00082	0.00119	0.00084	2.50	PASS
				48.0	3.6	3.3	3.8	0.00101	0.00091	0.00103	2.50	PASS
				57.6	4.3	3.7	4.5	0.00121	0.00102	0.00122	2.50	PASS
64QAM	25	0	20	38.4	3.8	2.8	4.3	0.00107	0.00077	0.00116	2.50	PASS
				48.0	4.5	2.7	3.9	0.00127	0.00074	0.00105	2.50	PASS
				57.6	2.2	3.6	4.7	0.00062	0.00099	0.00127	2.50	PASS
256QAM	25	0	20	38.4	3.4	2.5	4.1	0.00096	0.00069	0.00111	2.50	PASS
				48.0	2.8	3.1	3.5	0.00079	0.00086	0.00095	2.50	PASS
				57.6	3.5	4.2	3.4	0.00099	0.00116	0.00092	2.50	PASS

Test Band: 48 _ 5MHz Bandwidth (Frequency Error VS. Temperature)												
Test Mode	RB Allocation		Volt. (Vdc)	Temp. (°C)	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	25	0	48	-30.00	3.3	3.5	4.0	0.00093	0.00097	0.00108	2.50	PASS
				-20.00	3.2	3.6	4.1	0.00090	0.00099	0.00111	2.50	PASS
				-10.00	3.1	3.5	2.6	0.00087	0.00097	0.00070	2.50	PASS
				0.00	3.3	4.4	2.4	0.00093	0.00121	0.00065	2.50	PASS
				10.00	3.7	2	2.8	0.00104	0.00055	0.00076	2.50	PASS
				20.00	3.1	2.3	2.2	0.00087	0.00063	0.00059	2.50	PASS
				30.00	2.2	4.1	2.5	0.00062	0.00113	0.00068	2.50	PASS
				40.00	2.1	2.2	2.8	0.00059	0.00061	0.00076	2.50	PASS
				50.00	2.7	2.6	2.7	0.00076	0.00072	0.00073	2.50	PASS
16QAM	25	0	48	-30.00	3.3	3.1	2.9	0.00093	0.00086	0.00078	2.50	PASS
				-20.00	3.2	3.4	2.8	0.00090	0.00094	0.00076	2.50	PASS
				-10.00	3	3.2	2.3	0.00084	0.00088	0.00062	2.50	PASS
				0.00	2.4	2.2	2.5	0.00068	0.00061	0.00068	2.50	PASS
				10.00	3.5	4.2	2.8	0.00099	0.00116	0.00076	2.50	PASS
				20.00	3.2	3.7	4.4	0.00090	0.00102	0.00119	2.50	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report and certificate, please contact us at telephone: (86-755) 8307 1443, or email: C.N.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

				30.00	3.2	4.3	3	0.00090	0.00119	0.00081	2.50	PASS
				40.00	2.1	2.4	2.6	0.00059	0.00066	0.00070	2.50	PASS
				50.00	2.3	2.6	2.5	0.00065	0.00072	0.00068	2.50	PASS
64QAM	25	0	48	-30.00	3.5	3.3	3.8	0.00099	0.00091	0.00103	2.50	PASS
				-20.00	3.6	3.5	3.6	0.00101	0.00097	0.00097	2.50	PASS
				-10.00	3.5	3.4	3.5	0.00099	0.00094	0.00095	2.50	PASS
				0.00	3.4	2	3.5	0.00096	0.00055	0.00095	2.50	PASS
				10.00	3.1	3.2	3.6	0.00087	0.00088	0.00097	2.50	PASS
				20.00	3.3	4	3.5	0.00093	0.00110	0.00095	2.50	PASS
				30.00	4.2	3.5	3.2	0.00118	0.00097	0.00087	2.50	PASS
				40.00	3.4	3.4	3.3	0.00096	0.00094	0.00089	2.50	PASS
256QAM	25	0	48	50.00	3.1	3.4	3.1	0.00087	0.00094	0.00084	2.50	PASS
				-30.00	3.7	3.4	3.8	0.00104	0.00094	0.00103	2.50	PASS
				-20.00	3.6	3.4	3.8	0.00101	0.00094	0.00103	2.50	PASS
				-10.00	3.5	4.4	2.8	0.00099	0.00121	0.00076	2.50	PASS
				0.00	3.1	3.3	4.3	0.00087	0.00091	0.00116	2.50	PASS
				10.00	3.3	3.5	2.2	0.00093	0.00097	0.00059	2.50	PASS
				20.00	3.4	3.3	3.1	0.00096	0.00091	0.00084	2.50	PASS
				30.00	3.7	3.9	4.1	0.00104	0.00108	0.00111	2.50	PASS
				40.00	3.6	3.2	3.4	0.00101	0.00088	0.00092	2.50	PASS
				50.00	3.5	3.6	3.1	0.00099	0.00099	0.00084	2.50	PASS

Test Band: 48 _ 10MHz Bandwidth (Frequency Error VS. Voltage)												
Test Mode	RB Allocation		Temp. (°C)	Volt. (Vdc)	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	25	0	20	38.4	4.0	4.3	3.7	0.00113	0.00119	0.00100	2.50	PASS
				48.0	3.1	2.2	3.7	0.00087	0.00061	0.00100	2.50	PASS
				57.6	2.4	3.4	2.2	0.00068	0.00094	0.00060	2.50	PASS
16QAM	25	0	20	38.4	4.4	2.7	3.8	0.00124	0.00074	0.00103	2.50	PASS
				48.0	2.4	4.4	3.5	0.00068	0.00121	0.00095	2.50	PASS
				57.6	4.3	3.8	3.2	0.00121	0.00105	0.00087	2.50	PASS
64QAM	25	0	20	38.4	3.0	2.3	3.8	0.00084	0.00063	0.00103	2.50	PASS
				48.0	4.3	3.4	2.7	0.00121	0.00094	0.00073	2.50	PASS
				57.6	3.7	3.7	2.6	0.00104	0.00102	0.00070	2.50	PASS
256QAM	25	0	20	38.4	4.3	2.4	2.7	0.00121	0.00066	0.00073	2.50	PASS
				48.0	2.3	3.9	3.3	0.00065	0.00108	0.00089	2.50	PASS
				57.6	2.4	2.5	2.2	0.00068	0.00069	0.00060	2.50	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report and certificate, please contact us at telephone: (86-755) 8307 1443, or email: C.N.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Band: 48 _ 10MHz Bandwidth (Frequency Error VS. Temperature)												
Test Mode	RB Allocation		Volt. (Vdc)	Temp. (°C)	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	25	0	48	-30.00	2.9	3.4	4.2	0.00082	0.00094	0.00114	2.50	PASS
				-20.00	2.9	3.5	4.1	0.00082	0.00097	0.00111	2.50	PASS
				-10.00	2.8	3.4	4.5	0.00079	0.00094	0.00122	2.50	PASS
				0.00	4.5	3.7	4.1	0.00127	0.00102	0.00111	2.50	PASS
				10.00	2.0	2.3	3.6	0.00056	0.00063	0.00097	2.50	PASS
				20.00	3.7	3.1	4.0	0.00104	0.00086	0.00108	2.50	PASS
				30.00	3.0	3.2	4.1	0.00084	0.00088	0.00111	2.50	PASS
				40.00	4.1	4.3	2.7	0.00115	0.00119	0.00073	2.50	PASS
				50.00	4.2	4.4	3.7	0.00118	0.00121	0.00100	2.50	PASS
16QAM	25	0	48	-30.00	4.2	3.7	3.8	0.00118	0.00102	0.00103	2.50	PASS
				-20.00	4.4	3.8	3.8	0.00124	0.00105	0.00103	2.50	PASS
				-10.00	4.3	3.7	3.9	0.00121	0.00102	0.00106	2.50	PASS
				0.00	3.1	3.3	4.3	0.00087	0.00091	0.00116	2.50	PASS
				10.00	3.3	4.0	2.8	0.00093	0.00110	0.00076	2.50	PASS
				20.00	3.1	3.9	3.3	0.00087	0.00108	0.00089	2.50	PASS
				30.00	4.3	3.1	2.7	0.00121	0.00086	0.00073	2.50	PASS
				40.00	3.0	3.9	2.5	0.00084	0.00108	0.00068	2.50	PASS
				50.00	3.0	3.9	2.5	0.00084	0.00108	0.00068	2.50	PASS
64QAM	25	0	48	-30.00	3.7	3.7	3.5	0.00104	0.00102	0.00095	2.50	PASS
				-20.00	3.4	2.7	2.9	0.00096	0.00074	0.00078	2.50	PASS
				-10.00	3.7	2.7	2.5	0.00104	0.00074	0.00068	2.50	PASS
				0.00	3.1	4.3	3.1	0.00087	0.00119	0.00084	2.50	PASS
				10.00	2.9	3.1	3.7	0.00082	0.00086	0.00100	2.50	PASS
				20.00	4.1	4.4	4.3	0.00115	0.00121	0.00116	2.50	PASS
				30.00	3.7	4.5	4.5	0.00104	0.00124	0.00122	2.50	PASS
				40.00	3.7	4.0	2.3	0.00104	0.00110	0.00062	2.50	PASS
				50.00	3.6	4.2	3.3	0.00101	0.00116	0.00089	2.50	PASS
256QAM	25	0	48	-30.00	2.8	3.8	2.9	0.00079	0.00105	0.00078	2.50	PASS
				-20.00	2.6	3.8	2.9	0.00073	0.00105	0.00078	2.50	PASS
				-10.00	2.7	3.8	2.7	0.00076	0.00105	0.00073	2.50	PASS
				0.00	2.4	2.7	2.0	0.00068	0.00074	0.00054	2.50	PASS
				10.00	3.2	2.3	3.0	0.00090	0.00063	0.00081	2.50	PASS
				20.00	3.1	2.1	2.5	0.00087	0.00058	0.00068	2.50	PASS
				30.00	3.5	2.1	4.2	0.00098	0.00058	0.00114	2.50	PASS
				40.00	3.4	4.5	3.3	0.00096	0.00124	0.00089	2.50	PASS
				50.00	3.6	4.1	3.6	0.00101	0.00113	0.00097	2.50	PASS



Test Band: 48 _ 15MHz Bandwidth (Frequency Error VS. Voltage)												
Test Mode	RB Allocation		Temp. (°C)	Volt. (Vdc)	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	25	0	20	38.4	4.4	2.6	2.3	0.00124	0.00072	0.00062	2.50	PASS
				48.0	3.4	3.4	2.4	0.00096	0.00094	0.00065	2.50	PASS
				57.6	2.3	3.0	3.7	0.00065	0.00083	0.00100	2.50	PASS
16QAM	25	0	20	38.4	4.2	2.1	2.5	0.00118	0.00058	0.00068	2.50	PASS
				48.0	2.8	4.4	3.0	0.00079	0.00121	0.00081	2.50	PASS
				57.6	3.1	4.0	2.5	0.00087	0.00110	0.00068	2.50	PASS
64QAM	25	0	20	38.4	3.9	2.0	4.0	0.00110	0.00055	0.00108	2.50	PASS
				48.0	2.8	3.9	3.2	0.00079	0.00108	0.00087	2.50	PASS
				57.6	2.7	2.8	2.0	0.00076	0.00077	0.00054	2.50	PASS
256QAM	25	0	20	38.4	2.0	2.6	2.7	0.00056	0.00072	0.00073	2.50	PASS
				48.0	2.6	2.0	3.3	0.00073	0.00055	0.00089	2.50	PASS
				57.6	3.6	4.4	3.3	0.00101	0.00121	0.00089	2.50	PASS

Test Band: 48 _ 15MHz Bandwidth (Frequency Error VS. Temperature)												
Test Mode	RB Allocation		Volt. (Vdc)	Temp. (°C)	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	25	0	48	-10.00	2.9	2.7	4.3	0.00082	0.00074	0.00116	2.50	PASS
				-10.00	2.9	2.7	4.3	0.00082	0.00074	0.00116	2.50	PASS
				-10.00	2.9	2.7	4.3	0.00082	0.00074	0.00116	2.50	PASS
				0.00	3.7	3.9	3.6	0.00104	0.00108	0.00097	2.50	PASS
				10.00	4.4	2.2	4.2	0.00124	0.00061	0.00114	2.50	PASS
				20.00	3.9	3.3	2.9	0.00110	0.00091	0.00079	2.50	PASS
				30.00	3.9	2.4	4.0	0.00110	0.00066	0.00108	2.50	PASS
				40.00	3.1	3.9	3.9	0.00087	0.00108	0.00106	2.50	PASS
				40.00	3.1	3.9	3.9	0.00087	0.00108	0.00106	2.50	PASS
16QAM	25	0	48	-30.00	4.2	3.5	3.0	0.00118	0.00097	0.00081	2.50	PASS
				-20.00	3.6	3.6	3.4	0.00101	0.00099	0.00092	2.50	PASS
				-10.00	3.2	3.8	3.4	0.00090	0.00105	0.00092	2.50	PASS
				0.00	2.3	2.0	4.3	0.00065	0.00055	0.00116	2.50	PASS
				10.00	4.2	2.9	3.6	0.00118	0.00080	0.00097	2.50	PASS
				20.00	3.8	3.9	4.2	0.00107	0.00108	0.00114	2.50	PASS
				30.00	2.4	3.8	3.6	0.00067	0.00105	0.00097	2.50	PASS
				40.00	2.3	3.8	2.4	0.00065	0.00105	0.00065	2.50	PASS
				50.00	2.2	3.1	3.2	0.00062	0.00086	0.00087	2.50	PASS
64QAM	25	0	48	-30.00	3.3	3.4	2.8	0.00093	0.00094	0.00076	2.50	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: C.N.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

				-20.00	3.2	3.3	2.9	0.00090	0.00091	0.00079	2.50	PASS
				-10.00	3.6	3.9	2.7	0.00101	0.00108	0.00073	2.50	PASS
				0.00	4.3	3.4	4.4	0.00121	0.00094	0.00119	2.50	PASS
				10.00	4.1	3.0	3.1	0.00115	0.00083	0.00084	2.50	PASS
				20.00	4.5	4.4	4.3	0.00126	0.00121	0.00116	2.50	PASS
				30.00	3.5	3.6	4.1	0.00098	0.00099	0.00111	2.50	PASS
				40.00	2.5	3.4	4.0	0.00070	0.00094	0.00108	2.50	PASS
				50.00	3.5	3.2	3.7	0.00098	0.00088	0.00100	2.50	PASS
256QAM	25	0	48	-30.00	2.6	3.4	3.6	0.00073	0.00094	0.00097	2.50	PASS
				-20.00	2.5	4.1	3.8	0.00070	0.00113	0.00103	2.50	PASS
				-10.00	2.3	3.4	3.6	0.00065	0.00094	0.00097	2.50	PASS
				0.00	2.2	4.2	2.0	0.00062	0.00116	0.00054	2.50	PASS
				10.00	3.1	3.7	3.6	0.00087	0.00102	0.00097	2.50	PASS
				20.00	4.1	3.4	2.5	0.00115	0.00094	0.00068	2.50	PASS
				30.00	2.7	3.8	2.5	0.00076	0.00105	0.00068	2.50	PASS
				40.00	2.6	2.5	4.3	0.00073	0.00069	0.00116	2.50	PASS
				50.00	2.8	3.6	3.2	0.00079	0.00099	0.00087	2.50	PASS

Test Band: 48 _ 20MHz Bandwidth (Frequency Error VS. Voltage)

Test Mode	RB Allocation		Temp. (°C)	Volt. (Vdc)	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	25	0	20	38.4	2.1	2.0	3.5	0.00059	0.00055	0.00095	2.50	PASS
				48.0	2.3	3.0	2.1	0.00065	0.00083	0.00057	2.50	PASS
				57.6	2.2	4.5	4.5	0.00062	0.00124	0.00122	2.50	PASS
16QAM	25	0	20	38.4	3.4	3.7	3.4	0.00096	0.00102	0.00092	2.50	PASS
				48.0	2.0	2.4	3.8	0.00056	0.00066	0.00103	2.50	PASS
				57.6	2.5	4.2	2.0	0.00070	0.00116	0.00054	2.50	PASS
64QAM	25	0	20	38.4	4.5	4.2	3.0	0.00127	0.00116	0.00081	2.50	PASS
				48.0	3.4	3.1	3.3	0.00096	0.00086	0.00089	2.50	PASS
				57.6	3.7	4.3	3.4	0.00104	0.00119	0.00092	2.50	PASS
256QAM	25	0	20	38.4	2.6	3.2	4.5	0.00073	0.00088	0.00122	2.50	PASS
				48.0	2.7	4.0	4.1	0.00076	0.00110	0.00111	2.50	PASS
				57.6	2.8	2.4	2.8	0.00079	0.00066	0.00076	2.50	PASS

Test Band: 48 _ 20MHz Bandwidth (Frequency Error VS. Temperature)

Test Mode	RB Allocation		Volt. (Vdc)	Temp. (°C)	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
QPSK	25	0	48	-30.00	3.6	3.6	3.5	0.00101	0.00099	0.00095	2.50	PASS
				-20.00	3.4	3.5	3.3	0.00096	0.00097	0.00089	2.50	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: C.N.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


				-10.00	3.7	3.6	3.8	0.00104	0.00099	0.00103	2.50	PASS
				0.00	2.9	2.2	2.3	0.00081	0.00061	0.00062	2.50	PASS
				10.00	4.2	3.7	3.4	0.00118	0.00102	0.00092	2.50	PASS
				20.00	3.4	2.9	3.7	0.00096	0.00080	0.00100	2.50	PASS
				30.00	3.0	3.8	2.5	0.00084	0.00105	0.00068	2.50	PASS
				40.00	2.4	3.4	2.9	0.00067	0.00094	0.00079	2.50	PASS
				50.00	2.6	3.1	2.8	0.00073	0.00086	0.00076	2.50	PASS
16QAM	25	0	48	-30.00	2.8	3.1	3.0	0.00079	0.00086	0.00081	2.50	PASS
				-20.00	2.5	3.1	3.2	0.00070	0.00086	0.00087	2.50	PASS
				-10.00	2.7	3.3	3.0	0.00076	0.00091	0.00081	2.50	PASS
				0.00	2.1	3.3	2.1	0.00059	0.00091	0.00057	2.50	PASS
				10.00	2.9	4.0	3.9	0.00081	0.00110	0.00106	2.50	PASS
				20.00	3.3	3.1	2.3	0.00093	0.00086	0.00062	2.50	PASS
				30.00	2.3	4.5	2.1	0.00065	0.00124	0.00057	2.50	PASS
				40.00	2.2	2.0	3.2	0.00062	0.00055	0.00087	2.50	PASS
64QAM	25	0	48	50.00	2.1	2.5	3.1	0.00059	0.00069	0.00084	2.50	PASS
				-30.00	4.2	2.5	2.7	0.00118	0.00069	0.00073	2.50	PASS
				-20.00	4.2	2.5	2.7	0.00118	0.00069	0.00073	2.50	PASS
				-10.00	4.2	2.5	2.7	0.00118	0.00069	0.00073	2.50	PASS
				0.00	3.4	3.8	2.5	0.00096	0.00105	0.00068	2.50	PASS
				10.00	2.1	4.0	3.7	0.00059	0.00110	0.00100	2.50	PASS
				20.00	3.9	2.4	2.3	0.00110	0.00066	0.00062	2.50	PASS
				30.00	2.5	2.0	2.1	0.00070	0.00055	0.00057	2.50	PASS
256QAM	25	0	48	40.00	2.0	2.1	2.6	0.00056	0.00058	0.00070	2.50	PASS
				50.00	2.2	2.0	2.8	0.00062	0.00055	0.00076	2.50	PASS
				-30.00	3.6	3.2	4.1	0.00101	0.00088	0.00111	2.50	PASS
				-20.00	3.5	3.3	3.7	0.00098	0.00091	0.00100	2.50	PASS
				-10.00	3.4	3.3	4.0	0.00096	0.00091	0.00108	2.50	PASS
				0.00	3.3	2.5	3.6	0.00093	0.00069	0.00098	2.50	PASS
				10.00	4.1	4.4	2.9	0.00115	0.00121	0.00079	2.50	PASS
				20.00	2.7	2.8	4.2	0.00076	0.00077	0.00114	2.50	PASS
				30.00	2.8	4.4	3.9	0.00079	0.00121	0.00106	2.50	PASS
				40.00	3.2	2.3	3.1	0.00090	0.00063	0.00084	2.50	PASS
				50.00	3.1	2.7	3.1	0.00087	0.00074	0.00084	2.50	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: C.N.Doccheck@sgs.com


8.2 Modulation Characteristics



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is deemed to have read, understood and accepted the Terms and Conditions of the Company and to have agreed to follow the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is strictly prohibited and may result in severe civil and criminal penalties. Any other results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Docheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com








Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is deemed to have read, understood and accepted the Terms and Conditions of the Company's General Conditions of Service and the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is strictly prohibited and may result in severe civil or criminal penalties. The results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Docheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


64QAM High channel



256QAM Low channel



256QAM Middle channel




256QAM High channel




LTE TDD Band 48, Nominal Bandwidth: 15MHz

QPSK Low channel




QPSK Middle channel






QPSK High channel




16QAM Low channel




16QAM Middle channel




16QAM High channel



64QAM Low channel




64QAM Middle channel



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: C.N.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com





Results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Docheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



- End of the Report -