

## Table of Contents


|     |                                  |     |
|-----|----------------------------------|-----|
| 1.  | RADIATED SPURIOUS EMISSIONS..... | 2   |
| 1.1 | GPRS/EGPRS, BLEOW 1GHZ .....     | 2   |
| 1.2 | GPRS/EGPRS, ABOVE 1GHZ .....     | 6   |
| 1.3 | EMTC, BLEOW 1GHZ.....            | 22  |
| 1.4 | EMTC, ABOVE 1GHZ .....           | 42  |
| 1.5 | NB-IOT, BLEOW 1GHZ.....          | 154 |
| 1.6 | NB-IOT, ABOVE 1GHZ .....         | 172 |

## 1. Radiated Spurious Emissions

### 1.1 GPRS/EGPRS, below 1GHz

#### EUT Information

|                |                          |
|----------------|--------------------------|
| EUT Name:      | Amazon Locker            |
| Model:         | ZL-ODIN-V1               |
| Test Mode:     | GSM850_EGPRS_Mid channel |
| Test Voltage:: | DC 6V                    |
| Remark:        | Temp 23 Humi:45%         |
| Test Standard: | FCC Part 22              |
| Tested By:     | Kei Zhang                |
| Reviewed By:   | Terry Yin                |




#### Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 37.517500       | -78.90        | -13.00      | 65.90       | 100.0       | H   | 129.0         | -113.9     |
| 244.733750      | -84.46        | -13.00      | 71.46       | 100.0       | H   | 218.0         | -110.0     |
| 426.851250      | -84.68        | -13.00      | 71.68       | 100.0       | H   | 348.0         | -110.3     |
| 826.370000      | -75.05        | -13.00      | 62.05       | 100.0       | H   | 98.0          | -100.8     |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: GSM850\_EGPRS\_Mid channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 22  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 93.898750       | -72.66        | -13.00      | 59.66       | 100.0       | V   | 226.0         | -100.3     |
| 326.698750      | -84.65        | -13.00      | 71.65       | 100.0       | V   | 137.0         | -112.1     |
| 823.945000      | -75.22        | -13.00      | 62.22       | 100.0       | V   | 137.0         | -102.0     |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: GSM1900\_EGPRS\_Mid channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 36.547500       | -77.93        | -13.00      | 64.93       | 100.0       | H   | 303.0         | -113.3     |
| 242.551250      | -85.01        | -13.00      | 72.01       | 100.0       | H   | 296.0         | -109.9     |
| 470.622500      | -82.65        | -13.00      | 69.65       | 100.0       | H   | 214.0         | -109.1     |
| 823.702500      | -74.08        | -13.00      | 61.08       | 100.0       | H   | 359.0         | -100.6     |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: GSM1900\_EGPRS\_Mid channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 94.141250       | -73.49        | -13.00      | 60.49       | 100.0       | V   | 352.0         | -99.8      |
| 341.491250      | -86.32        | -13.00      | 73.32       | 100.0       | V   | 237.0         | -111.1     |
| 579.383750      | -81.38        | -13.00      | 68.38       | 100.0       | V   | 305.0         | -106.7     |
| 867.958750      | -74.17        | -13.00      | 61.17       | 100.0       | V   | 2.0           | -99.7      |

## 1.2 GPRS/EGPRS, above 1GHz

### EUT Information

|                |                          |
|----------------|--------------------------|
| EUT Name:      | Amazon Locker            |
| Model:         | ZL-ODIN-V1               |
| Test Mode:     | GSM850_EGPRS_Mid channel |
| Test Voltage:: | DC 6V                    |
| Remark:        | Temp 23 Humi:45%         |
| Test Standard: | FCC Part 22              |
| Tested By:     | Kei Zhang                |
| Reviewed By:   | Terry Yin                |




### Critical\_Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1197.000000     | -44.18        | -13.00      | 31.18       | 100.0       | H   | 202.0         | -93.1      |
| 1673.500000     | -51.38        | -13.00      | 38.38       | 100.0       | H   | 196.0         | -92.5      |
| 2509.500000     | -44.78        | -13.00      | 31.78       | 100.0       | H   | 134.0         | -88.3      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: GSM850\_EGPRS\_Mid channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 22  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1673.000000     | -46.83        | -13.00      | 33.83       | 100.0       | V   | 197.0         | -92.2      |
| 2509.500000     | -42.15        | -13.00      | 29.15       | 100.0       | V   | 77.0          | -88.2      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: GSM850\_EGPRS\_Mid channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 22  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 6638.316667     | -52.53        | -13.00      | 39.53       | 100.0       | H   | 102.0         | -87.6      |



## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: GSM850\_EGPRS\_Mid channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 22  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 6677.050000     | -52.81        | -13.00      | 39.81       | 100.0       | V   | 71.0          | -87.9      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: GSM850\_GPRS\_Mid channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 22  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1196.000000     | -43.51        | -13.00      | 30.51       | 100.0       | H   | 158.0         | -93.1      |
| 1673.000000     | -50.12        | -13.00      | 37.12       | 100.0       | H   | 192.0         | -92.5      |
| 2510.000000     | -48.02        | -13.00      | 35.02       | 100.0       | H   | 47.0          | -88.3      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: GSM850\_GPRS\_Mid channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 22  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1673.000000     | -49.62        | -13.00      | 36.62       | 100.0       | V   | 353.0         | -92.2      |
| 2509.000000     | -45.19        | -13.00      | 32.19       | 100.0       | V   | 77.0          | -88.2      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: GSM850\_GPRS\_Mid channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 22  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 6588.150000     | -51.69        | -13.00      | 38.69       | 100.0       | H   | 92.0          | -87.6      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: GSM850\_GPRS\_Mid channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 22  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 6882.733333     | -53.74        | -13.00      | 40.74       | 100.0       | V   | 0.0           | -88.7      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: GSM1900\_EGPRS\_Mid channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1193.500000     | -50.86        | -13.00      | 37.86       | 100.0       | H   | 155.0         | -93.2      |
| 1597.500000     | -51.08        | -13.00      | 38.08       | 100.0       | H   | 230.0         | -92.7      |
| 5640.000000     | -35.60        | -13.00      | 22.60       | 100.0       | H   | 188.0         | -83.8      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: GSM1900\_EGPRS\_Mid channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1199.500000     | -48.85        | -13.00      | 35.85       | 100.0       | V   | 335.0         | -92.6      |
| 5640.000000     | -37.67        | -13.00      | 24.67       | 100.0       | V   | 197.0         | -83.8      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: GSM1900\_EGPRS\_Mid channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 13277.500000    | -46.36        | -13.00      | 33.36       | 100.0       | H   | 58.0          | -79.6      |



## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: GSM1900\_EGPRS\_Mid channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 12899.000000    | -45.63        | -13.00      | 32.63       | 100.0       | V   | 0.0           | -78.3      |

## EUT Information

|                |                          |
|----------------|--------------------------|
| EUT Name:      | Amazon Locker            |
| Model:         | ZL-ODIN-V1               |
| Test Mode:     | GSM1900_GPRS_Mid channel |
| Test Voltage:: | DC 6V                    |
| Remark:        | Temp 23 Humi:45%         |
| Test Standard: | FCC Part 24              |
| Tested By:     | Kei Zhang                |
| Reviewed By:   | Terry Yin                |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1196.500000     | -45.72        | -13.00      | 32.72       | 100.0       | H   | 154.0         | -93.1      |
| 5640.000000     | -37.88        | -13.00      | 24.88       | 100.0       | H   | 141.0         | -83.8      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: GSM1900\_GPRS\_Mid channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 5640.000000     | -32.84        | -13.00      | 19.84       | 100.0       | V   | 271.0         | -83.8      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: GSM1900\_GPRS\_Mid channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 12900.000000    | -45.68        | -13.00      | 32.68       | 100.0       | H   | 78.0          | -78.3      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: GSM1900\_GPRS\_Mid channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 12917.500000    | -45.85        | -13.00      | 32.85       | 100.0       | V   | 243.0         | -78.5      |

### 1.3 eMTC, below 1GHz

#### EUT Information

|                |                                           |
|----------------|-------------------------------------------|
| EUT Name:      | Amazon Locker                             |
| Model:         | ZL-ODIN-V1                                |
| Test Mode:     | eMTC_LTE Band 2_QPSK_1.4M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                     |
| Remark:        | Temp 23 Humi:45%                          |
| Test Standard: | FCC Part 24                               |
| Tested By:     | Kei Zhang                                 |
| Reviewed By:   | Terry Yin                                 |




#### Critical\_Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 36.668750       | -78.03        | -13.00      | 65.03       | 100.0       | H   | 178.0         | -113.4     |
| 244.491250      | -85.50        | -13.00      | 72.50       | 100.0       | H   | 170.0         | -110.0     |
| 624.973750      | -80.05        | -13.00      | 67.05       | 100.0       | H   | 346.0         | -105.3     |
| 821.035000      | -75.16        | -13.00      | 62.16       | 100.0       | H   | 233.0         | -100.5     |

## EUT Information

|                |                                           |
|----------------|-------------------------------------------|
| EUT Name:      | Amazon Locker                             |
| Model:         | ZL-ODIN-V1                                |
| Test Mode:     | eMTC_LTE Band 2_QPSK_1.4M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                     |
| Remark:        | Temp 23 Humi:45%                          |
| Test Standard: | FCC Part 24                               |
| Tested By:     | Kei Zhang                                 |
| Reviewed By:   | Terry Yin                                 |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 36.668750       | -90.13        | -13.00      | 77.13       | 100.0       | V   | 84.0          | -125.6     |
| 93.898750       | -73.61        | -13.00      | 60.61       | 100.0       | V   | 31.0          | -100.3     |
| 375.198750      | -84.49        | -13.00      | 71.49       | 100.0       | V   | 131.0         | -110.9     |
| 869.535000      | -74.77        | -13.00      | 61.77       | 100.0       | V   | 69.0          | -99.9      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 4\_QPSK\_1.4M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 35.941250       | -78.58        | -13.00      | 65.58       | 100.0       | H   | 165.0         | -113.6     |
| 242.308750      | -83.63        | -13.00      | 70.63       | 100.0       | H   | 20.0          | -110.0     |
| 637.947500      | -79.58        | -13.00      | 66.58       | 100.0       | H   | 180.0         | -104.6     |
| 853.408750      | -74.11        | -13.00      | 61.11       | 100.0       | H   | 141.0         | -99.2      |



## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 4\_QPSK\_1.4M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 94.262500       | -72.90        | -13.00      | 59.90       | 100.0       | V   | 101.0         | -99.7      |
| 376.775000      | -83.61        | -13.00      | 70.61       | 100.0       | V   | 350.0         | -110.9     |
| 862.987500      | -74.67        | -13.00      | 61.67       | 100.0       | V   | 93.0          | -99.7      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 5\_QPSK\_1.4M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 22  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 42.003750       | -78.23        | -13.00      | 65.23       | 100.0       | H   | 339.0         | -112.4     |
| 236.488750      | -85.31        | -13.00      | 72.31       | 100.0       | H   | 91.0          | -111.1     |
| 632.612500      | -79.24        | -13.00      | 66.24       | 100.0       | H   | 143.0         | -104.8     |
| 825.400000      | -74.85        | -13.00      | 61.85       | 100.0       | H   | 234.0         | -100.7     |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 5\_QPSK\_1.4M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 22  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 94.505000       | -73.64        | -13.00      | 60.64       | 100.0       | V   | 43.0          | -99.7      |
| 372.531250      | -84.64        | -13.00      | 71.64       | 100.0       | V   | 61.0          | -111.1     |
| 866.018750      | -73.83        | -13.00      | 60.83       | 100.0       | V   | 221.0         | -99.5      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 12\_QPSK\_1.4M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 35.941250       | -77.57        | -13.00      | 64.57       | 100.0       | H   | 175.0         | -113.6     |
| 238.550000      | -85.10        | -13.00      | 72.10       | 100.0       | H   | 76.0          | -110.7     |
| 627.883750      | -79.11        | -13.00      | 66.11       | 100.0       | H   | 229.0         | -105.1     |
| 859.592500      | -74.98        | -13.00      | 61.98       | 100.0       | H   | 343.0         | -99.5      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 12\_QPSK\_1.4M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 95.353750       | -73.34        | -13.00      | 60.34       | 100.0       | V   | 292.0         | -100.2     |
| 372.167500      | -84.57        | -13.00      | 71.57       | 100.0       | V   | 307.0         | -111.1     |
| 865.048750      | -74.98        | -13.00      | 61.98       | 100.0       | V   | 277.0         | -99.6      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 13\_QPSK\_5M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 36.547500       | -77.87        | -13.00      | 64.87       | 100.0       | H   | 250.0         | -113.3     |
| 237.216250      | -85.81        | -13.00      | 72.81       | 100.0       | H   | 89.0          | -111.0     |
| 819.701250      | -74.24        | -13.00      | 61.24       | 100.0       | H   | 352.0         | -100.5     |

## EUT Information

|                |                                          |
|----------------|------------------------------------------|
| EUT Name:      | Amazon Locker                            |
| Model:         | ZL-ODIN-V1                               |
| Test Mode:     | eMTC_LTE Band 13_QPSK_5M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                    |
| Remark:        | Temp 23 Humi:45%                         |
| Test Standard: | FCC Part 27                              |
| Tested By:     | Kei Zhang                                |
| Reviewed By:   | Terry Yin                                |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 41.276250       | -89.76        | -13.00      | 76.76       | 100.0       | V   | 139.0         | -123.5     |
| 94.990000       | -73.35        | -13.00      | 60.35       | 100.0       | V   | 16.0          | -99.8      |
| 314.210000      | -85.95        | -13.00      | 72.95       | 100.0       | V   | 181.0         | -111.3     |
| 868.807500      | -74.97        | -13.00      | 61.97       | 100.0       | V   | 255.0         | -99.8      |

## EUT Information

|                |                                            |
|----------------|--------------------------------------------|
| EUT Name:      | Amazon Locker                              |
| Model:         | ZL-ODIN-V1                                 |
| Test Mode:     | eMTC_LTE Band 25_QPSK_1.4M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                      |
| Remark:        | Temp 23 Humi:45%                           |
| Test Standard: | FCC Part 24                                |
| Tested By:     | Kei Zhang                                  |
| Reviewed By:   | Terry Yin                                  |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 36.547500       | -78.38        | -13.00      | 65.38       | 100.0       | H   | 71.0          | -113.3     |
| 243.400000      | -84.38        | -13.00      | 71.38       | 100.0       | H   | 354.0         | -109.9     |
| 862.502500      | -75.57        | -13.00      | 62.57       | 100.0       | H   | 223.0         | -99.8      |



## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 25\_QPSK\_1.4M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 95.475000       | -74.12        | -13.00      | 61.12       | 100.0       | V   | 251.0         | -100.4     |
| 376.775000      | -84.67        | -13.00      | 71.67       | 100.0       | V   | 0.0           | -110.9     |
| 862.987500      | -75.29        | -13.00      | 62.29       | 100.0       | V   | 295.0         | -99.7      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 26\_QPSK\_1.4M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 22  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 34.365000       | -78.88        | -13.00      | 65.88       | 100.0       | H   | 283.0         | -116.2     |
| 243.400000      | -84.87        | -13.00      | 71.87       | 100.0       | H   | 245.0         | -109.9     |
| 576.473750      | -80.93        | -13.00      | 67.93       | 100.0       | H   | 191.0         | -106.3     |
| 814.366250      | -75.17        | -13.00      | 62.17       | 100.0       | H   | 276.0         | -100.6     |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 26\_QPSK\_1.4M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 22  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 94.383750       | -73.15        | -13.00      | 60.15       | 100.0       | V   | 348.0         | -99.7      |
| 332.155000      | -85.26        | -13.00      | 72.26       | 100.0       | V   | 96.0          | -111.9     |
| 867.110000      | -74.64        | -13.00      | 61.64       | 100.0       | V   | 141.0         | -99.6      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 26\_QPSK\_1.4M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 90  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 36.790000       | -77.65        | -13.00      | 64.65       | 100.0       | H   | 351.0         | -113.4     |
| 243.521250      | -83.97        | -13.00      | 70.97       | 100.0       | H   | 24.0          | -110.0     |
| 869.171250      | -74.59        | -13.00      | 61.59       | 100.0       | H   | 0.0           | -100.4     |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 26\_QPSK\_1.4M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 90  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 95.353750       | -73.54        | -13.00      | 60.54       | 100.0       | V   | 17.0          | -100.2     |
| 326.698750      | -84.98        | -13.00      | 71.98       | 100.0       | V   | 290.0         | -112.1     |
| 864.927500      | -74.27        | -13.00      | 61.27       | 100.0       | V   | 336.0         | -99.6      |

## EUT Information

|                |                                            |
|----------------|--------------------------------------------|
| EUT Name:      | Amazon Locker                              |
| Model:         | ZL-ODIN-V1                                 |
| Test Mode:     | eMTC_LTE Band 66_QPSK_1.4M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                      |
| Remark:        | Temp 23 Humi:45%                           |
| Test Standard: | FCC Part 27                                |
| Tested By:     | Kei Zhang                                  |
| Reviewed By:   | Terry Yin                                  |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 36.062500       | -78.36        | -13.00      | 65.36       | 100.0       | H   | 91.0          | -113.5     |
| 244.248750      | -84.38        | -13.00      | 71.39       | 100.0       | H   | 270.0         | -110.0     |
| 869.413750      | -74.27        | -13.00      | 61.27       | 100.0       | H   | 225.0         | -100.4     |

## EUT Information

|                |                                            |
|----------------|--------------------------------------------|
| EUT Name:      | Amazon Locker                              |
| Model:         | ZL-ODIN-V1                                 |
| Test Mode:     | eMTC_LTE Band 66_QPSK_1.4M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                      |
| Remark:        | Temp 23 Humi:45%                           |
| Test Standard: | FCC Part 27                                |
| Tested By:     | Kei Zhang                                  |
| Reviewed By:   | Terry Yin                                  |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 94.020000       | -71.91        | -13.00      | 58.91       | 100.0       | V   | 76.0          | -100.0     |
| 379.200000      | -83.01        | -13.00      | 70.01       | 100.0       | V   | 51.0          | -111.0     |
| 867.352500      | -74.43        | -13.00      | 61.43       | 100.0       | V   | 231.0         | -99.6      |

## EUT Information

|                |                                          |
|----------------|------------------------------------------|
| EUT Name:      | Amazon Locker                            |
| Model:         | ZL-ODIN-V1                               |
| Test Mode:     | eMTC_LTE Band 85_QPSK_5M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                    |
| Remark:        | Temp 23 Humi:45%                         |
| Test Standard: | FCC Part 27                              |
| Tested By:     | Kei Zhang                                |
| Reviewed By:   | Terry Yin                                |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 36.668750       | -78.28        | -13.00      | 65.28       | 100.0       | H   | 226.0         | -113.4     |
| 244.612500      | -84.56        | -13.00      | 71.56       | 100.0       | H   | 42.0          | -110.0     |
| 817.640000      | -75.54        | -13.00      | 62.54       | 100.0       | H   | 42.0          | -100.4     |



## EUT Information

|                |                                          |
|----------------|------------------------------------------|
| EUT Name:      | Amazon Locker                            |
| Model:         | ZL-ODIN-V1                               |
| Test Mode:     | eMTC_LTE Band 85_QPSK_5M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                    |
| Remark:        | Temp 23 Humi:45%                         |
| Test Standard: | FCC Part 27                              |
| Tested By:     | Kei Zhang                                |
| Reviewed By:   | Terry Yin                                |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 36.911250       | -90.36        | -13.00      | 77.36       | 100.0       | V   | 322.0         | -125.7     |
| 95.111250       | -72.79        | -13.00      | 59.79       | 100.0       | V   | 158.0         | -99.8      |
| 378.351250      | -84.99        | -13.00      | 71.99       | 100.0       | V   | 141.0         | -111.0     |
| 863.715000      | -74.71        | -13.00      | 61.71       | 100.0       | V   | 272.0         | -99.7      |

## 1.4 eMTC, above 1GHz

### EUT Information

|                |                                           |
|----------------|-------------------------------------------|
| EUT Name:      | Amazon Locker                             |
| Model:         | ZL-ODIN-V1                                |
| Test Mode:     | eMTC_LTE Band 2_QPSK_1.4M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                     |
| Remark:        | Temp 24 Humi:47%                          |
| Test Standard: | FCC Part 24                               |
| Tested By:     | Kei Zhang                                 |
| Reviewed By:   | Terry Yin                                 |




### Critical\_Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 3755.000000     | -49.24        | -13.00      | 36.24       | 100.0       | H   | 36.0          | -86.6      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 2\_QPSK\_1.4M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 24 Humi:47%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1610.000000     | -48.01        | -13.00      | 35.01       | 100.0       | V   | 165.0         | -93.0      |
| 3759.000000     | -49.75        | -13.00      | 36.75       | 100.0       | V   | 355.0         | -86.9      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 2\_QPSK\_1.4M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 12897.000000    | -45.92        | -13.00      | 32.92       | 100.0       | H   | 108.0         | -78.4      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 2\_QPSK\_1.4M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 10549.000000    | -49.33        | -13.00      | 36.33       | 100.0       | V   | 281.0         | -82.3      |

## EUT Information

|                |                                         |
|----------------|-----------------------------------------|
| EUT Name:      | Amazon Locker                           |
| Model:         | ZL-ODIN-V1                              |
| Test Mode:     | eMTC_LTE Band 2_QPSK_5M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                   |
| Remark:        | Temp 24 Humi:47%                        |
| Test Standard: | FCC Part 24                             |
| Tested By:     | Kei Zhang                               |
| Reviewed By:   | Terry Yin                               |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1571.000000     | -45.24        | -13.00      | 32.24       | 100.0       | H   | 156.0         | -93.0      |
| 3766.000000     | -48.62        | -13.00      | 35.62       | 100.0       | H   | 337.0         | -86.6      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 2\_QPSK\_5M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 24 Humi:47%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1532.000000     | -47.77        | -13.00      | 34.77       | 100.0       | V   | 191.0         | -93.3      |
| 3763.500000     | -49.49        | -13.00      | 36.49       | 100.0       | V   | 124.0         | -87.0      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 2\_QPSK\_5M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 12102.500000    | -46.95        | -13.00      | 33.95       | 100.0       | H   | 76.0          | -80.7      |



## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 2\_QPSK\_5M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 13271.000000    | -45.72        | -13.00      | 32.72       | 100.0       | V   | 174.0         | -79.6      |

## EUT Information

|                |                                          |
|----------------|------------------------------------------|
| EUT Name:      | Amazon Locker                            |
| Model:         | ZL-ODIN-V1                               |
| Test Mode:     | eMTC_LTE Band 2_QPSK_20M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                    |
| Remark:        | Temp 24 Humi:47%                         |
| Test Standard: | FCC Part 24                              |
| Tested By:     | Kei Zhang                                |
| Reviewed By:   | Terry Yin                                |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1564.500000     | -47.69        | -13.00      | 34.69       | 100.0       | H   | 123.0         | -93.0      |
| 3768.500000     | -48.61        | -13.00      | 35.61       | 100.0       | H   | 135.0         | -86.6      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 2\_QPSK\_20M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 24 Humi:47%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 3754.000000     | -48.25        | -13.00      | 35.25       | 100.0       | V   | 146.0         | -86.9      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 2\_QPSK\_20M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 13256.000000    | -45.21        | -13.00      | 32.21       | 100.0       | H   | 339.0         | -79.4      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 2\_QPSK\_20M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 12906.500000    | -46.06        | -13.00      | 33.06       | 100.0       | V   | 165.0         | -78.3      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 4\_QPSK\_1.4M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 24 Humi:47%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1425.000000     | -42.54        | -13.00      | 29.54       | 100.0       | H   | 103.0         | -93.1      |
| 1732.000000     | -40.41        | -13.00      | 27.41       | 100.0       | H   | 182.0         | -91.4      |
| 3463.500000     | -47.67        | -13.00      | 34.67       | 100.0       | H   | 163.0         | -88.1      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 4\_QPSK\_1.4M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 24 Humi:47%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1732.000000     | -37.42        | -13.00      | 24.42       | 100.0       | V   | 169.0         | -91.6      |
| 2132.500000     | -40.42        | -13.00      | 27.42       | 100.0       | V   | 273.0         | -87.7      |
| 3463.500000     | -49.45        | -13.00      | 36.45       | 100.0       | V   | 44.0          | -87.8      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 4\_QPSK\_1.4M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 12934.000000    | -46.51        | -13.00      | 33.51       | 100.0       | H   | 121.0         | -78.7      |



## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 4\_QPSK\_1.4M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 12905.500000    | -46.37        | -13.00      | 33.37       | 100.0       | V   | 79.0          | -78.3      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 4\_QPSK\_5M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 24 Humi:47%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1462.000000     | -44.45        | -13.00      | 31.45       | 100.0       | H   | 159.0         | -93.2      |
| 1730.500000     | -37.21        | -13.00      | 24.21       | 100.0       | H   | 138.0         | -91.4      |
| 3455.500000     | -50.03        | -13.00      | 37.03       | 100.0       | H   | 291.0         | -88.0      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 4\_QPSK\_5M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 24 Humi:47%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1730.000000     | -39.72        | -13.00      | 26.72       | 100.0       | V   | 150.0         | -91.6      |
| 3460.000000     | -50.41        | -13.00      | 37.41       | 100.0       | V   | 38.0          | -87.7      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 4\_QPSK\_5M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 12952.500000    | -46.58        | -13.00      | 33.58       | 100.0       | H   | 5.0           | -78.9      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 4\_QPSK\_5M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 13249.500000    | -45.44        | -13.00      | 32.44       | 100.0       | V   | 306.0         | -79.5      |

## EUT Information

|                |                                          |
|----------------|------------------------------------------|
| EUT Name:      | Amazon Locker                            |
| Model:         | ZL-ODIN-V1                               |
| Test Mode:     | eMTC_LTE Band 4_QPSK_20M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                    |
| Remark:        | Temp 24 Humi:47%                         |
| Test Standard: | FCC Part 27                              |
| Tested By:     | Kei Zhang                                |
| Reviewed By:   | Terry Yin                                |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1416.500000     | -45.95        | -13.00      | 32.95       | 100.0       | H   | 247.0         | -92.5      |
| 1723.500000     | -34.35        | -13.00      | 21.35       | 100.0       | H   | 174.0         | -91.6      |
| 3448.500000     | -48.78        | -13.00      | 35.78       | 100.0       | H   | 128.0         | -87.9      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 4\_QPSK\_20M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 24 Humi:47%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1724.000000     | -36.64        | -13.00      | 23.64       | 100.0       | V   | 218.0         | -91.7      |
| 3448.000000     | -46.36        | -13.00      | 33.36       | 100.0       | V   | 54.0          | -87.6      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 4\_QPSK\_20M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 12893.000000    | -46.41        | -13.00      | 33.41       | 100.0       | H   | 125.0         | -78.5      |



## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 4\_QPSK\_20M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 12900.000000    | -46.58        | -13.00      | 33.58       | 100.0       | V   | 0.0           | -78.2      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 5\_QPSK\_1.4M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 22  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 2508.000000     | -44.71        | -13.00      | 31.71       | 100.0       | H   | 75.0          | -88.3      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 5\_QPSK\_1.4M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 22  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1671.500000     | -52.29        | -13.00      | 39.29       | 100.0       | V   | 335.0         | -92.2      |
| 2508.000000     | -45.46        | -13.00      | 32.46       | 100.0       | V   | 74.0          | -88.2      |

## EUT Information

|                |                                           |
|----------------|-------------------------------------------|
| EUT Name:      | Amazon Locker                             |
| Model:         | ZL-ODIN-V1                                |
| Test Mode:     | eMTC_LTE Band 5_QPSK_1.4M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                     |
| Remark:        | Temp 23 Humi:45%                          |
| Test Standard: | FCC Part 22                               |
| Tested By:     | Kei Zhang                                 |
| Reviewed By:   | Terry Yin                                 |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 6683.700000     | -52.80        | -13.00      | 39.80       | 100.0       | H   | 250.0         | -87.8      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 5\_QPSK\_1.4M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 22  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 6689.066667     | -53.45        | -13.00      | 40.45       | 100.0       | V   | 350.0         | -88.0      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 5\_QPSK\_5M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 22  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 2503.000000     | -43.72        | -13.00      | 30.72       | 100.0       | H   | 61.0          | -88.3      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 5\_QPSK\_5M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 22  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1723.500000     | -47.81        | -13.00      | 34.81       | 100.0       | V   | 343.0         | -91.7      |
| 2503.000000     | -43.83        | -13.00      | 30.83       | 100.0       | V   | 359.0         | -88.1      |

## EUT Information

|                |                                         |
|----------------|-----------------------------------------|
| EUT Name:      | Amazon Locker                           |
| Model:         | ZL-ODIN-V1                              |
| Test Mode:     | eMTC_LTE Band 5_QPSK_5M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                   |
| Remark:        | Temp 23 Humi:45%                        |
| Test Standard: | FCC Part 22                             |
| Tested By:     | Kei Zhang                               |
| Reviewed By:   | Terry Yin                               |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 6690.350000     | -53.80        | -13.00      | 40.80       | 100.0       | H   | 0.0           | -87.8      |



## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 5\_QPSK\_5M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 22  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 6679.383333     | -52.09        | -13.00      | 39.09       | 100.0       | V   | 170.0         | -88.0      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 5\_QPSK\_10M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 22  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1714.000000     | -46.13        | -13.00      | 33.13       | 100.0       | H   | 324.0         | -92.0      |
| 2496.500000     | -43.42        | -13.00      | 30.42       | 100.0       | H   | 13.0          | -88.2      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 5\_QPSK\_10M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 22  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1664.000000     | -52.51        | -13.00      | 39.51       | 100.0       | V   | 341.0         | -92.2      |
| 2496.500000     | -44.98        | -13.00      | 31.98       | 100.0       | V   | 0.0           | -88.0      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 5\_QPSK\_10M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 22  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 6697.000000     | -53.92        | -13.00      | 40.92       | 100.0       | H   | 0.0           | -87.9      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 5\_QPSK\_10M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 22  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 6684.166667     | -52.78        | -13.00      | 39.78       | 100.0       | V   | 330.0         | -88.0      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 12\_QPSK\_1.4M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1413.500000     | -52.23        | -13.00      | 39.23       | 100.0       | H   | 288.0         | -92.5      |
| 2121.000000     | -45.43        | -13.00      | 32.43       | 100.0       | H   | 55.0          | -88.6      |

## EUT Information

|                |                                            |
|----------------|--------------------------------------------|
| EUT Name:      | Amazon Locker                              |
| Model:         | ZL-ODIN-V1                                 |
| Test Mode:     | eMTC_LTE Band 12_QPSK_1.4M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                      |
| Remark:        | Temp 23 Humi:45%                           |
| Test Standard: | FCC Part 27                                |
| Tested By:     | Kei Zhang                                  |
| Reviewed By:   | Terry Yin                                  |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1413.500000     | -53.67        | -13.00      | 40.67       | 100.0       | V   | 127.0         | -92.9      |
| 2121.000000     | -45.02        | -13.00      | 32.02       | 100.0       | V   | 31.0          | -88.1      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 12\_QPSK\_1.4M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 7082.700000     | -52.90        | -13.00      | 39.90       | 100.0       | H   | 354.0         | -87.8      |



## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 12\_QPSK\_1.4M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 7073.600000     | -53.73        | -13.00      | 40.73       | 100.0       | V   | 327.0         | -87.8      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 12\_QPSK\_5M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1410.000000     | -49.43        | -13.00      | 36.43       | 100.0       | H   | 95.0          | -92.6      |
| 2115.500000     | -47.28        | -13.00      | 34.28       | 100.0       | H   | 81.0          | -88.8      |

## EUT Information

|                |                                          |
|----------------|------------------------------------------|
| EUT Name:      | Amazon Locker                            |
| Model:         | ZL-ODIN-V1                               |
| Test Mode:     | eMTC_LTE Band 12_QPSK_5M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                    |
| Remark:        | Temp 23 Humi:45%                         |
| Test Standard: | FCC Part 27                              |
| Tested By:     | Kei Zhang                                |
| Reviewed By:   | Terry Yin                                |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1410.500000     | -49.47        | -13.00      | 36.47       | 100.0       | V   | 97.0          | -92.8      |
| 1724.500000     | -48.53        | -13.00      | 35.53       | 100.0       | V   | 137.0         | -91.7      |
| 2115.500000     | -45.81        | -13.00      | 32.81       | 100.0       | V   | 322.0         | -88.3      |

## EUT Information

|                |                                          |
|----------------|------------------------------------------|
| EUT Name:      | Amazon Locker                            |
| Model:         | ZL-ODIN-V1                               |
| Test Mode:     | eMTC_LTE Band 12_QPSK_5M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                    |
| Remark:        | Temp 23 Humi:45%                         |
| Test Standard: | FCC Part 27                              |
| Tested By:     | Kei Zhang                                |
| Reviewed By:   | Terry Yin                                |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 7071.266667     | -54.85        | -13.00      | 41.85       | 100.0       | H   | 293.0         | -87.9      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 12\_QPSK\_5M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 7075.233333     | -54.30        | -13.00      | 41.30       | 100.0       | V   | 168.0         | -87.8      |

## EUT Information

|                |                                           |
|----------------|-------------------------------------------|
| EUT Name:      | Amazon Locker                             |
| Model:         | ZL-ODIN-V1                                |
| Test Mode:     | eMTC_LTE Band 12_QPSK_10M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                     |
| Remark:        | Temp 23 Humi:45%                          |
| Test Standard: | FCC Part 27                               |
| Tested By:     | Kei Zhang                                 |
| Reviewed By:   | Terry Yin                                 |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1406.500000     | -49.80        | -13.00      | 36.80       | 100.0       | H   | 114.0         | -92.7      |
| 2110.000000     | -48.28        | -13.00      | 35.28       | 100.0       | H   | 30.0          | -89.0      |

## EUT Information

|                |                                           |
|----------------|-------------------------------------------|
| EUT Name:      | Amazon Locker                             |
| Model:         | ZL-ODIN-V1                                |
| Test Mode:     | eMTC_LTE Band 12_QPSK_10M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                     |
| Remark:        | Temp 23 Humi:45%                          |
| Test Standard: | FCC Part 27                               |
| Tested By:     | Kei Zhang                                 |
| Reviewed By:   | Terry Yin                                 |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1406.000000     | -47.00        | -13.00      | 34.00       | 100.0       | V   | 83.0          | -92.7      |
| 2109.500000     | -45.51        | -13.00      | 32.51       | 100.0       | V   | 243.0         | -88.6      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 12\_QPSK\_10M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 7077.800000     | -54.73        | -13.00      | 41.73       | 100.0       | H   | 194.0         | -87.8      |



## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 12\_QPSK\_10M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 7071.733333     | -54.70        | -13.00      | 41.70       | 100.0       | V   | 359.0         | -87.8      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 13\_QPSK\_5M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 2339.500000     | -44.20        | -13.00      | 31.20       | 100.0       | H   | 96.0          | -87.6      |

## EUT Information

|                |                                          |
|----------------|------------------------------------------|
| EUT Name:      | Amazon Locker                            |
| Model:         | ZL-ODIN-V1                               |
| Test Mode:     | eMTC_LTE Band 13_QPSK_5M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                    |
| Remark:        | Temp 23 Humi:45%                         |
| Test Standard: | FCC Part 27                              |
| Tested By:     | Kei Zhang                                |
| Reviewed By:   | Terry Yin                                |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1559.500000     | -52.04        | -13.00      | 39.04       | 100.0       | V   | 5.0           | -92.9      |
| 2339.500000     | -42.61        | -13.00      | 29.61       | 100.0       | V   | 30.0          | -87.9      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 13\_QPSK\_5M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 7818.400000     | -54.66        | -13.00      | 41.66       | 100.0       | H   | 127.0         | -87.6      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 13\_QPSK\_5M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 7824.233333     | -55.23        | -13.00      | 42.23       | 100.0       | V   | 296.0         | -87.4      |

## EUT Information

|                |                                           |
|----------------|-------------------------------------------|
| EUT Name:      | Amazon Locker                             |
| Model:         | ZL-ODIN-V1                                |
| Test Mode:     | eMTC_LTE Band 13_QPSK_10M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                     |
| Remark:        | Temp 23 Humi:45%                          |
| Test Standard: | FCC Part 27                               |
| Tested By:     | Kei Zhang                                 |
| Reviewed By:   | Terry Yin                                 |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 2333.500000     | -47.10        | -13.00      | 34.10       | 100.0       | H   | 58.0          | -87.7      |
| 2653.500000     | -44.65        | -13.00      | 31.65       | 100.0       | H   | 109.0         | -88.1      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 13\_QPSK\_10M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 2333.500000     | -42.24        | -13.00      | 29.24       | 100.0       | V   | 7.0           | -88.0      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 13\_QPSK\_10M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 7823.183333     | -55.14        | -13.00      | 42.14       | 100.0       | H   | 69.0          | -87.5      |



## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 13\_QPSK\_10M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 7820.150000     | -55.50        | -13.00      | 42.50       | 100.0       | V   | 286.0         | -87.4      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 25\_QPSK\_1.4M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 24 Humi:47%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1536.500000     | -45.17        | -13.00      | 32.17       | 100.0       | H   | 66.0          | -92.7      |
| 3777.500000     | -48.75        | -13.00      | 35.75       | 100.0       | H   | 83.0          | -86.6      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 25\_QPSK\_1.4M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 24 Humi:47%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1537.000000     | -47.81        | -13.00      | 34.81       | 100.0       | V   | 160.0         | -93.1      |
| 3756.500000     | -49.10        | -13.00      | 36.10       | 100.0       | V   | 167.0         | -86.9      |

## EUT Information

|                |                                            |
|----------------|--------------------------------------------|
| EUT Name:      | Amazon Locker                              |
| Model:         | ZL-ODIN-V1                                 |
| Test Mode:     | eMTC_LTE Band 25_QPSK_1.4M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                      |
| Remark:        | Temp 23 Humi:45%                           |
| Test Standard: | FCC Part 24                                |
| Tested By:     | Kei Zhang                                  |
| Reviewed By:   | Terry Yin                                  |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 12921.500000    | -46.03        | -13.00      | 33.03       | 100.0       | H   | 184.0         | -78.6      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 25\_QPSK\_1.4M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 12970.500000    | -46.33        | -13.00      | 33.33       | 100.0       | V   | 343.0         | -79.1      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 25\_QPSK\_5M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 24 Humi:47%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1573.000000     | -48.07        | -13.00      | 35.07       | 100.0       | H   | 37.0          | -93.0      |
| 3753.000000     | -48.47        | -13.00      | 35.47       | 100.0       | H   | 327.0         | -86.6      |

## EUT Information

|                |                                          |
|----------------|------------------------------------------|
| EUT Name:      | Amazon Locker                            |
| Model:         | ZL-ODIN-V1                               |
| Test Mode:     | eMTC_LTE Band 25_QPSK_5M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                    |
| Remark:        | Temp 24 Humi:47%                         |
| Test Standard: | FCC Part 24                              |
| Tested By:     | Kei Zhang                                |
| Reviewed By:   | Terry Yin                                |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1611.500000     | -46.48        | -13.00      | 33.48       | 100.0       | V   | 147.0         | -93.0      |
| 3783.000000     | -49.65        | -13.00      | 36.65       | 100.0       | V   | 112.0         | -87.1      |

## EUT Information

|                |                                          |
|----------------|------------------------------------------|
| EUT Name:      | Amazon Locker                            |
| Model:         | ZL-ODIN-V1                               |
| Test Mode:     | eMTC_LTE Band 25_QPSK_5M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                    |
| Remark:        | Temp 23 Humi:45%                         |
| Test Standard: | FCC Part 24                              |
| Tested By:     | Kei Zhang                                |
| Reviewed By:   | Terry Yin                                |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 12875.500000    | -45.62        | -13.00      | 32.62       | 100.0       | H   | 264.0         | -78.8      |



## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 25\_QPSK\_5M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 12902.500000    | -46.03        | -13.00      | 33.03       | 100.0       | V   | 340.0         | -78.3      |

## EUT Information

|                |                                           |
|----------------|-------------------------------------------|
| EUT Name:      | Amazon Locker                             |
| Model:         | ZL-ODIN-V1                                |
| Test Mode:     | eMTC_LTE Band 25_QPSK_20M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                     |
| Remark:        | Temp 24 Humi:47%                          |
| Test Standard: | FCC Part 24                               |
| Tested By:     | Kei Zhang                                 |
| Reviewed By:   | Terry Yin                                 |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1528.500000     | -45.42        | -13.00      | 32.42       | 100.0       | H   | 139.0         | -92.8      |
| 3772.500000     | -48.98        | -13.00      | 35.98       | 100.0       | H   | 125.0         | -86.6      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 25\_QPSK\_20M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 24 Humi:47%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 3761.000000     | -49.21        | -13.00      | 36.21       | 100.0       | V   | 58.0          | -87.0      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 25\_QPSK\_20M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 13240.000000    | -46.34        | -13.00      | 33.34       | 100.0       | H   | 140.0         | -79.5      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 25\_QPSK\_20M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 12906.000000    | -46.12        | -13.00      | 33.12       | 100.0       | V   | 279.0         | -78.3      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 26\_QPSK\_1.4M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 24 Humi:47%  
Test Standard: FCC Part 22  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1656.500000     | -51.78        | -13.00      | 38.78       | 100.0       | H   | 191.0         | -92.6      |
| 2508.000000     | -43.16        | -13.00      | 30.16       | 100.0       | H   | 225.0         | -88.3      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 26\_QPSK\_1.4M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 24 Humi:47%  
Test Standard: FCC Part 22  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1666.500000     | -49.21        | -13.00      | 36.21       | 100.0       | V   | 287.0         | -92.2      |
| 2508.000000     | -44.41        | -13.00      | 31.41       | 100.0       | V   | 167.0         | -88.2      |

## EUT Information

|                |                                            |
|----------------|--------------------------------------------|
| EUT Name:      | Amazon Locker                              |
| Model:         | ZL-ODIN-V1                                 |
| Test Mode:     | eMTC_LTE Band 26_QPSK_1.4M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                      |
| Remark:        | Temp 24 Humi:47%                           |
| Test Standard: | FCC Part 22                                |
| Tested By:     | Kei Zhang                                  |
| Reviewed By:   | Terry Yin                                  |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 6674.483333     | -52.09        | -13.00      | 39.09       | 100.0       | H   | 111.0         | -87.7      |
| 8049.400000     | -54.12        | -13.00      | 41.12       | 100.0       | H   | 316.0         | -86.9      |



## EUT Information

|                |                                            |
|----------------|--------------------------------------------|
| EUT Name:      | Amazon Locker                              |
| Model:         | ZL-ODIN-V1                                 |
| Test Mode:     | eMTC_LTE Band 26_QPSK_1.4M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                      |
| Remark:        | Temp 24 Humi:47%                           |
| Test Standard: | FCC Part 22                                |
| Tested By:     | Kei Zhang                                  |
| Reviewed By:   | Terry Yin                                  |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 6680.550000     | -52.05        | -13.00      | 39.05       | 100.0       | V   | 125.0         | -88.0      |
| 8044.966667     | -53.92        | -13.00      | 40.92       | 100.0       | V   | 144.0         | -86.9      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 26\_QPSK\_5M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 24 Humi:47%  
Test Standard: FCC Part 22  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1668.500000     | -51.52        | -13.00      | 38.52       | 100.0       | H   | 141.0         | -92.6      |
| 2503.000000     | -43.54        | -13.00      | 30.54       | 100.0       | H   | 224.0         | -88.3      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 26\_QPSK\_5M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 24 Humi:47%  
Test Standard: FCC Part 22  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1668.000000     | -51.12        | -13.00      | 38.12       | 100.0       | V   | 112.0         | -92.2      |
| 2503.000000     | -44.17        | -13.00      | 31.17       | 100.0       | V   | 165.0         | -88.1      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 26\_QPSK\_5M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 24 Humi:47%  
Test Standard: FCC Part 22  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 6648.350000     | -52.28        | -13.00      | 39.28       | 100.0       | H   | 358.0         | -87.6      |
| 8060.716667     | -53.37        | -13.00      | 40.37       | 100.0       | H   | 36.0          | -86.8      |

## EUT Information

|                |                                          |
|----------------|------------------------------------------|
| EUT Name:      | Amazon Locker                            |
| Model:         | ZL-ODIN-V1                               |
| Test Mode:     | eMTC_LTE Band 26_QPSK_5M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                    |
| Remark:        | Temp 24 Humi:47%                         |
| Test Standard: | FCC Part 22                              |
| Tested By:     | Kei Zhang                                |
| Reviewed By:   | Terry Yin                                |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 6614.166667     | -52.77        | -13.00      | 39.77       | 100.0       | V   | 179.0         | -88.1      |
| 8070.283333     | -53.86        | -13.00      | 40.86       | 100.0       | V   | 29.0          | -86.7      |

## EUT Information

|                |                                           |
|----------------|-------------------------------------------|
| EUT Name:      | Amazon Locker                             |
| Model:         | ZL-ODIN-V1                                |
| Test Mode:     | eMTC_LTE Band 26_QPSK_15M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                     |
| Remark:        | Temp 24 Humi:47%                          |
| Test Standard: | FCC Part 22                               |
| Tested By:     | Kei Zhang                                 |
| Reviewed By:   | Terry Yin                                 |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1682.000000     | -45.68        | -13.00      | 32.68       | 100.0       | H   | 203.0         | -92.4      |
| 2490.000000     | -42.65        | -13.00      | 29.65       | 100.0       | H   | 195.0         | -88.1      |

## EUT Information

|                |                                           |
|----------------|-------------------------------------------|
| EUT Name:      | Amazon Locker                             |
| Model:         | ZL-ODIN-V1                                |
| Test Mode:     | eMTC_LTE Band 26_QPSK_15M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                     |
| Remark:        | Temp 24 Humi:47%                          |
| Test Standard: | FCC Part 22                               |
| Tested By:     | Kei Zhang                                 |
| Reviewed By:   | Terry Yin                                 |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1660.000000     | -48.51        | -13.00      | 35.51       | 100.0       | V   | 172.0         | -92.3      |
| 2490.000000     | -46.16        | -13.00      | 33.16       | 100.0       | V   | 207.0         | -88.0      |

## EUT Information

|                |                                           |
|----------------|-------------------------------------------|
| EUT Name:      | Amazon Locker                             |
| Model:         | ZL-ODIN-V1                                |
| Test Mode:     | eMTC_LTE Band 26_QPSK_15M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                     |
| Remark:        | Temp 24 Humi:47%                          |
| Test Standard: | FCC Part 22                               |
| Tested By:     | Kei Zhang                                 |
| Reviewed By:   | Terry Yin                                 |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 6510.450000     | -51.79        | -13.00      | 38.79       | 100.0       | H   | 218.0         | -87.6      |
| 8009.500000     | -53.71        | -13.00      | 40.71       | 100.0       | H   | 324.0         | -87.6      |



## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 26\_QPSK\_15M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 24 Humi:47%  
Test Standard: FCC Part 22  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 6565.633333     | -52.28        | -13.00      | 39.28       | 100.0       | V   | 30.0          | -87.4      |
| 8051.966667     | -53.55        | -13.00      | 40.55       | 100.0       | V   | 264.0         | -86.8      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 26\_QPSK\_1.4M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 24 Humi:47%  
Test Standard: FCC Part 90  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1636.500000     | -50.25        | -13.00      | 37.25       | 100.0       | H   | 63.0          | -92.6      |
| 2455.500000     | -42.03        | -13.00      | 29.03       | 100.0       | H   | 198.0         | -87.9      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 26\_QPSK\_1.4M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 24 Humi:47%  
Test Standard: FCC Part 90  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1665.500000     | -48.16        | -13.00      | 35.16       | 100.0       | V   | 285.0         | -92.2      |
| 2455.000000     | -46.54        | -13.00      | 33.54       | 100.0       | V   | 143.0         | -88.1      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 26\_QPSK\_1.4M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 24 Humi:47%  
Test Standard: FCC Part 90  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 6639.833333     | -51.94        | -13.00      | 38.94       | 100.0       | H   | 342.0         | -87.6      |
| 8053.950000     | -53.98        | -13.00      | 40.98       | 100.0       | H   | 315.0         | -86.9      |

## EUT Information

|                |                                            |
|----------------|--------------------------------------------|
| EUT Name:      | Amazon Locker                              |
| Model:         | ZL-ODIN-V1                                 |
| Test Mode:     | eMTC_LTE Band 26_QPSK_1.4M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                      |
| Remark:        | Temp 24 Humi:47%                           |
| Test Standard: | FCC Part 90                                |
| Tested By:     | Kei Zhang                                  |
| Reviewed By:   | Terry Yin                                  |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 6576.483333     | -52.76        | -13.00      | 39.76       | 100.0       | V   | 263.0         | -87.6      |
| 8078.566667     | -54.21        | -13.00      | 41.21       | 100.0       | V   | 307.0         | -86.7      |

## EUT Information

|                |                                          |
|----------------|------------------------------------------|
| EUT Name:      | Amazon Locker                            |
| Model:         | ZL-ODIN-V1                               |
| Test Mode:     | eMTC_LTE Band 26_QPSK_5M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                    |
| Remark:        | Temp 24 Humi:47%                         |
| Test Standard: | FCC Part 90                              |
| Tested By:     | Kei Zhang                                |
| Reviewed By:   | Terry Yin                                |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1633.000000     | -49.60        | -13.00      | 36.60       | 100.0       | H   | 151.0         | -92.7      |
| 2450.500000     | -42.74        | -13.00      | 29.74       | 100.0       | H   | 212.0         | -87.8      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 26\_QPSK\_5M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 24 Humi:47%  
Test Standard: FCC Part 90  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1664.000000     | -48.53        | -13.00      | 35.53       | 100.0       | V   | 278.0         | -92.2      |
| 2450.500000     | -42.28        | -13.00      | 29.28       | 100.0       | V   | 193.0         | -88.1      |

## EUT Information

|                |                                          |
|----------------|------------------------------------------|
| EUT Name:      | Amazon Locker                            |
| Model:         | ZL-ODIN-V1                               |
| Test Mode:     | eMTC_LTE Band 26_QPSK_5M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                    |
| Remark:        | Temp 24 Humi:47%                         |
| Test Standard: | FCC Part 90                              |
| Tested By:     | Kei Zhang                                |
| Reviewed By:   | Terry Yin                                |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 6543.350000     | -52.31        | -13.00      | 39.31       | 100.0       | H   | 119.0         | -87.4      |
| 8033.766667     | -52.92        | -13.00      | 39.92       | 100.0       | H   | 236.0         | -87.2      |



## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 26\_QPSK\_5M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 24 Humi:47%  
Test Standard: FCC Part 90  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 6528.533333     | -51.74        | -13.00      | 38.74       | 100.0       | V   | 13.0          | -87.5      |
| 8069.583333     | -52.45        | -13.00      | 39.45       | 100.0       | V   | 76.0          | -86.7      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 26\_QPSK\_10M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 24 Humi:47%  
Test Standard: FCC Part 90  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1629.500000     | -49.98        | -13.00      | 36.98       | 100.0       | H   | 136.0         | -92.9      |
| 2444.500000     | -41.73        | -13.00      | 28.73       | 100.0       | H   | 189.0         | -87.8      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 26\_QPSK\_10M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 24 Humi:47%  
Test Standard: FCC Part 90  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1630.000000     | -50.15        | -13.00      | 37.15       | 100.0       | V   | 127.0         | -92.6      |
| 2444.000000     | -42.02        | -13.00      | 29.02       | 100.0       | V   | 194.0         | -88.1      |

## EUT Information

|                |                                           |
|----------------|-------------------------------------------|
| EUT Name:      | Amazon Locker                             |
| Model:         | ZL-ODIN-V1                                |
| Test Mode:     | eMTC_LTE Band 26_QPSK_10M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                     |
| Remark:        | Temp 24 Humi:47%                          |
| Test Standard: | FCC Part 90                               |
| Tested By:     | Kei Zhang                                 |
| Reviewed By:   | Terry Yin                                 |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 6538.683333     | -52.49        | -13.00      | 39.49       | 100.0       | H   | 84.0          | -87.4      |
| 8038.083333     | -53.14        | -13.00      | 40.14       | 100.0       | H   | 0.0           | -87.1      |

## EUT Information

|                |                                           |
|----------------|-------------------------------------------|
| EUT Name:      | Amazon Locker                             |
| Model:         | ZL-ODIN-V1                                |
| Test Mode:     | eMTC_LTE Band 26_QPSK_10M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                     |
| Remark:        | Temp 24 Humi:47%                          |
| Test Standard: | FCC Part 90                               |
| Tested By:     | Kei Zhang                                 |
| Reviewed By:   | Terry Yin                                 |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 6902.450000     | -51.83        | -13.00      | 38.83       | 100.0       | V   | 157.0         | -88.6      |
| 8090.816667     | -52.73        | -13.00      | 39.73       | 100.0       | V   | 230.0         | -86.7      |

## EUT Information

|                |                                            |
|----------------|--------------------------------------------|
| EUT Name:      | Amazon Locker                              |
| Model:         | ZL-ODIN-V1                                 |
| Test Mode:     | eMTC_LTE Band 66_QPSK_1.4M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                      |
| Remark:        | Temp 24 Humi:47%                           |
| Test Standard: | FCC Part 27                                |
| Tested By:     | Kei Zhang                                  |
| Reviewed By:   | Terry Yin                                  |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1437.500000     | -45.63        | -13.00      | 32.63       | 100.0       | H   | 34.0          | -93.6      |
| 1744.500000     | -47.72        | -13.00      | 34.72       | 100.0       | H   | 132.0         | -91.5      |
| 3481.500000     | -48.81        | -13.00      | 35.81       | 100.0       | H   | 217.0         | -87.8      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 66\_QPSK\_1.4M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 24 Humi:47%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1436.500000     | -49.59        | -13.00      | 36.59       | 100.0       | V   | 133.0         | -93.7      |
| 1744.500000     | -48.51        | -13.00      | 35.51       | 100.0       | V   | 185.0         | -91.6      |
| 3489.000000     | -48.51        | -13.00      | 35.51       | 100.0       | V   | 172.0         | -87.7      |

## EUT Information

|                |                                            |
|----------------|--------------------------------------------|
| EUT Name:      | Amazon Locker                              |
| Model:         | ZL-ODIN-V1                                 |
| Test Mode:     | eMTC_LTE Band 66_QPSK_1.4M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                      |
| Remark:        | Temp 23 Humi:45%                           |
| Test Standard: | FCC Part 27                                |
| Tested By:     | Kei Zhang                                  |
| Reviewed By:   | Terry Yin                                  |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 12890.000000    | -45.09        | -13.00      | 32.09       | 100.0       | H   | 32.0          | -78.5      |



## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 66\_QPSK\_1.4M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 12894.500000    | -45.58        | -13.00      | 32.58       | 100.0       | V   | 201.0         | -78.4      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 66\_QPSK\_5M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 24 Humi:47%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1591.000000     | -47.01        | -13.00      | 34.01       | 100.0       | H   | 159.0         | -92.7      |
| 1742.500000     | -47.82        | -13.00      | 34.82       | 100.0       | H   | 243.0         | -91.5      |
| 3485.000000     | -48.68        | -13.00      | 35.68       | 100.0       | H   | 153.0         | -87.8      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 66\_QPSK\_5M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 24 Humi:47%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 3485.500000     | -47.50        | -13.00      | 34.50       | 100.0       | V   | 183.0         | -87.7      |

## EUT Information

|                |                                          |
|----------------|------------------------------------------|
| EUT Name:      | Amazon Locker                            |
| Model:         | ZL-ODIN-V1                               |
| Test Mode:     | eMTC_LTE Band 66_QPSK_5M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                    |
| Remark:        | Temp 23 Humi:45%                         |
| Test Standard: | FCC Part 27                              |
| Tested By:     | Kei Zhang                                |
| Reviewed By:   | Terry Yin                                |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 12918.500000    | -45.79        | -13.00      | 32.79       | 100.0       | H   | 295.0         | -78.5      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 66\_QPSK\_5M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 13251.000000    | -45.85        | -13.00      | 32.85       | 100.0       | V   | 281.0         | -79.5      |

## EUT Information

|                |                                           |
|----------------|-------------------------------------------|
| EUT Name:      | Amazon Locker                             |
| Model:         | ZL-ODIN-V1                                |
| Test Mode:     | eMTC_LTE Band 66_QPSK_20M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                     |
| Remark:        | Temp 24 Humi:47%                          |
| Test Standard: | FCC Part 27                               |
| Tested By:     | Kei Zhang                                 |
| Reviewed By:   | Terry Yin                                 |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1429.000000     | -44.70        | -13.00      | 31.70       | 100.0       | H   | 78.0          | -93.4      |
| 1736.500000     | -40.85        | -13.00      | 27.85       | 100.0       | H   | 132.0         | -91.4      |
| 3490.500000     | -50.30        | -13.00      | 37.30       | 100.0       | H   | 159.0         | -87.6      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 66\_QPSK\_20M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 24 Humi:47%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1736.000000     | -42.24        | -13.00      | 29.24       | 100.0       | V   | 177.0         | -91.6      |
| 3501.000000     | -48.55        | -13.00      | 35.55       | 100.0       | V   | 0.0           | -87.6      |

## EUT Information

|                |                                           |
|----------------|-------------------------------------------|
| EUT Name:      | Amazon Locker                             |
| Model:         | ZL-ODIN-V1                                |
| Test Mode:     | eMTC_LTE Band 66_QPSK_20M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                     |
| Remark:        | Temp 23 Humi:45%                          |
| Test Standard: | FCC Part 27                               |
| Tested By:     | Kei Zhang                                 |
| Reviewed By:   | Terry Yin                                 |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 12893.500000    | -46.26        | -13.00      | 33.26       | 100.0       | H   | 26.0          | -78.4      |



## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 66\_QPSK\_20M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 12854.500000    | -46.29        | -13.00      | 33.29       | 100.0       | V   | 106.0         | -79.3      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 85\_QPSK\_5M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1409.500000     | -47.25        | -13.00      | 34.25       | 100.0       | H   | 23.0          | -92.7      |
| 1714.500000     | -47.48        | -13.00      | 34.48       | 100.0       | H   | 244.0         | -92.0      |
| 2114.500000     | -45.24        | -13.00      | 32.24       | 100.0       | H   | 49.0          | -88.8      |

## EUT Information

|                |                                          |
|----------------|------------------------------------------|
| EUT Name:      | Amazon Locker                            |
| Model:         | ZL-ODIN-V1                               |
| Test Mode:     | eMTC_LTE Band 85_QPSK_5M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                    |
| Remark:        | Temp 23 Humi:45%                         |
| Test Standard: | FCC Part 27                              |
| Tested By:     | Kei Zhang                                |
| Reviewed By:   | Terry Yin                                |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1409.500000     | -48.71        | -13.00      | 35.71       | 100.0       | V   | 86.0          | -92.8      |
| 2114.500000     | -44.43        | -13.00      | 31.43       | 100.0       | V   | 346.0         | -88.4      |

## EUT Information

|                |                                          |
|----------------|------------------------------------------|
| EUT Name:      | Amazon Locker                            |
| Model:         | ZL-ODIN-V1                               |
| Test Mode:     | eMTC_LTE Band 85_QPSK_5M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                    |
| Remark:        | Temp 23 Humi:45%                         |
| Test Standard: | FCC Part 27                              |
| Tested By:     | Kei Zhang                                |
| Reviewed By:   | Terry Yin                                |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 7073.366667     | -53.07        | -13.00      | 40.07       | 100.0       | H   | 316.0         | -87.9      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 85\_QPSK\_5M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 7069.166667     | -54.26        | -13.00      | 41.26       | 100.0       | V   | 275.0         | -87.9      |

## EUT Information

|                |                                           |
|----------------|-------------------------------------------|
| EUT Name:      | Amazon Locker                             |
| Model:         | ZL-ODIN-V1                                |
| Test Mode:     | eMTC_LTE Band 85_QPSK_10M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                     |
| Remark:        | Temp 23 Humi:45%                          |
| Test Standard: | FCC Part 27                               |
| Tested By:     | Kei Zhang                                 |
| Reviewed By:   | Terry Yin                                 |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1405.000000     | -49.66        | -13.00      | 36.66       | 100.0       | H   | 140.0         | -92.8      |
| 2108.000000     | -43.59        | -13.00      | 30.59       | 100.0       | H   | 47.0          | -89.0      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 85\_QPSK\_10M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1405.000000     | -51.89        | -13.00      | 38.89       | 100.0       | V   | 349.0         | -92.7      |
| 2108.500000     | -45.88        | -13.00      | 32.88       | 100.0       | V   | 23.0          | -88.6      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: eMTC\_LTE Band 85\_QPSK\_10M\_Mid channel\_1RB  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 7071.966667     | -53.90        | -13.00      | 40.90       | 100.0       | H   | 119.0         | -87.9      |



## EUT Information

|                |                                           |
|----------------|-------------------------------------------|
| EUT Name:      | Amazon Locker                             |
| Model:         | ZL-ODIN-V1                                |
| Test Mode:     | eMTC_LTE Band 85_QPSK_10M_Mid channel_1RB |
| Test Voltage:: | DC 6V                                     |
| Remark:        | Temp 23 Humi:45%                          |
| Test Standard: | FCC Part 27                               |
| Tested By:     | Kei Zhang                                 |
| Reviewed By:   | Terry Yin                                 |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 7077.450000     | -53.71        | -13.00      | 40.71       | 100.0       | V   | 326.0         | -87.8      |

## 1.5 NB-IoT, bleow 1GHz

### EUT Information

|                |                                       |
|----------------|---------------------------------------|
| EUT Name:      | Amazon Locker                         |
| Model:         | ZL-ODIN-V1                            |
| Test Mode:     | NB-IOT_Band 2_3.75k_BPSK_High channel |
| Test Voltage:: | DC 6V                                 |
| Remark:        | Temp 23 Humi:45%                      |
| Test Standard: | FCC Part 24                           |
| Tested By:     | Kei Zhang                             |
| Reviewed By:   | Terry Yin                             |




### Critical\_Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 41.640000       | -77.18        | -13.00      | 64.18       | 100.0       | H   | 213.0         | -112.3     |
| 244.491250      | -84.63        | -13.00      | 71.63       | 100.0       | H   | 302.0         | -110.0     |
| 426.366250      | -84.11        | -13.00      | 71.11       | 100.0       | H   | 273.0         | -110.3     |
| 847.225000      | -75.38        | -13.00      | 62.39       | 100.0       | H   | 72.0          | -99.4      |

## EUT Information

|                |                                       |
|----------------|---------------------------------------|
| EUT Name:      | Amazon Locker                         |
| Model:         | ZL-ODIN-V1                            |
| Test Mode:     | NB-IOT_Band 2_3.75k_BPSK_High channel |
| Test Voltage:: | DC 6V                                 |
| Remark:        | Temp 23 Humi:45%                      |
| Test Standard: | FCC Part 24                           |
| Tested By:     | Kei Zhang                             |
| Reviewed By:   | Terry Yin                             |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 94.868750       | -74.35        | -13.00      | 61.35       | 100.0       | V   | 190.0         | -99.8      |
| 322.697500      | -85.90        | -13.00      | 72.90       | 100.0       | V   | 84.0          | -111.9     |
| 728.763750      | -76.02        | -13.00      | 63.02       | 100.0       | V   | 226.0         | -103.2     |

## EUT Information

|                |                                       |
|----------------|---------------------------------------|
| EUT Name:      | Amazon Locker                         |
| Model:         | ZL-ODIN-V1                            |
| Test Mode:     | NB-IOT_Band 4_3.75k_BPSK_High channel |
| Test Voltage:: | DC 6V                                 |
| Remark:        | Temp 23 Humi:45%                      |
| Test Standard: | FCC Part 27                           |
| Tested By:     | Kei Zhang                             |
| Reviewed By:   | Terry Yin                             |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 35.941250       | -79.31        | -13.00      | 66.31       | 100.0       | H   | 37.0          | -113.6     |
| 244.491250      | -84.89        | -13.00      | 71.89       | 100.0       | H   | 211.0         | -110.0     |
| 857.531250      | -74.30        | -13.00      | 61.30       | 100.0       | H   | 143.0         | -99.3      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: NB-IOT\_Band 4\_3.75k\_BPSK\_High channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 41.276250       | -89.88        | -13.00      | 76.88       | 100.0       | V   | 342.0         | -123.5     |
| 94.141250       | -74.19        | -13.00      | 61.19       | 100.0       | V   | 103.0         | -99.8      |
| 382.958750      | -85.08        | -13.00      | 72.08       | 100.0       | V   | 0.0           | -110.9     |
| 866.867500      | -74.19        | -13.00      | 61.19       | 100.0       | V   | 71.0          | -99.5      |

## EUT Information

|                |                                       |
|----------------|---------------------------------------|
| EUT Name:      | Amazon Locker                         |
| Model:         | ZL-ODIN-V1                            |
| Test Mode:     | NB-IOT_Band 5_3.75k_BPSK_High channel |
| Test Voltage:: | DC 6V                                 |
| Remark:        | Temp 23 Humi:45%                      |
| Test Standard: | FCC Part 22                           |
| Tested By:     | Kei Zhang                             |
| Reviewed By:   | Terry Yin                             |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 36.426250       | -79.66        | -13.00      | 66.66       | 100.0       | H   | 285.0         | -113.4     |
| 236.367500      | -84.52        | -13.00      | 71.52       | 100.0       | H   | 192.0         | -111.2     |
| 634.188750      | -79.11        | -13.00      | 66.11       | 100.0       | H   | 161.0         | -104.7     |
| 823.945000      | -75.39        | -13.00      | 62.39       | 100.0       | H   | 0.0           | -100.6     |

## EUT Information

|                |                                       |
|----------------|---------------------------------------|
| EUT Name:      | Amazon Locker                         |
| Model:         | ZL-ODIN-V1                            |
| Test Mode:     | NB-IOT_Band 5_3.75k_BPSK_High channel |
| Test Voltage:: | DC 6V                                 |
| Remark:        | Temp 23 Humi:45%                      |
| Test Standard: | FCC Part 22                           |
| Tested By:     | Kei Zhang                             |
| Reviewed By:   | Terry Yin                             |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 35.820000       | -90.45        | -13.00      | 77.45       | 100.0       | V   | 102.0         | -126.0     |
| 93.777500       | -73.59        | -13.00      | 60.59       | 100.0       | V   | 102.0         | -100.5     |
| 379.321250      | -84.81        | -13.00      | 71.81       | 100.0       | V   | 18.0          | -111.0     |
| 865.776250      | -73.44        | -13.00      | 60.44       | 100.0       | V   | 79.0          | -99.5      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: NB-IOT\_Band 12\_3.75k\_BPSK\_High channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 42.003750       | -78.84        | -13.00      | 65.84       | 100.0       | H   | 137.0         | -112.4     |
| 243.521250      | -84.24        | -13.00      | 71.24       | 100.0       | H   | 278.0         | -110.0     |
| 635.158750      | -79.25        | -13.00      | 66.25       | 100.0       | H   | 4.0           | -104.7     |
| 817.518750      | -74.50        | -13.00      | 61.50       | 100.0       | H   | 161.0         | -100.4     |



## EUT Information

|                |                                        |
|----------------|----------------------------------------|
| EUT Name:      | Amazon Locker                          |
| Model:         | ZL-ODIN-V1                             |
| Test Mode:     | NB-IOT_Band 12_3.75k_BPSK_High channel |
| Test Voltage:: | DC 6V                                  |
| Remark:        | Temp 23 Humi:45%                       |
| Test Standard: | FCC Part 27                            |
| Tested By:     | Kei Zhang                              |
| Reviewed By:   | Terry Yin                              |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 94.626250       | -73.52        | -13.00      | 60.52       | 100.0       | V   | 0.0           | -99.7      |
| 377.381250      | -84.96        | -13.00      | 71.96       | 100.0       | V   | 185.0         | -110.9     |
| 582.778750      | -80.45        | -13.00      | 67.45       | 100.0       | V   | 0.0           | -106.4     |
| 874.021250      | -74.48        | -13.00      | 61.48       | 100.0       | V   | 170.0         | -100.7     |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: NB-IOT\_Band 13\_3.75k\_BPSK\_High channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 35.941250       | -77.80        | -13.00      | 64.80       | 100.0       | H   | 24.0          | -113.6     |
| 243.521250      | -83.68        | -13.00      | 70.68       | 100.0       | H   | 205.0         | -110.0     |
| 821.156250      | -75.05        | -13.00      | 62.05       | 100.0       | H   | 234.0         | -100.5     |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: NB-IOT\_Band 13\_3.75k\_BPSK\_High channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 94.141250       | -73.31        | -13.00      | 60.31       | 100.0       | V   | 207.0         | -99.8      |
| 379.321250      | -85.39        | -13.00      | 72.39       | 100.0       | V   | 81.0          | -111.0     |
| 865.412500      | -76.04        | -13.00      | 63.04       | 100.0       | V   | 270.0         | -99.6      |

## EUT Information

|                |                                        |
|----------------|----------------------------------------|
| EUT Name:      | Amazon Locker                          |
| Model:         | ZL-ODIN-V1                             |
| Test Mode:     | NB-IOT_Band 25_3.75k_BPSK_High channel |
| Test Voltage:: | DC 6V                                  |
| Remark:        | Temp 23 Humi:45%                       |
| Test Standard: | FCC Part 24                            |
| Tested By:     | Kei Zhang                              |
| Reviewed By:   | Terry Yin                              |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 42.003750       | -77.82        | -13.00      | 64.82       | 100.0       | H   | 264.0         | -112.4     |
| 243.400000      | -84.83        | -13.00      | 71.83       | 100.0       | H   | 248.0         | -109.9     |
| 583.506250      | -79.92        | -13.00      | 66.92       | 100.0       | H   | 79.0          | -106.0     |
| 872.566250      | -75.39        | -13.00      | 62.39       | 100.0       | H   | 3.0           | -100.6     |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: NB-IOT\_Band 25\_3.75k\_BPSK\_High channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 36.547500       | -91.03        | -13.00      | 78.03       | 100.0       | V   | 42.0          | -125.6     |
| 94.383750       | -74.42        | -13.00      | 61.42       | 100.0       | V   | 317.0         | -99.7      |
| 378.108750      | -85.14        | -13.00      | 72.14       | 100.0       | V   | 301.0         | -111.0     |
| 866.140000      | -74.47        | -13.00      | 61.47       | 100.0       | V   | 10.0          | -99.5      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: NB-IOT\_Band 66\_3.75k\_BPSK\_High channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 35.456250       | -78.10        | -13.00      | 65.10       | 100.0       | H   | 0.0           | -114.1     |
| 239.641250      | -85.41        | -13.00      | 72.41       | 100.0       | H   | 213.0         | -110.5     |
| 818.367500      | -75.57        | -13.00      | 62.57       | 100.0       | H   | 76.0          | -100.4     |

## EUT Information

|                |                                        |
|----------------|----------------------------------------|
| EUT Name:      | Amazon Locker                          |
| Model:         | ZL-ODIN-V1                             |
| Test Mode:     | NB-IOT_Band 66_3.75k_BPSK_High channel |
| Test Voltage:: | DC 6V                                  |
| Remark:        | Temp 23 Humi:45%                       |
| Test Standard: | FCC Part 27                            |
| Tested By:     | Kei Zhang                              |
| Reviewed By:   | Terry Yin                              |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 36.426250       | -88.06        | -13.00      | 75.06       | 100.0       | V   | 286.0         | -125.6     |
| 94.383750       | -73.64        | -13.00      | 60.64       | 100.0       | V   | 0.0           | -99.7      |
| 373.016250      | -84.69        | -13.00      | 71.69       | 100.0       | V   | 298.0         | -111.0     |
| 869.777500      | -75.43        | -13.00      | 62.43       | 100.0       | V   | 45.0          | -100.0     |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: NB-IOT\_Band 71\_3.75k\_BPSK\_High channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 35.941250       | -78.36        | -13.00      | 65.36       | 100.0       | H   | 137.0         | -113.6     |
| 243.400000      | -85.12        | -13.00      | 72.12       | 100.0       | H   | 106.0         | -109.9     |
| 633.946250      | -78.32        | -13.00      | 65.32       | 100.0       | H   | 176.0         | -104.7     |
| 864.321250      | -74.05        | -13.00      | 61.05       | 100.0       | H   | 65.0          | -100.0     |



## EUT Information

|                |                                        |
|----------------|----------------------------------------|
| EUT Name:      | Amazon Locker                          |
| Model:         | ZL-ODIN-V1                             |
| Test Mode:     | NB-IOT_Band 71_3.75k_BPSK_High channel |
| Test Voltage:: | DC 6V                                  |
| Remark:        | Temp 23 Humi:45%                       |
| Test Standard: | FCC Part 27                            |
| Tested By:     | Kei Zhang                              |
| Reviewed By:   | Terry Yin                              |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 94.383750       | -72.40        | -13.00      | 59.40       | 100.0       | V   | 257.0         | -99.7      |
| 375.562500      | -85.41        | -13.00      | 72.41       | 100.0       | V   | 348.0         | -110.9     |
| 783.568750      | -75.50        | -13.00      | 62.50       | 100.0       | V   | 100.0         | -102.0     |

## EUT Information

|                |                                        |
|----------------|----------------------------------------|
| EUT Name:      | Amazon Locker                          |
| Model:         | ZL-ODIN-V1                             |
| Test Mode:     | NB-IOT_Band 85_3.75k_BPSK_High channel |
| Test Voltage:: | DC 6V                                  |
| Remark:        | Temp 23 Humi:45%                       |
| Test Standard: | FCC Part 27                            |
| Tested By:     | Kei Zhang                              |
| Reviewed By:   | Terry Yin                              |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 35.698750       | -77.86        | -13.00      | 64.87       | 100.0       | H   | 8.0           | -113.8     |
| 243.036250      | -86.16        | -13.00      | 73.16       | 100.0       | H   | 290.0         | -109.9     |
| 626.792500      | -80.03        | -13.00      | 67.03       | 100.0       | H   | 67.0          | -105.1     |
| 817.640000      | -75.65        | -13.00      | 62.65       | 100.0       | H   | 128.0         | -100.4     |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: NB-IOT\_Band 85\_3.75k\_BPSK\_High channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 42.003750       | -88.21        | -13.00      | 75.21       | 100.0       | V   | 332.0         | -123.4     |
| 94.505000       | -72.91        | -13.00      | 59.91       | 100.0       | V   | 101.0         | -99.7      |
| 338.460000      | -85.21        | -13.00      | 72.21       | 100.0       | V   | 5.0           | -111.4     |
| 869.898750      | -74.38        | -13.00      | 61.38       | 100.0       | V   | 347.0         | -100.0     |

## 1.6 NB-IoT, above 1GHz

### EUT Information

|                |                                       |
|----------------|---------------------------------------|
| EUT Name:      | Amazon Locker                         |
| Model:         | ZL-ODIN-V1                            |
| Test Mode:     | NB-IOT_Band 2_3.75k_BPSK_High channel |
| Test Voltage:: | DC 6V                                 |
| Remark:        | Temp 24 Humi:47%                      |
| Test Standard: | FCC Part 24                           |
| Tested By:     | Kei Zhang                             |
| Reviewed By:   | Terry Yin                             |




### Critical\_Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1197.000000     | -51.29        | -13.00      | 38.29       | 100.0       | H   | 148.0         | -93.1      |
| 2092.000000     | -44.61        | -13.00      | 31.61       | 100.0       | H   | 78.0          | -88.7      |
| 3709.000000     | -49.41        | -13.00      | 36.41       | 100.0       | H   | 305.0         | -86.8      |

## EUT Information

|                |                                       |
|----------------|---------------------------------------|
| EUT Name:      | Amazon Locker                         |
| Model:         | ZL-ODIN-V1                            |
| Test Mode:     | NB-IOT_Band 2_3.75k_BPSK_High channel |
| Test Voltage:: | DC 6V                                 |
| Remark:        | Temp 24 Humi:47%                      |
| Test Standard: | FCC Part 24                           |
| Tested By:     | Kei Zhang                             |
| Reviewed By:   | Terry Yin                             |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1196.000000     | -46.46        | -13.00      | 33.46       | 100.0       | V   | 319.0         | -92.4      |
| 2020.500000     | -44.04        | -13.00      | 31.04       | 100.0       | V   | 235.0         | -88.9      |
| 3821.000000     | -49.44        | -13.00      | 36.44       | 100.0       | V   | 259.0         | -86.9      |

## EUT Information

|                |                                       |
|----------------|---------------------------------------|
| EUT Name:      | Amazon Locker                         |
| Model:         | ZL-ODIN-V1                            |
| Test Mode:     | NB-IOT_Band 2_3.75k_BPSK_High channel |
| Test Voltage:: | DC 6V                                 |
| Remark:        | Temp 23 Humi:45%                      |
| Test Standard: | FCC Part 24                           |
| Tested By:     | Kei Zhang                             |
| Reviewed By:   | Terry Yin                             |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 13249.000000    | -45.44        | -13.00      | 32.44       | 100.0       | H   | 1.0           | -79.3      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: NB-IOT\_Band 2\_3.75k\_BPSK\_High channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 12888.500000    | -45.78        | -13.00      | 32.78       | 100.0       | V   | 194.0         | -78.5      |

## EUT Information

|                |                                      |
|----------------|--------------------------------------|
| EUT Name:      | Amazon Locker                        |
| Model:         | ZL-ODIN-V1                           |
| Test Mode:     | NB-IOT_Band 2_3.75k_BPSK_Low channel |
| Test Voltage:: | DC 6V                                |
| Remark:        | Temp 24 Humi:47%                     |
| Test Standard: | FCC Part 24                          |
| Tested By:     | Kei Zhang                            |
| Reviewed By:   | Terry Yin                            |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1199.500000     | -49.74        | -13.00      | 36.74       | 100.0       | H   | 167.0         | -93.3      |
| 3712.000000     | -49.45        | -13.00      | 36.45       | 100.0       | H   | 166.0         | -86.8      |



## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: NB-IOT\_Band 2\_3.75k\_BPSK\_Low channel  
Test Voltage:: DC 6V  
Remark: Temp 24 Humi:47%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1592.500000     | -49.90        | -13.00      | 36.90       | 100.0       | V   | 281.0         | -92.9      |
| 2014.500000     | -39.31        | -13.00      | 26.31       | 100.0       | V   | 114.0         | -89.1      |
| 3716.000000     | -48.84        | -13.00      | 35.84       | 100.0       | V   | 325.0         | -86.7      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: NB-IOT\_Band 2\_3.75k\_BPSK\_Low channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 12875.500000    | -45.63        | -13.00      | 32.63       | 100.0       | H   | 166.0         | -78.8      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: NB-IOT\_Band 2\_3.75k\_BPSK\_Low channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 12269.500000    | -46.55        | -13.00      | 33.55       | 100.0       | V   | 347.0         | -80.0      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: NB-IOT\_Band 2\_3.75k\_BPSK\_Mid channel  
Test Voltage:: DC 6V  
Remark: Temp 24 Humi:47%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1196.500000     | -49.98        | -13.00      | 36.98       | 100.0       | H   | 150.0         | -93.1      |
| 2059.500000     | -46.43        | -13.00      | 33.43       | 100.0       | H   | 80.0          | -88.4      |
| 3777.000000     | -48.80        | -13.00      | 35.80       | 100.0       | H   | 47.0          | -86.6      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: NB-IOT\_Band 2\_3.75k\_BPSK\_Mid channel  
Test Voltage:: DC 6V  
Remark: Temp 24 Humi:47%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1595.000000     | -50.83        | -13.00      | 37.83       | 100.0       | V   | 284.0         | -92.9      |
| 3768.500000     | -50.18        | -13.00      | 37.18       | 100.0       | V   | 172.0         | -87.0      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: NB-IOT\_Band 2\_3.75k\_BPSK\_Mid channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 12888.500000    | -46.28        | -13.00      | 33.28       | 100.0       | H   | 117.0         | -78.6      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: NB-IOT\_Band 2\_3.75k\_BPSK\_Mid channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 12897.500000    | -46.41        | -13.00      | 33.41       | 100.0       | V   | 37.0          | -78.3      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: NB-IOT\_Band 2\_15k\_QPSK\_High channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1602.500000     | -41.51        | -13.00      | 28.51       | 100.0       | H   | 208.0         | -92.8      |
| 2092.000000     | -45.41        | -13.00      | 32.41       | 100.0       | H   | 86.0          | -88.7      |
| 3816.500000     | -48.55        | -13.00      | 35.55       | 100.0       | H   | 192.0         | -86.8      |



## EUT Information

|                |                                     |
|----------------|-------------------------------------|
| EUT Name:      | Amazon Locker                       |
| Model:         | ZL-ODIN-V1                          |
| Test Mode:     | NB-IOT_Band 2_15k_QPSK_High channel |
| Test Voltage:: | DC 6V                               |
| Remark:        | Temp 23 Humi:45%                    |
| Test Standard: | FCC Part 24                         |
| Tested By:     | Kei Zhang                           |
| Reviewed By:   | Terry Yin                           |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 2092.000000     | -42.77        | -13.00      | 29.77       | 100.0       | V   | 48.0          | -88.7      |
| 3839.000000     | -47.37        | -13.00      | 34.37       | 100.0       | V   | 224.0         | -86.8      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: NB-IOT\_Band 2\_15k\_QPSK\_High channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 13250.000000    | -46.97        | -13.00      | 33.97       | 100.0       | H   | 177.0         | -79.3      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: NB-IOT\_Band 2\_15k\_QPSK\_High channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 12884.000000    | -46.18        | -13.00      | 33.18       | 100.0       | V   | 114.0         | -78.6      |

## EUT Information

|                |                                    |
|----------------|------------------------------------|
| EUT Name:      | Amazon Locker                      |
| Model:         | ZL-ODIN-V1                         |
| Test Mode:     | NB-IOT_Band 2_15k_QPSK_Low channel |
| Test Voltage:: | DC 6V                              |
| Remark:        | Temp 23 Humi:45%                   |
| Test Standard: | FCC Part 24                        |
| Tested By:     | Kei Zhang                          |
| Reviewed By:   | Terry Yin                          |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1199.000000     | -46.59        | -13.00      | 33.59       | 100.0       | H   | 202.0         | -93.2      |
| 1581.000000     | -41.42        | -13.00      | 28.42       | 100.0       | H   | 202.0         | -93.0      |
| 3709.500000     | -49.13        | -13.00      | 36.13       | 100.0       | H   | 100.0         | -86.8      |

## EUT Information

|                |                                    |
|----------------|------------------------------------|
| EUT Name:      | Amazon Locker                      |
| Model:         | ZL-ODIN-V1                         |
| Test Mode:     | NB-IOT_Band 2_15k_QPSK_Low channel |
| Test Voltage:: | DC 6V                              |
| Remark:        | Temp 23 Humi:45%                   |
| Test Standard: | FCC Part 24                        |
| Tested By:     | Kei Zhang                          |
| Reviewed By:   | Terry Yin                          |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1581.000000     | -41.73        | -13.00      | 28.73       | 100.0       | V   | 260.0         | -93.0      |
| 3710.500000     | -48.57        | -13.00      | 35.57       | 100.0       | V   | 195.0         | -86.7      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: NB-IOT\_Band 2\_15k\_QPSK\_Low channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 12883.000000    | -46.12        | -13.00      | 33.12       | 100.0       | H   | 96.0          | -78.7      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: NB-IOT\_Band 2\_15k\_QPSK\_Low channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 12914.500000    | -45.36        | -13.00      | 32.36       | 100.0       | V   | 184.0         | -78.4      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: NB-IOT\_Band 2\_15k\_QPSK\_Mid channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1200.000000     | -48.74        | -13.00      | 35.74       | 100.0       | H   | 146.0         | -93.3      |
| 1570.500000     | -43.77        | -13.00      | 30.77       | 100.0       | H   | 0.0           | -93.0      |
| 3756.500000     | -49.20        | -13.00      | 36.20       | 100.0       | H   | 159.0         | -86.6      |



## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: NB-IOT\_Band 2\_15k\_QPSK\_Mid channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1608.000000     | -41.12        | -13.00      | 28.12       | 100.0       | V   | 299.0         | -93.0      |
| 2997.500000     | -43.40        | -13.00      | 30.40       | 100.0       | V   | 257.0         | -86.8      |
| 3752.500000     | -50.24        | -13.00      | 37.24       | 100.0       | V   | 292.0         | -86.9      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: NB-IOT\_Band 2\_15k\_QPSK\_Mid channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 12885.000000    | -45.99        | -13.00      | 32.99       | 100.0       | H   | 78.0          | -78.6      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: NB-IOT\_Band 2\_15k\_QPSK\_Mid channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 24  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 12903.000000    | -46.60        | -13.00      | 33.60       | 100.0       | V   | 4.0           | -78.3      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: NB-IOT\_Band 4\_3.75k\_BPSK\_High channel  
Test Voltage:: DC 6V  
Remark: Temp 24 Humi:47%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1610.500000     | -42.58        | -13.00      | 29.58       | 100.0       | H   | 60.0          | -93.1      |
| 3510.000000     | -48.81        | -13.00      | 35.81       | 100.0       | H   | 156.0         | -87.3      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: NB-IOT\_Band 4\_3.75k\_BPSK\_High channel  
Test Voltage:: DC 6V  
Remark: Temp 24 Humi:47%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1196.500000     | -49.29        | -13.00      | 36.29       | 100.0       | V   | 297.0         | -92.5      |
| 1585.500000     | -45.07        | -13.00      | 32.07       | 100.0       | V   | 111.0         | -93.0      |
| 3510.000000     | -50.40        | -13.00      | 37.40       | 100.0       | V   | 338.0         | -87.5      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: NB-IOT\_Band 4\_3.75k\_BPSK\_High channel  
Test Voltage:: DC 6V  
Remark: Temp 23 Humi:45%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 13399.000000    | -45.31        | -13.00      | 32.31       | 100.0       | H   | 0.0           | -79.6      |

## EUT Information

|                |                                       |
|----------------|---------------------------------------|
| EUT Name:      | Amazon Locker                         |
| Model:         | ZL-ODIN-V1                            |
| Test Mode:     | NB-IOT_Band 4_3.75k_BPSK_High channel |
| Test Voltage:: | DC 6V                                 |
| Remark:        | Temp 23 Humi:45%                      |
| Test Standard: | FCC Part 27                           |
| Tested By:     | Kei Zhang                             |
| Reviewed By:   | Terry Yin                             |




## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 13252.000000    | -45.96        | -13.00      | 32.96       | 100.0       | V   | 247.0         | -79.5      |

## EUT Information

EUT Name: Amazon Locker  
Model: ZL-ODIN-V1  
Test Mode: NB-IOT\_Band 4\_3.75k\_BPSK\_Low channel  
Test Voltage:: DC 6V  
Remark: Temp 24 Humi:47%  
Test Standard: FCC Part 27  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs

| Frequency (MHz) | MaxPeak (dBm) | Limit (dBm) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|---------------|-------------|-------------|-------------|-----|---------------|------------|
| 1606.500000     | -38.55        | -13.00      | 25.55       | 100.0       | H   | 60.0          | -93.0      |
| 1710.000000     | -29.67        | -13.00      | 16.67       | 100.0       | H   | 53.0          | -92.1      |
| 3419.500000     | -47.40        | -13.00      | 34.40       | 100.0       | H   | 86.0          | -87.9      |