




CQASZ20260400884E-02


Appendix A: DTS Bandwidth

Test Result

TestMode	Freq (MHz)	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit [MHz]	Verdict
BLE_1M	2402	0.67	2401.66	2402.34	0.5	PASS
	2440	0.67	2439.66	2440.34	0.5	PASS
	2480	0.69	2479.66	2480.36	0.5	PASS

Test Graphs






Date: 8.MAY.2026 21:29:51


Appendix B: Occupied Channel Bandwidth

Test Result

TestMode	Antenna	Freq (MHz)	OCB [MHz]	FL[MHz]	FH[MHz]	Limit [MHz]	Verdict
BLE_1M	Ant1	2402	1.039	2401.4765	2402.5155	---	---
		2440	1.031	2439.4805	2440.5115	---	---
		2480	1.039	2479.4765	2480.5155	---	---

Test Graphs






Date: 8.MAY.2026 21:29:57


Appendix C: Maximum conducted output power

Test Result Peak

TestMode	Freq (MHz)	Conducted Peak Power[dBm]	Conducted Limit[dBm]	Verdict
BLE_1M	2402	-1.39	≤30	PASS
	2440	-0.77	≤30	PASS
	2480	-1.42	≤30	PASS

Test Graphs Peak






Date: 8.MAY.2026 21:30:01


Appendix D: Maximum power spectral density

Test Result

TestMode	Freq (MHz)	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
BLE_1M	2402	-15.44	≤8.00	PASS
	2440	-14.79	≤8.00	PASS
	2480	-15.66	≤8.00	PASS

Test Graphs






Date: 8.MAY.2026 21:30:06

Appendix F: Band edge measurements

Test Result

TestMode	ChName	Freq (MHz)	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Low	2402	-2.26	-43.91	≤-22.26	PASS
	High	2480	-2.37	-42.41	≤-22.37	PASS

Test Graphs





Appendix G: Conducted Spurious Emission

Test Result

TestMode	Freq (MHz)	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	2402	Reference	-2.60	-2.60	---	PASS
		30~1000	-2.60	-51.78	≤ -22.6	PASS
		1000~26500	-2.60	-37.82	≤ -22.6	PASS
	2440	Reference	-1.67	-1.67	---	PASS
		30~1000	-1.67	-51.12	≤ -21.67	PASS
		1000~26500	-1.67	-40.51	≤ -21.67	PASS
	2480	Reference	-2.82	-2.82	---	PASS
		30~1000	-2.82	-51.33	≤ -22.82	PASS
		1000~26500	-2.82	-42.94	≤ -22.82	PASS


Test Graphs






Date: 8.MAY.2026 21:26:46

BLE_1M_Ant1_2440_0~Reference




Date: 8.MAY.2026 21:29:12

BLE_1M_Ant1_2440_30~1000




Date: 8.MAY.2026 21:29:17

BLE_1M_Ant1_2440_1000~26500




Date: 8 MAY 2026 21:29:27

BLE_1M_Ant1_2480_0~Reference




Date: 8 MAY 2026 21:30:29

BLE_1M_Ant1_2480_30~1000



Date: 8.MAY.2026 21:30:34

BLE_1M_Ant1_2480_1000~26500




Date: 8.MAY.2026 21:30:44


Appendix H: Duty Cycle

Test Result

TestMode	Freq (MHz)	ON Time [ms]	Period [ms]	X	DC [%]	xFactor	Limit	Verdict
BLE_1M	2402	2.16	2.50	0.8640	86.40	0.63	---	---
	2440	2.16	2.50	0.8640	86.40	0.63	---	---
	2480	2.16	2.50	0.8640	86.40	0.63	---	---

Test Graphs





Date: 8.MAY.2026 21:25:31