

## 1. Bandwidth


### 1.1 OBW

#### 1.1.1 Test Result


| Mode             | Frequency (MHz) | RU    | RU Pos | ANT | 99% Occupied Bandwidth (MHz) | Verdict |
|------------------|-----------------|-------|--------|-----|------------------------------|---------|
|                  |                 |       |        |     | Result                       |         |
| 802.11a          | 5745            | /     | /      | 1   | 19.588                       | Pass    |
|                  | 5785            | /     | /      | 1   | 19.397                       | Pass    |
|                  | 5825            | /     | /      | 1   | 19.631                       | Pass    |
| 802.11n (HT20)   | 5745            | /     | /      | 1   | 20.199                       | Pass    |
|                  | 5785            | /     | /      | 1   | 19.931                       | Pass    |
|                  | 5825            | /     | /      | 1   | 20.065                       | Pass    |
| 802.11n (HT40)   | 5755            | /     | /      | 1   | 35.995                       | Pass    |
|                  | 5795            | /     | /      | 1   | 36.024                       | Pass    |
| 802.11ac (VHT20) | 5745            | /     | /      | 1   | 20.165                       | Pass    |
|                  | 5785            | /     | /      | 1   | 20.030                       | Pass    |
|                  | 5825            | /     | /      | 1   | 20.103                       | Pass    |
| 802.11ac (VHT40) | 5755            | /     | /      | 1   | 35.927                       | Pass    |
|                  | 5795            | /     | /      | 1   | 35.931                       | Pass    |
| 802.11ac (VHT80) | 5775            | /     | /      | 1   | 75.404                       | Pass    |
| 802.11ax (HEW20) | 5745            | RU242 | Left   | 1   | 19.561                       | Pass    |
|                  | 5785            | RU242 | Left   | 1   | 19.421                       | Pass    |
|                  | 5825            | RU242 | Left   | 1   | 19.571                       | Pass    |
| 802.11ax (HEW40) | 5755            | RU484 | Left   | 1   | 37.778                       | Pass    |
|                  | 5795            | RU484 | Left   | 1   | 37.701                       | Pass    |
| 802.11ax (HEW80) | 5775            | RU996 | Left   | 1   | 77.288                       | Pass    |

Note: For Bandwidth test both antenna has been tested, only worst result antenna 1 reported.


## 1.1.2 Test Graph




802.11a HCH 5825MHz Ant1 NTNV




802.11n(HT20) LCH 5745MHz Ant1 NTNV




802.11n(HT20) MCH 5785MHz Ant1 NTN




802.11n(HT20)\_HCH\_5825MHz\_Ant1\_NTN




802.11n(HT40) LCH 5755MHz Ant1 NTN




802.11n(HT40)\_HCH\_5795MHz\_Ant1\_NTN




802.11ac(VHT20) LCH 5745MHz Ant1 NTN




802.11ac(VHT20)\_MCH\_5785MHz\_Ant1\_NTN




802.11ac(VHT20)\_HCH\_5825MHz\_Ant1\_NTN




802.11ac(VHT40)\_LCH\_5755MHz\_Ant1\_NTNV




802.11ac(VHT40)\_HCH\_5795MHz\_Ant1\_NTNV




802.11ac(VHT80)\_MCH\_5775MHz\_Ant1\_NTNV




802.11ax(HEW20)\_LCH\_5745MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HEW20)\_MCH\_5785MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HEW20)\_HCH\_5825MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HEW40)\_LCH\_5755MHz\_RU484\_Left\_Ant1\_NTNV



802.11ax(HEW40)\_HCH\_5795MHz\_RU484\_Left\_Ant1\_NTNV



802.11ax(HEW80)\_MCH\_5775MHz\_RU996\_Left\_Ant1\_NTNV




## 1.2 6dB BW

### 1.2.1 Test Result


| Mode             | Frequency (MHz) | RU    | RU Pos | ANT | 6dB Bandwidth (MHz) |            | Verdict |
|------------------|-----------------|-------|--------|-----|---------------------|------------|---------|
|                  |                 |       |        |     | Result              | Limit      |         |
| 802.11a          | 5745            | /     | /      | 1   | 15.898              | $\geq 0.5$ | Pass    |
|                  | 5785            | /     | /      | 1   | 15.498              | $\geq 0.5$ | Pass    |
|                  | 5825            | /     | /      | 1   | 16.326              | $\geq 0.5$ | Pass    |
| 802.11n (HT20)   | 5745            | /     | /      | 1   | 15.517              | $\geq 0.5$ | Pass    |
|                  | 5785            | /     | /      | 1   | 15.476              | $\geq 0.5$ | Pass    |
|                  | 5825            | /     | /      | 1   | 15.117              | $\geq 0.5$ | Pass    |
| 802.11n (HT40)   | 5755            | /     | /      | 1   | 35.116              | $\geq 0.5$ | Pass    |
|                  | 5795            | /     | /      | 1   | 35.093              | $\geq 0.5$ | Pass    |
| 802.11ac (VHT20) | 5745            | /     | /      | 1   | 17.033              | $\geq 0.5$ | Pass    |
|                  | 5785            | /     | /      | 1   | 17.570              | $\geq 0.5$ | Pass    |
|                  | 5825            | /     | /      | 1   | 16.417              | $\geq 0.5$ | Pass    |
| 802.11ac (VHT40) | 5755            | /     | /      | 1   | 35.087              | $\geq 0.5$ | Pass    |
|                  | 5795            | /     | /      | 1   | 35.118              | $\geq 0.5$ | Pass    |
| 802.11ac (VHT80) | 5775            | /     | /      | 1   | 75.129              | $\geq 0.5$ | Pass    |
| 802.11ax (HEW20) | 5745            | RU242 | Left   | 1   | 18.821              | $\geq 0.5$ | Pass    |
|                  | 5785            | RU242 | Left   | 1   | 18.267              | $\geq 0.5$ | Pass    |
|                  | 5825            | RU242 | Left   | 1   | 18.553              | $\geq 0.5$ | Pass    |
| 802.11ax (HEW40) | 5755            | RU484 | Left   | 1   | 35.152              | $\geq 0.5$ | Pass    |
|                  | 5795            | RU484 | Left   | 1   | 35.989              | $\geq 0.5$ | Pass    |
| 802.11ax (HEW80) | 5775            | RU996 | Left   | 1   | 75.143              | $\geq 0.5$ | Pass    |

Note: For Bandwidth test both antenna has been tested, only worst result antenna 1 reported.


## 1.2.2 Test Graph




802.11a HCH 5825MHz Ant1 NTN




802.11n(HT20)\_LCH\_5745MHz\_Ant1\_NTN




802.11n(HT20) MCH 5785MHz Ant1 NTN




802.11n(HT20)\_HCH\_5825MHz\_Ant1\_NTN




802.11n(HT40) LCH 5755MHz Ant1 NTN




802.11n(HT40)\_HCH\_5795MHz\_Ant1\_NTN




802.11ac(VHT20) LCH 5745MHz Ant1 NTN




802.11ac(VHT20) MCH 5785MHz Ant1 NTN




802.11ac(VHT20) HCH 5825MHz Ant1 NTN




802.11ac(VHT40)\_LCH\_5755MHz\_Ant1\_NTNV




802.11ac(VHT40)\_HCH\_5795MHz\_Ant1\_NTNV




802.11ac(VHT80)\_MCH\_5775MHz\_Ant1\_NTNV




802.11ax(HEW20)\_LCH\_5745MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HEW20)\_MCH\_5785MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HEW20)\_HCH\_5825MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HEW40)\_LCH\_5755MHz\_RU484\_Left\_Ant1\_NTNV



802.11ax(HEW40)\_HCH\_5795MHz\_RU484\_Left\_Ant1\_NTNV



## 802.11ax(HEW80)\_MCH\_5775MHz\_RU996\_Left\_Ant1\_NTNV



## 2. Maximum Conducted Output Power

## 2.1 Power

### 2.1.1 Test Result

| Mode                                                                                   | TX Type | Frequency (MHz) | RU    | RU Pos | Maximum Average Conducted Output Power (dBm) |       |       |         | Verdict |
|----------------------------------------------------------------------------------------|---------|-----------------|-------|--------|----------------------------------------------|-------|-------|---------|---------|
|                                                                                        |         |                 |       |        | ANT1                                         | ANT2  | MIMO  | Limit   |         |
| 802.11a                                                                                | SISO    | 5745            | /     | /      | 13.73                                        | 13.87 | /     | <=30    | Pass    |
|                                                                                        |         | 5785            | /     | /      | 13.35                                        | 14.07 | /     | <=30    | Pass    |
|                                                                                        |         | 5825            | /     | /      | 13.04                                        | 13.76 | /     | <=30    | Pass    |
| 802.11n (HT20)                                                                         | SISO    | 5745            | /     | /      | 13.77                                        | 14.11 | /     | <=30    | Pass    |
|                                                                                        |         | 5785            | /     | /      | 13.10                                        | 13.94 | /     | <=30    | Pass    |
|                                                                                        |         | 5825            | /     | /      | 12.78                                        | 14.12 | /     | <=30    | Pass    |
| 802.11n (HT40)                                                                         | SISO    | 5755            | /     | /      | 13.10                                        | 14.23 | /     | <=30    | Pass    |
|                                                                                        |         | 5795            | /     | /      | 12.58                                        | 14.19 | /     | <=30    | Pass    |
| 802.11n (HT20)                                                                         | MIMO    | 5745            | /     | /      | 13.95                                        | 14.33 | 17.15 | <=28.43 | Pass    |
|                                                                                        |         | 5785            | /     | /      | 12.67                                        | 13.58 | 16.16 | <=28.43 | Pass    |
|                                                                                        |         | 5825            | /     | /      | 13.19                                        | 14.71 | 17.03 | <=28.43 | Pass    |
| 802.11n (HT40)                                                                         | MIMO    | 5755            | /     | /      | 13.29                                        | 13.49 | 16.40 | <=28.43 | Pass    |
|                                                                                        |         | 5795            | /     | /      | 12.77                                        | 14.94 | 17.00 | <=28.43 | Pass    |
| 802.11ac (VHT20)                                                                       | SISO    | 5745            | /     | /      | 13.91                                        | 14.41 | /     | <=30    | Pass    |
|                                                                                        |         | 5785            | /     | /      | 12.80                                        | 14.08 | /     | <=30    | Pass    |
|                                                                                        |         | 5825            | /     | /      | 13.12                                        | 13.95 | /     | <=30    | Pass    |
| 802.11ac (VHT40)                                                                       | SISO    | 5755            | /     | /      | 13.81                                        | 14.90 | /     | <=30    | Pass    |
|                                                                                        |         | 5795            | /     | /      | 13.25                                        | 13.69 | /     | <=30    | Pass    |
| 802.11ac (VHT80)                                                                       | SISO    | 5775            | /     | /      | 12.16                                        | 13.25 | /     | <=30    | Pass    |
| 802.11ac (VHT20)                                                                       | MIMO    | 5745            | /     | /      | 13.73                                        | 14.47 | 17.13 | <=28.43 | Pass    |
|                                                                                        |         | 5785            | /     | /      | 13.04                                        | 14.23 | 16.69 | <=28.43 | Pass    |
|                                                                                        |         | 5825            | /     | /      | 13.28                                        | 14.61 | 17.01 | <=28.43 | Pass    |
| 802.11ac (VHT40)                                                                       | MIMO    | 5755            | /     | /      | 14.08                                        | 14.64 | 17.38 | <=28.43 | Pass    |
|                                                                                        |         | 5795            | /     | /      | 12.46                                        | 14.32 | 16.50 | <=28.43 | Pass    |
| 802.11ac (VHT80)                                                                       | MIMO    | 5775            | /     | /      | 12.72                                        | 13.75 | 16.28 | <=28.43 | Pass    |
| 802.11ax (HEW20)                                                                       | SISO    | 5745            | RU242 | Left   | 16.31                                        | 15.16 | /     | <=30    | Pass    |
|                                                                                        |         | 5785            | RU242 | Left   | 15.21                                        | 14.74 | /     | <=30    | Pass    |
|                                                                                        |         | 5825            | RU242 | Left   | 13.98                                        | 14.62 | /     | <=30    | Pass    |
| 802.11ax (HEW40)                                                                       | SISO    | 5755            | RU484 | Left   | 16.28                                        | 15.17 | /     | <=30    | Pass    |
|                                                                                        |         | 5795            | RU484 | Left   | 14.35                                        | 14.60 | /     | <=30    | Pass    |
| 802.11ax (HEW80)                                                                       | SISO    | 5775            | RU996 | Left   | 15.71                                        | 15.22 | /     | <=30    | Pass    |
| 802.11ax (HEW20)                                                                       | MIMO    | 5745            | RU242 | Left   | 15.49                                        | 15.00 | 18.26 | <=28.43 | Pass    |
|                                                                                        |         | 5785            | RU242 | Left   | 15.00                                        | 14.76 | 17.89 | <=28.43 | Pass    |
|                                                                                        |         | 5825            | RU242 | Left   | 13.83                                        | 14.58 | 17.23 | <=28.43 | Pass    |
| 802.11ax (HEW40)                                                                       | MIMO    | 5755            | RU484 | Left   | 15.36                                        | 15.13 | 18.26 | <=28.43 | Pass    |
|                                                                                        |         | 5795            | RU484 | Left   | 14.92                                        | 14.29 | 17.63 | <=28.43 | Pass    |
| 802.11ax (HEW80)                                                                       | MIMO    | 5775            | RU996 | Left   | 15.42                                        | 15.06 | 18.25 | <=28.43 | Pass    |
| Note1: Antenna Gain: Ant1: 2.88dBi; Ant2: 4.56dBi;<br>Note2: Directional Gain: 7.57dBi |         |                 |       |        |                                              |       |       |         |         |


### 3. Maximum Power Spectral Density

### 3.1 PSD-Band3


### 3.1.1 Test Result

| Mode                                                                                   | TX Type | Frequency (MHz) | RU    | RU Pos | Maximum PSD (dBm/500kHz) |       |       |         | Verdict |
|----------------------------------------------------------------------------------------|---------|-----------------|-------|--------|--------------------------|-------|-------|---------|---------|
|                                                                                        |         |                 |       |        | ANT1                     | ANT2  | MIMO  | Limit   |         |
| 802.11a                                                                                | SISO    | 5745            | /     | /      | 0.44                     | 0.38  | /     | <=30    | Pass    |
|                                                                                        |         | 5785            | /     | /      | 0.02                     | 0.83  | /     | <=30    | Pass    |
|                                                                                        |         | 5825            | /     | /      | -0.88                    | 0.81  | /     | <=30    | Pass    |
| 802.11n (HT20)                                                                         | SISO    | 5745            | /     | /      | 0.20                     | 0.35  | /     | <=30    | Pass    |
|                                                                                        |         | 5785            | /     | /      | -0.56                    | -0.11 | /     | <=30    | Pass    |
|                                                                                        |         | 5825            | /     | /      | -0.83                    | 0.52  | /     | <=30    | Pass    |
| 802.11n (HT40)                                                                         | SISO    | 5755            | /     | /      | -2.44                    | -1.56 | /     | <=30    | Pass    |
|                                                                                        |         | 5795            | /     | /      | -3.16                    | -2.19 | /     | <=30    | Pass    |
| 802.11n (HT20)                                                                         | MIMO    | 5745            | /     | /      | -0.16                    | 0.56  | 3.12  | <=28.43 | Pass    |
|                                                                                        |         | 5785            | /     | /      | -1.28                    | -0.10 | 2.32  | <=28.43 | Pass    |
|                                                                                        |         | 5825            | /     | /      | -0.45                    | 0.85  | 3.22  | <=28.43 | Pass    |
| 802.11n (HT40)                                                                         | MIMO    | 5755            | /     | /      | -2.29                    | -1.97 | 0.78  | <=28.43 | Pass    |
|                                                                                        |         | 5795            | /     | /      | -3.02                    | -1.18 | 0.88  | <=28.43 | Pass    |
| 802.11ac (VHT20)                                                                       | SISO    | 5745            | /     | /      | -0.03                    | 0.54  | /     | <=30    | Pass    |
|                                                                                        |         | 5785            | /     | /      | -1.24                    | 0.29  | /     | <=30    | Pass    |
|                                                                                        |         | 5825            | /     | /      | -0.63                    | 0.78  | /     | <=30    | Pass    |
| 802.11ac (VHT40)                                                                       | SISO    | 5755            | /     | /      | -2.49                    | -1.34 | /     | <=30    | Pass    |
|                                                                                        |         | 5795            | /     | /      | -3.11                    | -1.40 | /     | <=30    | Pass    |
| 802.11ac (VHT80)                                                                       | SISO    | 5775            | /     | /      | -6.28                    | -4.85 | /     | <=30    | Pass    |
| 802.11ac (VHT20)                                                                       | MIMO    | 5745            | /     | /      | 0.14                     | 1.07  | 3.56  | <=28.43 | Pass    |
|                                                                                        |         | 5785            | /     | /      | -0.56                    | 0.98  | 3.21  | <=28.43 | Pass    |
|                                                                                        |         | 5825            | /     | /      | -0.61                    | 1.08  | 3.33  | <=28.43 | Pass    |
| 802.11ac (VHT40)                                                                       | MIMO    | 5755            | /     | /      | -2.81                    | -1.27 | 0.94  | <=28.43 | Pass    |
|                                                                                        |         | 5795            | /     | /      | -3.51                    | -1.67 | 0.44  | <=28.43 | Pass    |
| 802.11ac (VHT80)                                                                       | MIMO    | 5775            | /     | /      | -6.48                    | -5.25 | -2.86 | <=28.43 | Pass    |
| 802.11ax (HEW20)                                                                       | SISO    | 5745            | RU242 | Left   | 2.28                     | 6.79  | /     | <=30    | Pass    |
|                                                                                        |         | 5785            | RU242 | Left   | 0.61                     | 6.49  | /     | <=30    | Pass    |
|                                                                                        |         | 5825            | RU242 | Left   | 0.14                     | 6.15  | /     | <=30    | Pass    |
| 802.11ax (HEW40)                                                                       | SISO    | 5755            | RU484 | Left   | -0.19                    | 5.72  | /     | <=30    | Pass    |
|                                                                                        |         | 5795            | RU484 | Left   | -2.04                    | 5.93  | /     | <=30    | Pass    |
| 802.11ax (HEW80)                                                                       | SISO    | 5775            | RU996 | Left   | -3.06                    | 5.71  | /     | <=30    | Pass    |
| 802.11ax (HEW20)                                                                       | MIMO    | 5745            | RU242 | Left   | 1.38                     | 6.54  | 7.33  | <=28.43 | Pass    |
|                                                                                        |         | 5785            | RU242 | Left   | 1.19                     | 6.49  | 7.23  | <=28.43 | Pass    |
|                                                                                        |         | 5825            | RU242 | Left   | -0.25                    | 6.16  | 6.74  | <=28.43 | Pass    |
| 802.11ax (HEW40)                                                                       | MIMO    | 5755            | RU484 | Left   | -0.15                    | 6.19  | 6.73  | <=28.43 | Pass    |
|                                                                                        |         | 5795            | RU484 | Left   | -1.32                    | 5.68  | 6.21  | <=28.43 | Pass    |
| 802.11ax (HEW80)                                                                       | MIMO    | 5775            | RU996 | Left   | -2.20                    | 5.64  | 6.11  | <=28.43 | Pass    |
| Note1: Antenna Gain: Ant1: 2.88dBi; Ant2: 4.56dBi;<br>Note2: Directional Gain: 7.57dBi |         |                 |       |        |                          |       |       |         |         |


## 3.1.2 Test Graph




802.11a\_MCH\_5785MHz\_Ant1\_NTNV




802.11a\_MCH\_5785MHz\_Ant2\_NTNV




802.11a\_HCH\_5825MHz\_Ant1\_NTNV




802.11a\_HCH\_5825MHz\_Ant2\_NTNV




802.11n(HT20) LCH 5745MHz Ant1 NTN




802.11n(HT20) LCH 5745MHz Ant2 NTN




802.11n(HT20) MCH 5785MHz Ant1 NTN




802.11n(HT20)\_MCH\_5785MHz\_Ant2 NTN




802.11n(HT20) HCH 5825MHz Ant1 NTN




802.11n(HT20)\_HCH\_5825MHz\_Ant2 NTN




802.11n(HT40) LCH 5755MHz Ant1 NTN




802.11n(HT40) LCH 5755MHz Ant2 NTN




802.11n(HT40) HCH 5795MHz Ant1 NTN




802.11n(HT40)\_HCH\_5795MHz\_Ant2 NTN




802.11n(HT20) LCH 5745MHz Ant1 NTN




802.11n(HT20) LCH 5745MHz Ant2 NTN




802.11n(HT20) LCH 5745MHz MIMO NTN




802.11n(HT20)\_MCH\_5785MHz\_Ant1\_NTN




802.11n(HT20) MCH 5785MHz Ant2 NTN




802.11n(HT20) MCH 5785MHz MIMO NTN




802.11n(HT20) HCH 5825MHz Ant1 NTN




802.11n(HT20)\_HCH\_5825MHz\_Ant2 NTN




802.11n(HT20) HCH 5825MHz MIMO NTN




802.11n(HT40) LCH 5755MHz Ant1 NTN




802.11n(HT40) LCH 5755MHz Ant2 NTN




802.11n(HT40) LCH 5755MHz MIMO NTN




802.11n(HT40) HCH 5795MHz Ant1 NTN




802.11n(HT40)\_HCH\_5795MHz\_Ant2 NTN




802.11n(HT40) HCH 5795MHz MIMO NTN




802.11ac(VHT20) LCH 5745MHz\_Ant1 NTN




802.11ac(VHT20) LCH 5745MHz Ant2 NTN




802.11ac(VHT20)\_MCH\_5785MHz\_Ant1\_NTN




802.11ac(VHT20) MCH 5785MHz Ant2 NTN




802.11ac(VHT20)\_HCH\_5825MHz\_Ant1\_NTN




802.11ac(VHT20) HCH 5825MHz Ant2 NTN




802.11ac(VHT40)\_LCH\_5755MHz\_Ant1\_NTN




802.11ac(VHT40) LCH 5755MHz Ant2 NTN




802.11ac(VHT40)\_HCH\_5795MHz\_Ant1\_NTN




802.11ac(VHT40) HCH 5795MHz Ant2 NTN




802.11ac(VHT80)\_MCH\_5775MHz\_Ant1\_NTN




802.11ac(VHT80) MCH 5775MHz Ant2 NTN




802.11ac(VHT20)\_LCH\_5745MHz\_Ant1\_NTN




802.11ac(VHT20) LCH 5745MHz Ant2 NTN




802.11ac(VHT20) LCH 5745MHz MIMO NTN




802.11ac(VHT20) MCH 5785MHz Ant1 NTN




802.11ac(VHT20) MCH 5785MHz Ant2 NTN




802.11ac(VHT20) MCH 5785MHz MIMO\_NTNV




802.11ac(VHT20)\_HCH\_5825MHz\_Ant1\_NTNV




802.11ac(VHT20) HCH 5825MHz Ant2 NTN




802.11ac(VHT20) HCH 5825MHz MIMO NTN




802.11ac(VHT40) LCH 5755MHz Ant1 NTN




802.11ac(VHT40) LCH 5755MHz Ant2 NTN




802.11ac(VHT40) LCH 5755MHz MIMO NTN




802.11ac(VHT40)\_HCH\_5795MHz\_Ant1\_NTN




802.11ac(VHT40) HCH 5795MHz Ant2 NTN




802.11ac(VHT40) HCH 5795MHz MIMO NTN




802.11ac(VHT80) MCH 5775MHz Ant1 NTN



802.11ac(VHT80) MCH 5775MHz Ant2 NTN



802.11ac(VHT80) MCH 5775MHz MIMO NTN



802.11ax(HEW20) LCH 5745MHz RU242 Left Ant1 NTN

