



Test Mode:	802.11a	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7990.000	38.85	6.87	45.72	74.00	-28.28	peak
2	8991.000	35.72	11.73	47.45	74.00	-26.55	peak
3	10520.000	37.31	13.56	50.87	74.00	-23.13	peak
4	11433.000	32.89	16.68	49.57	74.00	-24.43	peak
5	13930.000	27.51	22.50	50.01	74.00	-23.99	peak
6	17989.000	23.14	26.92	50.06	74.00	-23.94	peak

Test Mode:	802.11a	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	36.80	10.91	47.71	74.00	-26.29	peak
2	10520.000	38.02	13.56	51.58	74.00	-22.42	peak
3	12577.000	29.09	18.37	47.46	74.00	-26.54	peak
4	13853.000	27.70	22.46	50.16	74.00	-23.84	peak
5	15789.000	28.02	17.72	45.74	74.00	-28.26	peak
6	17989.000	22.34	26.92	49.26	74.00	-24.74	peak

Test Mode:	802.11a	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7990.000	39.68	6.87	46.55	74.00	-27.45	peak
2	8958.000	36.34	11.24	47.58	74.00	-26.42	peak
3*	10564.000	41.22	13.68	54.90	68.20	-13.30	peak
4	11059.000	35.41	15.02	50.43	74.00	-23.57	peak
5	13919.000	27.26	22.49	49.75	74.00	-24.25	peak
6	17967.000	23.67	26.83	50.50	74.00	-23.50	peak

Test Mode:	802.11a	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	36.61	10.91	47.52	74.00	-26.48	peak
2	10564.000	40.04	13.68	53.72	74.00	-20.28	peak
3	10916.000	34.90	14.45	49.35	74.00	-24.65	peak
4	13864.000	27.04	22.45	49.49	74.00	-24.51	peak
5	15844.000	30.57	17.70	48.27	74.00	-25.73	peak
6	17912.000	22.81	26.60	49.41	74.00	-24.59	peak

Test Mode:	802.11a	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	38.69	6.86	45.55	74.00	-28.45	peak
2	9013.000	36.14	11.75	47.89	74.00	-26.11	peak
3	10641.000	38.84	13.79	52.63	74.00	-21.37	peak
4	10641.000	28.41	13.79	42.20	54.00	-11.80	AVG
5	11059.000	34.16	15.02	49.18	74.00	-24.82	peak
6	13985.000	27.41	22.53	49.94	74.00	-24.06	peak
7	17857.000	23.70	26.36	50.06	74.00	-23.94	peak

Test Mode:	802.11a	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	39.71	6.86	46.57	74.00	-27.43	peak
2	8991.000	36.28	11.73	48.01	74.00	-25.99	peak
3	10641.000	36.48	13.79	50.27	74.00	-23.73	peak
4	13556.000	27.71	21.41	49.12	74.00	-24.88	peak
5	15965.000	28.36	17.65	46.01	74.00	-27.99	peak
6	18000.000	23.56	26.97	50.53	74.00	-23.47	peak

Test Mode:	802.11a	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8001.000	38.79	6.89	45.68	74.00	-28.32	peak
2	8936.000	37.23	10.91	48.14	74.00	-25.86	peak
3	11004.000	43.19	14.90	58.09	74.00	-15.91	peak
4	11004.000	31.80	14.90	46.70	54.00	-7.30	AVG
5	11686.000	32.94	17.25	50.19	74.00	-23.81	peak
6	13600.000	28.89	21.42	50.31	74.00	-23.69	peak
7	17989.000	23.57	26.92	50.49	74.00	-23.51	peak

Test Mode:	802.11a	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	39.45	6.86	46.31	74.00	-27.69	peak
2	8991.000	35.53	11.73	47.26	74.00	-26.74	peak
3	10993.000	39.77	14.86	54.63	74.00	-19.37	peak
4	10993.000	22.04	14.86	36.90	54.00	-17.10	AVG
5	13897.000	27.13	22.47	49.60	74.00	-24.40	peak
6	17219.000	24.75	22.76	47.51	74.00	-26.49	peak
7	17989.000	24.74	26.92	51.66	74.00	-22.34	peak

Test Mode:	802.11a	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7990.000	38.87	6.87	45.74	74.00	-28.26	peak
2	8936.000	36.94	10.91	47.85	74.00	-26.15	peak
3	11158.000	39.21	15.25	54.46	74.00	-19.54	peak
4	11158.000	29.05	15.25	44.30	54.00	-9.70	AVG
5	11851.000	32.00	17.83	49.83	74.00	-24.17	peak
6	13919.000	27.70	22.49	50.19	74.00	-23.81	peak
7	17945.000	24.50	26.74	51.24	74.00	-22.76	peak

Test Mode:	802.11a	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7352.000	36.62	8.07	44.69	74.00	-29.31	peak
2	8980.000	35.48	11.57	47.05	74.00	-26.95	peak
3	11059.000	34.49	15.02	49.51	74.00	-24.49	peak
4	12269.000	29.82	18.72	48.54	74.00	-25.46	peak
5	13919.000	28.57	22.49	51.06	74.00	-22.94	peak
6	17923.000	24.36	26.64	51.00	74.00	-23.00	peak

Test Mode:	802.11a	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7352.000	36.78	8.07	44.85	74.00	-29.15	peak
2	7990.000	38.48	6.87	45.35	74.00	-28.65	peak
3	9057.000	36.44	11.35	47.79	74.00	-26.21	peak
4	11400.000	42.75	16.57	59.32	74.00	-14.68	peak
5	11400.000	32.53	16.57	49.10	54.00	-4.90	AVG
6	13864.000	28.23	22.45	50.68	74.00	-23.32	peak
7	17967.000	24.08	26.83	50.91	74.00	-23.09	peak

Test Mode:	802.11a	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7979.000	38.24	6.88	45.12	74.00	-28.88	peak
2	8980.000	35.67	11.57	47.24	74.00	-26.76	peak
3	10366.000	34.80	13.08	47.88	74.00	-26.12	peak
4	11400.000	41.26	16.57	57.83	74.00	-16.17	peak
5	11400.000	30.53	16.57	47.10	54.00	-6.90	AVG
6	13875.000	28.69	22.46	51.15	74.00	-22.85	peak
7	18000.000	24.64	26.97	51.61	74.00	-22.39	peak

Test Mode:	802.11a	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7990.000	39.20	6.87	46.07	74.00	-27.93	peak
2	8925.000	36.82	10.75	47.57	74.00	-26.43	peak
3	10234.000	35.77	12.49	48.26	74.00	-25.74	peak
4	11433.000	43.09	16.68	59.77	74.00	-14.23	peak
5	11433.000	33.12	16.68	49.80	54.00	-4.20	AVG
6	14183.000	28.90	21.99	50.89	74.00	-23.11	peak
7	17967.000	24.10	26.83	50.93	74.00	-23.07	peak

Test Mode:	802.11a	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7935.000	38.79	6.87	45.66	74.00	-28.34	peak
2	8980.000	35.56	11.57	47.13	74.00	-26.87	peak
3	10894.000	33.79	14.33	48.12	74.00	-25.88	peak
4	11433.000	40.93	16.68	57.61	74.00	-16.39	peak
5	11433.000	30.42	16.68	47.10	54.00	-6.90	AVG
6	13864.000	28.57	22.45	51.02	74.00	-22.98	peak
7	17989.000	23.09	26.92	50.01	74.00	-23.99	peak

Test Mode:	802.11a	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8001.000	39.45	6.89	46.34	74.00	-27.66	peak
2	8936.000	36.51	10.91	47.42	74.00	-26.58	peak
3	11015.000	34.61	14.93	49.54	74.00	-24.46	peak
4	11488.000	42.69	16.84	59.53	74.00	-14.47	peak
5	11488.000	33.26	16.84	50.10	54.00	-3.90	AVG
6	13908.000	27.96	22.49	50.45	74.00	-23.55	peak
7	17692.000	26.01	24.88	50.89	74.00	-23.11	peak

Test Mode:	802.11a	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	40.68	6.86	47.54	74.00	-26.46	peak
2	9101.000	36.81	10.94	47.75	74.00	-26.25	peak
3	10333.000	34.59	12.93	47.52	74.00	-26.48	peak
4	11488.000	38.48	16.84	55.32	74.00	-18.68	peak
5	11488.000	30.06	16.84	46.90	54.00	-7.10	AVG
6	13963.000	27.86	22.51	50.37	74.00	-23.63	peak
7	17989.000	23.82	26.92	50.74	74.00	-23.26	peak

Test Mode:	802.11a	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7352.000	36.11	8.07	44.18	74.00	-29.82	peak
2	7990.000	38.67	6.87	45.54	74.00	-28.46	peak
3	9563.000	37.84	10.96	48.80	74.00	-25.20	peak
4	11565.000	44.22	16.97	61.19	74.00	-12.81	peak
5	11565.000	34.83	16.97	51.80	54.00	-2.20	AVG
6	13930.000	27.72	22.50	50.22	74.00	-23.78	peak
7	17989.000	23.58	26.92	50.50	74.00	-23.50	peak

Test Mode:	802.11a	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	40.18	6.86	47.04	74.00	-26.96	peak
2	8914.000	36.71	10.58	47.29	74.00	-26.71	peak
3	10575.000	34.03	13.70	47.73	74.00	-26.27	peak
4	11565.000	39.41	16.97	56.38	74.00	-17.62	peak
5	11565.000	29.23	16.97	46.20	54.00	-7.80	AVG
6	13875.000	28.18	22.46	50.64	74.00	-23.36	peak
7	18000.000	24.23	26.97	51.20	74.00	-22.80	peak

Test Mode:	802.11a	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7990.000	38.40	6.87	45.27	74.00	-28.73	peak
2	8991.000	36.52	11.73	48.25	74.00	-25.75	peak
3	10399.000	34.95	13.23	48.18	74.00	-25.82	peak
4	11653.000	45.95	17.16	63.11	74.00	-10.89	peak
5	11653.000	34.34	17.16	51.50	54.00	-2.50	AVG
6	13930.000	28.17	22.50	50.67	74.00	-23.33	peak
7	17956.000	23.57	26.78	50.35	74.00	-23.65	peak

Test Mode:	802.11a	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7308.000	36.89	7.73	44.62	74.00	-29.38	peak
2	7847.000	41.65	6.86	48.51	74.00	-25.49	peak
3	9134.000	36.68	10.64	47.32	74.00	-26.68	peak
4	11653.000	39.99	17.16	57.15	74.00	-16.85	peak
5	11653.000	28.94	17.16	46.10	54.00	-7.90	AVG
6	13578.000	28.79	21.42	50.21	74.00	-23.79	peak
7	17780.000	24.20	25.89	50.09	74.00	-23.91	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8001.000	39.07	6.89	45.96	74.00	-28.04	peak
2	9068.000	36.80	11.25	48.05	74.00	-25.95	peak
3	10366.000	39.05	13.08	52.13	74.00	-21.87	peak
4	11048.000	34.20	14.99	49.19	74.00	-24.81	peak
5	13875.000	29.04	22.46	51.50	74.00	-22.50	peak
6	17978.000	23.50	26.88	50.38	74.00	-23.62	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7990.000	39.83	6.87	46.70	74.00	-27.30	peak
2	8925.000	37.03	10.75	47.78	74.00	-26.22	peak
3	10355.000	38.07	13.03	51.10	74.00	-22.90	peak
4	11312.000	33.20	16.03	49.23	74.00	-24.77	peak
5	13864.000	27.77	22.45	50.22	74.00	-23.78	peak
6	17769.000	24.55	25.76	50.31	74.00	-23.69	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8232.000	37.08	8.49	45.57	74.00	-28.43	peak
2	8980.000	37.19	11.57	48.76	74.00	-25.24	peak
3	10399.000	37.92	13.23	51.15	74.00	-22.85	peak
4	11510.000	33.29	16.90	50.19	74.00	-23.81	peak
5	13919.000	27.20	22.49	49.69	74.00	-24.31	peak
6	17989.000	23.89	26.92	50.81	74.00	-23.19	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	39.99	6.86	46.85	74.00	-27.15	peak
2	8980.000	36.86	11.57	48.43	74.00	-25.57	peak
3	10399.000	36.64	13.23	49.87	74.00	-24.13	peak
4	11378.000	32.55	16.43	48.98	74.00	-25.02	peak
5	13941.000	26.98	22.50	49.48	74.00	-24.52	peak
6	17989.000	22.71	26.92	49.63	74.00	-24.37	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7990.000	38.95	6.87	45.82	74.00	-28.18	peak
2	8991.000	36.16	11.73	47.89	74.00	-26.11	peak
3	10476.000	35.39	13.44	48.83	74.00	-25.17	peak
4	11334.000	33.82	16.16	49.98	74.00	-24.02	peak
5	13919.000	28.13	22.49	50.62	74.00	-23.38	peak
6	17912.000	23.61	26.60	50.21	74.00	-23.79	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	40.05	6.86	46.91	74.00	-27.09	peak
2	8991.000	36.14	11.73	47.87	74.00	-26.13	peak
3	10245.000	36.40	12.54	48.94	74.00	-25.06	peak
4	11389.000	31.80	16.51	48.31	74.00	-25.69	peak
5	13930.000	27.27	22.50	49.77	74.00	-24.23	peak
6	17978.000	22.38	26.88	49.26	74.00	-24.74	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7990.000	40.39	6.87	47.26	74.00	-26.74	peak
2	8991.000	35.65	11.73	47.38	74.00	-26.62	peak
3	10520.000	38.48	13.56	52.04	74.00	-21.96	peak
4	11334.000	34.05	16.16	50.21	74.00	-23.79	peak
5	13864.000	27.21	22.45	49.66	74.00	-24.34	peak
6	17989.000	23.25	26.92	50.17	74.00	-23.83	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	40.02	6.86	46.88	74.00	-27.12	peak
2	9068.000	36.64	11.25	47.89	74.00	-26.11	peak
3	10509.000	38.01	13.52	51.53	74.00	-22.47	peak
4	11334.000	32.91	16.16	49.07	74.00	-24.93	peak
5	13930.000	26.83	22.50	49.33	74.00	-24.67	peak
6	17989.000	23.33	26.92	50.25	74.00	-23.75	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7341.000	36.56	8.00	44.56	74.00	-29.44	peak
2	8958.000	36.23	11.24	47.47	74.00	-26.53	peak
3	10553.000	38.80	13.64	52.44	74.00	-21.56	peak
4	11345.000	33.52	16.24	49.76	74.00	-24.24	peak
5	14007.000	28.17	22.53	50.70	74.00	-23.30	peak
6	17967.000	24.03	26.83	50.86	74.00	-23.14	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	39.87	6.86	46.73	74.00	-27.27	peak
2	9057.000	36.19	11.35	47.54	74.00	-26.46	peak
3	10564.000	39.98	13.68	53.66	74.00	-20.34	peak
4	12665.000	28.88	18.48	47.36	74.00	-26.64	peak
5	13853.000	27.73	22.46	50.19	74.00	-23.81	peak
6	17989.000	22.58	26.92	49.50	74.00	-24.50	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7990.000	39.93	6.87	46.80	74.00	-27.20	peak
2	9068.000	36.15	11.25	47.40	74.00	-26.60	peak
3	10630.000	36.63	13.78	50.41	74.00	-23.59	peak
4	11400.000	31.93	16.57	48.50	74.00	-25.50	peak
5	13963.000	28.09	22.51	50.60	74.00	-23.40	peak
6	17989.000	23.51	26.92	50.43	74.00	-23.57	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	39.61	6.86	46.47	74.00	-27.53	peak
2	8947.000	36.86	11.08	47.94	74.00	-26.06	peak
3	10641.000	37.21	13.79	51.00	74.00	-23.00	peak
4	11400.000	33.03	16.57	49.60	74.00	-24.40	peak
5	13930.000	28.15	22.50	50.65	74.00	-23.35	peak
6	17945.000	23.17	26.74	49.91	74.00	-24.09	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7341.000	37.65	8.00	45.65	74.00	-28.35	peak
2	9134.000	37.17	10.64	47.81	74.00	-26.19	peak
3	11004.000	41.50	14.90	56.40	74.00	-17.60	peak
4	11004.000	29.80	14.90	44.70	54.00	-9.30	AVG
5	13930.000	27.54	22.50	50.04	74.00	-23.96	peak
6	15217.000	28.44	17.61	46.05	74.00	-27.95	peak
7	18000.000	23.37	26.97	50.34	74.00	-23.66	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7990.000	39.24	6.87	46.11	74.00	-27.89	peak
2	8925.000	37.29	10.75	48.04	74.00	-25.96	peak
3	10993.000	41.27	14.86	56.13	74.00	-17.87	peak
4	10993.000	29.04	14.86	43.90	54.00	-10.10	AVG
5	13622.000	27.36	21.53	48.89	74.00	-25.11	peak
6	13919.000	27.43	22.49	49.92	74.00	-24.08	peak
7	17912.000	22.80	26.60	49.40	74.00	-24.60	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7341.000	36.14	8.00	44.14	74.00	-29.86	peak
2	7990.000	38.22	6.87	45.09	74.00	-28.91	peak
3	8936.000	37.21	10.91	48.12	74.00	-25.88	peak
4	11158.000	39.40	15.25	54.65	74.00	-19.35	peak
5	11158.000	27.45	15.25	42.70	54.00	-11.30	AVG
6	13853.000	28.27	22.46	50.73	74.00	-23.27	peak
7	17989.000	23.84	26.92	50.76	74.00	-23.24	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7935.000	39.44	6.87	46.31	74.00	-27.69	peak
2	9068.000	36.81	11.25	48.06	74.00	-25.94	peak
3	10300.000	36.30	12.78	49.08	74.00	-24.92	peak
4	11158.000	37.54	15.25	52.79	74.00	-21.21	peak
5	11158.000	22.95	15.25	38.20	54.00	-15.80	AVG
6	13919.000	27.34	22.49	49.83	74.00	-24.17	peak
7	17978.000	23.11	26.88	49.99	74.00	-24.01	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7990.000	38.62	6.87	45.49	74.00	-28.51	peak
2	9134.000	37.38	10.64	48.02	74.00	-25.98	peak
3	11400.000	43.35	16.57	59.92	74.00	-14.08	peak
4	11400.000	31.53	16.57	48.10	54.00	-5.90	AVG
5	12258.000	30.12	18.70	48.82	74.00	-25.18	peak
6	13820.000	27.71	22.43	50.14	74.00	-23.86	peak
7	18000.000	24.05	26.97	51.02	74.00	-22.98	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7990.000	39.37	6.87	46.24	74.00	-27.76	peak
2	8991.000	35.69	11.73	47.42	74.00	-26.58	peak
3	11389.000	41.02	16.51	57.53	74.00	-16.47	peak
4	11389.000	26.59	16.51	43.10	54.00	-10.90	AVG
5	13633.000	29.23	21.59	50.82	74.00	-23.18	peak
6	14832.000	28.73	19.01	47.74	74.00	-26.26	peak
7	17989.000	22.86	26.92	49.78	74.00	-24.22	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7990.000	38.92	6.87	45.79	74.00	-28.21	peak
2	9024.000	35.86	11.65	47.51	74.00	-26.49	peak
3	11444.000	43.84	16.71	60.55	74.00	-13.45	peak
4	11444.000	31.99	16.71	48.70	54.00	-5.30	AVG
5	11840.000	33.59	17.76	51.35	74.00	-22.65	peak
6	13853.000	28.08	22.46	50.54	74.00	-23.46	peak
7	17956.000	24.40	26.78	51.18	74.00	-22.82	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	39.29	6.86	46.15	74.00	-27.85	peak
2	8925.000	36.85	10.75	47.60	74.00	-26.40	peak
3	10201.000	36.13	12.34	48.47	74.00	-25.53	peak
4	11444.000	43.01	16.71	59.72	74.00	-14.28	peak
5	11444.000	27.79	16.71	44.50	54.00	-9.50	AVG
6	13930.000	28.91	22.50	51.41	74.00	-22.59	peak
7	17945.000	23.25	26.74	49.99	74.00	-24.01	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8232.000	38.05	8.49	46.54	74.00	-27.46	peak
2	8980.000	36.20	11.57	47.77	74.00	-26.23	peak
3	11488.000	41.71	16.84	58.55	74.00	-15.45	peak
4	11488.000	30.26	16.84	47.10	54.00	-6.90	AVG
5	13974.000	27.96	22.53	50.49	74.00	-23.51	peak
6	17274.000	25.53	22.96	48.49	74.00	-25.51	peak
7	17956.000	24.91	26.78	51.69	74.00	-22.31	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8001.000	40.94	6.89	47.83	74.00	-26.17	peak
2	8991.000	36.67	11.73	48.40	74.00	-25.60	peak
3	10289.000	36.29	12.74	49.03	74.00	-24.97	peak
4	11488.000	40.00	16.84	56.84	74.00	-17.16	peak
5	11488.000	26.76	16.84	43.60	54.00	-10.40	AVG
6	13864.000	28.10	22.45	50.55	74.00	-23.45	peak
7	17780.000	23.17	25.89	49.06	74.00	-24.94	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7990.000	39.09	6.87	45.96	74.00	-28.04	peak
2	8936.000	36.69	10.91	47.60	74.00	-26.40	peak
3	10432.000	35.15	13.31	48.46	74.00	-25.54	peak
4	11576.000	43.50	16.99	60.49	74.00	-13.51	peak
5	11576.000	32.91	16.99	49.90	54.00	-4.10	AVG
6	13974.000	28.41	22.53	50.94	74.00	-23.06	peak
7	17967.000	23.67	26.83	50.50	74.00	-23.50	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7990.000	39.26	6.87	46.13	74.00	-27.87	peak
2	8991.000	36.11	11.73	47.84	74.00	-26.16	peak
3	10927.000	35.09	14.51	49.60	74.00	-24.40	peak
4	11565.000	40.19	16.97	57.16	74.00	-16.84	peak
5	11565.000	26.43	16.97	43.40	54.00	-10.60	AVG
6	13864.000	27.93	22.45	50.38	74.00	-23.62	peak
7	17912.000	23.77	26.60	50.37	74.00	-23.63	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8001.000	39.75	6.89	46.64	74.00	-27.36	peak
2	9057.000	36.31	11.35	47.66	74.00	-26.34	peak
3	10179.000	35.96	12.32	48.28	74.00	-25.72	peak
4	11653.000	44.24	17.16	61.40	74.00	-12.60	peak
5	11653.000	34.54	17.16	51.70	54.00	-2.30	AVG
6	13875.000	28.52	22.46	50.98	74.00	-23.02	peak
7	17967.000	24.06	26.83	50.89	74.00	-23.11	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	39.48	6.86	46.34	74.00	-27.66	peak
2	8903.000	37.55	10.41	47.96	74.00	-26.04	peak
3	11642.000	42.37	17.13	59.50	74.00	-14.50	peak
4	11642.000	30.67	17.13	47.80	54.00	-6.20	AVG
5	12676.000	30.31	18.50	48.81	74.00	-25.19	peak
6	13930.000	28.16	22.50	50.66	74.00	-23.34	peak
7	17956.000	24.09	26.78	50.87	74.00	-23.13	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5190
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	38.42	6.86	45.28	74.00	-28.72	peak
2	8980.000	36.50	11.57	48.07	74.00	-25.93	peak
3	10366.000	38.18	13.08	51.26	74.00	-22.74	peak
4	11840.000	32.77	17.76	50.53	74.00	-23.47	peak
5	13589.000	28.21	21.41	49.62	74.00	-24.38	peak
6	17912.000	23.24	26.60	49.84	74.00	-24.16	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5190
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	39.90	6.86	46.76	74.00	-27.24	peak
2	8980.000	36.05	11.57	47.62	74.00	-26.38	peak
3	10366.000	37.99	13.08	51.07	74.00	-22.93	peak
4	11521.000	31.38	16.92	48.30	74.00	-25.70	peak
5	13930.000	26.84	22.50	49.34	74.00	-24.66	peak
6	17989.000	23.81	26.92	50.73	74.00	-23.27	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5230
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7990.000	38.83	6.87	45.70	74.00	-28.30	peak
2	9332.000	37.52	10.45	47.97	74.00	-26.03	peak
3	10465.000	35.76	13.41	49.17	74.00	-24.83	peak
4	11741.000	31.99	17.39	49.38	74.00	-24.62	peak
5	13952.000	27.76	22.51	50.27	74.00	-23.73	peak
6	17967.000	23.50	26.83	50.33	74.00	-23.67	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5230
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	40.48	6.86	47.34	74.00	-26.66	peak
2	8936.000	37.64	10.91	48.55	74.00	-25.45	peak
3	10454.000	37.25	13.38	50.63	74.00	-23.37	peak
4	11004.000	34.88	14.90	49.78	74.00	-24.22	peak
5	13864.000	26.99	22.45	49.44	74.00	-24.56	peak
6	18000.000	22.81	26.97	49.78	74.00	-24.22	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5270
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7924.000	38.12	6.86	44.98	74.00	-29.02	peak
2	8991.000	36.07	11.73	47.80	74.00	-26.20	peak
3	10542.000	35.36	13.62	48.98	74.00	-25.02	peak
4	11433.000	34.43	16.68	51.11	74.00	-22.89	peak
5	13919.000	27.49	22.49	49.98	74.00	-24.02	peak
6	17978.000	24.03	26.88	50.91	74.00	-23.09	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5270
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	40.66	6.86	47.52	74.00	-26.48	peak
2	8958.000	36.38	11.24	47.62	74.00	-26.38	peak
3	10531.000	36.86	13.58	50.44	74.00	-23.56	peak
4	12665.000	27.65	18.48	46.13	74.00	-27.87	peak
5	13886.000	25.25	22.48	47.73	74.00	-26.27	peak
6	17769.000	22.02	25.76	47.78	74.00	-26.22	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5310
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7990.000	38.95	6.87	45.82	74.00	-28.18	peak
2	9057.000	35.87	11.35	47.22	74.00	-26.78	peak
3	10619.000	36.84	13.78	50.62	74.00	-23.38	peak
4	11312.000	34.36	16.03	50.39	74.00	-23.61	peak
5	13666.000	28.61	21.75	50.36	74.00	-23.64	peak
6	17901.000	24.82	26.55	51.37	74.00	-22.63	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5310
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7990.000	39.82	6.87	46.69	74.00	-27.31	peak
2	8991.000	37.34	11.73	49.07	74.00	-24.93	peak
3	10619.000	36.59	13.78	50.37	74.00	-23.63	peak
4	12566.000	29.25	18.40	47.65	74.00	-26.35	peak
5	13974.000	26.62	22.53	49.15	74.00	-24.85	peak
6	17857.000	23.69	26.36	50.05	74.00	-23.95	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5510
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	38.84	6.86	45.70	74.00	-28.30	peak
2	8991.000	36.72	11.73	48.45	74.00	-25.55	peak
3	11015.000	40.70	14.93	55.63	74.00	-18.37	peak
4	11015.000	27.27	14.93	42.20	54.00	-11.80	AVG
5	13600.000	28.58	21.42	50.00	74.00	-24.00	peak
6	14414.000	27.74	20.72	48.46	74.00	-25.54	peak
7	17989.000	24.30	26.92	51.22	74.00	-22.78	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5510
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	39.81	6.86	46.67	74.00	-27.33	peak
2	8980.000	36.75	11.57	48.32	74.00	-25.68	peak
3	11037.000	36.23	14.98	51.21	74.00	-22.79	peak
4	11411.000	33.69	16.60	50.29	74.00	-23.71	peak
5	13688.000	27.82	21.85	49.67	74.00	-24.33	peak
6	17978.000	23.47	26.88	50.35	74.00	-23.65	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5550
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7990.000	39.08	6.87	45.95	74.00	-28.05	peak
2	8991.000	35.82	11.73	47.55	74.00	-26.45	peak
3	11103.000	36.72	15.12	51.84	74.00	-22.16	peak
4	13776.000	27.90	22.30	50.20	74.00	-23.80	peak
5	15624.000	27.52	17.83	45.35	74.00	-28.65	peak
6	17989.000	23.34	26.92	50.26	74.00	-23.74	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5550
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	40.85	6.86	47.71	74.00	-26.29	peak
2	8969.000	36.36	11.40	47.76	74.00	-26.24	peak
3	10432.000	35.17	13.31	48.48	74.00	-25.52	peak
4	11004.000	34.10	14.90	49.00	74.00	-25.00	peak
5	13886.000	26.34	22.48	48.82	74.00	-25.18	peak
6	17989.000	22.78	26.92	49.70	74.00	-24.30	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5670
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7935.000	39.07	6.87	45.94	74.00	-28.06	peak
2	9057.000	36.80	11.35	48.15	74.00	-25.85	peak
3	11334.000	39.19	16.16	55.35	74.00	-18.65	peak
4	11334.000	29.04	16.16	45.20	54.00	-8.80	AVG
5	13930.000	27.56	22.50	50.06	74.00	-23.94	peak
6	17021.000	26.35	21.75	48.10	74.00	-25.90	peak
7	17956.000	24.10	26.78	50.88	74.00	-23.12	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5670
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7990.000	39.60	6.87	46.47	74.00	-27.53	peak
2	8925.000	36.94	10.75	47.69	74.00	-26.31	peak
3	10575.000	34.68	13.70	48.38	74.00	-25.62	peak
4	11334.000	39.29	16.16	55.45	74.00	-18.55	peak
5	11334.000	24.34	16.16	40.50	54.00	-13.50	AVG
6	13864.000	27.09	22.45	49.54	74.00	-24.46	peak
7	17989.000	22.67	26.92	49.59	74.00	-24.41	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5710
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7990.000	38.22	6.87	45.09	74.00	-28.91	peak
2	8980.000	36.36	11.57	47.93	74.00	-26.07	peak
3	10025.000	37.03	12.19	49.22	74.00	-24.78	peak
4	11422.000	41.47	16.64	58.11	74.00	-15.89	peak
5	11422.000	29.46	16.64	46.10	54.00	-7.90	AVG
6	13853.000	28.28	22.46	50.74	74.00	-23.26	peak
7	17967.000	24.64	26.83	51.47	74.00	-22.53	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5710
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	41.07	6.86	47.93	74.00	-26.07	peak
2	8991.000	35.87	11.73	47.60	74.00	-26.40	peak
3	11422.000	38.85	16.64	55.49	74.00	-18.51	peak
4	11422.000	27.96	16.64	44.60	54.00	-9.40	AVG
5	13523.000	28.01	21.41	49.42	74.00	-24.58	peak
6	16471.000	25.77	19.54	45.31	74.00	-28.69	peak
7	17978.000	23.65	26.88	50.53	74.00	-23.47	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5755
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7341.000	36.03	8.00	44.03	74.00	-29.97	peak
2	7847.000	37.19	6.86	44.05	74.00	-29.95	peak
3	9552.000	37.50	10.94	48.44	74.00	-25.56	peak
4	11510.000	41.82	16.90	58.72	74.00	-15.28	peak
5	11510.000	30.80	16.90	47.70	54.00	-6.30	AVG
6	13919.000	27.09	22.49	49.58	74.00	-24.42	peak
7	17978.000	24.19	26.88	51.07	74.00	-22.93	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5755
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7913.000	38.62	6.87	45.49	74.00	-28.51	peak
2	8991.000	36.32	11.73	48.05	74.00	-25.95	peak
3	11510.000	40.26	16.90	57.16	74.00	-16.84	peak
4	11510.000	26.00	16.90	42.90	54.00	-11.10	AVG
5	12258.000	31.70	18.70	50.40	74.00	-23.60	peak
6	13622.000	28.28	21.53	49.81	74.00	-24.19	peak
7	18000.000	23.30	26.97	50.27	74.00	-23.73	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5795
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	38.44	6.86	45.30	74.00	-28.70	peak
2	8947.000	38.25	11.08	49.33	74.00	-24.67	peak
3	11587.000	43.18	17.00	60.18	74.00	-13.82	peak
4	11587.000	32.50	17.00	49.50	54.00	-4.50	AVG
5	13864.000	27.10	22.45	49.55	74.00	-24.45	peak
6	16405.000	26.07	19.18	45.25	74.00	-28.75	peak
7	17703.000	25.72	25.01	50.73	74.00	-23.27	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5795
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	41.79	6.86	48.65	74.00	-25.35	peak
2	8947.000	37.83	11.08	48.91	74.00	-25.09	peak
3	11048.000	34.90	14.99	49.89	74.00	-24.11	peak
4	11587.000	37.61	17.00	54.61	74.00	-19.39	peak
5	11587.000	27.80	17.00	44.80	54.00	-9.20	AVG
6	13919.000	28.20	22.49	50.69	74.00	-23.31	peak
7	17879.000	23.77	26.46	50.23	74.00	-23.77	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7880.000	39.76	6.86	46.62	74.00	-27.38	peak
2	8969.000	36.54	11.40	47.94	74.00	-26.06	peak
3	10421.000	35.67	13.29	48.96	74.00	-25.04	peak
4	11422.000	34.06	16.64	50.70	74.00	-23.30	peak
5	13908.000	28.08	22.49	50.57	74.00	-23.43	peak
6	17967.000	23.60	26.83	50.43	74.00	-23.57	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5210
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	40.38	6.86	47.24	74.00	-26.76	peak
2	9134.000	37.88	10.64	48.52	74.00	-25.48	peak
3	11059.000	36.44	15.02	51.46	74.00	-22.54	peak
4	13985.000	27.23	22.53	49.76	74.00	-24.24	peak
5	14414.000	26.81	20.72	47.53	74.00	-26.47	peak
6	17978.000	21.70	26.88	48.58	74.00	-25.42	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7297.000	37.17	7.65	44.82	74.00	-29.18	peak
2	7990.000	38.89	6.87	45.76	74.00	-28.24	peak
3	8980.000	36.40	11.57	47.97	74.00	-26.03	peak
4	11708.000	33.45	17.31	50.76	74.00	-23.24	peak
5	13897.000	28.12	22.47	50.59	74.00	-23.41	peak
6	17989.000	24.21	26.92	51.13	74.00	-22.87	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5290
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7341.000	37.30	8.00	45.30	74.00	-28.70	peak
2	7990.000	39.58	6.87	46.45	74.00	-27.55	peak
3	8958.000	36.49	11.24	47.73	74.00	-26.27	peak
4	11015.000	35.75	14.93	50.68	74.00	-23.32	peak
5	13886.000	27.10	22.48	49.58	74.00	-24.42	peak
6	17989.000	23.33	26.92	50.25	74.00	-23.75	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7341.000	37.20	8.00	45.20	74.00	-28.80	peak
2	8958.000	36.48	11.24	47.72	74.00	-26.28	peak
3	10564.000	34.59	13.68	48.27	74.00	-25.73	peak
4	11070.000	36.46	15.04	51.50	74.00	-22.50	peak
5	13875.000	27.59	22.46	50.05	74.00	-23.95	peak
6	17813.000	24.87	26.18	51.05	74.00	-22.95	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5530
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8001.000	39.88	6.89	46.77	74.00	-27.23	peak
2	8958.000	36.49	11.24	47.73	74.00	-26.27	peak
3	11059.000	35.71	15.02	50.73	74.00	-23.27	peak
4	12654.000	29.69	18.44	48.13	74.00	-25.87	peak
5	13985.000	28.18	22.53	50.71	74.00	-23.29	peak
6	17923.000	23.15	26.64	49.79	74.00	-24.21	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	39.02	6.86	45.88	74.00	-28.12	peak
2	8991.000	36.04	11.73	47.77	74.00	-26.23	peak
3	10432.000	34.93	13.31	48.24	74.00	-25.76	peak
4	11400.000	37.02	16.57	53.59	74.00	-20.41	peak
5	11400.000	22.93	16.57	39.50	54.00	-14.50	AVG
6	14007.000	27.63	22.53	50.16	74.00	-23.84	peak
7	17956.000	24.58	26.78	51.36	74.00	-22.64	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5610
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	40.06	6.86	46.92	74.00	-27.08	peak
2	8991.000	36.84	11.73	48.57	74.00	-25.43	peak
3	11312.000	35.24	16.03	51.27	74.00	-22.73	peak
4	13919.000	27.12	22.49	49.61	74.00	-24.39	peak
5	16691.000	24.57	20.69	45.26	74.00	-28.74	peak
6	17736.000	24.31	25.39	49.70	74.00	-24.30	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5690
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7990.000	39.58	6.87	46.45	74.00	-27.55	peak
2	8980.000	36.81	11.57	48.38	74.00	-25.62	peak
3	11400.000	35.23	16.57	51.80	74.00	-22.20	peak
4	13908.000	27.69	22.49	50.18	74.00	-23.82	peak
5	17032.000	25.28	21.81	47.09	74.00	-26.91	peak
6	17857.000	23.49	26.36	49.85	74.00	-24.15	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5690
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	41.27	6.86	48.13	74.00	-25.87	peak
2	9134.000	37.81	10.64	48.45	74.00	-25.55	peak
3	11059.000	35.23	15.02	50.25	74.00	-23.75	peak
4	13985.000	26.87	22.53	49.40	74.00	-24.60	peak
5	14810.000	27.92	19.16	47.08	74.00	-26.92	peak
6	17956.000	22.54	26.78	49.32	74.00	-24.68	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8045.000	38.16	7.27	45.43	74.00	-28.57	peak
2	8991.000	36.16	11.73	47.89	74.00	-26.11	peak
3	11070.000	35.10	15.04	50.14	74.00	-23.86	peak
4	11576.000	34.75	16.99	51.74	74.00	-22.26	peak
5	13919.000	27.63	22.49	50.12	74.00	-23.88	peak
6	17692.000	25.34	24.88	50.22	74.00	-23.78	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5775
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7495.000	36.80	7.61	44.41	74.00	-29.59	peak
2	7990.000	40.18	6.87	47.05	74.00	-26.95	peak
3	10201.000	36.16	12.34	48.50	74.00	-25.50	peak
4	11774.000	32.65	17.49	50.14	74.00	-23.86	peak
5	13831.000	27.38	22.44	49.82	74.00	-24.18	peak
6	17989.000	22.44	26.92	49.36	74.00	-24.64	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8001.000	40.06	6.89	46.95	74.00	-27.05	peak
2	8980.000	36.11	11.57	47.68	74.00	-26.32	peak
3	10355.000	39.90	13.03	52.93	74.00	-21.07	peak
4	11411.000	33.95	16.60	50.55	74.00	-23.45	peak
5	13853.000	27.47	22.46	49.93	74.00	-24.07	peak
6	17967.000	22.98	26.83	49.81	74.00	-24.19	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	39.38	6.86	46.24	74.00	-27.76	peak
2	9431.000	37.92	10.73	48.65	74.00	-25.35	peak
3	10366.000	40.52	13.08	53.60	74.00	-20.40	peak
4	11059.000	33.64	15.02	48.66	74.00	-25.34	peak
5	13589.000	28.04	21.41	49.45	74.00	-24.55	peak
6	17923.000	23.33	26.64	49.97	74.00	-24.03	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7990.000	39.04	6.87	45.91	74.00	-28.09	peak
2	9332.000	37.31	10.45	47.76	74.00	-26.24	peak
3	10399.000	39.94	13.23	53.17	74.00	-20.83	peak
4	11400.000	32.48	16.57	49.05	74.00	-24.95	peak
5	13875.000	28.01	22.46	50.47	74.00	-23.53	peak
6	17846.000	24.16	26.32	50.48	74.00	-23.52	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.31	11.57	47.88	74.00	-26.12	peak
2	10388.000	38.75	13.18	51.93	74.00	-22.07	peak
3	10894.000	34.46	14.33	48.79	74.00	-25.21	peak
4	13809.000	27.27	22.43	49.70	74.00	-24.30	peak
5	15613.000	29.55	17.84	47.39	74.00	-26.61	peak
6	17923.000	22.69	26.64	49.33	74.00	-24.67	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	39.26	6.86	46.12	74.00	-27.88	peak
2	8991.000	36.14	11.73	47.87	74.00	-26.13	peak
3	10487.000	36.87	13.46	50.33	74.00	-23.67	peak
4	11048.000	35.81	14.99	50.80	74.00	-23.20	peak
5	14007.000	27.39	22.53	49.92	74.00	-24.08	peak
6	17978.000	23.98	26.88	50.86	74.00	-23.14	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7935.000	39.13	6.87	46.00	74.00	-28.00	peak
2	8980.000	36.61	11.57	48.18	74.00	-25.82	peak
3	10487.000	37.54	13.46	51.00	74.00	-23.00	peak
4	11048.000	34.45	14.99	49.44	74.00	-24.56	peak
5	13809.000	27.08	22.43	49.51	74.00	-24.49	peak
6	17989.000	23.04	26.92	49.96	74.00	-24.04	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8243.000	37.63	8.44	46.07	74.00	-27.93	peak
2	9079.000	37.15	11.15	48.30	74.00	-25.70	peak
3	10509.000	37.79	13.52	51.31	74.00	-22.69	peak
4	11048.000	35.46	14.99	50.45	74.00	-23.55	peak
5	13545.000	28.79	21.41	50.20	74.00	-23.80	peak
6	17989.000	23.09	26.92	50.01	74.00	-23.99	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	39.49	6.86	46.35	74.00	-27.65	peak
2	8991.000	35.89	11.73	47.62	74.00	-26.38	peak
3	10520.000	37.06	13.56	50.62	74.00	-23.38	peak
4	13985.000	27.13	22.53	49.66	74.00	-24.34	peak
5	15778.000	27.66	17.73	45.39	74.00	-28.61	peak
6	18000.000	22.65	26.97	49.62	74.00	-24.38	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	38.64	6.86	45.50	74.00	-28.50	peak
2	8991.000	35.82	11.73	47.55	74.00	-26.45	peak
3	10564.000	35.97	13.68	49.65	74.00	-24.35	peak
4	11389.000	35.07	16.51	51.58	74.00	-22.42	peak
5	13974.000	28.50	22.53	51.03	74.00	-22.97	peak
6	17945.000	24.47	26.74	51.21	74.00	-22.79	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	38.90	6.86	45.76	74.00	-28.24	peak
2	8947.000	36.69	11.08	47.77	74.00	-26.23	peak
3	10564.000	36.88	13.68	50.56	74.00	-23.44	peak
4	11444.000	31.58	16.71	48.29	74.00	-25.71	peak
5	13864.000	25.57	22.45	48.02	74.00	-25.98	peak
6	17967.000	21.69	26.83	48.52	74.00	-25.48	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7924.000	37.96	6.86	44.82	74.00	-29.18	peak
2	9057.000	36.26	11.35	47.61	74.00	-26.39	peak
3	10630.000	39.12	13.78	52.90	74.00	-21.10	peak
4	10630.000	27.82	13.78	41.60	54.00	-12.40	AVG
5	11301.000	33.58	15.96	49.54	74.00	-24.46	peak
6	13468.000	29.02	21.31	50.33	74.00	-23.67	peak
7	17703.000	25.64	25.01	50.65	74.00	-23.35	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7891.000	39.29	6.85	46.14	74.00	-27.86	peak
2	8980.000	36.29	11.57	47.86	74.00	-26.14	peak
3	10630.000	37.05	13.78	50.83	74.00	-23.17	peak
4	11323.000	32.15	16.10	48.25	74.00	-25.75	peak
5	13600.000	26.82	21.42	48.24	74.00	-25.76	peak
6	17967.000	22.24	26.83	49.07	74.00	-24.93	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7330.000	36.67	7.91	44.58	74.00	-29.42	peak
2	8243.000	38.21	8.44	46.65	74.00	-27.35	peak
3	9134.000	37.27	10.64	47.91	74.00	-26.09	peak
4	10993.000	42.34	14.86	57.20	74.00	-16.80	peak
5	10993.000	30.94	14.86	45.80	54.00	-8.20	AVG
6	13886.000	27.09	22.48	49.57	74.00	-24.43	peak
7	17945.000	23.37	26.74	50.11	74.00	-23.89	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7352.000	36.81	8.07	44.88	74.00	-29.12	peak
2	8969.000	36.09	11.40	47.49	74.00	-26.51	peak
3	10993.000	36.59	14.86	51.45	74.00	-22.55	peak
4	12687.000	29.12	18.53	47.65	74.00	-26.35	peak
5	13809.000	27.27	22.43	49.70	74.00	-24.30	peak
6	17989.000	23.06	26.92	49.98	74.00	-24.02	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7352.000	37.02	8.07	45.09	74.00	-28.91	peak
2	7990.000	39.26	6.87	46.13	74.00	-27.87	peak
3	8991.000	36.70	11.73	48.43	74.00	-25.57	peak
4	11158.000	36.31	15.25	51.56	74.00	-22.44	peak
5	13853.000	26.86	22.46	49.32	74.00	-24.68	peak
6	17945.000	23.49	26.74	50.23	74.00	-23.77	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7913.000	39.03	6.87	45.90	74.00	-28.10	peak
2	8991.000	36.18	11.73	47.91	74.00	-26.09	peak
3	11158.000	36.10	15.25	51.35	74.00	-22.65	peak
4	12225.000	30.99	18.63	49.62	74.00	-24.38	peak
5	13963.000	28.32	22.51	50.83	74.00	-23.17	peak
6	17978.000	23.22	26.88	50.10	74.00	-23.90	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	39.00	6.86	45.86	74.00	-28.14	peak
2	9343.000	37.34	10.49	47.83	74.00	-26.17	peak
3	11400.000	43.12	16.57	59.69	74.00	-14.31	peak
4	11400.000	32.03	16.57	48.60	54.00	-5.40	AVG
5	13919.000	28.04	22.49	50.53	74.00	-23.47	peak
6	17175.000	25.25	22.57	47.82	74.00	-26.18	peak
7	17989.000	24.29	26.92	51.21	74.00	-22.79	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	39.27	6.86	46.13	74.00	-27.87	peak
2	8958.000	36.97	11.24	48.21	74.00	-25.79	peak
3	11037.000	36.26	14.98	51.24	74.00	-22.76	peak
4	11400.000	40.77	16.57	57.34	74.00	-16.66	peak
5	11400.000	27.53	16.57	44.10	54.00	-9.90	AVG
6	13864.000	28.24	22.45	50.69	74.00	-23.31	peak
7	17989.000	23.64	26.92	50.56	74.00	-23.44	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7352.000	36.76	8.07	44.83	74.00	-29.17	peak
2	8991.000	36.29	11.73	48.02	74.00	-25.98	peak
3	10179.000	35.66	12.32	47.98	74.00	-26.02	peak
4	11433.000	42.64	16.68	59.32	74.00	-14.68	peak
5	11433.000	31.82	16.68	48.50	54.00	-5.50	AVG
6	13864.000	27.83	22.45	50.28	74.00	-23.72	peak
7	17780.000	25.19	25.89	51.08	74.00	-22.92	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7341.000	37.05	8.00	45.05	74.00	-28.95	peak
2	7990.000	39.40	6.87	46.27	74.00	-27.73	peak
3	8980.000	36.08	11.57	47.65	74.00	-26.35	peak
4	11433.000	38.26	16.68	54.94	74.00	-19.06	peak
5	11433.000	27.02	16.68	43.70	54.00	-10.30	AVG
6	13512.000	27.72	21.41	49.13	74.00	-24.87	peak
7	17989.000	22.37	26.92	49.29	74.00	-24.71	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7924.000	39.07	6.86	45.93	74.00	-28.07	peak
2	8936.000	36.62	10.91	47.53	74.00	-26.47	peak
3	10421.000	34.58	13.29	47.87	74.00	-26.13	peak
4	11488.000	42.37	16.84	59.21	74.00	-14.79	peak
5	11488.000	31.86	16.84	48.70	54.00	-5.30	AVG
6	13919.000	27.53	22.49	50.02	74.00	-23.98	peak
7	17901.000	24.42	26.55	50.97	74.00	-23.03	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7341.000	36.85	8.00	44.85	74.00	-29.15	peak
2	7990.000	39.72	6.87	46.59	74.00	-27.41	peak
3	8947.000	36.71	11.08	47.79	74.00	-26.21	peak
4	11488.000	38.11	16.84	54.95	74.00	-19.05	peak
5	11488.000	27.06	16.84	43.90	54.00	-10.10	AVG
6	13864.000	27.49	22.45	49.94	74.00	-24.06	peak
7	17989.000	23.29	26.92	50.21	74.00	-23.79	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	39.60	6.86	46.46	74.00	-27.54	peak
2	9057.000	35.79	11.35	47.14	74.00	-26.86	peak
3	10883.000	33.62	14.28	47.90	74.00	-26.10	peak
4	11565.000	45.11	16.97	62.08	74.00	-11.92	peak
5	11565.000	33.33	16.97	50.30	54.00	-3.70	AVG
6	13919.000	27.77	22.49	50.26	74.00	-23.74	peak
7	17945.000	24.65	26.74	51.39	74.00	-22.61	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7990.000	38.72	6.87	45.59	74.00	-28.41	peak
2	8991.000	35.65	11.73	47.38	74.00	-26.62	peak
3	11059.000	35.03	15.02	50.05	74.00	-23.95	peak
4	11565.000	36.66	16.97	53.63	74.00	-20.37	peak
5	11565.000	27.53	16.97	44.50	54.00	-9.50	AVG
6	13919.000	27.97	22.49	50.46	74.00	-23.54	peak
7	17912.000	22.96	26.60	49.56	74.00	-24.44	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8232.000	37.00	8.49	45.49	74.00	-28.51	peak
2	8991.000	36.06	11.73	47.79	74.00	-26.21	peak
3	10575.000	34.32	13.70	48.02	74.00	-25.98	peak
4	11653.000	41.70	17.16	58.86	74.00	-15.14	peak
5	11653.000	34.64	17.16	51.80	54.00	-2.20	AVG
6	13512.000	29.78	21.41	51.19	74.00	-22.81	peak
7	17846.000	24.39	26.32	50.71	74.00	-23.29	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	40.78	6.86	47.64	74.00	-26.36	peak
2	8980.000	37.25	11.57	48.82	74.00	-25.18	peak
3	10916.000	35.52	14.45	49.97	74.00	-24.03	peak
4	11653.000	38.52	17.16	55.68	74.00	-18.32	peak
5	11653.000	27.04	17.16	44.20	54.00	-9.80	AVG
6	13908.000	28.11	22.49	50.60	74.00	-23.40	peak
7	17967.000	23.62	26.83	50.45	74.00	-23.55	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5190
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7990.000	38.82	6.87	45.69	74.00	-28.31	peak
2	8991.000	35.89	11.73	47.62	74.00	-26.38	peak
3	10377.000	41.16	13.13	54.29	74.00	-19.71	peak
4	11059.000	33.67	15.02	48.69	74.00	-25.31	peak
5	13875.000	27.58	22.46	50.04	74.00	-23.96	peak
6	17934.000	23.89	26.69	50.58	74.00	-23.42	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5190
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	39.84	6.86	46.70	74.00	-27.30	peak
2	8991.000	36.35	11.73	48.08	74.00	-25.92	peak
3	10366.000	36.40	13.08	49.48	74.00	-24.52	peak
4	11455.000	33.24	16.74	49.98	74.00	-24.02	peak
5	13545.000	29.18	21.41	50.59	74.00	-23.41	peak
6	17978.000	22.71	26.88	49.59	74.00	-24.41	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5230
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8331.000	37.50	8.10	45.60	74.00	-28.40	peak
2	8958.000	36.62	11.24	47.86	74.00	-26.14	peak
3	10465.000	36.06	13.41	49.47	74.00	-24.53	peak
4	11301.000	33.65	15.96	49.61	74.00	-24.39	peak
5	13919.000	27.39	22.49	49.88	74.00	-24.12	peak
6	17923.000	23.02	26.64	49.66	74.00	-24.34	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5230
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	41.13	6.86	47.99	74.00	-26.01	peak
2	8650.000	38.80	9.05	47.85	74.00	-26.15	peak
3	10465.000	37.36	13.41	50.77	74.00	-23.23	peak
4	12665.000	29.26	18.48	47.74	74.00	-26.26	peak
5	13897.000	27.31	22.47	49.78	74.00	-24.22	peak
6	17978.000	23.31	26.88	50.19	74.00	-23.81	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5270
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7957.000	38.16	6.86	45.02	74.00	-28.98	peak
2	9057.000	36.34	11.35	47.69	74.00	-26.31	peak
3	10531.000	36.36	13.58	49.94	74.00	-24.06	peak
4	11554.000	32.91	16.95	49.86	74.00	-24.14	peak
5	13952.000	27.33	22.51	49.84	74.00	-24.16	peak
6	17967.000	22.92	26.83	49.75	74.00	-24.25	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5270
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8001.000	40.33	6.89	47.22	74.00	-26.78	peak
2	8991.000	36.62	11.73	48.35	74.00	-25.65	peak
3	10542.000	36.87	13.62	50.49	74.00	-23.51	peak
4	11895.000	30.52	18.05	48.57	74.00	-25.43	peak
5	13809.000	26.86	22.43	49.29	74.00	-24.71	peak
6	17747.000	23.77	25.52	49.29	74.00	-24.71	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5310
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	39.27	6.86	46.13	74.00	-27.87	peak
2	8914.000	37.08	10.58	47.66	74.00	-26.34	peak
3	11444.000	32.94	16.71	49.65	74.00	-24.35	peak
4	13017.000	29.29	19.18	48.47	74.00	-25.53	peak
5	13919.000	28.13	22.49	50.62	74.00	-23.38	peak
6	17967.000	23.72	26.83	50.55	74.00	-23.45	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5310
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	39.03	6.86	45.89	74.00	-28.11	peak
2	9332.000	37.00	10.45	47.45	74.00	-26.55	peak
3	10619.000	36.08	13.78	49.86	74.00	-24.14	peak
4	11521.000	34.17	16.92	51.09	74.00	-22.91	peak
5	13864.000	27.56	22.45	50.01	74.00	-23.99	peak
6	17989.000	23.53	26.92	50.45	74.00	-23.55	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5510
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	39.20	6.86	46.06	74.00	-27.94	peak
2	8991.000	36.32	11.73	48.05	74.00	-25.95	peak
3	11015.000	40.00	14.93	54.93	74.00	-19.07	peak
4	11015.000	29.17	14.93	44.10	54.00	-9.90	AVG
5	11433.000	33.41	16.68	50.09	74.00	-23.91	peak
6	13919.000	27.56	22.49	50.05	74.00	-23.95	peak
7	17956.000	24.08	26.78	50.86	74.00	-23.14	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5510
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8001.000	38.60	6.89	45.49	74.00	-28.51	peak
2	8980.000	36.29	11.57	47.86	74.00	-26.14	peak
3	11026.000	38.62	14.95	53.57	74.00	-20.43	peak
4	11026.000	24.05	14.95	39.00	54.00	-15.00	AVG
5	12643.000	29.15	18.43	47.58	74.00	-26.42	peak
6	13930.000	26.84	22.50	49.34	74.00	-24.66	peak
7	17978.000	23.00	26.88	49.88	74.00	-24.12	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5550
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7990.000	39.41	6.87	46.28	74.00	-27.72	peak
2	8991.000	36.32	11.73	48.05	74.00	-25.95	peak
3	11103.000	37.71	15.12	52.83	74.00	-21.17	peak
4	11103.000	27.18	15.12	42.30	54.00	-11.70	AVG
5	13853.000	27.90	22.46	50.36	74.00	-23.64	peak
6	17978.000	23.36	26.88	50.24	74.00	-23.76	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5550
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7990.000	39.74	6.87	46.61	74.00	-27.39	peak
2	9057.000	36.22	11.35	47.57	74.00	-26.43	peak
3	11092.000	35.39	15.10	50.49	74.00	-23.51	peak
4	13490.000	29.37	21.38	50.75	74.00	-23.25	peak
5	16328.000	27.22	18.88	46.10	74.00	-27.90	peak
6	17967.000	22.69	26.83	49.52	74.00	-24.48	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5670
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8221.000	37.24	8.53	45.77	74.00	-28.23	peak
2	8958.000	36.46	11.24	47.70	74.00	-26.30	peak
3	10091.000	36.08	12.25	48.33	74.00	-25.67	peak
4	11334.000	38.46	16.16	54.62	74.00	-19.38	peak
5	11334.000	28.94	16.16	45.10	54.00	-8.90	AVG
6	13963.000	27.31	22.51	49.82	74.00	-24.18	peak
7	17989.000	22.98	26.92	49.90	74.00	-24.10	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5670
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7341.000	36.43	8.00	44.43	74.00	-29.57	peak
2	8001.000	39.99	6.89	46.88	74.00	-27.12	peak
3	8991.000	35.82	11.73	47.55	74.00	-26.45	peak
4	11334.000	36.71	16.16	52.87	74.00	-21.13	peak
5	11334.000	24.34	16.16	40.50	54.00	-13.50	AVG
6	13787.000	26.63	22.36	48.99	74.00	-25.01	peak
7	17978.000	23.39	26.88	50.27	74.00	-23.73	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5710
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	38.53	6.86	45.39	74.00	-28.61	peak
2	8980.000	35.86	11.57	47.43	74.00	-26.57	peak
3	9596.000	36.50	11.00	47.50	74.00	-26.50	peak
4	11422.000	39.75	16.64	56.39	74.00	-17.61	peak
5	11422.000	30.16	16.64	46.80	54.00	-7.20	AVG
6	13930.000	27.44	22.50	49.94	74.00	-24.06	peak
7	17978.000	23.11	26.88	49.99	74.00	-24.01	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5710
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7935.000	38.87	6.87	45.74	74.00	-28.26	peak
2	8980.000	35.79	11.57	47.36	74.00	-26.64	peak
3	11026.000	34.25	14.95	49.20	74.00	-24.80	peak
4	11422.000	38.82	16.64	55.46	74.00	-18.54	peak
5	11422.000	28.76	16.64	45.40	54.00	-8.60	AVG
6	13930.000	27.81	22.50	50.31	74.00	-23.69	peak
7	17989.000	23.93	26.92	50.85	74.00	-23.15	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5755
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8001.000	39.52	6.89	46.41	74.00	-27.59	peak
2	9112.000	37.03	10.85	47.88	74.00	-26.12	peak
3	10575.000	34.86	13.70	48.56	74.00	-25.44	peak
4	11510.000	40.55	16.90	57.45	74.00	-16.55	peak
5	11510.000	30.90	16.90	47.80	54.00	-6.20	AVG
6	13996.000	27.16	22.54	49.70	74.00	-24.30	peak
7	18000.000	22.76	26.97	49.73	74.00	-24.27	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5755
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7374.000	37.70	8.25	45.95	74.00	-28.05	peak
2	7957.000	39.40	6.86	46.26	74.00	-27.74	peak
3	8925.000	37.14	10.75	47.89	74.00	-26.11	peak
4	11510.000	36.28	16.90	53.18	74.00	-20.82	peak
5	11510.000	25.83	16.90	42.73	54.00	-11.27	AVG
6	13908.000	26.84	22.49	49.33	74.00	-24.67	peak
7	17978.000	23.08	26.88	49.96	74.00	-24.04	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5795
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7341.000	36.13	8.00	44.13	74.00	-29.87	peak
2	7847.000	38.16	6.86	45.02	74.00	-28.98	peak
3	8848.000	37.75	9.59	47.34	74.00	-26.66	peak
4	11587.000	41.34	17.00	58.34	74.00	-15.66	peak
5	11587.000	31.50	17.00	48.50	54.00	-5.50	AVG
6	13919.000	27.69	22.49	50.18	74.00	-23.82	peak
7	17989.000	23.46	26.92	50.38	74.00	-23.62	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5795
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7341.000	37.54	8.00	45.54	74.00	-28.46	peak
2	7990.000	39.43	6.87	46.30	74.00	-27.70	peak
3	8980.000	36.70	11.57	48.27	74.00	-25.73	peak
4	11587.000	35.79	17.00	52.79	74.00	-21.21	peak
5	11587.000	25.10	17.00	42.10	54.00	-11.90	AVG
6	13974.000	27.50	22.53	50.03	74.00	-23.97	peak
7	17989.000	22.62	26.92	49.54	74.00	-24.46	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7990.000	39.46	6.87	46.33	74.00	-27.67	peak
2	9255.000	37.08	10.22	47.30	74.00	-26.70	peak
3	10421.000	36.14	13.29	49.43	74.00	-24.57	peak
4	11389.000	32.89	16.51	49.40	74.00	-24.60	peak
5	13930.000	27.72	22.50	50.22	74.00	-23.78	peak
6	17989.000	24.09	26.92	51.01	74.00	-22.99	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5210
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	40.45	6.86	47.31	74.00	-26.69	peak
2	8936.000	36.64	10.91	47.55	74.00	-26.45	peak
3	10300.000	35.26	12.78	48.04	74.00	-25.96	peak
4	11664.000	33.31	17.19	50.50	74.00	-23.50	peak
5	13974.000	27.82	22.53	50.35	74.00	-23.65	peak
6	17923.000	23.54	26.64	50.18	74.00	-23.82	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7990.000	39.12	6.87	45.99	74.00	-28.01	peak
2	8936.000	37.82	10.91	48.73	74.00	-25.27	peak
3	11059.000	35.43	15.02	50.45	74.00	-23.55	peak
4	13017.000	28.47	19.18	47.65	74.00	-26.35	peak
5	13534.000	28.49	21.41	49.90	74.00	-24.10	peak
6	17989.000	23.58	26.92	50.50	74.00	-23.50	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5290
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	39.65	6.86	46.51	74.00	-27.49	peak
2	9057.000	37.05	11.35	48.40	74.00	-25.60	peak
3	11323.000	33.02	16.10	49.12	74.00	-24.88	peak
4	12324.000	29.58	18.84	48.42	74.00	-25.58	peak
5	13611.000	27.98	21.48	49.46	74.00	-24.54	peak
6	17945.000	22.98	26.74	49.72	74.00	-24.28	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8001.000	38.45	6.89	45.34	74.00	-28.66	peak
2	8991.000	36.95	11.73	48.68	74.00	-25.32	peak
3	11081.000	38.31	15.08	53.39	74.00	-20.61	peak
4	11081.000	25.52	15.08	40.60	54.00	-13.40	AVG
5	13435.000	29.04	21.22	50.26	74.00	-23.74	peak
6	13996.000	27.48	22.54	50.02	74.00	-23.98	peak
7	17934.000	24.65	26.69	51.34	74.00	-22.66	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5530
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7341.000	36.16	8.00	44.16	74.00	-29.84	peak
2	8001.000	39.78	6.89	46.67	74.00	-27.33	peak
3	8980.000	36.16	11.57	47.73	74.00	-26.27	peak
4	11059.000	35.99	15.02	51.01	74.00	-22.99	peak
5	13864.000	27.30	22.45	49.75	74.00	-24.25	peak
6	17989.000	23.47	26.92	50.39	74.00	-23.61	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7935.000	38.83	6.87	45.70	74.00	-28.30	peak
2	8991.000	36.59	11.73	48.32	74.00	-25.68	peak
3	10344.000	35.19	12.98	48.17	74.00	-25.83	peak
4	11246.000	33.97	15.62	49.59	74.00	-24.41	peak
5	13963.000	26.95	22.51	49.46	74.00	-24.54	peak
6	17868.000	23.00	26.41	49.41	74.00	-24.59	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5610
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7341.000	36.23	8.00	44.23	74.00	-29.77	peak
2	8001.000	40.92	6.89	47.81	74.00	-26.19	peak
3	9079.000	37.08	11.15	48.23	74.00	-25.77	peak
4	11235.000	35.52	15.56	51.08	74.00	-22.92	peak
5	13853.000	29.17	22.46	51.63	74.00	-22.37	peak
6	17923.000	24.45	26.64	51.09	74.00	-22.91	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5690
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8243.000	37.25	8.44	45.69	74.00	-28.31	peak
2	8991.000	36.41	11.73	48.14	74.00	-25.86	peak
3	11411.000	39.10	16.60	55.70	74.00	-18.30	peak
4	11411.000	26.70	16.60	43.30	54.00	-10.70	AVG
5	12632.000	29.59	18.40	47.99	74.00	-26.01	peak
6	13864.000	27.77	22.45	50.22	74.00	-23.78	peak
7	17769.000	24.44	25.76	50.20	74.00	-23.80	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5690
Polarity:	Vertical	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7341.000	36.83	8.00	44.83	74.00	-29.17	peak
2	8001.000	39.61	6.89	46.50	74.00	-27.50	peak
3	9376.000	37.09	10.60	47.69	74.00	-26.31	peak
4	11400.000	34.83	16.57	51.40	74.00	-22.60	peak
5	13919.000	27.82	22.49	50.31	74.00	-23.69	peak
6	18000.000	23.79	26.97	50.76	74.00	-23.24	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	DC 24 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7341.000	36.36	8.00	44.36	74.00	-29.64	peak
2	8463.000	37.99	8.17	46.16	74.00	-27.84	peak
3	8980.000	36.34	11.57	47.91	74.00	-26.09	peak
4	11543.000	38.84	16.94	55.78	74.00	-18.22	peak
5	11543.000	27.16	16.94	44.10	54.00	-9.90	AVG
6	13809.000	28.65	22.43	51.08	74.00	-22.92	peak
7	17956.000	23.94	26.78	50.72	74.00	-23.28	peak


Test Mode:	802.11ax HE80	Frequency(MHz):	5775
Polarity:	Vertical	Test Voltage:	DC 24 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7957.000	38.80	6.86	45.66	74.00	-28.34	peak
2	8980.000	36.47	11.57	48.04	74.00	-25.96	peak
3	10421.000	34.87	13.29	48.16	74.00	-25.84	peak
4	11565.000	33.85	16.97	50.82	74.00	-23.18	peak
5	13919.000	28.56	22.49	51.05	74.00	-22.95	peak
6	17934.000	23.42	26.69	50.11	74.00	-23.89	peak


8.4. SPURIOUS EMISSIONS(9 KHZ~30 MHZ)

Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 24 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.01	76.72	-101.4	-24.68	47.6	-76.18	-3.9	-72.28	peak
2	0.0206	70.21	-101.35	-31.14	41.32	-82.64	-10.18	-72.46	peak
3	0.0273	67.99	-101.38	-33.39	38.88	-84.89	-12.62	-72.27	peak
4	0.0606	61.45	-101.52	-40.07	31.95	-91.57	-19.55	-72.02	peak
5	0.1019	54.85	-101.79	-46.94	27.44	-98.44	-24.06	-74.38	peak
6	0.144	54.32	-101.65	-47.33	24.43	-98.83	-27.07	-71.76	peak

Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 24 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.1585	76.19	-101.65	-25.46	23.6	-76.96	-27.9	-49.06	peak
2	0.2053	67.8	-101.73	-33.93	21.35	-85.43	-30.15	-55.28	peak
3	0.2288	65.9	-101.77	-35.87	20.41	-87.37	-31.09	-56.28	peak
4	0.2534	63.64	-101.8	-38.16	19.52	-89.66	-31.98	-57.68	peak
5	0.3234	60.48	-101.88	-41.4	17.41	-92.9	-34.09	-58.81	peak
6	0.4364	56.86	-101.99	-45.13	14.8	-96.63	-36.7	-59.93	peak


Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 24 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.5917	63.74	-62.08	1.66	32.16	-49.84	-19.34	-30.5	peak
2	1.5564	57.68	-62.02	-4.34	23.76	-55.84	-27.74	-28.1	peak
3	2.5935	54.61	-61.68	-7.07	29.54	-58.57	-21.96	-36.61	peak
4	5.477	55.29	-61.42	-6.13	29.54	-57.63	-21.96	-35.67	peak
5	11.8513	53.06	-60.88	-7.82	29.54	-59.32	-21.96	-37.36	peak
6	25.8978	51.76	-60.36	-8.6	29.54	-60.1	-21.96	-38.14	peak


8.5. SPURIOUS EMISSIONS(18 GHZ~26 GHZ)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 24 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18144.000	49.27	-5.48	43.79	74.00	-30.21	peak
2	19920.000	49.31	-5.38	43.93	74.00	-30.07	peak
3	21600.000	48.02	-4.54	43.48	74.00	-30.52	peak
4	22448.000	47.12	-3.95	43.17	74.00	-30.83	peak
5	23744.000	47.15	-3.20	43.95	74.00	-30.05	peak
6	24960.000	45.64	-2.14	43.50	74.00	-30.50	peak


Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 24 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18000.000	50.35	-5.38	44.97	74.00	-29.03	peak
2	18984.000	48.29	-5.23	43.06	74.00	-30.94	peak
3	21248.000	47.25	-4.77	42.48	74.00	-31.52	peak
4	22912.000	45.84	-3.53	42.31	74.00	-31.69	peak
5	24568.000	44.60	-2.33	42.27	74.00	-31.73	peak
6	25728.000	43.61	-0.72	42.89	74.00	-31.11	peak


8.6. SPURIOUS EMISSIONS(26 GHZ~40 GHZ)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 24 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	28618.000	49.62	-1.68	47.94	74.00	-26.06	peak
2	30942.000	48.01	-0.81	47.20	74.00	-26.80	peak
3	33644.000	47.31	0.42	47.73	74.00	-26.27	peak
4	36458.000	44.38	3.67	48.05	74.00	-25.95	peak
5	38110.000	44.77	3.53	48.30	74.00	-25.70	peak
6	38866.000	44.38	4.22	48.60	74.00	-25.40	peak

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 24 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	26672.000	52.22	-4.86	47.36	74.00	-26.64	peak
2	29276.000	48.51	-1.01	47.50	74.00	-26.50	peak
3	32104.000	49.99	-1.75	48.24	74.00	-25.76	peak
4	33882.000	45.95	0.73	46.68	74.00	-27.32	peak
5	36864.000	43.90	3.04	46.94	74.00	-27.06	peak
6	39972.000	42.95	5.13	48.08	74.00	-25.92	peak