

1. Effective (Isotropic) Radiated Power Output Data (External Antenna)

1.1 Test Result

1.1.1 B13_5MHz_ERP

Band: 13 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	779.5	1	0	23.61	-1.02	20.44	<=34.77	Pass
			13	23.29	-1.02	20.12	<=34.77	Pass
			24	23.11	-1.02	19.94	<=34.77	Pass
		12	0	22.46	-1.02	19.29	<=34.77	Pass
			6	22.48	-1.02	19.31	<=34.77	Pass
			13	21.98	-1.02	18.81	<=34.77	Pass
		25	0	22.46	-1.02	19.29	<=34.77	Pass
	782	1	0	23.26	-1.02	20.09	<=34.77	Pass
			13	23.26	-1.02	20.09	<=34.77	Pass
			24	23.00	-1.02	19.83	<=34.77	Pass
		12	0	22.44	-1.02	19.27	<=34.77	Pass
			6	22.47	-1.02	19.30	<=34.77	Pass
			13	22.31	-1.02	19.14	<=34.77	Pass
		25	0	22.39	-1.02	19.22	<=34.77	Pass
	784.5	1	0	23.07	-1.02	19.90	<=34.77	Pass
			13	23.54	-1.02	20.37	<=34.77	Pass
			24	23.07	-1.02	19.90	<=34.77	Pass
		12	0	22.19	-1.02	19.02	<=34.77	Pass
			6	22.57	-1.02	19.40	<=34.77	Pass
			13	22.24	-1.02	19.07	<=34.77	Pass
		25	0	22.53	-1.02	19.36	<=34.77	Pass
16QAM	779.5	1	0	22.35	-1.02	19.18	<=34.77	Pass
			13	22.21	-1.02	19.04	<=34.77	Pass
			24	21.74	-1.02	18.57	<=34.77	Pass
		12	0	21.58	-1.02	18.41	<=34.77	Pass
			6	21.57	-1.02	18.40	<=34.77	Pass
			13	21.18	-1.02	18.01	<=34.77	Pass
		25	0	21.32	-1.02	18.15	<=34.77	Pass
	782	1	0	21.41	-1.02	18.24	<=34.77	Pass
			13	22.10	-1.02	18.93	<=34.77	Pass
			24	21.78	-1.02	18.61	<=34.77	Pass
		12	0	21.25	-1.02	18.08	<=34.77	Pass
			6	20.93	-1.02	17.76	<=34.77	Pass
			13	20.95	-1.02	17.78	<=34.77	Pass
		25	0	21.05	-1.02	17.88	<=34.77	Pass
	784.5	1	0	21.84	-1.02	18.67	<=34.77	Pass
			13	22.35	-1.02	19.18	<=34.77	Pass
			24	21.97	-1.02	18.80	<=34.77	Pass
		12	0	21.42	-1.02	18.25	<=34.77	Pass
			6	21.75	-1.02	18.58	<=34.77	Pass
			13	21.25	-1.02	18.08	<=34.77	Pass
		25	0	20.98	-1.02	17.81	<=34.77	Pass
64QAM	779.5	1	0	21.92	-1.02	18.75	<=34.77	Pass
			13	22.07	-1.02	18.90	<=34.77	Pass
			24	21.88	-1.02	18.71	<=34.77	Pass
		12	0	20.98	-1.02	17.81	<=34.77	Pass
			6	21.53	-1.02	18.36	<=34.77	Pass
			13	21.05	-1.02	17.88	<=34.77	Pass
		25	0	21.57	-1.02	18.40	<=34.77	Pass

	782	1	0	22.12	-1.02	18.95	<=34.77	Pass
			13	21.75	-1.02	18.58	<=34.77	Pass
			24	21.97	-1.02	18.80	<=34.77	Pass
		12	0	21.40	-1.02	18.23	<=34.77	Pass
			6	21.11	-1.02	17.94	<=34.77	Pass
			13	21.12	-1.02	17.95	<=34.77	Pass
		25	0	21.47	-1.02	18.30	<=34.77	Pass
	784.5	1	0	21.55	-1.02	18.38	<=34.77	Pass
			13	21.91	-1.02	18.74	<=34.77	Pass
			24	21.68	-1.02	18.51	<=34.77	Pass
		12	0	21.34	-1.02	18.17	<=34.77	Pass
			6	21.32	-1.02	18.15	<=34.77	Pass
			13	20.96	-1.02	17.79	<=34.77	Pass
		25	0	21.66	-1.02	18.49	<=34.77	Pass
	Note1: ERP=Conducted Power+Antenna Gain-2.15							

1.1.2 B13_10MHz_ERP

Band: 13 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	782	1	0	23.75	-1.02	20.58	<=34.77	Pass
			25	23.75	-1.02	20.58	<=34.77	Pass
			49	23.07	-1.02	19.90	<=34.77	Pass
		25	0	22.33	-1.02	19.16	<=34.77	Pass
			13	22.25	-1.02	19.08	<=34.77	Pass
			25	22.13	-1.02	18.96	<=34.77	Pass
		50	0	22.15	-1.02	18.98	<=34.77	Pass
16QAM	782	1	0	22.18	-1.02	19.01	<=34.77	Pass
			25	22.24	-1.02	19.07	<=34.77	Pass
			49	21.68	-1.02	18.51	<=34.77	Pass
		25	0	21.21	-1.02	18.04	<=34.77	Pass
			13	21.32	-1.02	18.15	<=34.77	Pass
			25	21.54	-1.02	18.37	<=34.77	Pass
		50	0	21.27	-1.02	18.10	<=34.77	Pass
64QAM	782	1	0	22.04	-1.02	18.87	<=34.77	Pass
			25	22.06	-1.02	18.89	<=34.77	Pass
			49	21.60	-1.02	18.43	<=34.77	Pass
		25	0	21.43	-1.02	18.26	<=34.77	Pass
			13	21.32	-1.02	18.15	<=34.77	Pass
			25	21.03	-1.02	17.86	<=34.77	Pass
		50	0	21.28	-1.02	18.11	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

2. Frequency Stability

2.1 Test Result

2.1.1 B13_10MHz

Band: 13 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	782	50	0	20	LV	1.500	0.0019	-2.5 to 2.5	Pass
					NV	2.000	0.0026	-2.5 to 2.5	Pass
					HV	1.400	0.0018	-2.5 to 2.5	Pass
				-30	NV	0.000	0.0000	-2.5 to 2.5	Pass
				-20	NV	1.200	0.0015	-2.5 to 2.5	Pass
				-10	NV	-0.100	-0.0001	-2.5 to 2.5	Pass
				0	NV	0.800	0.0010	-2.5 to 2.5	Pass
				10	NV	-1.300	-0.0017	-2.5 to 2.5	Pass
				30	NV	1.600	0.0020	-2.5 to 2.5	Pass
				40	NV	1.600	0.0020	-2.5 to 2.5	Pass
				50	NV	3.000	0.0038	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band13_OBW


Band: 13 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	782	25	0	4.574	/	Pass
	16QAM	782	25	0	4.558	/	Pass
10	QPSK	782	50	0	9.043	/	Pass
	16QAM	782	50	0	9.024	/	Pass

3.1.2 Band13_XDB


Band: 13 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	782	25	0	5.114	/	Pass
	16QAM	782	25	0	5.117	/	Pass
10	QPSK	782	50	0	9.929	/	Pass
	16QAM	782	50	0	9.923	/	Pass

3.2 Test Graph


3.2.1 Band13_OBW




Band13 10MHz QPSK MCH 782MHz RB 50 0 NTV




Band13 10MHz 16QAM MCH 782MHz RB 50 0 NTV




3.2.2 Band13_XDB



Band13 10MHz QPSK MCH 782MHz RB 50 0 NTN



Band13 10MHz 16QAM MCH 782MHz RB 50 0 NTN



4. Peak-Average Ratio


4.1 Test Result

4.1.1 B13_10MHz


Band: 13 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	782	50	0	5.71	<=13	Pass
16QAM	782	50	0	6.32	<=13	Pass
64QAM	782	50	0	6.28	<=13	Pass

4.2 Test Graph

4.2.1 B13_10MHz



Band13 10MHz 64QAM MCH 782MHz RB 50 0 NTNV



5. Spurious Emission

5.1 Test Result

5.1.1 B13_5MHz


Band: 13 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	779.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	782	1	0	Refer To Test Graph		Pass
	784.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.2 B13_10MHz


Band: 13 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	782	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	782	1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B13_5MHz




Band13 5MHz QPSK LCH 779.5MHz RB 25 0 NTNV




Band13 5MHz QPSK MCH 782MHz RB 1 0 NTNV



Band13 5MHz QPSK HCH 784.5MHz RB 1 0 NTV




Band13 5MHz QPSK HCH 784.5MHz RB 1 24 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
779.5	787	0.03	CHP	/	/	/	/	/
787	787.1	0.03	CHP	1	787.000	-25.44	-13	Pass
787.1	793	0.1	CHP	2	787.150	-30.42	-13	Pass
793	805	0.00625	CHP	3	797.677	-72.14	-35	Pass
805	810	0.1	CHP	4	808.131	-71.17	-13	Pass

Band13 5MHz QPSK HCH 784.5MHz RB 25 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
779.5	787	0.03	CHP	/	/	/	/	/
787	787.1	0.03	CHP	1	787.003	-30.00	-13	Pass
787.1	793	0.1	CHP	2	787.150	-26.68	-13	Pass
793	805	0.00625	CHP	3	793.137	-60.92	-35	Pass
805	810	0.1	CHP	4	805.069	-70.67	-13	Pass

5.2.2 B13_10MHz




Band13 10MHz QPSK LCH 782MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
758	763	0.1	CHP	1	759.925	-71.54	-13	Pass
763	775	0.00625	CHP	2	774.944	-63.74	-35	Pass
775	776.9	0.1	CHP	3	776.832	-32.49	-13	Pass
776.9	777	0.03	CHP	4	777.000	-36.52	-13	Pass
777	787	0.03	CHP	/	/	/	/	/
787	787.1	0.03	CHP	5	787.075	-33.85	-13	Pass
787.1	792	0.1	CHP	6	787.155	-28.83	-13	Pass

Band13 10MHz QPSK HCH 782MHz RB 1 49 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
772	775	0.00625	CHP	1	772.168	-81.95	-35	Pass
775	776.9	0.1	CHP	2	776.850	-62.77	-13	Pass
776.9	777	0.03	CHP	3	776.986	-65.56	-13	Pass
777	787	0.03	CHP	/	/	/	/	/
787	787.1	0.03	CHP	4	787.000	-37.35	-13	Pass
787.1	793	0.1	CHP	5	787.150	-36.54	-13	Pass
793	805	0.00625	CHP	6	795.328	-59.71	-35	Pass
805	810	0.1	CHP	7	805.131	-71.27	-13	Pass

Band13 10MHz QPSK HCH 782MHz RB 50 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
772	775	0.00625	CHP	1	774.942	-63.79	-35	Pass
775	776.9	0.1	CHP	2	776.817	-32.28	-13	Pass
776.9	777	0.03	CHP	3	776.998	-36.37	-13	Pass
777	787	0.03	CHP	/	/	/	/	/
787	787.1	0.03	CHP	4	787.021	-33.55	-13	Pass
787.1	793	0.1	CHP	5	787.242	-28.88	-13	Pass
793	805	0.00625	CHP	6	793.018	-46.38	-35	Pass
805	810	0.1	CHP	7	805.059	-60.33	-13	Pass

6. Field Strength of Spurious Radiation

LTE Band 13-Middle channel, Modulation: QPSK, Bandwidth:10MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1555.0	-59.28	-13	-46.28	-62.42	2.6	5.74	Horizontal	Pass
2332.5	-63.06	-13	-50.06	-65.52	2.96	5.42	Horizontal	Pass
3110.0	-66.53	-13	-53.53	-70.53	3.2	7.2	Horizontal	Pass
1555.0	-57.14	-13	-44.14	-60.28	2.6	5.74	Vertical	Pass
2332.5	-63.51	-13	-50.51	-65.97	2.96	5.42	Vertical	Pass
3110.0	-65.58	-13	-52.58	-69.58	3.2	7.2	Vertical	Pass

LTE Band 13-Low channel, Modulation: QPSK, Bandwidth:5MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1554.5	-58.92	-13	-45.92	-62.06	2.6	5.74	Horizontal	Pass
2331.75	-63.54	-13	-50.54	-66.0	2.96	5.42	Horizontal	Pass
3109.0	-66.42	-13	-53.42	-70.41	3.2	7.19	Horizontal	Pass
1554.5	-56.27	-13	-43.27	-59.41	2.6	5.74	Vertical	Pass
2331.75	-65.54	-13	-52.54	-68.0	2.96	5.42	Vertical	Pass
3109.0	-66.13	-13	-53.13	-70.12	3.2	7.19	Vertical	Pass

LTE Band 13-Middle channel, Modulation: QPSK, Bandwidth:5MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1559.5	-62.65	-40	-22.65	-65.78	2.6	5.73	Horizontal	Pass
2339.25	-68.3	-13	-55.3	-70.77	2.96	5.43	Horizontal	Pass
3119.0	-66.11	-13	-53.11	-70.12	3.21	7.22	Horizontal	Pass
1559.5	-62.5	-40	-22.5	-65.63	2.6	5.73	Vertical	Pass
2339.25	-65.92	-13	-52.92	-68.39	2.96	5.43	Vertical	Pass
3119.0	-64.29	-13	-51.29	-68.3	3.21	7.22	Vertical	Pass

LTE Band 13-High channel, Modulation: QPSK, Bandwidth:5MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1564.5	-62.18	-40	-22.18	-65.3	2.6	5.72	Horizontal	Pass
2346.75	-68.77	-13	-55.77	-71.25	2.97	5.45	Horizontal	Pass
3129.0	-67.07	-13	-54.07	-71.1	3.21	7.24	Horizontal	Pass
1564.5	-59.91	-40	-19.91	-63.03	2.6	5.72	Vertical	Pass
2346.75	-65.88	-13	-52.88	-68.36	2.97	5.45	Vertical	Pass
3129.0	-67.34	-13	-54.34	-71.37	3.21	7.24	Vertical	Pass

Note: External Antenna is the worst case, only the worst case test data were recorded in this report.

7. Effective (Isotropic) Radiated Power Output Data (Internal Antenna)

7.1 Test Result

7.1.1 B13_5MHz_ERP

Band: 13 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	779.5	1	0	23.61	1.78	23.24	<=34.77	Pass
			13	23.29	1.78	22.92	<=34.77	Pass
			24	23.11	1.78	22.74	<=34.77	Pass
		12	0	22.46	1.78	22.09	<=34.77	Pass
			6	22.48	1.78	22.11	<=34.77	Pass
			13	21.98	1.78	21.61	<=34.77	Pass
		25	0	22.46	1.78	22.09	<=34.77	Pass
	782	1	0	23.26	1.78	22.89	<=34.77	Pass
			13	23.26	1.78	22.89	<=34.77	Pass
			24	23.00	1.78	22.63	<=34.77	Pass
		12	0	22.44	1.78	22.07	<=34.77	Pass
			6	22.47	1.78	22.10	<=34.77	Pass
			13	22.31	1.78	21.94	<=34.77	Pass
		25	0	22.39	1.78	22.02	<=34.77	Pass
	784.5	1	0	23.07	1.78	22.70	<=34.77	Pass
			13	23.54	1.78	23.17	<=34.77	Pass
			24	23.07	1.78	22.70	<=34.77	Pass
		12	0	22.19	1.78	21.82	<=34.77	Pass
			6	22.57	1.78	22.20	<=34.77	Pass
			13	22.24	1.78	21.87	<=34.77	Pass
		25	0	22.53	1.78	22.16	<=34.77	Pass
16QAM	779.5	1	0	22.35	1.78	21.98	<=34.77	Pass
			13	22.21	1.78	21.84	<=34.77	Pass
			24	21.74	1.78	21.37	<=34.77	Pass
		12	0	21.58	1.78	21.21	<=34.77	Pass
			6	21.57	1.78	21.20	<=34.77	Pass
			13	21.18	1.78	20.81	<=34.77	Pass
		25	0	21.32	1.78	20.95	<=34.77	Pass
	782	1	0	21.41	1.78	21.04	<=34.77	Pass
			13	22.10	1.78	21.73	<=34.77	Pass
			24	21.78	1.78	21.41	<=34.77	Pass
		12	0	21.25	1.78	20.88	<=34.77	Pass
			6	20.93	1.78	20.56	<=34.77	Pass
			13	20.95	1.78	20.58	<=34.77	Pass
		25	0	21.05	1.78	20.68	<=34.77	Pass
	784.5	1	0	21.84	1.78	21.47	<=34.77	Pass
			13	22.35	1.78	21.98	<=34.77	Pass
			24	21.97	1.78	21.60	<=34.77	Pass
		12	0	21.42	1.78	21.05	<=34.77	Pass
			6	21.75	1.78	21.38	<=34.77	Pass
			13	21.25	1.78	20.88	<=34.77	Pass
		25	0	20.98	1.78	20.61	<=34.77	Pass
64QAM	779.5	1	0	21.92	1.78	21.55	<=34.77	Pass
			13	22.07	1.78	21.70	<=34.77	Pass
			24	21.88	1.78	21.51	<=34.77	Pass
		12	0	20.98	1.78	20.61	<=34.77	Pass

		25	6	21.53	1.78	21.16	<=34.77	Pass
			13	21.05	1.78	20.68	<=34.77	Pass
			0	21.57	1.78	21.20	<=34.77	Pass
	782	1	0	22.12	1.78	21.75	<=34.77	Pass
			13	21.75	1.78	21.38	<=34.77	Pass
			24	21.97	1.78	21.60	<=34.77	Pass
		12	0	21.40	1.78	21.03	<=34.77	Pass
			6	21.11	1.78	20.74	<=34.77	Pass
			13	21.12	1.78	20.75	<=34.77	Pass
		25	0	21.47	1.78	21.10	<=34.77	Pass
	784.5	1	0	21.55	1.78	21.18	<=34.77	Pass
			13	21.91	1.78	21.54	<=34.77	Pass
			24	21.68	1.78	21.31	<=34.77	Pass
		12	0	21.34	1.78	20.97	<=34.77	Pass
			6	21.32	1.78	20.95	<=34.77	Pass
			13	20.96	1.78	20.59	<=34.77	Pass
		25	0	21.66	1.78	21.29	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

7.1.2 B13_10MHz_ERP

Band: 13 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	782	1	0	23.75	1.78	23.38	<=34.77	Pass
			25	23.75	1.78	23.38	<=34.77	Pass
			49	23.07	1.78	22.70	<=34.77	Pass
		25	0	22.33	1.78	21.96	<=34.77	Pass
			13	22.25	1.78	21.88	<=34.77	Pass
			25	22.13	1.78	21.76	<=34.77	Pass
		50	0	22.15	1.78	21.78	<=34.77	Pass
16QAM	782	1	0	22.18	1.78	21.81	<=34.77	Pass
			25	22.24	1.78	21.87	<=34.77	Pass
			49	21.68	1.78	21.31	<=34.77	Pass
		25	0	21.21	1.78	20.84	<=34.77	Pass
			13	21.32	1.78	20.95	<=34.77	Pass
			25	21.54	1.78	21.17	<=34.77	Pass
		50	0	21.27	1.78	20.90	<=34.77	Pass
64QAM	782	1	0	22.04	1.78	21.67	<=34.77	Pass
			25	22.06	1.78	21.69	<=34.77	Pass
			49	21.60	1.78	21.23	<=34.77	Pass
		25	0	21.43	1.78	21.06	<=34.77	Pass
			13	21.32	1.78	20.95	<=34.77	Pass
			25	21.03	1.78	20.66	<=34.77	Pass
		50	0	21.28	1.78	20.91	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15