



5.2 Test Graphs


NTNV-n2-PC3-15-20-L-DFT-BPSK-Inner_1RB_Left-
0.009-0.15-PASS




NTNV-n2-PC3-15-20-L-DFT-BPSK-Inner_1RB_Left-
0.15-30-PASS



NTNV-n2-PC3-15-20-L-DFT-BPSK-Inner_1RB_Left-
30-1000-PASS









NTNV-n2-PC3-15-20-L-DFT-BPSK-Inner_1RB_Left-
1000-3000-PASS




NTNV-n2-PC3-15-20-L-DFT-BPSK-Inner_1RB_Left-
3000-12000-PASS





NTNV-n2-PC3-15-20-L-DFT-BPSK-Inner_1RB_Left-
12000-20000-PASS




NTNV-n2-PC3-15-20-M-DFT-BPSK-Inner_1RB_Left-
0.009-0.15-PASS

NTNV-n2-PC3-15-20-M-DFT-BPSK-Inner_1RB_Left-
0.15-30-PASS

NTNV-n2-PC3-15-20-M-DFT-BPSK-Inner_1RB_Left-
30-1000-PASS

NTNV-n2-PC3-15-20-M-DFT-BPSK-Inner_1RB_Left-
1000-3000-PASS

NTNV-n2-PC3-15-20-M-DFT-BPSK-Inner_1RB_Left-
3000-12000-PASS

NTNV-n2-PC3-15-20-M-DFT-BPSK-Inner_1RB_Left-
12000-20000-PASS




NTNV-n2-PC3-15-20-H-DFT-BPSK-Inner_1RB_Left-
0.009-0.15-PASS

NTNV-n2-PC3-15-20-H-DFT-BPSK-Inner_1RB_Left-
0.15-30-PASS

NTNV-n2-PC3-15-20-H-DFT-BPSK-Inner_1RB_Left-
30-1000-PASS

NTNV-n2-PC3-15-20-H-DFT-BPSK-Inner_1RB_Left-
1000-3000-PASS

NTNV-n2-PC3-15-20-H-DFT-BPSK-Inner_1RB_Left-
3000-12000-PASS


NTNV-n2-PC3-15-20-H-DFT-BPSK-Inner_1RB_Left-
12000-20000-PASS




NTNV-n2-PC3-15-40-L-DFT-BPSK-Inner_1RB_Left-0.009-0.15-PASS




NTNV-n2-PC3-15-40-L-DFT-BPSK-Inner_1RB_Left-0.15-30-PASS



NTNV-n2-PC3-15-40-L-DFT-BPSK-Inner_1RB_Left-30-1000-PASS









NTNV-n2-PC3-15-40-L-DFT-BPSK-Inner_1RB_Left-1000-3000-PASS





NTNV-n2-PC3-15-40-L-DFT-BPSK-Inner_1RB_Left-3000-12000-PASS

NTNV-n2-PC3-15-40-L-DFT-BPSK-Inner_1RB_Left-12000-20000-PASS




NTNV-n2-PC3-15-40-M-DFT-BPSK-Inner_1RB_Left-
0.009-0.15-PASS

NTNV-n2-PC3-15-40-M-DFT-BPSK-Inner_1RB_Left-
0.15-30-PASS

NTNV-n2-PC3-15-40-M-DFT-BPSK-Inner_1RB_Left-
30-1000-PASS

NTNV-n2-PC3-15-40-M-DFT-BPSK-Inner_1RB_Left-
1000-3000-PASS

NTNV-n2-PC3-15-40-M-DFT-BPSK-Inner_1RB_Left-
3000-12000-PASS


NTNV-n2-PC3-15-40-M-DFT-BPSK-Inner_1RB_Left-
12000-20000-PASS




NTNV-n2-PC3-15-40-H-DFT-BPSK-Inner_1RB_Left-0.009-0.15-PASS




NTNV-n2-PC3-15-40-H-DFT-BPSK-Inner_1RB_Left-0.15-30-PASS



NTNV-n2-PC3-15-40-H-DFT-BPSK-Inner_1RB_Left-30-1000-PASS





NTNV-n2-PC3-15-40-H-DFT-BPSK-Inner_1RB_Left-1000-3000-PASS



NTNV-n2-PC3-15-40-H-DFT-BPSK-Inner_1RB_Left-3000-12000-PASS


NTNV-n2-PC3-15-40-H-DFT-BPSK-Inner_1RB_Left-12000-20000-PASS




NTNV-n5-PC3-15-20-L-DFT-BPSK-Inner_1RB_Left-0.009-0.15-PASS



NTNV-n5-PC3-15-20-L-DFT-BPSK-Inner_1RB_Left-0.15-30-PASS



NTNV-n5-PC3-15-20-L-DFT-BPSK-Inner_1RB_Left-30-1000-PASS






NTNV-n5-PC3-15-20-L-DFT-BPSK-Inner_1RB_Left-1000-3000-PASS



NTNV-n5-PC3-15-20-L-DFT-BPSK-Inner_1RB_Left-3000-12000-PASS



NTNV-n5-PC3-15-20-L-DFT-BPSK-Inner_1RB_Left-12000-20000-PASS







NTNV-n5-PC3-15-20-M-DFT-BPSK-Inner_1RB_Left-
0.009-0.15-PASS

NTNV-n5-PC3-15-20-M-DFT-BPSK-Inner_1RB_Left-
0.15-30-PASS

NTNV-n5-PC3-15-20-M-DFT-BPSK-Inner_1RB_Left-
30-1000-PASS

NTNV-n5-PC3-15-20-M-DFT-BPSK-Inner_1RB_Left-
1000-3000-PASS

NTNV-n5-PC3-15-20-M-DFT-BPSK-Inner_1RB_Left-
3000-12000-PASS




NTNV-n5-PC3-15-20-M-DFT-BPSK-Inner_1RB_Left-
12000-20000-PASS



NTNV-n5-PC3-15-20-H-DFT-BPSK-Inner_1RB_Left-
0.009-0.15-PASS

NTNV-n5-PC3-15-20-H-DFT-BPSK-Inner_1RB_Left-
0.15-30-PASS

NTNV-n5-PC3-15-20-H-DFT-BPSK-Inner_1RB_Left-
30-1000-PASS

NTNV-n5-PC3-15-20-H-DFT-BPSK-Inner_1RB_Left-
1000-3000-PASS

NTNV-n5-PC3-15-20-H-DFT-BPSK-Inner_1RB_Left-
3000-12000-PASS

NTNV-n5-PC3-15-20-H-DFT-BPSK-Inner_1RB_Left-
12000-20000-PASS







NTNV-n25-PC3-15-40-L-DFT-BPSK-Inner_1RB_Left-
0.009-0.15-PASS

NTNV-n25-PC3-15-40-L-DFT-BPSK-Inner_1RB_Left-
0.15-30-PASS

NTNV-n25-PC3-15-40-L-DFT-BPSK-Inner_1RB_Left-
30-1000-PASS

NTNV-n25-PC3-15-40-L-DFT-BPSK-Inner_1RB_Left-
1000-3000-PASS


NTNV-n25-PC3-15-40-L-DFT-BPSK-Inner_1RB_Left-
3000-12000-PASS

NTNV-n25-PC3-15-40-L-DFT-BPSK-Inner_1RB_Left-
12000-20000-PASS




NTNV-n25-PC3-15-40-M-DFT-BPSK-Inner_1RB_Left-
0.009-0.15-PASS

NTNV-n25-PC3-15-40-M-DFT-BPSK-Inner_1RB_Left-
0.15-30-PASS

NTNV-n25-PC3-15-40-M-DFT-BPSK-Inner_1RB_Left-
30-1000-PASS

NTNV-n25-PC3-15-40-M-DFT-BPSK-Inner_1RB_Left-
1000-3000-PASS

NTNV-n25-PC3-15-40-M-DFT-BPSK-Inner_1RB_Left-
3000-12000-PASS

NTNV-n25-PC3-15-40-M-DFT-BPSK-Inner_1RB_Left-
12000-20000-PASS




NTNV-n25-PC3-15-40-H-DFT-BPSK-Inner_1RB_Left-
0.009-0.15-PASS

NTNV-n25-PC3-15-40-H-DFT-BPSK-Inner_1RB_Left-
0.15-30-PASS

NTNV-n25-PC3-15-40-H-DFT-BPSK-Inner_1RB_Left-
30-1000-PASS


NTNV-n25-PC3-15-40-H-DFT-BPSK-Inner_1RB_Left-
1000-3000-PASS

NTNV-n25-PC3-15-40-H-DFT-BPSK-Inner_1RB_Left-
3000-12000-PASS


NTNV-n25-PC3-15-40-H-DFT-BPSK-Inner_1RB_Left-
12000-20000-PASS




NTNV-n26(814-824)-PC3-15-5-L-DFT-BPSK- Inner_1RB_Left-0.009-0.15-PASS



NTNV-n26(814-824)-PC3-15-5-L-DFT-BPSK- Inner_1RB_Left-0.15-30-PASS



NTNV-n26(814-824)-PC3-15-5-L-DFT-BPSK- Inner_1RB_Left-30-1000-PASS



NTNV-n26(814-824)-PC3-15-5-L-DFT-BPSK- Inner_1RB_Left-1000-3000-PASS




NTNV-n26(814-824)-PC3-15-5-L-DFT-BPSK- Inner_1RB_Left-3000-12000-PASS


NTNV-n26(814-824)-PC3-15-5-L-DFT-BPSK- Inner_1RB_Left-12000-20000-PASS




NTNV-n26(814-824)-PC3-15-5-M-DFT-BPSK- Inner_1RB_Left-0.009-0.15-PASS



NTNV-n26(814-824)-PC3-15-5-M-DFT-BPSK- Inner_1RB_Left-0.15-30-PASS



NTNV-n26(814-824)-PC3-15-5-M-DFT-BPSK- Inner_1RB_Left-30-1000-PASS



NTNV-n26(814-824)-PC3-15-5-M-DFT-BPSK- Inner_1RB_Left-1000-3000-PASS



NTNV-n26(814-824)-PC3-15-5-M-DFT-BPSK- Inner_1RB_Left-3000-12000-PASS

NTNV-n26(814-824)-PC3-15-5-M-DFT-BPSK- Inner_1RB_Left-12000-20000-PASS

