




NTNV-n26(814-824)-PC3-15-5-H-DFT-BPSK-
Inner_1RB_Left-0.009-0.15-PASS



NTNV-n26(814-824)-PC3-15-5-H-DFT-BPSK-
Inner_1RB_Left-0.15-30-PASS



NTNV-n26(814-824)-PC3-15-5-H-DFT-BPSK-
Inner_1RB_Left-30-1000-PASS



NTNV-n26(814-824)-PC3-15-5-H-DFT-BPSK-
Inner_1RB_Left-1000-3000-PASS



NTNV-n26(814-824)-PC3-15-5-H-DFT-BPSK-
Inner_1RB_Left-3000-12000-PASS


NTNV-n26(814-824)-PC3-15-5-H-DFT-BPSK-
Inner_1RB_Left-12000-20000-PASS




NTNV-n26(814-824)-PC3-15-10-M-DFT-BPSK- Inner_1RB_Left-0.009-0.15-PASS



NTNV-n26(814-824)-PC3-15-10-M-DFT-BPSK- Inner_1RB_Left-0.15-30-PASS



NTNV-n26(814-824)-PC3-15-10-M-DFT-BPSK- Inner_1RB_Left-30-1000-PASS




NTNV-n26(814-824)-PC3-15-10-M-DFT-BPSK- Inner_1RB_Left-1000-3000-PASS




NTNV-n26(814-824)-PC3-15-10-M-DFT-BPSK- Inner_1RB_Left-3000-12000-PASS


NTNV-n26(814-824)-PC3-15-10-M-DFT-BPSK- Inner_1RB_Left-12000-20000-PASS




NTNV-n26(824-849)-PC3-15-20-L-DFT-BPSK-
Inner_1RB_Left-0.009-0.15-PASS



NTNV-n26(824-849)-PC3-15-20-L-DFT-BPSK-
Inner_1RB_Left-0.15-30-PASS



NTNV-n26(824-849)-PC3-15-20-L-DFT-BPSK-
Inner_1RB_Left-30-1000-PASS



NTNV-n26(824-849)-PC3-15-20-L-DFT-BPSK-
Inner_1RB_Left-1000-3000-PASS




NTNV-n26(824-849)-PC3-15-20-L-DFT-BPSK-
Inner_1RB_Left-3000-12000-PASS


NTNV-n26(824-849)-PC3-15-20-L-DFT-BPSK-
Inner_1RB_Left-12000-20000-PASS




NTNV-n26(824-849)-PC3-15-20-M-DFT-BPSK- Inner_1RB_Left-0.009-0.15-PASS




NTNV-n26(824-849)-PC3-15-20-M-DFT-BPSK- Inner_1RB_Left-0.15-30-PASS



NTNV-n26(824-849)-PC3-15-20-M-DFT-BPSK- Inner_1RB_Left-30-1000-PASS




NTNV-n26(824-849)-PC3-15-20-M-DFT-BPSK- Inner_1RB_Left-1000-3000-PASS




NTNV-n26(824-849)-PC3-15-20-M-DFT-BPSK- Inner_1RB_Left-3000-12000-PASS


NTNV-n26(824-849)-PC3-15-20-M-DFT-BPSK- Inner_1RB_Left-12000-20000-PASS




NTNV-n26(824-849)-PC3-15-20-H-DFT-BPSK-
Inner_1RB_Left-0.009-0.15-PASS



NTNV-n26(824-849)-PC3-15-20-H-DFT-BPSK-
Inner_1RB_Left-0.15-30-PASS



NTNV-n26(824-849)-PC3-15-20-H-DFT-BPSK-
Inner_1RB_Left-30-1000-PASS



NTNV-n26(824-849)-PC3-15-20-H-DFT-BPSK-
Inner_1RB_Left-1000-3000-PASS




NTNV-n26(824-849)-PC3-15-20-H-DFT-BPSK-
Inner_1RB_Left-3000-12000-PASS


NTNV-n26(824-849)-PC3-15-20-H-DFT-BPSK-
Inner_1RB_Left-12000-20000-PASS




NTNV-n30-PC3-15-5-L-DFT-BPSK-Inner_1RB_Left-0.009-0.15-PASS



NTNV-n30-PC3-15-5-L-DFT-BPSK-Inner_1RB_Left-0.15-30-PASS



NTNV-n30-PC3-15-5-L-DFT-BPSK-Inner_1RB_Left-30-1000-PASS



NTNV-n30-PC3-15-5-L-DFT-BPSK-Inner_1RB_Left-1000-3000-PASS





NTNV-n30-PC3-15-5-L-DFT-BPSK-Inner_1RB_Left-3000-12000-PASS

NTNV-n30-PC3-15-5-L-DFT-BPSK-Inner_1RB_Left-12000-26500-PASS



NTNV-n30-PC3-15-5-M-DFT-BPSK-Inner_1RB_Left-
0.009-0.15-PASS



NTNV-n30-PC3-15-5-M-DFT-BPSK-Inner_1RB_Left-
0.15-30-PASS

NTNV-n30-PC3-15-5-M-DFT-BPSK-Inner_1RB_Left-
30-1000-PASS

NTNV-n30-PC3-15-5-M-DFT-BPSK-Inner_1RB_Left-
1000-3000-PASS

NTNV-n30-PC3-15-5-M-DFT-BPSK-Inner_1RB_Left-
3000-12000-PASS

NTNV-n30-PC3-15-5-M-DFT-BPSK-Inner_1RB_Left-
12000-26500-PASS



NTNV-n30-PC3-15-5-H-DFT-BPSK-Inner_1RB_Left-
0.009-0.15-PASS

NTNV-n30-PC3-15-5-H-DFT-BPSK-Inner_1RB_Left-
0.15-30-PASS

NTNV-n30-PC3-15-5-H-DFT-BPSK-Inner_1RB_Left-
30-1000-PASS

NTNV-n30-PC3-15-5-H-DFT-BPSK-Inner_1RB_Left-
1000-3000-PASS

NTNV-n30-PC3-15-5-H-DFT-BPSK-Inner_1RB_Left-
3000-12000-PASS


NTNV-n30-PC3-15-5-H-DFT-BPSK-Inner_1RB_Left-
12000-26500-PASS



NTNV-n30-PC3-15-10-M-DFT-BPSK-Inner_1RB_Left-0.009-0.15-PASS



NTNV-n30-PC3-15-10-M-DFT-BPSK-Inner_1RB_Left-0.15-30-PASS



NTNV-n30-PC3-15-10-M-DFT-BPSK-Inner_1RB_Left-30-1000-PASS



NTNV-n30-PC3-15-10-M-DFT-BPSK-Inner_1RB_Left-1000-3000-PASS




NTNV-n30-PC3-15-10-M-DFT-BPSK-Inner_1RB_Left-3000-12000-PASS


NTNV-n30-PC3-15-10-M-DFT-BPSK-Inner_1RB_Left-12000-26500-PASS



NTNV-n41-PC2-30-100-L-DFT-BPSK-Inner_1RB_Left-30-1000-PASS



NTNV-n41-PC2-30-100-L-DFT-BPSK-Inner_1RB_Left-1000-3000-PASS



NTNV-n41-PC2-30-100-L-DFT-BPSK-Inner_1RB_Left-3000-18000-PASS





NTNV-n41-PC2-30-100-L-DFT-BPSK-Inner_1RB_Left-18000-30000-PASS



NTNV-n41-PC2-30-100-M-DFT-BPSK-Inner_1RB_Left-30-1000-PASS


NTNV-n41-PC2-30-100-M-DFT-BPSK-Inner_1RB_Left-1000-3000-PASS




NTNV-n41-PC2-30-100-M-DFT-BPSK- Inner_1RB_Left-3000-18000-PASS




NTNV-n41-PC2-30-100-M-DFT-BPSK-Inner_1RB_Left- 18000-30000-PASS



NTNV-n41-PC2-30-100-H-DFT-BPSK-Inner_1RB_Left- 30-1000-PASS




NTNV-n41-PC2-30-100-H-DFT-BPSK-Inner_1RB_Left- 1000-3000-PASS





NTNV-n41-PC2-30-100-H-DFT-BPSK-Inner_1RB_Left- 3000-18000-PASS

NTNV-n41-PC2-30-100-H-DFT-BPSK-Inner_1RB_Left- 18000-30000-PASS




NTNV-n48-PC2-30-40-L-DFT-BPSK-Inner_1RB_Left-
0.009-0.15-PASS

NTNV-n48-PC2-30-40-L-DFT-BPSK-Inner_1RB_Left-
0.15-30-PASS

NTNV-n48-PC2-30-40-L-DFT-BPSK-Inner_1RB_Left-
30-1000-PASS

NTNV-n48-PC2-30-40-L-DFT-BPSK-Inner_1RB_Left-
1000-3000-PASS

NTNV-n48-PC2-30-40-L-DFT-BPSK-Inner_1RB_Left-
3000-6000-PASS


NTNV-n48-PC2-30-40-L-DFT-BPSK-Inner_1RB_Left-
6000-26000-PASS



NTNV-n48-PC2-30-40-L-DFT-BPSK-Inner_1RB_Left-
26000-40000-PASS

NTNV-n48-PC2-30-40-M-DFT-BPSK-Inner_1RB_Left-
0.009-0.15-PASS


NTNV-n48-PC2-30-40-M-DFT-BPSK-Inner_1RB_Left-
0.15-30-PASS

NTNV-n48-PC2-30-40-M-DFT-BPSK-Inner_1RB_Left-
30-1000-PASS

NTNV-n48-PC2-30-40-M-DFT-BPSK-Inner_1RB_Left-
1000-3000-PASS

NTNV-n48-PC2-30-40-M-DFT-BPSK-Inner_1RB_Left-
3000-6000-PASS



NTNV-n48-PC2-30-40-M-DFT-BPSK-Inner_1RB_Left- 6000-26000-PASS




NTNV-n48-PC2-30-40-M-DFT-BPSK-Inner_1RB_Left- 26000-40000-PASS



NTNV-n48-PC2-30-40-H-DFT-BPSK-Inner_1RB_Left- 0.009-0.15-PASS



NTNV-n48-PC2-30-40-H-DFT-BPSK-Inner_1RB_Left- 0.15-30-PASS



NTNV-n48-PC2-30-40-H-DFT-BPSK-Inner_1RB_Left- 30-1000-PASS

NTNV-n48-PC2-30-40-H-DFT-BPSK-Inner_1RB_Left- 1000-3000-PASS

