




NTNV-n48-PC2-30-40-H-DFT-BPSK-Inner_1RB_Left-
3000-6000-PASS



NTNV-n48-PC2-30-40-H-DFT-BPSK-Inner_1RB_Left-
6000-26000-PASS

NTNV-n48-PC2-30-40-H-DFT-BPSK-Inner_1RB_Left-
26000-40000-PASS

NTNV-n66-PC3-15-40-L-DFT-BPSK-Inner_1RB_Left-
0.009-0.15-PASS

NTNV-n66-PC3-15-40-L-DFT-BPSK-Inner_1RB_Left-
0.15-30-PASS

NTNV-n66-PC3-15-40-L-DFT-BPSK-Inner_1RB_Left-
30-1000-PASS





NTNV-n66-PC3-15-40-L-DFT-BPSK-Inner_1RB_Left-
1000-3000-PASS

NTNV-n66-PC3-15-40-L-DFT-BPSK-Inner_1RB_Left-
3000-12000-PASS

NTNV-n66-PC3-15-40-L-DFT-BPSK-Inner_1RB_Left-
12000-20000-PASS


NTNV-n66-PC3-15-40-M-DFT-BPSK-Inner_1RB_Left-
0.009-0.15-PASS

NTNV-n66-PC3-15-40-M-DFT-BPSK-Inner_1RB_Left-
0.15-30-PASS

NTNV-n66-PC3-15-40-M-DFT-BPSK-Inner_1RB_Left-
30-1000-PASS



NTNV-n66-PC3-15-40-M-DFT-BPSK-Inner_1RB_Left-1000-3000-PASS



NTNV-n66-PC3-15-40-M-DFT-BPSK-Inner_1RB_Left-3000-12000-PASS



NTNV-n66-PC3-15-40-M-DFT-BPSK-Inner_1RB_Left-12000-20000-PASS






NTNV-n66-PC3-15-40-H-DFT-BPSK-Inner_1RB_Left-0.009-0.15-PASS



NTNV-n66-PC3-15-40-H-DFT-BPSK-Inner_1RB_Left-0.15-30-PASS

NTNV-n66-PC3-15-40-H-DFT-BPSK-Inner_1RB_Left-30-1000-PASS





NTNV-n66-PC3-15-40-H-DFT-BPSK-Inner_1RB_Left-
1000-3000-PASS

NTNV-n66-PC3-15-40-H-DFT-BPSK-Inner_1RB_Left-
3000-12000-PASS

NTNV-n66-PC3-15-40-H-DFT-BPSK-Inner_1RB_Left-
12000-20000-PASS


NTNV-n71-PC3-15-20-L-DFT-BPSK-Inner_1RB_Left-
0.009-0.15-PASS

NTNV-n71-PC3-15-20-L-DFT-BPSK-Inner_1RB_Left-
0.15-30-PASS

NTNV-n71-PC3-15-20-L-DFT-BPSK-Inner_1RB_Left-
30-1000-PASS





NTNV-n71-PC3-15-20-L-DFT-BPSK-Inner_1RB_Left-
1000-3000-PASS

NTNV-n71-PC3-15-20-L-DFT-BPSK-Inner_1RB_Left-
3000-12000-PASS

NTNV-n71-PC3-15-20-L-DFT-BPSK-Inner_1RB_Left-
12000-20000-PASS


NTNV-n71-PC3-15-20-M-DFT-BPSK-Inner_1RB_Left-
0.009-0.15-PASS

NTNV-n71-PC3-15-20-M-DFT-BPSK-Inner_1RB_Left-
0.15-30-PASS


NTNV-n71-PC3-15-20-M-DFT-BPSK-Inner_1RB_Left-
30-1000-PASS



NTNV-n71-PC3-15-20-M-DFT-BPSK-Inner_1RB_Left-1000-3000-PASS



NTNV-n71-PC3-15-20-M-DFT-BPSK-Inner_1RB_Left-3000-12000-PASS



NTNV-n71-PC3-15-20-M-DFT-BPSK-Inner_1RB_Left-12000-20000-PASS





NTNV-n71-PC3-15-20-H-DFT-BPSK-Inner_1RB_Left-0.009-0.15-PASS



NTNV-n71-PC3-15-20-H-DFT-BPSK-Inner_1RB_Left-0.15-30-PASS

NTNV-n71-PC3-15-20-H-DFT-BPSK-Inner_1RB_Left-30-1000-PASS



NTNV-n71-PC3-15-20-H-DFT-BPSK-Inner_1RB_Left-
1000-3000-PASS



NTNV-n71-PC3-15-20-H-DFT-BPSK-Inner_1RB_Left-
3000-12000-PASS

NTNV-n71-PC3-15-20-H-DFT-BPSK-Inner_1RB_Left-
12000-20000-PASS


NTNV-n77(3450-3550)-PC2-30-90-L-DFT-BPSK-
Inner_1RB_Left-0.009-0.15-PASS

NTNV-n77(3450-3550)-PC2-30-90-L-DFT-BPSK-
Inner_1RB_Left-0.15-30-PASS


NTNV-n77(3450-3550)-PC2-30-90-L-DFT-BPSK-
Inner_1RB_Left-30-1000-PASS




NTNV-n77(3450-3550)-PC2-30-90-L-DFT-BPSK- Inner_1RB_Left-1000-3000-PASS



NTNV-n77(3450-3550)-PC2-30-90-L-DFT-BPSK- Inner_1RB_Left-3000-6000-PASS



NTNV-n77(3450-3550)-PC2-30-90-L-DFT-BPSK- Inner_1RB_Left-6000-20000-PASS




NTNV-n77(3450-3550)-PC2-30-90-L-DFT-BPSK- Inner_1RB_Left-20000-40000-PASS




NTNV-n77(3450-3550)-PC2-30-90-M-DFT-BPSK- Inner_1RB_Left-0.009-0.15-PASS

NTNV-n77(3450-3550)-PC2-30-90-M-DFT-BPSK- Inner_1RB_Left-0.15-30-PASS



NTNV-n77(3450-3550)-PC2-30-90-M-DFT-BPSK- Inner_1RB_Left-30-1000-PASS



NTNV-n77(3450-3550)-PC2-30-90-M-DFT-BPSK- Inner_1RB_Left-1000-3000-PASS



NTNV-n77(3450-3550)-PC2-30-90-M-DFT-BPSK- Inner_1RB_Left-3000-6000-PASS



NTNV-n77(3450-3550)-PC2-30-90-M-DFT-BPSK- Inner_1RB_Left-6000-20000-PASS




NTNV-n77(3450-3550)-PC2-30-90-M-DFT-BPSK- Inner_1RB_Left-20000-40000-PASS


NTNV-n77(3450-3550)-PC2-30-90-H-DFT-BPSK- Inner_1RB_Left-0.009-0.15-PASS



NTNV-n77(3450-3550)-PC2-30-90-H-DFT-BPSK- Inner_1RB_Left-0.15-30-PASS



NTNV-n77(3450-3550)-PC2-30-90-H-DFT-BPSK- Inner_1RB_Left-30-1000-PASS



NTNV-n77(3450-3550)-PC2-30-90-H-DFT-BPSK- Inner_1RB_Left-1000-3000-PASS



NTNV-n77(3450-3550)-PC2-30-90-H-DFT-BPSK- Inner_1RB_Left-3000-6000-PASS



NTNV-n77(3450-3550)-PC2-30-90-H-DFT-BPSK- Inner_1RB_Left-6000-20000-PASS


NTNV-n77(3450-3550)-PC2-30-90-H-DFT-BPSK- Inner_1RB_Left-20000-40000-PASS




NTNV-n77(3450-3550)-PC2-30-100-M-DFT-BPSK- Inner_1RB_Left-0.009-0.15-PASS



NTNV-n77(3450-3550)-PC2-30-100-M-DFT-BPSK- Inner_1RB_Left-0.15-30-PASS



NTNV-n77(3450-3550)-PC2-30-100-M-DFT-BPSK- Inner_1RB_Left-30-1000-PASS





NTNV-n77(3450-3550)-PC2-30-100-M-DFT-BPSK- Inner_1RB_Left-1000-3000-PASS



NTNV-n77(3450-3550)-PC2-30-100-M-DFT-BPSK- Inner_1RB_Left-3000-6000-PASS

NTNV-n77(3450-3550)-PC2-30-100-M-DFT-BPSK- Inner_1RB_Left-6000-20000-PASS




NTNV-n77(3450-3550)-PC2-30-100-M-DFT-BPSK- Inner_1RB_Left-20000-40000-PASS




NTNV-n77(3700-3980)-PC2-30-100-L-DFT-BPSK- Inner_1RB_Left-0.009-0.15-PASS



NTNV-n77(3700-3980)-PC2-30-100-L-DFT-BPSK- Inner_1RB_Left-0.15-30-PASS



NTNV-n77(3700-3980)-PC2-30-100-L-DFT-BPSK- Inner_1RB_Left-30-1000-PASS




NTNV-n77(3700-3980)-PC2-30-100-L-DFT-BPSK- Inner_1RB_Left-1000-3000-PASS

NTNV-n77(3700-3980)-PC2-30-100-L-DFT-BPSK- Inner_1RB_Left-3000-6000-PASS



NTNV-n77(3700-3980)-PC2-30-100-L-DFT-BPSK- Inner_1RB_Left-6000-26000-PASS




NTNV-n77(3700-3980)-PC2-30-100-L-DFT-BPSK- Inner_1RB_Left-26000-40000-PASS



NTNV-n77(3700-3980)-PC2-30-100-M-DFT-BPSK- Inner_1RB_Left-0.009-0.15-PASS




NTNV-n77(3700-3980)-PC2-30-100-M-DFT-BPSK- Inner_1RB_Left-0.15-30-PASS




NTNV-n77(3700-3980)-PC2-30-100-M-DFT-BPSK- Inner_1RB_Left-30-1000-PASS


NTNV-n77(3700-3980)-PC2-30-100-M-DFT-BPSK- Inner_1RB_Left-1000-3000-PASS




NTNV-n77(3700-3980)-PC2-30-100-M-DFT-BPSK- Inner_1RB_Left-3000-6000-PASS



NTNV-n77(3700-3980)-PC2-30-100-M-DFT-BPSK- Inner_1RB_Left-6000-26000-PASS



NTNV-n77(3700-3980)-PC2-30-100-M-DFT-BPSK- Inner_1RB_Left-26000-40000-PASS



NTNV-n77(3700-3980)-PC2-30-100-H-DFT-BPSK- Inner_1RB_Left-0.009-0.15-PASS



NTNV-n77(3700-3980)-PC2-30-100-H-DFT-BPSK- Inner_1RB_Left-0.15-30-PASS

NTNV-n77(3700-3980)-PC2-30-100-H-DFT-BPSK- Inner_1RB_Left-30-1000-PASS

