



11ac(VHT40)_TX_CH_102_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5447.525	38.01	33.01	-17.68	53.34	74.00	20.66	Horizontal
2	5468.69	47.35	33.01	-17.61	62.74	68.20	5.46	Horizontal
3	5732.215	36.71	33.70	-17.23	53.18	68.20	15.02	Horizontal

11ac(VHT40)_TX_CH_102_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5445.45	28.63	33.01	-17.68	43.96	54.00	10.04	Horizontal
2	5458.73	30.68	33.01	-17.64	46.04	54.00	7.96	Horizontal

11ac(VHT40)_TX_CH_102_Vertical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5443.375	38.51	33.01	-17.69	53.83	74.00	20.17	Vertical
2	5468.275	44.78	33.01	-17.62	60.17	68.20	8.03	Vertical
3	5730.97	36.59	33.69	-17.23	53.05	68.20	15.15	Vertical

11ac(VHT40)_TX_CH_102_Vertical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5443.375	28.40	33.01	-17.69	43.72	54.00	10.28	Vertical
2	5459.145	30.77	33.01	-17.64	46.14	54.00	7.86	Vertical

11ac(VHT40)_TX_CH_134_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5434.66	37.42	33.01	-17.72	52.72	74.00	21.28	Horizontal
2	5467.445	37.36	33.01	-17.62	52.75	68.20	15.45	Horizontal
3	5732.215	38.60	33.70	-17.23	55.07	68.20	13.13	Horizontal

11ac(VHT40)_TX_CH_134_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5434.245	26.79	33.01	-17.72	42.09	54.00	11.91	Horizontal
2	5458.315	26.84	33.01	-17.65	42.20	54.00	11.80	Horizontal

11ac(VHT40)_TX_CH_134_Vertical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5445.035	37.90	33.01	-17.68	53.23	74.00	20.77	Vertical
2	5464.955	37.25	33.01	-17.63	52.63	68.20	15.57	Vertical
3	5730.97	37.94	33.69	-17.23	54.40	68.20	13.80	Vertical

11ac(VHT40)_TX_CH_134_Veritical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5429.265	27.19	33.01	-17.73	42.47	54.00	11.53	Vertical
2	5452.505	26.89	33.01	-17.66	42.24	54.00	11.76	Vertical

11ac(VHT40)_TX_CH_151_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5634.425	38.04	33.40	-17.26	54.18	68.30	14.12	Horizontal
2	5682.2	39.53	33.55	-17.31	55.76	92.17	36.41	Horizontal
3	5717.625	47.83	33.65	-17.28	64.21	110.24	46.03	Horizontal
4	5721.85	49.84	33.67	-17.26	66.24	115.12	48.88	Horizontal
5	5852.825	36.42	34.06	-16.91	53.57	115.86	62.29	Horizontal
6	5866.8	36.94	34.10	-16.88	54.16	107.59	53.43	Horizontal
7	5888.575	37.83	34.17	-16.83	55.16	95.22	40.06	Horizontal
8	5939.6	37.56	34.32	-16.93	54.95	68.30	13.35	Horizontal

11ac(VHT40)_TX_CH_151_Vertical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5635.4	37.39	33.41	-17.27	53.53	68.30	14.77	Vertical
2	5673.425	38.42	33.52	-17.30	54.64	85.68	31.04	Vertical
3	5719.25	50.85	33.66	-17.27	67.24	110.69	43.45	Vertical
4	5722.5	48.84	33.67	-17.26	65.25	116.60	51.35	Vertical
5	5851.85	36.64	34.06	-16.91	53.78	118.08	64.30	Vertical
6	5868.75	36.10	34.11	-16.88	53.33	107.05	53.72	Vertical
7	5894.425	36.48	34.18	-16.82	53.84	90.89	37.05	Vertical
8	5936.675	36.50	34.31	-16.92	53.89	68.30	14.41	Vertical

11ac(VHT40)_TX_CH_159_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5637.35	36.68	33.41	-17.27	52.82	68.30	15.48	Horizontal
2	5656.2	36.21	33.47	-17.29	52.39	72.91	20.52	Horizontal
3	5702.35	37.66	33.61	-17.32	53.94	105.96	52.02	Horizontal
4	5722.5	38.14	33.67	-17.26	54.55	116.60	62.05	Horizontal
5	5850.875	37.33	34.05	-16.91	54.47	120.30	65.83	Horizontal
6	5868.1	36.46	34.10	-16.88	53.69	107.23	53.54	Horizontal
7	5893.45	36.00	34.18	-16.82	53.36	91.61	38.25	Horizontal
8	5938.3	38.26	34.31	-16.93	55.65	68.30	12.65	Horizontal

11ac(VHT40)_TX_CH_159_Vertical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5639.3	36.39	33.42	-17.27	52.54	68.30	15.76	Vertical
2	5687.075	38.58	33.56	-17.32	54.82	95.77	40.95	Vertical
3	5711.45	36.49	33.63	-17.29	52.83	108.51	55.68	Vertical
4	5723.15	37.82	33.67	-17.26	54.23	118.08	63.85	Vertical
5	5850.55	36.57	34.05	-16.91	53.71	121.05	67.34	Vertical
6	5862.25	38.35	34.09	-16.89	55.55	108.87	53.32	Vertical
7	5898.975	36.07	34.20	-16.81	53.45	87.52	34.07	Vertical
8	5932.125	37.27	34.30	-16.91	54.66	68.30	13.64	Vertical

11ac(VHT80)_TX_CH_42_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.6	48.55	33.07	-18.19	63.43	74.00	10.57	Horizontal
2	5358.9	37.78	33.03	-17.76	53.05	74.00	20.95	Horizontal

11ac(VHT80)_TX_CH_42_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145	38.42	33.07	-18.20	53.30	54.00	0.70	Horizontal
2	5359.2	26.35	33.03	-17.76	41.62	54.00	12.38	Horizontal

11ac(VHT80)_TX_CH_42_Vetical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.2	48.41	33.07	-18.19	63.29	74.00	10.71	Vertical
2	5360.4	37.38	33.03	-17.76	52.64	74.00	21.36	Vertical

11ac(VHT80)_TX_CH_42_Vetical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.7	37.57	33.07	-18.19	52.45	54.00	1.55	Vertical
2	5356.2	26.23	33.03	-17.76	41.50	54.00	12.50	Vertical

11ac(VHT80)_TX_CH_58_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.5	37.16	33.07	-18.20	52.03	74.00	21.97	Horizontal
2	5362.5	48.11	33.03	-17.77	63.37	74.00	10.63	Horizontal

11ac(VHT80)_TX_CH_58_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5139	25.84	33.07	-18.21	40.70	54.00	13.30	Horizontal
2	5350.2	38.26	33.03	-17.75	53.54	54.00	0.46	Horizontal

11ac(VHT80)_TX_CH_58_Vetical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5138.7	37.34	33.07	-18.21	52.20	74.00	21.80	Vertical
2	5355	46.24	33.03	-17.76	61.51	74.00	12.49	Vertical

11ac(VHT80)_TX_CH_58_Vertical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.2	26.00	33.07	-18.19	40.88	54.00	13.12	Vertical
2	5350.2	36.42	33.03	-17.75	51.70	54.00	2.30	Vertical

11ac(VHT80)_TX_CH_106_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5450.43	46.00	33.01	-17.67	61.34	74.00	12.66	Horizontal
2	5461.22	47.92	33.01	-17.64	63.29	68.20	4.91	Horizontal
3	5747.155	37.73	33.74	-17.18	54.29	68.20	13.91	Horizontal

11ac(VHT80)_TX_CH_106_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5422.625	28.15	33.02	-17.75	43.41	54.00	10.59	Horizontal
2	5457.485	36.73	33.01	-17.65	52.09	54.00	1.91	Horizontal

11ac(VHT80)_TX_CH_106_Vertical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5450.845	45.89	33.01	-17.67	61.23	74.00	12.77	Vertical
2	5466.615	45.82	33.01	-17.62	61.21	68.20	6.99	Vertical
3	5732.63	37.32	33.70	-17.23	53.79	68.20	14.41	Vertical

11ac(VHT80)_TX_CH_106_Veritical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5429.265	29.07	33.01	-17.73	44.35	54.00	9.65	Vertical
2	5457.9	36.26	33.01	-17.65	51.62	54.00	2.38	Vertical

11ac(VHT80)_TX_CH_155_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5637.35	36.19	33.41	-17.27	52.33	68.30	15.97	Horizontal
2	5685.775	46.15	33.56	-17.32	62.39	94.81	32.42	Horizontal
3	5704.3	47.04	33.61	-17.32	63.34	106.51	43.17	Horizontal
4	5724.45	47.13	33.67	-17.25	63.55	121.05	57.50	Horizontal
5	5853.15	43.69	34.06	-16.91	60.84	115.12	54.28	Horizontal
6	5868.1	40.78	34.10	-16.88	58.01	107.23	49.22	Horizontal
7	5900.275	38.49	34.20	-16.81	55.88	86.56	30.68	Horizontal
8	5927.9	37.17	34.28	-16.90	54.56	68.30	13.74	Horizontal

11ac(VHT80)_TX_CH_155_Veritical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5636.7	37.62	33.41	-17.27	53.76	68.30	14.54	Vertical
2	5685.45	46.22	33.56	-17.32	62.46	94.57	32.11	Vertical
3	5716	47.27	33.65	-17.28	63.64	109.78	46.14	Vertical
4	5721.85	45.57	33.67	-17.26	61.97	115.12	53.15	Vertical
5	5852.175	42.16	34.06	-16.91	59.31	117.34	58.03	Vertical
6	5869.4	38.80	34.11	-16.87	56.03	106.87	50.84	Vertical
7	5890.525	36.40	34.17	-16.83	53.74	93.78	40.04	Vertical
8	5926.6	36.32	34.28	-16.89	53.71	68.30	14.59	Vertical