

802.11ac (VHT80)	SISO		40	NV	5795.000	5725 to 5850	Pass
			50	NV	5795.040	5725 to 5850	Pass
		5210	20	LV	5210.000	5150 to 5250	Pass
				NV	5210.000	5150 to 5250	Pass
				HV	5210.075	5150 to 5250	Pass
			-30	NV	5210.075	5150 to 5250	Pass
			-20	NV	5210.225	5150 to 5250	Pass
			-10	NV	5210.000	5150 to 5250	Pass
			0	NV	5210.150	5150 to 5250	Pass
			10	NV	5210.150	5150 to 5250	Pass
			30	NV	5210.150	5150 to 5250	Pass
			40	NV	5210.075	5150 to 5250	Pass
			50	NV	5210.075	5150 to 5250	Pass
		5290	20	LV	5290.000	5250 to 5350	Pass
				NV	5290.000	5250 to 5350	Pass
				HV	5290.000	5250 to 5350	Pass
			-30	NV	5290.000	5250 to 5350	Pass
			-20	NV	5290.075	5250 to 5350	Pass
			-10	NV	5290.000	5250 to 5350	Pass
			0	NV	5290.075	5250 to 5350	Pass
			10	NV	5290.000	5250 to 5350	Pass
			30	NV	5290.075	5250 to 5350	Pass
			40	NV	5290.000	5250 to 5350	Pass
			50	NV	5290.075	5250 to 5350	Pass
		5530	20	LV	5530.000	5470 to 5725	Pass
				NV	5530.000	5470 to 5725	Pass
				HV	5530.000	5470 to 5725	Pass
			-30	NV	5530.000	5470 to 5725	Pass
			-20	NV	5530.000	5470 to 5725	Pass
			-10	NV	5530.000	5470 to 5725	Pass
			0	NV	5530.000	5470 to 5725	Pass
			10	NV	5530.000	5470 to 5725	Pass
			30	NV	5530.000	5470 to 5725	Pass
			40	NV	5530.000	5470 to 5725	Pass
			50	NV	5530.000	5470 to 5725	Pass
		5610	20	LV	5610.000	5470 to 5725	Pass
				NV	5610.000	5470 to 5725	Pass
				HV	5610.075	5470 to 5725	Pass
			-30	NV	5610.075	5470 to 5725	Pass
			-20	NV	5610.000	5470 to 5725	Pass
			-10	NV	5610.000	5470 to 5725	Pass
			0	NV	5610.075	5470 to 5725	Pass
			10	NV	5610.000	5470 to 5725	Pass




			30	NV	5610.000	5470 to 5725	Pass
			40	NV	5610.000	5470 to 5725	Pass
			50	NV	5610.000	5470 to 5725	Pass
		5775	20	LV	5775.000	5725 to 5850	Pass
				NV	5775.000	5725 to 5850	Pass
				HV	5775.000	5725 to 5850	Pass
			-30	NV	5775.000	5725 to 5850	Pass
			-20	NV	5775.000	5725 to 5850	Pass
			-10	NV	5775.000	5725 to 5850	Pass
			0	NV	5775.000	5725 to 5850	Pass
			10	NV	5775.000	5725 to 5850	Pass
			30	NV	5775.000	5725 to 5850	Pass
			40	NV	5775.000	5725 to 5850	Pass
			50	NV	5775.000	5725 to 5850	Pass


6. DFS

6.1 Test Result



6.1.1 Radar





6.1. 2 Duty cycle(33.34%)



6.1.3 5290MHz:



6.1.4 5530MHz:



- End of the Report -