



11a_TX_CH_48_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17950.1667	35.95	41.56	-31.03	46.48	54.00	7.52	Vertical
2	6157.625	40.54	34.82	-16.75	58.60	68.20	9.60	Vertical
3	8003.8167	50.18	37.30	-41.17	46.31	68.20	21.89	Vertical
4	10122.1167	47.18	38.25	-37.20	48.22	68.20	19.98	Vertical
5	12219.7167	46.13	38.96	-35.24	49.85	74.00	24.15	Vertical
6	13876.4833	45.83	40.34	-34.12	52.05	68.20	16.15	Vertical
7	17950.1667	44.19	41.56	-31.03	54.72	74.00	19.28	Vertical

11a_TX_CH_52_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17998.4667	35.75	41.70	-30.93	46.51	54.00	7.49	Horizontal
2	6248.375	41.02	35.00	-16.92	59.10	68.20	9.10	Horizontal
3	6970.35	51.84	36.25	-42.63	45.46	68.20	22.74	Horizontal
4	9404.1333	49.16	38.04	-38.61	48.59	74.00	25.41	Horizontal
5	11188.9333	45.46	39.19	-35.14	49.51	74.00	24.49	Horizontal
6	13807.8667	46.54	40.30	-35.04	51.80	68.20	16.40	Horizontal
7	17909.15	43.11	41.44	-31.11	53.43	74.00	20.57	Horizontal

11a_TX_CH_52_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17921.4167	36.10	41.47	-31.09	46.48	54.00	7.52	Vertical
2	6237.8333	40.87	34.98	-16.90	58.95	68.20	9.25	Vertical
3	7800.2667	49.97	36.90	-41.02	45.85	68.20	22.35	Vertical
4	9506.8667	49.70	38.05	-38.47	49.28	68.20	18.92	Vertical
5	10521.55	48.49	38.73	-36.48	50.73	68.20	17.47	Vertical
6	13869.2	46.62	40.33	-34.22	52.74	68.20	15.46	Vertical
7	17962.8167	43.45	41.59	-31.00	54.04	74.00	19.96	Vertical

11a_TX_CH_60_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17989.2667	35.68	41.67	-30.95	46.40	54.00	7.60	Horizontal
2	6319.4167	40.38	35.14	-16.95	58.57	68.20	9.63	Horizontal
3	8004.5833	49.99	37.30	-41.17	46.12	68.20	22.08	Horizontal
4	9572.4167	48.92	38.06	-38.29	48.68	68.20	19.52	Horizontal
5	11167.0833	46.78	39.20	-35.29	50.69	74.00	23.31	Horizontal
6	13512.3167	46.75	40.16	-35.01	51.89	68.20	16.31	Horizontal
7	17969.7167	43.36	41.61	-30.99	53.98	74.00	20.02	Horizontal

11a_TX_CH_60_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17926.0167	35.95	41.49	-31.08	46.36	54.00	7.64	Vertical
2	6175.9583	40.54	34.85	-16.78	58.61	68.20	9.59	Vertical
3	8408.6167	49.06	37.59	-40.74	45.91	74.00	28.09	Vertical
4	10601.2833	48.98	38.82	-36.66	51.14	74.00	22.86	Vertical
5	12813.8833	46.59	39.68	-34.74	51.53	68.20	16.67	Vertical
6	13948.9333	46.84	40.37	-34.64	52.57	68.20	15.63	Vertical
7	17964.7333	43.29	41.60	-31.00	53.89	74.00	20.11	Vertical

11a_TX_CH_64_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17999.6167	35.29	41.70	-30.93	46.06	54.00	7.94	Horizontal
2	6266.25	41.13	35.03	-16.96	59.20	68.20	9.00	Horizontal
3	7783.7833	50.59	36.87	-41.13	46.33	68.20	21.87	Horizontal
4	9522.5833	48.97	38.05	-38.43	48.59	68.20	19.61	Horizontal
5	10632.3333	48.76	38.86	-36.42	51.20	74.00	22.80	Horizontal
6	13872.2667	45.19	40.34	-34.17	51.35	68.20	16.85	Horizontal
7	17961.2833	43.30	41.59	-31.01	53.88	74.00	20.12	Horizontal

11a_TX_CH_64_Verical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17961.2833	35.73	41.59	-31.01	46.31	54.00	7.69	Vertical
2	6369.8333	40.22	35.24	-16.72	58.74	68.20	9.46	Vertical
3	7742.3833	50.00	36.78	-41.42	45.37	74.00	28.63	Vertical
4	9577.7833	49.80	38.06	-38.28	49.58	68.20	18.62	Vertical
5	10641.9167	49.91	38.87	-36.34	52.44	74.00	21.56	Vertical
6	13807.4833	46.86	40.30	-35.05	52.11	68.20	16.09	Vertical
7	17962.8167	42.84	41.59	-31.00	53.43	74.00	20.57	Vertical

11a_TX_CH_100_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17957.0667	35.53	41.58	-31.02	46.09	54.00	7.91	Horizontal
2	6244.25	40.55	34.99	-16.91	58.63	68.20	9.57	Horizontal
3	7097.6167	50.99	36.30	-42.48	44.81	68.20	23.39	Horizontal
4	8952.5667	49.13	37.97	-39.43	47.66	68.20	20.54	Horizontal
5	10998.0333	46.43	39.30	-35.99	49.73	74.00	24.27	Horizontal
6	13694.4	46.72	40.25	-35.29	51.68	68.20	16.52	Horizontal
7	17988.8833	43.16	41.67	-30.95	53.88	74.00	20.12	Horizontal

11a_TX_CH_100_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17922.1833	36.17	41.47	-31.09	46.56	54.00	7.44	Vertical
2	6378.0833	39.79	35.26	-16.68	58.37	68.20	9.83	Vertical
3	7557.2333	50.21	36.41	-41.90	44.72	74.00	29.28	Vertical
4	9529.8667	49.37	38.05	-38.41	49.01	68.20	19.19	Vertical
5	12822.7	46.18	39.69	-34.71	51.16	68.20	17.04	Vertical
6	13842.75	46.16	40.32	-34.57	51.91	68.20	16.29	Vertical
7	17944.4167	43.47	41.54	-31.04	53.97	74.00	20.03	Vertical

11a_TX_CH_116_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17991.1833	35.24	41.67	-30.95	45.97	54.00	8.03	Horizontal
2	6046.25	41.10	34.59	-16.92	58.78	68.20	9.42	Horizontal
3	6919.3667	52.64	36.17	-42.63	46.18	68.20	22.02	Horizontal
4	9474.6667	49.15	38.05	-38.52	48.67	74.00	25.33	Horizontal
5	12811.5833	45.72	39.67	-34.74	50.65	68.20	17.55	Horizontal
6	16738.0667	51.42	38.59	-32.91	57.10	68.20	11.10	Horizontal
7	17922.5667	43.26	41.48	-31.08	53.65	74.00	20.35	Horizontal

11a_TX_CH_116_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17991.5667	35.51	41.68	-30.95	46.24	54.00	7.76	Vertical
2	6021.5	40.79	34.54	-17.03	58.31	68.20	9.89	Vertical
3	7875.0167	50.03	37.05	-41.38	45.70	68.20	22.50	Vertical
4	9489.6167	49.35	38.05	-38.50	48.90	74.00	25.10	Vertical
5	12856.05	46.80	39.73	-34.60	51.93	68.20	16.27	Vertical
6	14404.3333	44.84	40.16	-33.81	51.19	68.20	17.01	Vertical
7	17995.7833	43.17	41.69	-30.94	53.92	74.00	20.08	Vertical

11a_TX_CH_140_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17988.1167	35.62	41.67	-30.95	46.33	54.00	7.67	Horizontal
2	6114.5417	40.59	34.73	-16.70	58.62	68.20	9.58	Horizontal
3	8022.2167	50.30	37.32	-41.15	46.47	68.20	21.73	Horizontal
4	10173.4833	46.85	38.31	-36.56	48.60	68.20	19.60	Horizontal
5	13587.0667	45.66	40.19	-34.18	51.67	68.20	16.53	Horizontal
6	17108.75	50.58	39.12	-31.65	58.05	68.20	10.15	Horizontal
7	17955.5333	44.06	41.57	-31.02	54.61	74.00	19.39	Horizontal

11a_TX_CH_140_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17964.7333	36.13	41.60	-31.00	46.73	54.00	7.27	Vertical
2	6238.75	41.20	34.98	-16.90	59.28	68.20	8.92	Vertical
3	7014.05	51.45	36.30	-42.61	45.14	68.20	23.06	Vertical
4	9523.7333	48.25	38.05	-38.43	47.88	68.20	20.32	Vertical
5	12085.9333	45.82	38.80	-35.08	49.54	74.00	24.46	Vertical
6	17104.15	49.09	39.10	-31.67	56.53	68.20	11.67	Vertical
7	17966.2667	43.82	41.60	-31.00	54.42	74.00	19.58	Vertical

11a_TX_CH_149_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17989.65	35.13	41.67	-30.95	45.85	54.00	8.15	Horizontal
2	6246.0833	40.91	34.99	-16.92	58.99	68.20	9.21	Horizontal
3	6969.9667	51.12	36.25	-42.63	44.74	68.20	23.46	Horizontal
4	9550.95	48.33	38.06	-38.35	48.03	68.20	20.17	Horizontal
5	13625.0167	45.58	40.21	-34.37	51.42	68.20	16.78	Horizontal
6	17226.8167	49.38	39.46	-31.48	57.36	68.20	10.84	Horizontal
7	17977	43.04	41.63	-30.98	53.70	74.00	20.30	Horizontal

11a_TX_CH_149_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17943.2667	35.64	41.54	-31.04	46.13	54.00	7.87	Vertical
2	6202.0833	41.14	34.90	-16.81	59.23	68.20	8.97	Vertical
3	7578.3167	49.82	36.46	-41.85	44.42	74.00	29.58	Vertical
4	9590.05	48.58	38.06	-38.25	48.39	68.20	19.81	Vertical
5	12884.8	46.04	39.76	-34.51	51.29	68.20	16.91	Vertical
6	17229.1167	49.20	39.46	-31.49	57.17	68.20	11.03	Vertical
7	17975.85	43.66	41.63	-30.98	54.31	74.00	19.69	Vertical

11a_TX_CH_157_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17950.1667	35.69	41.56	-31.03	46.22	54.00	7.78	Horizontal
2	6262.125	41.00	35.02	-16.95	59.07	68.20	9.13	Horizontal
3	8011.8667	50.42	37.31	-41.16	46.57	68.20	21.63	Horizontal
4	9587.3667	48.25	38.06	-38.25	48.05	68.20	20.15	Horizontal
5	14411.6167	45.78	40.15	-33.88	52.05	68.20	16.15	Horizontal
6	17362.1333	48.60	39.85	-32.15	56.30	68.20	11.90	Horizontal
7	17964.35	44.10	41.60	-31.00	54.70	74.00	19.30	Horizontal

11a_TX_CH_157_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17915.6667	35.79	41.46	-31.10	46.15	54.00	7.85	Vertical
2	6227.2917	40.84	34.95	-16.87	58.92	68.20	9.28	Vertical
3	8004.5833	50.53	37.30	-41.17	46.66	68.20	21.54	Vertical
4	11203.5	45.62	39.18	-35.09	49.70	74.00	24.30	Vertical
5	13862.6833	45.61	40.33	-34.30	51.64	68.20	16.56	Vertical
6	17359.0667	48.39	39.84	-32.14	56.10	68.20	12.10	Vertical
7	17955.5333	43.39	41.57	-31.02	53.94	74.00	20.06	Vertical

11a_TX_CH_165_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17985.05	35.25	41.66	-30.96	45.95	54.00	8.05	Horizontal
2	6256.625	40.66	35.01	-16.94	58.73	68.20	9.47	Horizontal
3	7111.4167	50.34	36.30	-42.43	44.21	68.20	23.99	Horizontal
4	8989.3667	49.09	37.99	-39.29	47.79	68.20	20.41	Horizontal
5	10987.3	46.70	39.28	-36.02	49.97	74.00	24.03	Horizontal
6	12759.0667	46.38	39.61	-34.64	51.35	68.20	16.85	Horizontal
7	17472.15	47.28	40.17	-32.11	55.34	68.20	12.86	Horizontal
8	17953.6167	42.94	41.57	-31.02	53.48	74.00	20.52	Horizontal

11a_TX_CH_165_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17971.6333	35.13	41.62	-30.99	45.76	54.00	8.24	Vertical
2	6221.7917	41.63	34.94	-16.86	59.71	68.20	8.49	Vertical
3	7377.45	51.32	36.30	-42.05	45.57	74.00	28.43	Vertical
4	9509.9333	49.39	38.05	-38.46	48.98	68.20	19.22	Vertical
5	11412.4167	46.55	39.05	-35.64	49.96	74.00	24.04	Vertical
6	12885.1833	46.71	39.76	-34.51	51.96	68.20	16.24	Vertical
7	17469.85	48.19	40.16	-32.12	56.24	68.20	11.96	Vertical
8	17923.3333	43.71	41.48	-31.08	54.10	74.00	19.90	Vertical

11n(HT20)_TX_CH_36_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17927.9333	35.27	41.49	-31.07	45.69	54.00	8.31	Horizontal
2	6346	40.58	35.19	-16.83	58.94	68.20	9.26	Horizontal
3	7365.1833	49.95	36.30	-42.07	44.18	74.00	29.82	Horizontal
4	9591.2	48.82	38.06	-38.24	48.64	68.20	19.56	Horizontal
5	11204.65	45.26	39.18	-35.10	49.33	74.00	24.67	Horizontal
6	12882.5	45.97	39.76	-34.52	51.21	68.20	16.99	Horizontal
7	17927.55	43.33	41.49	-31.07	53.74	74.00	20.26	Horizontal

11n(HT20)_TX_CH_36_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17987.35	35.09	41.66	-30.96	45.80	54.00	8.20	Vertical
2	6104.4583	40.86	34.71	-16.69	58.88	68.20	9.32	Vertical
3	7993.0833	49.82	37.29	-41.20	45.90	68.20	22.30	Vertical
4	9519.9	49.63	38.05	-38.44	49.25	68.20	18.95	Vertical
5	12867.55	45.98	39.74	-34.56	51.16	68.20	17.04	Vertical
6	13651.85	46.35	40.23	-34.72	51.85	68.20	16.35	Vertical
7	17898.0333	43.58	41.40	-31.15	53.84	74.00	20.16	Vertical

11n(HT20)_TX_CH_40_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17916.05	34.98	41.46	-31.10	45.34	54.00	8.66	Horizontal
2	6489.4583	38.60	35.48	-16.73	57.35	68.20	10.85	Horizontal
3	8015.7	50.20	37.31	-41.16	46.35	68.20	21.85	Horizontal
4	9537.5333	48.49	38.05	-38.39	48.16	68.20	20.04	Horizontal
5	11184.7167	45.72	39.19	-35.17	49.74	74.00	24.26	Horizontal
6	13579.4	45.06	40.19	-34.27	50.98	68.20	17.22	Horizontal
7	17971.6333	42.50	41.62	-30.99	53.13	74.00	20.87	Horizontal

11n(HT20)_TX_CH_40_Vertical



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17969.7167	36.20	41.61	-30.99	46.82	54.00	7.18	Vertical
2	6185.5833	40.69	34.87	-16.79	58.77	68.20	9.43	Vertical
3	6853.05	51.83	36.06	-42.73	45.16	68.20	23.04	Vertical
4	9375.3833	47.84	38.04	-38.74	47.13	74.00	26.87	Vertical
5	11142.55	44.84	39.21	-35.46	48.60	74.00	25.40	Vertical
6	13486.25	46.87	40.14	-35.06	51.96	68.20	16.24	Vertical
7	17990.8	43.96	41.67	-30.95	54.68	74.00	19.32	Vertical

11n(HT20)_TX_CH_48_Horizontal



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17989.65	35.18	41.67	-30.95	45.90	54.00	8.10	Horizontal
2	6277.25	40.63	35.05	-16.99	58.70	68.20	9.50	Horizontal
3	7861.9833	49.26	37.02	-41.32	44.97	68.20	23.23	Horizontal
4	9572.8	48.21	38.06	-38.29	47.97	68.20	20.23	Horizontal
5	12935.4	45.63	39.82	-34.79	50.66	68.20	17.54	Horizontal
6	14290.1	46.59	40.23	-35.01	51.81	68.20	16.39	Horizontal
7	17986.9667	42.78	41.66	-30.96	53.49	74.00	20.51	Horizontal