



11n(HT20)_TX_CH_48_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17940.2	35.46	41.53	-31.05	45.94	54.00	8.06	Vertical
2	6186.5	40.62	34.87	-16.79	58.70	68.20	9.50	Vertical
3	7119.0833	51.79	36.30	-42.39	45.70	68.20	22.50	Vertical
4	9547.8833	48.59	38.05	-38.36	48.28	68.20	19.92	Vertical
5	11193.15	44.93	39.18	-35.11	49.01	74.00	24.99	Vertical
6	13648.4	46.09	40.22	-34.68	51.64	68.20	16.56	Vertical
7	17927.9333	42.69	41.49	-31.07	53.11	74.00	20.89	Vertical

11n(HT20)_TX_CH_52_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17951.7	34.78	41.56	-31.03	45.31	54.00	8.69	Horizontal
2	6324.4583	40.49	35.15	-16.93	58.71	68.20	9.49	Horizontal
3	7732.0333	49.52	36.76	-41.49	44.80	74.00	29.20	Horizontal
4	9531.7833	48.45	38.05	-38.40	48.10	68.20	20.10	Horizontal
5	11187.4	46.95	39.19	-35.15	50.99	74.00	23.01	Horizontal
6	13611.2167	45.82	40.21	-34.19	51.84	68.20	16.36	Horizontal
7	17917.9667	43.48	41.46	-31.09	53.85	74.00	20.15	Horizontal

11n(HT20)_TX_CH_52_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17972.4	35.93	41.62	-30.99	46.56	54.00	7.44	Vertical
2	6194.75	41.39	34.89	-16.80	59.48	68.20	8.72	Vertical
3	7229.8667	50.90	36.30	-42.06	45.14	68.20	23.06	Vertical
4	9509.55	48.94	38.05	-38.46	48.53	68.20	19.67	Vertical
5	11163.25	45.91	39.20	-35.31	49.80	74.00	24.20	Vertical
6	12953.0333	46.00	39.84	-34.95	50.89	68.20	17.31	Vertical
7	17973.1667	43.08	41.62	-30.98	53.72	74.00	20.28	Vertical

11n(HT20)_TX_CH_60_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17984.6667	34.87	41.66	-30.96	45.56	54.00	8.44	Horizontal
2	6169.5417	41.00	34.84	-16.77	59.07	68.20	9.13	Horizontal
3	7757.3333	49.82	36.81	-41.31	45.32	68.20	22.88	Horizontal
4	8945.6667	48.86	37.96	-39.46	47.36	68.20	20.84	Horizontal
5	11198.5167	44.98	39.18	-35.07	49.09	74.00	24.91	Horizontal
6	13599.3333	45.55	40.20	-34.05	51.70	68.20	16.50	Horizontal
7	17967.8	42.78	41.61	-30.99	53.39	74.00	20.61	Horizontal

11n(HT20)_TX_CH_60_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17931.3833	35.47	41.50	-31.07	45.90	54.00	8.10	Vertical
2	6331.3333	40.67	35.16	-16.90	58.94	68.20	9.26	Vertical
3	7962.0333	50.18	37.22	-41.30	46.10	68.20	22.10	Vertical
4	9519.5167	49.44	38.05	-38.44	49.05	68.20	19.15	Vertical
5	13478.5833	46.21	40.14	-35.00	51.35	68.20	16.85	Vertical
6	14488.2833	46.26	40.11	-34.70	51.67	74.00	22.33	Vertical
7	17975.85	44.08	41.63	-30.98	54.73	74.00	19.27	Vertical

11n(HT20)_TX_CH_64_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17935.9833	35.37	41.51	-31.06	45.83	54.00	8.17	Horizontal
2	6270.8333	41.03	35.04	-16.97	59.10	68.20	9.10	Horizontal
3	6945.8167	50.78	36.21	-42.63	44.36	68.20	23.84	Horizontal
4	9496.1333	49.02	38.05	-38.50	48.57	74.00	25.43	Horizontal
5	10640	46.87	38.87	-36.36	49.38	74.00	24.62	Horizontal
6	14167.05	45.95	40.30	-35.15	51.10	68.20	17.10	Horizontal
7	17924.4833	43.67	41.48	-31.08	54.07	74.00	19.93	Horizontal

11n(HT20)_TX_CH_64_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17966.2667	35.26	41.60	-31.00	45.86	54.00	8.14	Vertical
2	6264.875	40.80	35.03	-16.96	58.87	68.20	9.33	Vertical
3	7704.4333	49.98	36.71	-41.68	45.01	74.00	28.99	Vertical
4	9544.05	48.66	38.05	-38.37	48.34	68.20	19.86	Vertical
5	10639.2333	46.99	38.87	-36.36	49.49	74.00	24.51	Vertical
6	13600.4833	45.60	40.20	-34.05	51.75	68.20	16.45	Vertical
7	17928.7	42.92	41.49	-31.07	53.34	74.00	20.66	Vertical

11n(HT20)_TX_CH_100_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17967.4167	35.25	41.61	-31.00	45.86	54.00	8.14	Horizontal
2	6125.5417	40.54	34.75	-16.71	58.58	68.20	9.62	Horizontal
3	7807.55	49.55	36.92	-41.06	45.41	68.20	22.79	Horizontal
4	9570.5	48.24	38.06	-38.30	48.00	68.20	20.20	Horizontal
5	13881.4667	45.35	40.34	-34.05	51.64	68.20	16.56	Horizontal
6	16495.8	48.37	38.40	-32.72	54.05	68.20	14.15	Horizontal
7	17967.0333	43.05	41.60	-31.00	53.66	74.00	20.34	Horizontal

11n(HT20)_TX_CH_100_Veritical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17965.5	35.52	41.60	-31.00	46.12	54.00	7.88	Vertical
2	6358.8333	40.51	35.22	-16.77	58.96	68.20	9.24	Vertical
3	7921.0167	51.20	37.14	-41.43	46.91	68.20	21.29	Vertical
4	9512.6167	48.53	38.05	-38.46	48.13	68.20	20.07	Vertical
5	12931.1833	46.75	39.82	-34.75	51.82	68.20	16.38	Vertical
6	13840.8333	46.29	40.32	-34.60	52.01	68.20	16.19	Vertical
7	17955.5333	44.65	41.57	-31.02	55.20	74.00	18.80	Vertical

11n(HT20)_TX_CH_116_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17927.9333	35.66	41.49	-31.07	46.08	54.00	7.92	Horizontal
2	6215.375	40.74	34.93	-16.85	58.83	68.20	9.37	Horizontal
3	7931.75	50.07	37.16	-41.40	45.84	68.20	22.36	Horizontal
4	9536	49.22	38.05	-38.39	48.88	68.20	19.32	Horizontal
5	11147.9167	45.24	39.21	-35.42	49.03	74.00	24.97	Horizontal
6	16746.1167	49.62	38.60	-32.82	55.39	68.20	12.81	Horizontal
7	17958.9833	43.14	41.58	-31.01	53.71	74.00	20.29	Horizontal

11n(HT20)_TX_CH_116_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17921.0333	35.71	41.47	-31.09	46.09	54.00	7.91	Vertical
2	6324.4583	40.34	35.15	-16.93	58.56	68.20	9.64	Vertical
3	7196.5167	50.10	36.30	-42.04	44.36	68.20	23.84	Vertical
4	9514.5333	48.98	38.05	-38.45	48.58	68.20	19.62	Vertical
5	12990.2167	46.65	39.89	-35.30	51.24	68.20	16.96	Vertical
6	15021.8833	45.34	39.76	-34.24	50.86	68.20	17.34	Vertical
7	17974.7	43.89	41.63	-30.98	54.54	74.00	19.46	Vertical

11n(HT20)_TX_CH_140_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17925.6333	35.81	41.48	-31.08	46.22	54.00	7.78	Horizontal
2	6408.7917	40.05	35.32	-16.59	58.77	68.20	9.43	Horizontal
3	7275.1	50.09	36.30	-42.11	44.28	74.00	29.72	Horizontal
4	9593.8833	48.34	38.06	-38.24	48.16	68.20	20.04	Horizontal
5	12933.8667	46.41	39.82	-34.77	51.46	68.20	16.74	Horizontal
6	17098.0167	49.25	39.08	-31.65	56.68	68.20	11.52	Horizontal
7	17976.6167	43.48	41.63	-30.98	54.14	74.00	19.86	Horizontal

11n(HT20)_TX_CH_140_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17982.75	35.94	41.65	-30.96	46.63	54.00	7.37	Vertical
2	6270.375	40.73	35.04	-16.97	58.80	68.20	9.40	Vertical
3	7889.9667	50.41	37.08	-41.45	46.04	68.20	22.16	Vertical
4	9501.8833	49.67	38.05	-38.48	49.24	68.20	18.96	Vertical
5	11259.4667	45.81	39.14	-35.63	49.32	74.00	24.68	Vertical
6	12928.1167	46.28	39.81	-34.72	51.37	68.20	16.83	Vertical
7	17989.65	42.83	41.67	-30.95	53.55	74.00	20.45	Vertical

11n(HT20)_TX_CH_149_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17952.0833	36.10	41.56	-31.03	46.64	54.00	7.36	Horizontal
2	6214	40.60	34.93	-16.84	58.69	68.20	9.51	Horizontal
3	7056.6	50.49	36.30	-42.55	44.24	68.20	23.96	Horizontal
4	9527.95	48.65	38.05	-38.41	48.29	68.20	19.91	Horizontal
5	12825.7667	46.40	39.69	-34.70	51.39	68.20	16.81	Horizontal
6	17231.0333	46.84	39.47	-31.50	54.81	68.20	13.39	Horizontal
7	17919.5	43.50	41.47	-31.09	53.88	74.00	20.12	Horizontal

11n(HT20)_TX_CH_149_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17929.0833	35.94	41.49	-31.07	46.36	54.00	7.64	Vertical
2	6263.9583	40.67	35.03	-16.96	58.74	68.20	9.46	Vertical
3	6918.2167	51.49	36.17	-42.63	45.03	68.20	23.17	Vertical
4	9511.0833	48.88	38.05	-38.46	48.47	68.20	19.73	Vertical
5	11198.5167	45.20	39.18	-35.07	49.31	74.00	24.69	Vertical
6	13492.7667	46.38	40.15	-35.10	51.43	68.20	16.77	Vertical
7	17955.5333	43.30	41.57	-31.02	53.85	74.00	20.15	Vertical

11n(HT20)_TX_CH_157_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17927.55	36.17	41.49	-31.07	46.58	54.00	7.42	Horizontal
2	6109.0417	40.99	34.72	-16.69	59.02	68.20	9.18	Horizontal
3	7348.3167	50.93	36.30	-42.09	45.14	74.00	28.86	Horizontal
4	9458.1833	48.81	38.05	-38.54	48.31	74.00	25.69	Horizontal
5	11902.7	44.55	38.76	-34.55	48.75	74.00	25.25	Horizontal
6	14355.2667	45.39	40.19	-34.30	51.28	68.20	16.92	Horizontal
7	17962.4333	44.16	41.59	-31.01	54.75	74.00	19.25	Horizontal

11n(HT20)_TX_CH_157_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17937.1333	35.60	41.52	-31.06	46.06	54.00	7.94	Vertical
2	6231.4167	41.89	34.96	-16.88	59.97	68.20	8.23	Vertical
3	7589.4333	50.55	36.48	-41.83	45.20	74.00	28.80	Vertical
4	9506.8667	48.59	38.05	-38.47	48.17	68.20	20.03	Vertical
5	12854.1333	46.76	39.72	-34.61	51.88	68.20	16.32	Vertical
6	14702.1833	45.98	39.98	-33.84	52.12	68.20	16.08	Vertical
7	17932.5333	43.80	41.50	-31.06	54.24	74.00	19.76	Vertical

11n(HT20)_TX_CH_165_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17954.3833	36.03	41.57	-31.02	46.58	54.00	7.42	Horizontal
2	6061.8333	40.59	34.62	-16.85	58.37	68.20	9.83	Horizontal
3	7256.3167	51.02	36.30	-42.09	45.23	74.00	28.77	Horizontal
4	9526.8	48.69	38.05	-38.42	48.33	68.20	19.87	Horizontal
5	11895.0333	45.10	38.76	-34.59	49.27	74.00	24.73	Horizontal
6	14414.6833	44.64	40.15	-33.92	50.88	68.20	17.32	Horizontal
7	17928.7	43.46	41.49	-31.07	53.88	74.00	20.12	Horizontal

11n(HT20)_TX_CH_165_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17970.4833	35.75	41.61	-30.99	46.38	54.00	7.62	Vertical
2	6261.2083	40.54	35.02	-16.95	58.61	68.20	9.59	Vertical
3	7215.3	50.93	36.30	-42.04	45.19	68.20	23.01	Vertical
4	9552.1	49.90	38.06	-38.35	49.61	68.20	18.59	Vertical
5	12699.65	45.75	39.54	-34.43	50.86	74.00	23.14	Vertical
6	14404.7167	45.45	40.16	-33.81	51.80	68.20	16.40	Vertical
7	17956.6833	43.58	41.57	-31.02	54.14	74.00	19.86	Vertical

11n(HT40)_TX_CH_38_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17982.75	35.33	41.65	-30.96	46.02	54.00	7.98	Horizontal
2	6256.1667	40.95	35.01	-16.94	59.02	68.20	9.18	Horizontal
3	7098.7667	50.19	36.30	-42.48	44.01	68.20	24.19	Horizontal
4	9558.6167	48.66	38.06	-38.33	48.38	68.20	19.82	Horizontal
5	11126.0667	46.08	39.22	-35.57	49.73	74.00	24.27	Horizontal
6	13856.55	45.85	40.33	-34.39	51.79	68.20	16.41	Horizontal
7	17906.0833	43.64	41.43	-31.12	53.95	74.00	20.05	Horizontal

11n(HT40)_TX_CH_38_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17965.1167	34.68	41.60	-31.00	45.28	54.00	8.72	Vertical
2	6202.0833	40.36	34.90	-16.81	58.45	68.20	9.75	Vertical
3	7726.2833	47.98	36.75	-41.53	43.20	74.00	30.80	Vertical
4	9510.3167	48.32	38.05	-38.46	47.91	68.20	20.29	Vertical
5	12094.3667	45.65	38.81	-35.01	49.46	74.00	24.54	Vertical
6	14543.1	44.90	40.07	-34.70	50.27	68.20	17.93	Vertical
7	17966.65	42.79	41.60	-31.00	53.40	74.00	20.60	Vertical

11n(HT40)_TX_CH_46_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17960.5167	34.90	41.59	-31.01	45.48	54.00	8.52	Horizontal
2	6191.0833	41.23	34.88	-16.80	59.31	68.20	8.89	Horizontal
3	7969.7	49.92	37.24	-41.28	45.88	68.20	22.32	Horizontal
4	9558.6167	48.78	38.06	-38.33	48.50	68.20	19.70	Horizontal
5	12795.1	46.31	39.65	-34.76	51.20	68.20	17.00	Horizontal
6	14632.8	44.17	40.02	-34.31	49.88	68.20	18.32	Horizontal
7	17961.6667	42.97	41.59	-31.01	53.55	74.00	20.45	Horizontal

11n(HT40)_TX_CH_46_Vertical



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17961.2833	35.18	41.59	-31.01	45.76	54.00	8.24	Vertical
2	6133.3333	40.21	34.77	-16.72	58.25	68.20	9.95	Vertical
3	7860.8333	49.27	37.02	-41.31	44.98	68.20	23.22	Vertical
4	9508.4	49.00	38.05	-38.47	48.58	68.20	19.62	Vertical
5	12820.7833	46.03	39.68	-34.71	51.00	68.20	17.20	Vertical
6	14638.9333	44.69	40.02	-34.27	50.44	68.20	17.76	Vertical
7	17910.6833	43.81	41.44	-31.11	54.14	74.00	19.86	Vertical

11n(HT40)_TX_CH_54_Horizontal



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17930.6167	35.06	41.50	-31.07	45.49	54.00	8.51	Horizontal
2	6148.4583	40.19	34.80	-16.74	58.24	68.20	9.96	Horizontal
3	6941.9833	50.73	36.21	-42.63	44.31	68.20	23.89	Horizontal
4	9510.3167	49.52	38.05	-38.46	49.11	68.20	19.09	Horizontal
5	12820.7833	46.82	39.68	-34.71	51.79	68.20	16.41	Horizontal
6	14384.7833	44.14	40.17	-33.94	50.37	68.20	17.83	Horizontal
7	17922.95	43.09	41.48	-31.08	53.48	74.00	20.52	Horizontal