



## 11n(HT40)\_TX\_CH\_54\_Vertical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 17963.2         | 35.39          | 41.59     | -31.00      | 45.98          | 54.00          | 8.02        | Vertical |
| 2         | 6230.9583       | 40.20          | 34.96     | -16.88      | 58.28          | 68.20          | 9.92        | Vertical |
| 3         | 7679.5167       | 49.20          | 36.66     | -41.73      | 44.13          | 74.00          | 29.87       | Vertical |
| 4         | 9525.2667       | 49.67          | 38.05     | -38.42      | 49.30          | 68.20          | 18.90       | Vertical |
| 5         | 11403.2167      | 46.03          | 39.06     | -35.62      | 49.47          | 74.00          | 24.53       | Vertical |
| 6         | 13600.1         | 45.12          | 40.20     | -34.04      | 51.28          | 68.20          | 16.92       | Vertical |
| 7         | 17959.75        | 44.08          | 41.58     | -31.01      | 54.65          | 74.00          | 19.35       | Vertical |

## 11n(HT40)\_TX\_CH\_62\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 17931.7667      | 35.64          | 41.50     | -31.07      | 46.08          | 54.00          | 7.92        | Horizontal |
| 2         | 6114.5417       | 40.19          | 34.73     | -16.70      | 58.22          | 68.20          | 9.98        | Horizontal |
| 3         | 7355.6          | 49.12          | 36.30     | -42.08      | 43.34          | 74.00          | 30.66       | Horizontal |
| 4         | 9462.4          | 48.37          | 38.05     | -38.54      | 47.88          | 74.00          | 26.12       | Horizontal |
| 5         | 10735.0667      | 44.57          | 38.98     | -36.21      | 47.35          | 74.00          | 26.65       | Horizontal |
| 6         | 13522.2833      | 46.67          | 40.16     | -34.90      | 51.93          | 68.20          | 16.27       | Horizontal |
| 7         | 17981.9833      | 42.81          | 41.65     | -30.97      | 53.49          | 74.00          | 20.51       | Horizontal |

## 11n(HT40)\_TX\_CH\_62\_Vertical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 17912.9833      | 35.63          | 41.45     | -31.10      | 45.97          | 54.00          | 8.03        | Vertical |
| 2         | 6227.2917       | 40.72          | 34.95     | -16.87      | 58.80          | 68.20          | 9.40        | Vertical |
| 3         | 7218.75         | 50.53          | 36.30     | -42.04      | 44.79          | 68.20          | 23.41       | Vertical |
| 4         | 9531.7833       | 48.64          | 38.05     | -38.40      | 48.29          | 68.20          | 19.91       | Vertical |
| 5         | 11187.7833      | 45.62          | 39.19     | -35.14      | 49.66          | 74.00          | 24.34       | Vertical |
| 6         | 13514.2333      | 46.08          | 40.16     | -34.99      | 51.25          | 68.20          | 16.95       | Vertical |
| 7         | 17919.5         | 43.53          | 41.47     | -31.09      | 53.91          | 74.00          | 20.09       | Vertical |

## 11n(HT40)\_TX\_CH\_102\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 17912.6         | 35.01          | 41.45     | -31.10      | 45.35          | 54.00          | 8.65        | Horizontal |
| 2         | 6118.6667       | 40.28          | 34.74     | -16.70      | 58.31          | 68.20          | 9.89        | Horizontal |
| 3         | 7679.5167       | 48.92          | 36.66     | -41.73      | 43.85          | 74.00          | 30.15       | Horizontal |
| 4         | 9498.8167       | 48.63          | 38.05     | -38.49      | 48.19          | 74.00          | 25.81       | Horizontal |
| 5         | 11160.5667      | 44.96          | 39.20     | -35.33      | 48.83          | 74.00          | 25.17       | Horizontal |
| 6         | 13588.6         | 45.29          | 40.19     | -34.17      | 51.32          | 68.20          | 16.88       | Horizontal |
| 7         | 17970.4833      | 42.66          | 41.61     | -30.99      | 53.29          | 74.00          | 20.71       | Horizontal |

## 11n(HT40)\_TX\_CH\_102\_Vertical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 17973.55        | 34.89          | 41.62     | -30.98      | 45.53          | 54.00          | 8.47        | Vertical |
| 2         | 6378.0833       | 39.70          | 35.26     | -16.68      | 58.28          | 68.20          | 9.92        | Vertical |
| 3         | 7999.2167       | 49.46          | 37.30     | -41.18      | 45.58          | 68.20          | 22.62       | Vertical |
| 4         | 9549.8          | 48.92          | 38.05     | -38.36      | 48.62          | 68.20          | 19.58       | Vertical |
| 5         | 13546.05        | 45.72          | 40.17     | -34.64      | 51.25          | 68.20          | 16.95       | Vertical |
| 6         | 14373.2833      | 44.94          | 40.18     | -34.08      | 51.03          | 68.20          | 17.17       | Vertical |
| 7         | 17983.1333      | 42.64          | 41.65     | -30.96      | 53.33          | 74.00          | 20.67       | Vertical |

## 11n(HT40)\_TX\_CH\_110\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 17969.7167      | 34.74          | 41.61     | -30.99      | 45.36          | 54.00          | 8.64        | Horizontal |
| 2         | 6269.4583       | 40.17          | 35.04     | -16.97      | 58.24          | 68.20          | 9.96        | Horizontal |
| 3         | 7919.4833       | 50.10          | 37.14     | -41.44      | 45.80          | 68.20          | 22.40       | Horizontal |
| 4         | 10131.3167      | 47.92          | 38.26     | -37.09      | 49.09          | 68.20          | 19.11       | Horizontal |
| 5         | 12636.0167      | 45.16          | 39.46     | -35.19      | 49.44          | 74.00          | 24.56       | Horizontal |
| 6         | 16659.8667      | 47.04          | 38.53     | -33.04      | 52.53          | 68.20          | 15.67       | Horizontal |
| 7         | 17981.2167      | 43.02          | 41.65     | -30.97      | 53.70          | 74.00          | 20.30       | Horizontal |

## 11n(HT40)\_TX\_CH\_110\_Vertical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 17992.7167      | 35.23          | 41.68     | -30.94      | 45.96          | 54.00          | 8.04        | Vertical |
| 2         | 6210.3333       | 40.18          | 34.92     | -16.83      | 58.27          | 68.20          | 9.93        | Vertical |
| 3         | 7807.1667       | 49.30          | 36.91     | -41.05      | 45.16          | 68.20          | 23.04       | Vertical |
| 4         | 9503.8          | 49.22          | 38.05     | -38.48      | 48.79          | 68.20          | 19.41       | Vertical |
| 5         | 12107.7833      | 45.40          | 38.83     | -34.99      | 49.24          | 74.00          | 24.76       | Vertical |
| 6         | 13528.4167      | 45.91          | 40.16     | -34.83      | 51.24          | 68.20          | 16.96       | Vertical |
| 7         | 17933.6833      | 42.79          | 41.51     | -31.06      | 53.24          | 74.00          | 20.76       | Vertical |

## 11n(HT40)\_TX\_CH\_134\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 17936.3667      | 35.42          | 41.52     | -31.06      | 45.88          | 54.00          | 8.12        | Horizontal |
| 2         | 6156.25         | 40.13          | 34.81     | -16.75      | 58.19          | 68.20          | 10.01       | Horizontal |
| 3         | 7169.3          | 49.68          | 36.30     | -42.16      | 43.82          | 68.20          | 24.38       | Horizontal |
| 4         | 9503.4167       | 48.96          | 38.05     | -38.48      | 48.53          | 68.20          | 19.67       | Horizontal |
| 5         | 11180.5         | 44.58          | 39.19     | -35.19      | 48.58          | 74.00          | 25.42       | Horizontal |
| 6         | 13593.2         | 46.02          | 40.20     | -34.12      | 52.10          | 68.20          | 16.10       | Horizontal |
| 7         | 17026.7167      | 45.09          | 38.88     | -30.62      | 53.34          | 68.20          | 14.86       | Horizontal |
| 8         | 17914.1333      | 42.58          | 41.45     | -31.10      | 52.93          | 74.00          | 21.07       | Horizontal |

## 11n(HT40)\_TX\_CH\_134\_Vertical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 17974.3167      | 35.26          | 41.63     | -30.98      | 45.90          | 54.00          | 8.10        | Vertical |
| 2         | 6174.125        | 40.36          | 34.85     | -16.78      | 58.43          | 68.20          | 9.77        | Vertical |
| 3         | 7041.2667       | 50.19          | 36.30     | -42.57      | 43.92          | 68.20          | 24.28       | Vertical |
| 4         | 9514.15         | 49.16          | 38.05     | -38.45      | 48.76          | 68.20          | 19.44       | Vertical |
| 5         | 13037.75        | 46.29          | 39.92     | -35.25      | 50.96          | 68.20          | 17.24       | Vertical |
| 6         | 16335.95        | 45.58          | 38.27     | -32.96      | 50.89          | 68.20          | 17.31       | Vertical |
| 7         | 17923.7167      | 43.41          | 41.48     | -31.08      | 53.81          | 74.00          | 20.19       | Vertical |

## 11n(HT40)\_TX\_CH\_151\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 17993.1         | 34.94          | 41.68     | -30.94      | 45.68          | 54.00          | 8.32        | Horizontal |
| 2         | 6267.625        | 40.78          | 35.04     | -16.97      | 58.85          | 68.20          | 9.35        | Horizontal |
| 3         | 7799.5          | 49.56          | 36.90     | -41.02      | 45.44          | 68.20          | 22.76       | Horizontal |
| 4         | 9508.7833       | 49.01          | 38.05     | -38.47      | 48.59          | 68.20          | 19.61       | Horizontal |
| 5         | 12943.8333      | 46.47          | 39.83     | -34.87      | 51.43          | 68.20          | 16.77       | Horizontal |
| 6         | 15137.2667      | 45.37          | 39.55     | -34.09      | 50.83          | 68.20          | 17.37       | Horizontal |
| 7         | 17962.05        | 43.22          | 41.59     | -31.01      | 53.80          | 74.00          | 20.20       | Horizontal |

## 11n(HT40)\_TX\_CH\_151\_Vertical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 17926.4         | 35.82          | 41.49     | -31.08      | 46.23          | 54.00          | 7.77        | Vertical |
| 2         | 6097.125        | 40.30          | 34.69     | -16.69      | 58.30          | 68.20          | 9.90        | Vertical |
| 3         | 7852.4          | 50.06          | 37.00     | -41.27      | 45.79          | 68.20          | 22.41       | Vertical |
| 4         | 9454.35         | 49.07          | 38.05     | -38.55      | 48.57          | 74.00          | 25.43       | Vertical |
| 5         | 11192.7667      | 45.03          | 39.18     | -35.11      | 49.10          | 74.00          | 24.90       | Vertical |
| 6         | 13281.9333      | 45.50          | 40.04     | -34.62      | 50.92          | 74.00          | 23.08       | Vertical |
| 7         | 17988.8833      | 43.53          | 41.67     | -30.95      | 54.25          | 74.00          | 19.75       | Vertical |

## 11n(HT40)\_TX\_CH\_159\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 17967.0333      | 35.13          | 41.60     | -31.00      | 45.74          | 54.00          | 8.26        | Horizontal |
| 2         | 6375.3333       | 39.65          | 35.25     | -16.69      | 58.21          | 68.20          | 9.99        | Horizontal |
| 3         | 6986.8333       | 50.45          | 36.28     | -42.63      | 44.10          | 68.20          | 24.10       | Horizontal |
| 4         | 9517.6          | 49.16          | 38.05     | -38.44      | 48.77          | 68.20          | 19.43       | Horizontal |
| 5         | 12886.7167      | 46.16          | 39.76     | -34.50      | 51.42          | 68.20          | 16.78       | Horizontal |
| 6         | 14361.4         | 44.91          | 40.18     | -34.23      | 50.87          | 68.20          | 17.33       | Horizontal |
| 7         | 17955.5333      | 42.70          | 41.57     | -31.02      | 53.25          | 74.00          | 20.75       | Horizontal |

### 11n(HT40)\_TX\_CH\_159\_Vertical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 17918.7333      | 35.58          | 41.46     | -31.09      | 45.95          | 54.00          | 8.05        | Vertical |
| 2         | 6237.8333       | 40.10          | 34.98     | -16.90      | 58.18          | 68.20          | 10.02       | Vertical |
| 3         | 7919.8667       | 50.13          | 37.14     | -41.44      | 45.83          | 68.20          | 22.37       | Vertical |
| 4         | 9566.2833       | 48.30          | 38.06     | -38.31      | 48.05          | 68.20          | 20.15       | Vertical |
| 5         | 12113.9167      | 45.79          | 38.84     | -35.02      | 49.61          | 74.00          | 24.39       | Vertical |
| 6         | 13530.3333      | 46.43          | 40.17     | -34.81      | 51.78          | 68.20          | 16.42       | Vertical |
| 7         | 17946.7167      | 43.65          | 41.55     | -31.04      | 54.16          | 74.00          | 19.84       | Vertical |

## 11ac(VHT20)\_TX\_CH\_36\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 17940.5833      | 35.54          | 41.53     | -31.05      | 46.02          | 54.00          | 7.98        | Horizontal |
| 2         | 6255.7083       | 40.21          | 35.01     | -16.94      | 58.28          | 68.20          | 9.92        | Horizontal |
| 3         | 7990.0167       | 50.33          | 37.28     | -41.21      | 46.40          | 68.20          | 21.80       | Horizontal |
| 4         | 9534.85         | 48.47          | 38.05     | -38.40      | 48.13          | 68.20          | 20.07       | Horizontal |
| 5         | 11219.6         | 45.06          | 39.17     | -35.25      | 48.98          | 74.00          | 25.02       | Horizontal |
| 6         | 13477.05        | 46.75          | 40.14     | -34.99      | 51.90          | 68.20          | 16.30       | Horizontal |
| 7         | 17927.9333      | 44.01          | 41.49     | -31.07      | 54.43          | 74.00          | 19.57       | Horizontal |

## 11ac(VHT20)\_TX\_CH\_36\_Vertical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 17973.9333      | 35.71          | 41.62     | -30.98      | 46.35          | 54.00          | 7.65        | Vertical |
| 2         | 6294.6667       | 40.40          | 35.09     | -17.03      | 58.46          | 68.20          | 9.74        | Vertical |
| 3         | 7536.9167       | 50.11          | 36.37     | -41.95      | 44.53          | 74.00          | 29.47       | Vertical |
| 4         | 9604.2333       | 48.73          | 38.06     | -38.20      | 48.59          | 68.20          | 19.61       | Vertical |
| 5         | 11415.8667      | 45.83          | 39.05     | -35.65      | 49.23          | 74.00          | 24.77       | Vertical |
| 6         | 13611.2167      | 45.47          | 40.21     | -34.19      | 51.49          | 68.20          | 16.71       | Vertical |
| 7         | 17931           | 43.81          | 41.50     | -31.07      | 54.24          | 74.00          | 19.76       | Vertical |

## 11ac(VHT20)\_TX\_CH\_40\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 17968.5667      | 35.53          | 41.61     | -30.99      | 46.15          | 54.00          | 7.85        | Horizontal |
| 2         | 6108.5833       | 39.40          | 34.72     | -16.69      | 57.43          | 68.20          | 10.77       | Horizontal |
| 3         | 7387.4167       | 50.12          | 36.30     | -42.04      | 44.38          | 74.00          | 29.62       | Horizontal |
| 4         | 9584.6833       | 48.73          | 38.06     | -38.26      | 48.53          | 68.20          | 19.67       | Horizontal |
| 5         | 11138.3333      | 45.46          | 39.22     | -35.49      | 49.19          | 74.00          | 24.81       | Horizontal |
| 6         | 13890.6667      | 44.88          | 40.35     | -33.93      | 51.30          | 68.20          | 16.90       | Horizontal |
| 7         | 17927.9333      | 43.17          | 41.49     | -31.07      | 53.59          | 74.00          | 20.41       | Horizontal |

## 11ac(VHT20)\_TX\_CH\_40\_Vertical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 17993.1         | 35.69          | 41.68     | -30.94      | 46.43          | 54.00          | 7.57        | Vertical |
| 2         | 6087.5          | 40.18          | 34.67     | -16.74      | 58.12          | 68.20          | 10.08       | Vertical |
| 3         | 7822.8833       | 49.89          | 36.95     | -41.13      | 45.71          | 68.20          | 22.49       | Vertical |
| 4         | 9509.55         | 48.55          | 38.05     | -38.46      | 48.14          | 68.20          | 20.06       | Vertical |
| 5         | 12798.55        | 45.28          | 39.66     | -34.77      | 50.16          | 68.20          | 18.04       | Vertical |
| 6         | 16408.0167      | 44.87          | 38.33     | -33.05      | 50.15          | 68.20          | 18.05       | Vertical |
| 7         | 17991.5667      | 44.05          | 41.68     | -30.95      | 54.78          | 74.00          | 19.22       | Vertical |

## 11ac(VHT20)\_TX\_CH\_48\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 17987.35        | 35.11          | 41.66     | -30.96      | 45.82          | 54.00          | 8.18        | Horizontal |
| 2         | 6092.0833       | 40.02          | 34.68     | -16.71      | 57.99          | 68.20          | 10.21       | Horizontal |
| 3         | 7853.55         | 49.91          | 37.01     | -41.28      | 45.64          | 68.20          | 22.56       | Horizontal |
| 4         | 8953.3333       | 48.62          | 37.97     | -39.43      | 47.16          | 68.20          | 21.04       | Horizontal |
| 5         | 12167.9667      | 45.65          | 38.90     | -35.25      | 49.31          | 74.00          | 24.69       | Horizontal |
| 6         | 14346.45        | 45.41          | 40.19     | -34.41      | 51.19          | 68.20          | 17.01       | Horizontal |
| 7         | 17952.85        | 43.18          | 41.56     | -31.02      | 53.72          | 74.00          | 20.28       | Horizontal |

## 11ac(VHT20)\_TX\_CH\_48\_Vertical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 17975.0833      | 35.18          | 41.63     | -30.98      | 45.83          | 54.00          | 8.17        | Vertical |
| 2         | 6076.5          | 40.25          | 34.65     | -16.78      | 58.12          | 68.20          | 10.08       | Vertical |
| 3         | 7863.9          | 50.06          | 37.03     | -41.33      | 45.76          | 68.20          | 22.44       | Vertical |
| 4         | 9566.2833       | 48.84          | 38.06     | -38.31      | 48.59          | 68.20          | 19.61       | Vertical |
| 5         | 11395.1667      | 45.95          | 39.06     | -35.63      | 49.38          | 74.00          | 24.62       | Vertical |
| 6         | 13868.4333      | 45.67          | 40.33     | -34.23      | 51.78          | 68.20          | 16.42       | Vertical |
| 7         | 17922.1833      | 43.10          | 41.47     | -31.09      | 53.49          | 74.00          | 20.51       | Vertical |

## 11ac(VHT20)\_TX\_CH\_52\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 17956.3         | 35.24          | 41.57     | -31.02      | 45.80          | 54.00          | 8.20        | Horizontal |
| 2         | 6269            | 40.31          | 35.04     | -16.97      | 58.38          | 68.20          | 9.82        | Horizontal |
| 3         | 8009.95         | 49.82          | 37.31     | -41.17      | 45.96          | 68.20          | 22.24       | Horizontal |
| 4         | 9563.9833       | 49.24          | 38.06     | -38.32      | 48.98          | 68.20          | 19.22       | Horizontal |
| 5         | 12834.5833      | 46.30          | 39.70     | -34.67      | 51.33          | 68.20          | 16.87       | Horizontal |
| 6         | 14426.95        | 44.91          | 40.14     | -34.05      | 51.01          | 68.20          | 17.19       | Horizontal |
| 7         | 17936.3667      | 43.02          | 41.52     | -31.06      | 53.48          | 74.00          | 20.52       | Horizontal |

## 11ac(VHT20)\_TX\_CH\_52\_Vertical




| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 17988.8833      | 34.99          | 41.67     | -30.95      | 45.71          | 54.00          | 8.29        | Vertical |
| 2         | 6252.9583       | 40.44          | 35.01     | -16.93      | 58.51          | 68.20          | 9.69        | Vertical |
| 3         | 8004.2          | 50.07          | 37.30     | -41.17      | 46.20          | 68.20          | 22.00       | Vertical |
| 4         | 9504.5667       | 49.46          | 38.05     | -38.48      | 49.03          | 68.20          | 19.17       | Vertical |
| 5         | 12833.8167      | 46.93          | 39.70     | -34.67      | 51.96          | 68.20          | 16.24       | Vertical |
| 6         | 15031.4667      | 44.89          | 39.74     | -34.24      | 50.40          | 68.20          | 17.80       | Vertical |
| 7         | 17991.5667      | 42.59          | 41.68     | -30.95      | 53.32          | 74.00          | 20.68       | Vertical |

## 11ac(VHT20)\_TX\_CH\_60\_Horizontal




| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 17911.0667      | 35.16          | 41.44     | -31.11      | 45.49          | 54.00          | 8.51        | Horizontal |
| 2         | 6099.875        | 41.02          | 34.70     | -16.68      | 59.04          | 68.20          | 9.16        | Horizontal |
| 3         | 7995            | 50.33          | 37.29     | -41.20      | 46.42          | 68.20          | 21.78       | Horizontal |
| 4         | 9493.0667       | 48.99          | 38.05     | -38.50      | 48.54          | 74.00          | 25.46       | Horizontal |
| 5         | 12874.45        | 47.08          | 39.75     | -34.54      | 52.29          | 68.20          | 15.91       | Horizontal |
| 6         | 15151.8333      | 45.60          | 39.53     | -34.04      | 51.09          | 68.20          | 17.11       | Horizontal |
| 7         | 17935.2167      | 42.96          | 41.51     | -31.06      | 53.41          | 74.00          | 20.59       | Horizontal |

## 11ac(VHT20)\_TX\_CH\_60\_Vertical



| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 17955.15        | 35.07          | 41.57     | -31.02      | 45.62          | 54.00          | 8.38        | Vertical |
| 2         | 6285.5          | 40.30          | 35.07     | -17.01      | 58.36          | 68.20          | 9.84        | Vertical |
| 3         | 7834            | 50.12          | 36.97     | -41.18      | 45.90          | 68.20          | 22.30       | Vertical |
| 4         | 9524.5          | 49.07          | 38.05     | -38.42      | 48.70          | 68.20          | 19.50       | Vertical |
| 5         | 12824.2333      | 45.98          | 39.69     | -34.70      | 50.97          | 68.20          | 17.23       | Vertical |
| 6         | 15153.75        | 45.46          | 39.52     | -34.03      | 50.95          | 68.20          | 17.25       | Vertical |
| 7         | 17807.1833      | 44.39          | 41.14     | -31.86      | 53.67          | 74.00          | 20.33       | Vertical |

## 11ac(VHT20)\_TX\_CH\_64\_Horizontal



| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 17952.0833      | 34.53          | 41.56     | -31.03      | 45.07          | 54.00          | 8.93        | Horizontal |
| 2         | 6229.5833       | 40.49          | 34.96     | -16.88      | 58.57          | 68.20          | 9.63        | Horizontal |
| 3         | 7879.6167       | 49.70          | 37.06     | -41.40      | 45.36          | 68.20          | 22.84       | Horizontal |
| 4         | 9483.4833       | 49.82          | 38.05     | -38.51      | 49.36          | 74.00          | 24.64       | Horizontal |
| 5         | 11143.3167      | 45.20          | 39.21     | -35.45      | 48.96          | 74.00          | 25.04       | Horizontal |
| 6         | 12876.75        | 46.43          | 39.75     | -34.53      | 51.65          | 68.20          | 16.55       | Horizontal |
| 7         | 17958.9833      | 42.46          | 41.58     | -31.01      | 53.03          | 74.00          | 20.97       | Horizontal |