



11ac(VHT20)_TX_CH_64_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17990.8	34.73	41.67	-30.95	45.45	54.00	8.55	Vertical
2	6147.5417	39.91	34.80	-16.74	57.96	68.20	10.24	Vertical
3	8000.3667	50.66	37.30	-41.18	46.78	68.20	21.42	Vertical
4	9505.7167	48.96	38.05	-38.47	48.54	68.20	19.66	Vertical
5	11184.7167	45.28	39.19	-35.17	49.30	74.00	24.70	Vertical
6	12803.15	46.84	39.66	-34.77	51.73	68.20	16.47	Vertical
7	17926.0167	42.49	41.49	-31.08	52.90	74.00	21.10	Vertical

11ac(VHT20)_TX_CH_100_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17971.25	34.08	41.62	-30.99	44.71	54.00	9.29	Horizontal
2	6246.5417	40.47	34.99	-16.92	58.55	68.20	9.65	Horizontal
3	7617.8	49.43	36.54	-41.78	44.18	74.00	29.82	Horizontal
4	9557.4667	48.78	38.06	-38.33	48.50	68.20	19.70	Horizontal
5	11199.6667	44.26	39.18	-35.06	48.38	74.00	25.62	Horizontal
6	12844.1667	45.68	39.71	-34.64	50.75	68.20	17.45	Horizontal
7	17939.8167	42.11	41.53	-31.05	52.59	74.00	21.41	Horizontal

11ac(VHT20)_TX_CH_100_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17999.2333	34.91	41.70	-30.93	45.68	54.00	8.32	Vertical
2	6252.5	40.22	35.00	-16.93	58.29	68.20	9.91	Vertical
3	7975.45	50.49	37.25	-41.26	46.48	68.20	21.72	Vertical
4	9509.55	49.14	38.05	-38.46	48.73	68.20	19.47	Vertical
5	11334.2167	45.58	39.10	-35.88	48.80	74.00	25.20	Vertical
6	13519.9833	46.71	40.16	-34.93	51.94	68.20	16.26	Vertical
7	17987.35	43.62	41.66	-30.96	54.33	74.00	19.67	Vertical

11ac(VHT20)_TX_CH_116_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17973.9333	34.13	41.62	-30.98	44.77	54.00	9.23	Horizontal
2	6276.7917	40.58	35.05	-16.99	58.65	68.20	9.55	Horizontal
3	7974.6833	49.64	37.25	-41.26	45.63	68.20	22.57	Horizontal
4	9508.4	48.69	38.05	-38.47	48.27	68.20	19.93	Horizontal
5	11127.9833	44.51	39.22	-35.56	48.18	74.00	25.82	Horizontal
6	12794.7167	46.05	39.65	-34.76	50.94	68.20	17.26	Horizontal
7	17991.95	42.03	41.68	-30.95	52.76	74.00	21.24	Horizontal

11ac(VHT20)_TX_CH_116_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17959.75	34.89	41.58	-31.01	45.46	54.00	8.54	Vertical
2	6258.9167	40.25	35.02	-16.95	58.32	68.20	9.88	Vertical
3	7986.95	49.98	37.27	-41.22	46.03	68.20	22.17	Vertical
4	9494.2167	48.70	38.05	-38.50	48.25	74.00	25.75	Vertical
5	11195.45	44.71	39.18	-35.09	48.80	74.00	25.20	Vertical
6	12930.8	46.64	39.82	-34.75	51.71	68.20	16.49	Vertical
7	17958.9833	42.29	41.58	-31.01	52.86	74.00	21.14	Vertical

11ac(VHT20)_TX_CH_140_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17975.4667	34.39	41.63	-30.98	45.04	54.00	8.96	Horizontal
2	6235.0833	40.28	34.97	-16.89	58.36	68.20	9.84	Horizontal
3	7750.05	49.46	36.80	-41.36	44.90	68.20	23.30	Horizontal
4	9566.2833	49.06	38.06	-38.31	48.81	68.20	19.39	Horizontal
5	11259.4667	44.70	39.14	-35.63	48.21	74.00	25.79	Horizontal
6	13539.5333	45.09	40.17	-34.71	50.55	68.20	17.65	Horizontal
7	17916.4333	42.36	41.46	-31.10	52.72	74.00	21.28	Horizontal

11ac(VHT20)_TX_CH_140_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17961.2833	35.23	41.59	-31.01	45.81	54.00	8.19	Vertical
2	6207.125	41.88	34.91	-16.83	59.97	68.20	8.23	Vertical
3	7208.4	49.67	36.30	-42.03	43.94	68.20	24.26	Vertical
4	9519.9	49.38	38.05	-38.44	49.00	68.20	19.20	Vertical
5	12904.7333	45.80	39.79	-34.50	51.08	68.20	17.12	Vertical
6	15003.8667	45.65	39.79	-34.24	51.20	68.20	17.00	Vertical
7	17985.05	42.46	41.66	-30.96	53.16	74.00	20.84	Vertical

11ac(VHT20)_TX_CH_149_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17967.0333	34.27	41.60	-31.00	44.88	54.00	9.12	Horizontal
2	6196.5833	40.04	34.89	-16.81	58.13	68.20	10.07	Horizontal
3	6947.7333	49.90	36.22	-42.63	43.49	68.20	24.71	Horizontal
4	9501.1167	48.38	38.05	-38.49	47.94	68.20	20.26	Horizontal
5	12833.8167	45.10	39.70	-34.67	50.13	68.20	18.07	Horizontal
6	14499.7833	45.04	40.10	-34.82	50.32	74.00	23.68	Horizontal
7	17960.1333	41.57	41.58	-31.01	52.14	74.00	21.86	Horizontal

11ac(VHT20)_TX_CH_149_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17985.05	34.98	41.66	-30.96	45.68	54.00	8.32	Vertical
2	6125.5417	41.18	34.75	-16.71	59.22	68.20	8.98	Vertical
3	6968.05	50.38	36.25	-42.63	44.00	68.20	24.20	Vertical
4	9508.4	49.31	38.05	-38.47	48.89	68.20	19.31	Vertical
5	12017.7	46.16	38.72	-35.65	49.23	74.00	24.77	Vertical
6	13650.3167	45.38	40.23	-34.70	50.90	68.20	17.30	Vertical
7	17984.6667	42.24	41.66	-30.96	52.93	74.00	21.07	Vertical

11ac(VHT20)_TX_CH_157_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17938.2833	34.76	41.52	-31.05	45.23	54.00	8.77	Horizontal
2	6211.7083	40.95	34.92	-16.84	59.04	68.20	9.16	Horizontal
3	8001.9	49.27	37.30	-41.18	45.39	68.20	22.81	Horizontal
4	9606.15	48.53	38.06	-38.18	48.41	68.20	19.79	Horizontal
5	12195.1833	44.73	38.93	-35.36	48.30	74.00	25.70	Horizontal
6	14362.1667	44.51	40.18	-34.22	50.47	68.20	17.73	Horizontal
7	17974.3167	42.20	41.63	-30.98	52.84	74.00	21.16	Horizontal

11ac(VHT20)_TX_CH_157_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17964.7333	34.45	41.60	-31.00	45.05	54.00	8.95	Vertical
2	6187.875	40.13	34.88	-16.79	58.21	68.20	9.99	Vertical
3	7712.8667	49.09	36.73	-41.62	44.19	74.00	29.81	Vertical
4	9576.6333	48.06	38.06	-38.28	47.83	68.20	20.37	Vertical
5	12798.1667	46.20	39.66	-34.77	51.08	68.20	17.12	Vertical
6	14331.1167	44.74	40.20	-34.59	50.35	68.20	17.85	Vertical
7	17969.3333	42.38	41.61	-30.99	53.00	74.00	21.00	Vertical

11ac(VHT20)_TX_CH_165_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17913.75	34.72	41.45	-31.10	45.07	54.00	8.93	Horizontal
2	6394.5833	39.44	35.29	-16.60	58.12	68.20	10.08	Horizontal
3	7988.4833	49.40	37.28	-41.22	45.46	68.20	22.74	Horizontal
4	9519.9	48.86	38.05	-38.44	48.48	68.20	19.72	Horizontal
5	11131.05	45.14	39.22	-35.54	48.83	74.00	25.17	Horizontal
6	12928.1167	45.64	39.81	-34.72	50.73	68.20	17.47	Horizontal
7	17933.6833	42.21	41.51	-31.06	52.66	74.00	21.34	Horizontal

11ac(VHT20)_TX_CH_165_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17982.3667	34.53	41.65	-30.97	45.21	54.00	8.79	Vertical
2	6200.25	40.86	34.90	-16.81	58.95	68.20	9.25	Vertical
3	8008.8	49.53	37.31	-41.17	45.67	68.20	22.53	Vertical
4	9503.8	48.99	38.05	-38.48	48.56	68.20	19.64	Vertical
5	12797.0167	46.44	39.66	-34.77	51.33	68.20	16.87	Vertical
6	14520.1	46.05	40.09	-34.77	51.37	68.20	16.83	Vertical
7	17911.0667	42.90	41.44	-31.11	53.23	74.00	20.77	Vertical

11ac(VHT40)_TX_CH_38_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17922.95	35.40	41.48	-31.08	45.79	54.00	8.21	Horizontal
2	6150.75	40.45	34.80	-16.75	58.51	68.20	9.69	Horizontal
3	7998.8333	50.02	37.30	-41.18	46.13	68.20	22.07	Horizontal
4	9546.35	48.80	38.05	-38.36	48.49	68.20	19.71	Horizontal
5	12668.2167	46.26	39.50	-34.81	50.96	74.00	23.04	Horizontal
6	15081.6833	45.65	39.65	-34.23	51.07	68.20	17.13	Horizontal
7	17932.15	42.81	41.50	-31.07	53.25	74.00	20.75	Horizontal

11ac(VHT40)_TX_CH_38_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17926.4	35.13	41.49	-31.08	45.54	54.00	8.46	Vertical
2	6191.0833	40.73	34.88	-16.80	58.81	68.20	9.39	Vertical
3	7864.6667	50.56	37.03	-41.33	46.26	68.20	21.94	Vertical
4	9563.2167	48.85	38.06	-38.32	48.59	68.20	19.61	Vertical
5	12105.1	45.36	38.83	-34.98	49.20	74.00	24.80	Vertical
6	12850.3	46.31	39.72	-34.62	51.41	68.20	16.79	Vertical
7	17958.6	42.58	41.58	-31.01	53.15	74.00	20.85	Vertical

11ac(VHT40)_TX_CH_46_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17985.8167	34.60	41.66	-30.96	45.30	54.00	8.70	Horizontal
2	6120.0417	39.86	34.74	-16.71	57.89	68.20	10.31	Horizontal
3	7824.4167	49.42	36.95	-41.14	45.23	68.20	22.97	Horizontal
4	9574.3333	48.38	38.06	-38.29	48.15	68.20	20.05	Horizontal
5	12861.4167	45.39	39.73	-34.58	50.54	68.20	17.66	Horizontal
6	14502.85	45.72	40.10	-34.81	51.01	68.20	17.19	Horizontal
7	17989.2667	41.74	41.67	-30.95	52.46	74.00	21.54	Horizontal

11ac(VHT40)_TX_CH_46_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17907.2333	35.17	41.43	-31.12	45.49	54.00	8.51	Vertical
2	6199.3333	39.77	34.90	-16.81	57.86	68.20	10.34	Vertical
3	8014.1667	49.74	37.31	-41.16	45.89	68.20	22.31	Vertical
4	9580.4667	49.07	38.06	-38.27	48.86	68.20	19.34	Vertical
5	11403.9833	45.87	39.06	-35.62	49.31	74.00	24.69	Vertical
6	13595.1167	45.38	40.20	-34.09	51.48	68.20	16.72	Vertical
7	17991.95	42.07	41.68	-30.95	52.80	74.00	21.20	Vertical

11ac(VHT40)_TX_CH_54_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17968.1833	34.52	41.61	-30.99	45.13	54.00	8.87	Horizontal
2	6253.875	40.27	35.01	-16.93	58.34	68.20	9.86	Horizontal
3	7357.9	49.60	36.30	-42.08	43.82	74.00	30.18	Horizontal
4	9542.5167	48.41	38.05	-38.38	48.09	68.20	20.11	Horizontal
5	11184.3333	44.60	39.19	-35.17	48.62	74.00	25.38	Horizontal
6	13610.0667	45.37	40.21	-34.17	51.40	68.20	16.80	Horizontal
7	17955.15	41.93	41.57	-31.02	52.48	74.00	21.52	Horizontal

11ac(VHT40)_TX_CH_54_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17956.6833	34.67	41.57	-31.02	45.23	54.00	8.77	Vertical
2	6203	40.26	34.91	-16.82	58.35	68.20	9.85	Vertical
3	7907.6	49.56	37.12	-41.48	45.20	68.20	23.00	Vertical
4	9495.75	48.55	38.05	-38.50	48.10	74.00	25.90	Vertical
5	11130.2833	44.80	39.22	-35.54	48.48	74.00	25.52	Vertical
6	12884.4167	45.81	39.76	-34.51	51.06	68.20	17.14	Vertical
7	17990.4167	42.16	41.67	-30.95	52.88	74.00	21.12	Vertical

11ac(VHT40)_TX_CH_62_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17963.5833	33.74	41.59	-31.00	44.33	54.00	9.67	Horizontal
2	6208.0417	40.59	34.92	-16.83	58.68	68.20	9.52	Horizontal
3	7337.5833	48.95	36.30	-42.10	43.15	74.00	30.85	Horizontal
4	9521.05	48.29	38.05	-38.43	47.91	68.20	20.29	Horizontal
5	11189.3167	43.94	39.19	-35.13	47.99	74.00	26.01	Horizontal
6	12877.1333	45.70	39.75	-34.53	50.92	68.20	17.28	Horizontal
7	17968.95	41.84	41.61	-30.99	52.46	74.00	21.54	Horizontal

11ac(VHT40)_TX_CH_62_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17979.3	34.66	41.64	-30.97	45.33	54.00	8.67	Vertical
2	6104.9167	39.90	34.71	-16.69	57.92	68.20	10.28	Vertical
3	7427.6667	49.79	36.30	-42.03	44.06	74.00	29.94	Vertical
4	9493.45	49.71	38.05	-38.50	49.26	74.00	24.74	Vertical
5	10621.9833	46.59	38.85	-36.50	48.94	74.00	25.06	Vertical
6	12821.1667	46.22	39.69	-34.71	51.19	68.20	17.01	Vertical
7	17972.4	42.28	41.62	-30.99	52.91	74.00	21.09	Vertical

11ac(VHT40)_TX_CH_102_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17957.0667	34.18	41.58	-31.02	44.74	54.00	9.26	Horizontal
2	6191.5417	40.51	34.88	-16.80	58.59	68.20	9.61	Horizontal
3	8006.1167	49.26	37.30	-41.17	45.39	68.20	22.81	Horizontal
4	9473.1333	49.48	38.05	-38.52	49.00	74.00	25.00	Horizontal
5	11181.2667	44.47	39.19	-35.19	48.47	74.00	25.53	Horizontal
6	12980.25	46.32	39.88	-35.21	50.99	68.20	17.21	Horizontal
7	17938.6667	43.36	41.52	-31.05	53.83	74.00	20.17	Horizontal

11ac(VHT40)_TX_CH_102_Vertical



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17928.3167	35.01	41.49	-31.07	45.43	54.00	8.57	Vertical
2	6200.25	40.24	34.90	-16.81	58.33	68.20	9.87	Vertical
3	8012.6333	49.57	37.31	-41.16	45.72	68.20	22.48	Vertical
4	9508.4	49.18	38.05	-38.47	48.76	68.20	19.44	Vertical
5	12106.6333	45.45	38.83	-34.99	49.29	74.00	24.71	Vertical
6	13517.6833	45.78	40.16	-34.95	50.99	68.20	17.21	Vertical
7	17941.35	42.01	41.53	-31.05	52.49	74.00	21.51	Vertical

11ac(VHT40)_TX_CH_110_Horizontal



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17988.5	34.09	41.67	-30.95	44.80	54.00	9.20	Horizontal
2	6132.4167	40.54	34.76	-16.72	58.58	68.20	9.62	Horizontal
3	7721.6833	49.73	36.74	-41.56	44.91	74.00	29.09	Horizontal
4	9495.75	49.22	38.05	-38.50	48.77	74.00	25.23	Horizontal
5	11216.9167	44.15	39.17	-35.22	48.10	74.00	25.90	Horizontal
6	12822.7	46.74	39.69	-34.71	51.72	68.20	16.48	Horizontal
7	17976.2333	42.32	41.63	-30.98	52.97	74.00	21.03	Horizontal