



Appendix A.18

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B48_5MHz_EIRP

Band: 48 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	3552.5	1	0	22.32	-0.09	22.23	/	Pass
			13	22.45	-0.09	22.36	/	Pass
			24	22.47	-0.09	22.38	/	Pass
		12	0	21.42	-0.09	21.33	/	Pass
			6	21.49	-0.09	21.40	/	Pass
			13	21.49	-0.09	21.40	/	Pass
		25	0	21.45	-0.09	21.36	/	Pass
			0	22.85	-0.09	22.76	/	Pass
			13	22.93	-0.09	22.84	/	Pass
	3625	1	24	22.78	-0.09	22.69	/	Pass
			0	21.81	-0.09	21.72	/	Pass
			6	21.87	-0.09	21.78	/	Pass
		12	13	21.75	-0.09	21.66	/	Pass
			0	21.84	-0.09	21.75	/	Pass
			0	22.52	-0.09	22.43	/	Pass
		25	13	22.60	-0.09	22.51	/	Pass
			24	22.54	-0.09	22.45	/	Pass
			0	20.59	-0.09	20.50	/	Pass
16QAM	3552.5	1	6	20.64	-0.09	20.55	/	Pass
			13	20.62	-0.09	20.53	/	Pass
			0	20.61	-0.09	20.52	/	Pass
		12	0	21.25	-0.09	21.16	/	Pass
			13	21.56	-0.09	21.47	/	Pass
			24	21.57	-0.09	21.48	/	Pass
		25	0	20.42	-0.09	20.33	/	Pass
			6	20.41	-0.09	20.32	/	Pass
			13	20.54	-0.09	20.45	/	Pass
	3625	1	0	20.49	-0.09	20.40	/	Pass
			0	21.86	-0.09	21.77	/	Pass
			13	21.91	-0.09	21.82	/	Pass
		12	24	21.36	-0.09	21.27	/	Pass
			0	20.81	-0.09	20.72	/	Pass
			6	20.83	-0.09	20.74	/	Pass
		25	13	20.79	-0.09	20.70	/	Pass
			0	20.81	-0.09	20.72	/	Pass
			0	20.54	-0.09	20.45	/	Pass
	3697.5	1	13	20.61	-0.09	20.52	/	Pass
			24	20.53	-0.09	20.44	/	Pass
			0	19.68	-0.09	19.59	/	Pass
		12	6	19.71	-0.09	19.62	/	Pass

64QAM	3552.5	25	13	19.57	-0.09	19.48	/	Pass
			0	19.68	-0.09	19.59	/	Pass
	3552.5	1	0	20.27	-0.09	20.18	/	Pass
			13	20.40	-0.09	20.31	/	Pass
			24	20.37	-0.09	20.28	/	Pass
		12	0	19.42	-0.09	19.33	/	Pass
			6	19.47	-0.09	19.38	/	Pass
			13	19.43	-0.09	19.34	/	Pass
		25	0	19.43	-0.09	19.34	/	Pass
	3625	1	0	20.74	-0.09	20.65	/	Pass
			13	20.86	-0.09	20.77	/	Pass
			24	20.81	-0.09	20.72	/	Pass
		12	0	19.74	-0.09	19.65	/	Pass
			6	19.87	-0.09	19.78	/	Pass
			13	19.90	-0.09	19.81	/	Pass
		25	0	19.81	-0.09	19.72	/	Pass
	3697.5	1	0	19.49	-0.09	19.40	/	Pass
			13	19.43	-0.09	19.34	/	Pass
			24	19.61	-0.09	19.52	/	Pass
		12	0	18.64	-0.09	18.55	/	Pass
			6	18.72	-0.09	18.63	/	Pass
			13	18.72	-0.09	18.63	/	Pass
		25	0	18.61	-0.09	18.52	/	Pass
256QAM	3552.5	1	0	17.41	-0.09	17.32	/	Pass
			13	17.42	-0.09	17.33	/	Pass
			24	17.39	-0.09	17.30	/	Pass
		12	0	17.44	-0.09	17.35	/	Pass
			6	17.49	-0.09	17.40	/	Pass
			13	17.44	-0.09	17.35	/	Pass
		25	0	17.41	-0.09	17.32	/	Pass
	3625	1	0	17.80	-0.09	17.71	/	Pass
			13	17.93	-0.09	17.84	/	Pass
			24	17.67	-0.09	17.58	/	Pass
		12	0	17.81	-0.09	17.72	/	Pass
			6	17.96	-0.09	17.87	/	Pass
			13	17.80	-0.09	17.71	/	Pass
		25	0	17.84	-0.09	17.75	/	Pass
	3697.5	1	0	16.49	-0.09	16.40	/	Pass
			13	16.70	-0.09	16.61	/	Pass
			24	16.61	-0.09	16.52	/	Pass
		12	0	16.73	-0.09	16.64	/	Pass
			6	16.71	-0.09	16.62	/	Pass
			13	16.65	-0.09	16.56	/	Pass
		25	0	16.67	-0.09	16.58	/	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B48_5MHz_EIRP/10MHz

Band: 48 / Bandwidth: 5MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm/10MHz)	Gain (dBi)	EIRP/10MHz (dBm/10MHz)		Verdict
		Size	Offset			Result	Limit	

QPSK	3552.5	1	0	22.18	-0.09	22.09	<=23	Pass
			13	22.75	-0.09	22.66	<=23	Pass
			24	22.90	-0.09	22.81	<=23	Pass
		12	0	21.11	-0.09	21.02	<=23	Pass
			6	20.99	-0.09	20.90	<=23	Pass
			13	21.07	-0.09	20.98	<=23	Pass
		25	0	20.98	-0.09	20.89	<=23	Pass
	3625	1	0	22.79	-0.09	22.70	<=23	Pass
			13	23.04	-0.09	22.95	<=23	Pass
			24	22.89	-0.09	22.80	<=23	Pass
		12	0	21.77	-0.09	21.68	<=23	Pass
			6	21.73	-0.09	21.64	<=23	Pass
			13	21.77	-0.09	21.68	<=23	Pass
		25	0	21.80	-0.09	21.71	<=23	Pass
	3697.5	1	0	22.91	-0.09	22.82	<=23	Pass
			13	22.90	-0.09	22.81	<=23	Pass
			24	22.75	-0.09	22.66	<=23	Pass
		12	0	20.81	-0.09	20.72	<=23	Pass
			6	20.76	-0.09	20.67	<=23	Pass
			13	20.66	-0.09	20.57	<=23	Pass
		25	0	20.78	-0.09	20.69	<=23	Pass
16QAM	3552.5	1	0	21.15	-0.09	21.06	<=23	Pass
			13	21.11	-0.09	21.02	<=23	Pass
			24	21.02	-0.09	20.93	<=23	Pass
		12	0	20.05	-0.09	19.96	<=23	Pass
			6	19.97	-0.09	19.88	<=23	Pass
			13	19.99	-0.09	19.90	<=23	Pass
		25	0	19.91	-0.09	19.82	<=23	Pass
	3625	1	0	21.91	-0.09	21.82	<=23	Pass
			13	22.16	-0.09	22.07	<=23	Pass
			24	21.89	-0.09	21.80	<=23	Pass
		12	0	20.80	-0.09	20.71	<=23	Pass
			6	20.75	-0.09	20.66	<=23	Pass
			13	20.80	-0.09	20.71	<=23	Pass
		25	0	20.82	-0.09	20.73	<=23	Pass
	3697.5	1	0	20.75	-0.09	20.66	<=23	Pass
			13	20.60	-0.09	20.51	<=23	Pass
			24	20.87	-0.09	20.78	<=23	Pass
		12	0	19.88	-0.09	19.79	<=23	Pass
			6	19.84	-0.09	19.75	<=23	Pass
			13	19.78	-0.09	19.69	<=23	Pass
		25	0	19.90	-0.09	19.81	<=23	Pass
64QAM	3552.5	1	0	20.36	-0.09	20.27	<=23	Pass
			13	20.13	-0.09	20.04	<=23	Pass
			24	19.98	-0.09	19.89	<=23	Pass
		12	0	18.95	-0.09	18.86	<=23	Pass
			6	19.00	-0.09	18.91	<=23	Pass
			13	18.86	-0.09	18.77	<=23	Pass
		25	0	19.15	-0.09	19.06	<=23	Pass
	3625	1	0	20.73	-0.09	20.64	<=23	Pass
			13	20.85	-0.09	20.76	<=23	Pass
			24	20.82	-0.09	20.73	<=23	Pass
		12	0	19.74	-0.09	19.65	<=23	Pass

256QAM	3697.5	25	6	19.79	-0.09	19.70	<=23	Pass
			13	19.77	-0.09	19.68	<=23	Pass
			0	19.79	-0.09	19.70	<=23	Pass
		1	0	19.55	-0.09	19.46	<=23	Pass
			13	19.81	-0.09	19.72	<=23	Pass
			24	19.47	-0.09	19.38	<=23	Pass
		12	0	18.65	-0.09	18.56	<=23	Pass
			6	18.85	-0.09	18.76	<=23	Pass
			13	18.76	-0.09	18.67	<=23	Pass
		25	0	18.84	-0.09	18.75	<=23	Pass
	3552.5	1	0	17.06	-0.09	16.97	<=23	Pass
			13	16.91	-0.09	16.82	<=23	Pass
			24	16.85	-0.09	16.76	<=23	Pass
		12	0	17.10	-0.09	17.01	<=23	Pass
			6	17.06	-0.09	16.97	<=23	Pass
			13	17.10	-0.09	17.01	<=23	Pass
		25	0	17.05	-0.09	16.96	<=23	Pass
	3625	1	0	17.69	-0.09	17.60	<=23	Pass
			13	17.79	-0.09	17.70	<=23	Pass
			24	17.68	-0.09	17.59	<=23	Pass
		12	0	17.81	-0.09	17.72	<=23	Pass
			6	17.87	-0.09	17.78	<=23	Pass
			13	17.86	-0.09	17.77	<=23	Pass
		25	0	17.85	-0.09	17.76	<=23	Pass
	3697.5	1	0	16.58	-0.09	16.49	<=23	Pass
			13	16.67	-0.09	16.58	<=23	Pass
			24	16.80	-0.09	16.71	<=23	Pass
		12	0	16.74	-0.09	16.65	<=23	Pass
			6	16.91	-0.09	16.82	<=23	Pass
			13	16.88	-0.09	16.79	<=23	Pass
		25	0	16.87	-0.09	16.78	<=23	Pass

Note1: EIRP/10MHz=Conducted Power+Antenna Gain

1.1.3 B48_10MHz_EIRP

Band: 48 / Bandwidth: 10MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	3555	1	0	22.45	-0.09	22.36	/	Pass
			25	22.44	-0.09	22.35	/	Pass
			49	22.34	-0.09	22.25	/	Pass
		25	0	21.50	-0.09	21.41	/	Pass
			13	21.51	-0.09	21.42	/	Pass
			25	21.44	-0.09	21.35	/	Pass
		50	0	21.38	-0.09	21.29	/	Pass
	3625	1	0	22.84	-0.09	22.75	/	Pass
			25	22.91	-0.09	22.82	/	Pass
			49	22.82	-0.09	22.73	/	Pass
		25	0	21.88	-0.09	21.79	/	Pass
			13	21.89	-0.09	21.80	/	Pass
			25	21.86	-0.09	21.77	/	Pass

	3695	50	0	21.88	-0.09	21.79	/	Pass
		1	0	22.61	-0.09	22.52	/	Pass
			25	22.58	-0.09	22.49	/	Pass
			49	22.58	-0.09	22.49	/	Pass
		25	0	20.66	-0.09	20.57	/	Pass
			13	20.66	-0.09	20.57	/	Pass
			25	20.67	-0.09	20.58	/	Pass
		50	0	20.67	-0.09	20.58	/	Pass
16QAM	3555	1	0	21.44	-0.09	21.35	/	Pass
			25	21.36	-0.09	21.27	/	Pass
			49	21.39	-0.09	21.30	/	Pass
		25	0	20.50	-0.09	20.41	/	Pass
			13	20.51	-0.09	20.42	/	Pass
			25	20.46	-0.09	20.37	/	Pass
		50	0	20.46	-0.09	20.37	/	Pass
	3625	1	0	21.84	-0.09	21.75	/	Pass
			25	21.90	-0.09	21.81	/	Pass
			49	21.70	-0.09	21.61	/	Pass
		25	0	20.84	-0.09	20.75	/	Pass
			13	20.88	-0.09	20.79	/	Pass
			25	20.93	-0.09	20.84	/	Pass
		50	0	20.91	-0.09	20.82	/	Pass
	3695	1	0	20.69	-0.09	20.60	/	Pass
			25	20.76	-0.09	20.67	/	Pass
			49	20.51	-0.09	20.42	/	Pass
		25	0	19.66	-0.09	19.57	/	Pass
			13	19.68	-0.09	19.59	/	Pass
			25	19.67	-0.09	19.58	/	Pass
		50	0	19.66	-0.09	19.57	/	Pass
64QAM	3555	1	0	20.45	-0.09	20.36	/	Pass
			25	20.39	-0.09	20.30	/	Pass
			49	20.24	-0.09	20.15	/	Pass
		25	0	19.51	-0.09	19.42	/	Pass
			13	19.50	-0.09	19.41	/	Pass
			25	19.47	-0.09	19.38	/	Pass
		50	0	19.44	-0.09	19.35	/	Pass
	3625	1	0	20.80	-0.09	20.71	/	Pass
			25	21.04	-0.09	20.95	/	Pass
			49	20.87	-0.09	20.78	/	Pass
		25	0	19.87	-0.09	19.78	/	Pass
			13	19.90	-0.09	19.81	/	Pass
			25	19.83	-0.09	19.74	/	Pass
		50	0	19.85	-0.09	19.76	/	Pass
	3695	1	0	19.50	-0.09	19.41	/	Pass
			25	19.55	-0.09	19.46	/	Pass
			49	19.69	-0.09	19.60	/	Pass
		25	0	18.71	-0.09	18.62	/	Pass
			13	18.67	-0.09	18.58	/	Pass
			25	18.64	-0.09	18.55	/	Pass
		50	0	18.64	-0.09	18.55	/	Pass
256QAM	3555	1	0	17.30	-0.09	17.21	/	Pass
			25	17.52	-0.09	17.43	/	Pass
			49	17.28	-0.09	17.19	/	Pass

		25	0	17.50	-0.09	17.41	/	Pass
			13	17.50	-0.09	17.41	/	Pass
			25	17.43	-0.09	17.34	/	Pass
		50	0	17.49	-0.09	17.40	/	Pass
			0	17.67	-0.09	17.58	/	Pass
			25	17.87	-0.09	17.78	/	Pass
	3625	1	49	17.72	-0.09	17.63	/	Pass
			0	17.86	-0.09	17.77	/	Pass
			13	17.90	-0.09	17.81	/	Pass
		25	25	17.91	-0.09	17.82	/	Pass
			0	17.88	-0.09	17.79	/	Pass
			0	16.58	-0.09	16.49	/	Pass
		50	25	16.47	-0.09	16.38	/	Pass
			49	16.41	-0.09	16.32	/	Pass
			0	16.78	-0.09	16.69	/	Pass
	3695	1	13	16.71	-0.09	16.62	/	Pass
			25	16.67	-0.09	16.58	/	Pass
			0	16.68	-0.09	16.59	/	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B48_10MHz_EIRP/10MHz

Band: 48 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm/10MHz)	Gain (dBi)	EIRP/10MHz (dBm/10MHz)		Verdict
		Size	Offset			Result	Limit	
QPSK	3555	1	0	22.03	-0.09	21.94	<=23	Pass
			25	22.70	-0.09	22.61	<=23	Pass
			49	22.85	-0.09	22.76	<=23	Pass
		25	0	21.06	-0.09	20.97	<=23	Pass
			13	20.94	-0.09	20.85	<=23	Pass
			25	21.02	-0.09	20.93	<=23	Pass
		50	0	20.93	-0.09	20.84	<=23	Pass
			0	22.74	-0.09	22.65	<=23	Pass
			25	22.99	-0.09	22.90	<=23	Pass
	3625	1	49	22.84	-0.09	22.75	<=23	Pass
			0	21.72	-0.09	21.63	<=23	Pass
			13	21.68	-0.09	21.59	<=23	Pass
		25	25	21.72	-0.09	21.63	<=23	Pass
			0	21.75	-0.09	21.66	<=23	Pass
			0	22.86	-0.09	22.77	<=23	Pass
		50	25	22.85	-0.09	22.76	<=23	Pass
			49	22.70	-0.09	22.61	<=23	Pass
			0	20.76	-0.09	20.67	<=23	Pass
	3695	1	13	20.71	-0.09	20.62	<=23	Pass
			25	20.61	-0.09	20.52	<=23	Pass
			0	20.73	-0.09	20.64	<=23	Pass
16QAM	3555	1	0	21.10	-0.09	21.01	<=23	Pass
			25	21.06	-0.09	20.97	<=23	Pass
			49	20.97	-0.09	20.88	<=23	Pass
		25	0	20.00	-0.09	19.91	<=23	Pass
			13	19.92	-0.09	19.83	<=23	Pass

		50	25	19.94	-0.09	19.85	<=23	Pass
			0	19.86	-0.09	19.77	<=23	Pass
	3625	1	0	21.86	-0.09	21.77	<=23	Pass
			25	22.11	-0.09	22.02	<=23	Pass
			49	21.84	-0.09	21.75	<=23	Pass
		25	0	20.75	-0.09	20.66	<=23	Pass
			13	20.70	-0.09	20.61	<=23	Pass
			25	20.75	-0.09	20.66	<=23	Pass
		50	0	20.77	-0.09	20.68	<=23	Pass
	3695	1	0	20.70	-0.09	20.61	<=23	Pass
			25	20.55	-0.09	20.46	<=23	Pass
			49	20.82	-0.09	20.73	<=23	Pass
		25	0	19.83	-0.09	19.74	<=23	Pass
			13	19.79	-0.09	19.70	<=23	Pass
			25	19.73	-0.09	19.64	<=23	Pass
		50	0	19.85	-0.09	19.76	<=23	Pass
64QAM	3555	1	0	20.31	-0.09	20.22	<=23	Pass
			25	20.08	-0.09	19.99	<=23	Pass
			49	19.93	-0.09	19.84	<=23	Pass
		25	0	18.90	-0.09	18.81	<=23	Pass
			13	18.95	-0.09	18.86	<=23	Pass
			25	18.81	-0.09	18.72	<=23	Pass
		50	0	19.10	-0.09	19.01	<=23	Pass
	3625	1	0	20.68	-0.09	20.59	<=23	Pass
			25	20.80	-0.09	20.71	<=23	Pass
			49	20.77	-0.09	20.68	<=23	Pass
		25	0	19.69	-0.09	19.60	<=23	Pass
			13	19.74	-0.09	19.65	<=23	Pass
			25	19.72	-0.09	19.63	<=23	Pass
		50	0	19.74	-0.09	19.65	<=23	Pass
	3695	1	0	19.50	-0.09	19.41	<=23	Pass
			25	19.76	-0.09	19.67	<=23	Pass
			49	19.42	-0.09	19.33	<=23	Pass
		25	0	18.60	-0.09	18.51	<=23	Pass
			13	18.80	-0.09	18.71	<=23	Pass
			25	18.71	-0.09	18.62	<=23	Pass
		50	0	18.79	-0.09	18.70	<=23	Pass
256QAM	3555	1	0	17.01	-0.09	16.92	<=23	Pass
			25	16.86	-0.09	16.77	<=23	Pass
			49	16.80	-0.09	16.71	<=23	Pass
		25	0	17.05	-0.09	16.96	<=23	Pass
			13	17.01	-0.09	16.92	<=23	Pass
			25	17.05	-0.09	16.96	<=23	Pass
		50	0	17.00	-0.09	16.91	<=23	Pass
	3625	1	0	17.64	-0.09	17.55	<=23	Pass
			25	17.74	-0.09	17.65	<=23	Pass
			49	17.63	-0.09	17.54	<=23	Pass
		25	0	17.76	-0.09	17.67	<=23	Pass
			13	17.82	-0.09	17.73	<=23	Pass
			25	17.81	-0.09	17.72	<=23	Pass
		50	0	17.80	-0.09	17.71	<=23	Pass
	3695	1	0	16.53	-0.09	16.44	<=23	Pass
			25	16.62	-0.09	16.53	<=23	Pass



Report No.: SUCR260400031709

Page: 8 of 152

			49	16.75	-0.09	16.66	<=23	Pass
		25	0	16.69	-0.09	16.60	<=23	Pass
			13	16.86	-0.09	16.77	<=23	Pass
			25	16.83	-0.09	16.74	<=23	Pass
		50	0	16.82	-0.09	16.73	<=23	Pass

Note1: EIRP/10MHz=Conducted Power+Antenna Gain

1.1.5 B48_15MHz_EIRP

Band: 48 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	3557.5	1	0	22.28	-0.09	22.19	/	Pass
			38	22.22	-0.09	22.13	/	Pass
			74	22.16	-0.09	22.07	/	Pass
		36	0	21.26	-0.09	21.17	/	Pass
			18	21.31	-0.09	21.22	/	Pass
			39	21.26	-0.09	21.17	/	Pass
		75	0	21.30	-0.09	21.21	/	Pass
	3625	1	0	22.61	-0.09	22.52	/	Pass
			38	22.71	-0.09	22.62	/	Pass
			74	22.53	-0.09	22.44	/	Pass
		36	0	21.70	-0.09	21.61	/	Pass
			18	21.69	-0.09	21.60	/	Pass
			39	21.62	-0.09	21.53	/	Pass
		75	0	21.70	-0.09	21.61	/	Pass
	3692.5	1	0	22.64	-0.09	22.55	/	Pass
			38	22.45	-0.09	22.36	/	Pass
			74	22.38	-0.09	22.29	/	Pass
		36	0	20.60	-0.09	20.51	/	Pass
			18	20.57	-0.09	20.48	/	Pass
			39	20.50	-0.09	20.41	/	Pass
		75	0	20.61	-0.09	20.52	/	Pass
16QAM	3557.5	1	0	21.12	-0.09	21.03	/	Pass
			38	21.26	-0.09	21.17	/	Pass
			74	20.97	-0.09	20.88	/	Pass
		36	0	20.27	-0.09	20.18	/	Pass
			18	20.32	-0.09	20.23	/	Pass
			39	20.31	-0.09	20.22	/	Pass
		75	0	20.26	-0.09	20.17	/	Pass
	3625	1	0	21.59	-0.09	21.50	/	Pass
			38	21.46	-0.09	21.37	/	Pass
			74	21.69	-0.09	21.60	/	Pass
		36	0	20.68	-0.09	20.59	/	Pass
			18	20.70	-0.09	20.61	/	Pass
			39	20.66	-0.09	20.57	/	Pass
		75	0	20.69	-0.09	20.60	/	Pass
	3692.5	1	0	20.64	-0.09	20.55	/	Pass
			38	20.27	-0.09	20.18	/	Pass
			74	20.44	-0.09	20.35	/	Pass
		36	0	19.64	-0.09	19.55	/	Pass

64QAM	3557.5	75	18	19.58	-0.09	19.49	/	Pass
			39	19.50	-0.09	19.41	/	Pass
			0	19.57	-0.09	19.48	/	Pass
		1	0	20.32	-0.09	20.23	/	Pass
			38	20.19	-0.09	20.10	/	Pass
			74	20.05	-0.09	19.96	/	Pass
		36	0	19.23	-0.09	19.14	/	Pass
			18	19.33	-0.09	19.24	/	Pass
			39	19.30	-0.09	19.21	/	Pass
		75	0	19.33	-0.09	19.24	/	Pass
	3625	1	0	20.41	-0.09	20.32	/	Pass
			38	20.70	-0.09	20.61	/	Pass
			74	20.45	-0.09	20.36	/	Pass
		36	0	19.72	-0.09	19.63	/	Pass
			18	19.72	-0.09	19.63	/	Pass
			39	19.65	-0.09	19.56	/	Pass
		75	0	19.69	-0.09	19.60	/	Pass
		3692.5	0	19.34	-0.09	19.25	/	Pass
			38	19.55	-0.09	19.46	/	Pass
			74	19.18	-0.09	19.09	/	Pass
		36	0	18.64	-0.09	18.55	/	Pass
			18	18.57	-0.09	18.48	/	Pass
			39	18.48	-0.09	18.39	/	Pass
		75	0	18.59	-0.09	18.50	/	Pass
256QAM	3557.5	1	0	17.19	-0.09	17.10	/	Pass
			38	17.04	-0.09	16.95	/	Pass
			74	17.27	-0.09	17.18	/	Pass
		36	0	17.31	-0.09	17.22	/	Pass
			18	17.34	-0.09	17.25	/	Pass
			39	17.36	-0.09	17.27	/	Pass
		75	0	17.38	-0.09	17.29	/	Pass
		3625	0	17.58	-0.09	17.49	/	Pass
			38	17.72	-0.09	17.63	/	Pass
			74	17.71	-0.09	17.62	/	Pass
		36	0	17.76	-0.09	17.67	/	Pass
			18	17.76	-0.09	17.67	/	Pass
			39	17.74	-0.09	17.65	/	Pass
		75	0	17.73	-0.09	17.64	/	Pass
	3692.5	1	0	16.70	-0.09	16.61	/	Pass
			38	16.37	-0.09	16.28	/	Pass
			74	16.56	-0.09	16.47	/	Pass
		36	0	16.67	-0.09	16.58	/	Pass
			18	16.64	-0.09	16.55	/	Pass
			39	16.55	-0.09	16.46	/	Pass
		75	0	16.67	-0.09	16.58	/	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.6 B48_15MHz_EIRP/10MHz

Band: 48 / Bandwidth: 15MHz / NTN						
Modulation	Frequency	RB Allocation	Conducted Power	Gain	EIRP/10MHz (dBm/10MHz)	Verdict

	(MHz)	Size	Offset	(dBm/10MHz)	(dBi)	Result	Limit	
QPSK	3557.5	1	0	22.88	-0.09	22.79	<=23	Pass
			38	22.89	-0.09	22.80	<=23	Pass
			74	22.68	-0.09	22.59	<=23	Pass
		36	0	20.64	-0.09	20.55	<=23	Pass
			18	20.91	-0.09	20.82	<=23	Pass
			39	20.64	-0.09	20.55	<=23	Pass
		75	0	19.51	-0.09	19.42	<=23	Pass
	3625	1	0	22.71	-0.09	22.62	<=23	Pass
			38	22.99	-0.09	22.90	<=23	Pass
			74	22.64	-0.09	22.55	<=23	Pass
		36	0	21.86	-0.09	21.77	<=23	Pass
			18	21.70	-0.09	21.61	<=23	Pass
			39	21.75	-0.09	21.66	<=23	Pass
		75	0	20.56	-0.09	20.47	<=23	Pass
	3692.5	1	0	22.17	-0.09	22.08	<=23	Pass
			38	22.87	-0.09	22.78	<=23	Pass
			74	22.70	-0.09	22.61	<=23	Pass
		36	0	20.88	-0.09	20.79	<=23	Pass
			18	20.90	-0.09	20.81	<=23	Pass
			39	20.85	-0.09	20.76	<=23	Pass
		75	0	19.63	-0.09	19.54	<=23	Pass
16QAM	3557.5	1	0	20.81	-0.09	20.72	<=23	Pass
			38	20.84	-0.09	20.75	<=23	Pass
			74	20.75	-0.09	20.66	<=23	Pass
		36	0	19.66	-0.09	19.57	<=23	Pass
			18	19.80	-0.09	19.71	<=23	Pass
			39	19.81	-0.09	19.72	<=23	Pass
		75	0	18.57	-0.09	18.48	<=23	Pass
	3625	1	0	21.67	-0.09	21.58	<=23	Pass
			38	22.00	-0.09	21.91	<=23	Pass
			74	21.51	-0.09	21.42	<=23	Pass
		36	0	20.70	-0.09	20.61	<=23	Pass
			18	20.80	-0.09	20.71	<=23	Pass
			39	20.80	-0.09	20.71	<=23	Pass
		75	0	19.44	-0.09	19.35	<=23	Pass
	3692.5	1	0	20.78	-0.09	20.69	<=23	Pass
			38	20.78	-0.09	20.69	<=23	Pass
			74	20.74	-0.09	20.65	<=23	Pass
		36	0	19.93	-0.09	19.84	<=23	Pass
			18	19.80	-0.09	19.71	<=23	Pass
			39	19.73	-0.09	19.64	<=23	Pass
		75	0	18.54	-0.09	18.45	<=23	Pass
64QAM	3557.5	1	0	19.91	-0.09	19.82	<=23	Pass
			38	19.87	-0.09	19.78	<=23	Pass
			74	19.65	-0.09	19.56	<=23	Pass
		36	0	18.85	-0.09	18.76	<=23	Pass
			18	18.77	-0.09	18.68	<=23	Pass
			39	18.83	-0.09	18.74	<=23	Pass
		75	0	17.53	-0.09	17.44	<=23	Pass
	3625	1	0	20.36	-0.09	20.27	<=23	Pass
			38	20.85	-0.09	20.76	<=23	Pass
			74	20.96	-0.09	20.87	<=23	Pass

256QAM	3692.5	36	0	19.94	-0.09	19.85	<=23	Pass
			18	19.61	-0.09	19.52	<=23	Pass
			39	19.73	-0.09	19.64	<=23	Pass
		75	0	18.52	-0.09	18.43	<=23	Pass
			0	20.33	-0.09	20.24	<=23	Pass
			38	19.75	-0.09	19.66	<=23	Pass
		1	74	19.88	-0.09	19.79	<=23	Pass
			0	18.94	-0.09	18.85	<=23	Pass
			18	18.85	-0.09	18.76	<=23	Pass
	3557.5	36	39	18.77	-0.09	18.68	<=23	Pass
			0	17.48	-0.09	17.39	<=23	Pass
			75	16.65	-0.09	16.56	<=23	Pass
		1	38	16.69	-0.09	16.60	<=23	Pass
			74	16.67	-0.09	16.58	<=23	Pass
			0	16.89	-0.09	16.80	<=23	Pass
		36	18	16.92	-0.09	16.83	<=23	Pass
			39	16.88	-0.09	16.79	<=23	Pass
			75	15.55	-0.09	15.46	<=23	Pass
	3625	1	0	17.59	-0.09	17.50	<=23	Pass
			38	18.09	-0.09	18.00	<=23	Pass
			74	17.59	-0.09	17.50	<=23	Pass
		36	0	17.82	-0.09	17.73	<=23	Pass
			18	17.92	-0.09	17.83	<=23	Pass
			39	17.73	-0.09	17.64	<=23	Pass
			75	16.56	-0.09	16.47	<=23	Pass
	3692.5	1	0	16.71	-0.09	16.62	<=23	Pass
			38	16.89	-0.09	16.80	<=23	Pass
			74	16.80	-0.09	16.71	<=23	Pass
		36	0	17.08	-0.09	16.99	<=23	Pass
			18	16.91	-0.09	16.82	<=23	Pass
			39	16.81	-0.09	16.72	<=23	Pass
			75	15.55	-0.09	15.46	<=23	Pass

Note1: EIRP/10MHz=Conducted Power+Antenna Gain

1.1.7 B48_20MHz_EIRP

Band: 48 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	3560	1	0	22.32	-0.09	22.23	/	Pass
			50	22.22	-0.09	22.13	/	Pass
			99	22.22	-0.09	22.13	/	Pass
		50	0	21.28	-0.09	21.19	/	Pass
			25	21.34	-0.09	21.25	/	Pass
			50	21.28	-0.09	21.19	/	Pass
	3625	100	0	21.34	-0.09	21.25	/	Pass
			0	22.63	-0.09	22.54	/	Pass
			50	22.72	-0.09	22.63	/	Pass
		1	99	22.52	-0.09	22.43	/	Pass
			0	21.72	-0.09	21.63	/	Pass
			25	21.74	-0.09	21.65	/	Pass

	3690	100	50	21.70	-0.09	21.61	/	Pass
			0	21.71	-0.09	21.62	/	Pass
		1	0	22.82	-0.09	22.73	/	Pass
			50	22.55	-0.09	22.46	/	Pass
			99	22.48	-0.09	22.39	/	Pass
		50	0	20.74	-0.09	20.65	/	Pass
			25	20.65	-0.09	20.56	/	Pass
			50	20.54	-0.09	20.45	/	Pass
		100	0	20.68	-0.09	20.59	/	Pass
16QAM	3560	1	0	21.30	-0.09	21.21	/	Pass
			50	21.29	-0.09	21.20	/	Pass
			99	21.12	-0.09	21.03	/	Pass
		50	0	20.29	-0.09	20.20	/	Pass
			25	20.34	-0.09	20.25	/	Pass
			50	20.33	-0.09	20.24	/	Pass
		100	0	20.31	-0.09	20.22	/	Pass
	3625	1	0	21.50	-0.09	21.41	/	Pass
			50	21.82	-0.09	21.73	/	Pass
			99	21.58	-0.09	21.49	/	Pass
		50	0	20.74	-0.09	20.65	/	Pass
			25	20.74	-0.09	20.65	/	Pass
			50	20.72	-0.09	20.63	/	Pass
		100	0	20.75	-0.09	20.66	/	Pass
	3690	1	0	20.69	-0.09	20.60	/	Pass
			50	20.52	-0.09	20.43	/	Pass
			99	20.52	-0.09	20.43	/	Pass
		50	0	19.76	-0.09	19.67	/	Pass
			25	19.67	-0.09	19.58	/	Pass
			50	19.49	-0.09	19.40	/	Pass
		100	0	19.67	-0.09	19.58	/	Pass
64QAM	3560	1	0	19.99	-0.09	19.90	/	Pass
			50	20.18	-0.09	20.09	/	Pass
			99	20.10	-0.09	20.01	/	Pass
		50	0	19.27	-0.09	19.18	/	Pass
			25	19.37	-0.09	19.28	/	Pass
			50	19.31	-0.09	19.22	/	Pass
		100	0	19.35	-0.09	19.26	/	Pass
	3625	1	0	20.56	-0.09	20.47	/	Pass
			50	20.49	-0.09	20.40	/	Pass
			99	20.46	-0.09	20.37	/	Pass
		50	0	19.72	-0.09	19.63	/	Pass
			25	19.75	-0.09	19.66	/	Pass
			50	19.67	-0.09	19.58	/	Pass
		100	0	19.72	-0.09	19.63	/	Pass
	3690	1	0	19.59	-0.09	19.50	/	Pass
			50	19.52	-0.09	19.43	/	Pass
			99	19.47	-0.09	19.38	/	Pass
		50	0	18.77	-0.09	18.68	/	Pass
			25	18.66	-0.09	18.57	/	Pass
			50	18.53	-0.09	18.44	/	Pass
		100	0	18.73	-0.09	18.64	/	Pass
256QAM	3560	1	0	17.32	-0.09	17.23	/	Pass
			50	17.23	-0.09	17.14	/	Pass



Report No.: SUCR260400031709

Page: 13 of 152

			99	17.21	-0.09	17.12	/	Pass
		50	0	17.34	-0.09	17.25	/	Pass
			25	17.38	-0.09	17.29	/	Pass
			50	17.35	-0.09	17.26	/	Pass
		100	0	17.39	-0.09	17.30	/	Pass
	3625	1	0	17.66	-0.09	17.57	/	Pass
			50	17.62	-0.09	17.53	/	Pass
			99	17.62	-0.09	17.53	/	Pass
		50	0	17.76	-0.09	17.67	/	Pass
			25	17.79	-0.09	17.70	/	Pass
			50	17.74	-0.09	17.65	/	Pass
		100	0	17.76	-0.09	17.67	/	Pass
		3690	1	0	16.96	-0.09	16.87	/
	50			16.53	-0.09	16.44	/	Pass
	99			16.54	-0.09	16.45	/	Pass
	50		0	16.77	-0.09	16.68	/	Pass
			25	16.71	-0.09	16.62	/	Pass
			50	16.59	-0.09	16.50	/	Pass
	100		0	16.74	-0.09	16.65	/	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.8 B48_20MHz_EIRP/10MHz

Band: 48 / Bandwidth: 20MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm/10MHz)	Gain (dBi)	EIRP/10MHz (dBm/10MHz)		Verdict		
		Size	Offset			Result	Limit			
QPSK	3560	1	0	22.78	-0.09	22.69	<=23	Pass		
			50	22.80	-0.09	22.71	<=23	Pass		
			99	22.65	-0.09	22.56	<=23	Pass		
		50	0	20.80	-0.09	20.71	<=23	Pass		
			25	20.78	-0.09	20.69	<=23	Pass		
			50	20.88	-0.09	20.79	<=23	Pass		
		100	0	18.32	-0.09	18.23	<=23	Pass		
		3625	1	0	22.78	-0.09	22.69	<=23	Pass	
				50	22.12	-0.09	22.03	<=23	Pass	
				99	22.02	-0.09	21.93	<=23	Pass	
	50		0	21.00	-0.09	20.91	<=23	Pass		
			25	21.07	-0.09	20.98	<=23	Pass		
			50	20.98	-0.09	20.89	<=23	Pass		
	100		0	18.37	-0.09	18.28	<=23	Pass		
	3690		1	0	22.35	-0.09	22.26	<=23	Pass	
		50		22.81	-0.09	22.72	<=23	Pass		
		99		22.90	-0.09	22.81	<=23	Pass		
		50	0	20.32	-0.09	20.23	<=23	Pass		
			25	19.99	-0.09	19.90	<=23	Pass		
			50	19.94	-0.09	19.85	<=23	Pass		
		100	0	17.39	-0.09	17.30	<=23	Pass		
		16QAM	3560	1	0	20.82	-0.09	20.73	<=23	Pass
					50	20.81	-0.09	20.72	<=23	Pass
	99				20.92	-0.09	20.83	<=23	Pass	
	50			0	19.72	-0.09	19.63	<=23	Pass	

		100	25	19.74	-0.09	19.65	<=23	Pass
			50	19.80	-0.09	19.71	<=23	Pass
			0	17.22	-0.09	17.13	<=23	Pass
	3625	1	0	20.95	-0.09	20.86	<=23	Pass
			50	21.17	-0.09	21.08	<=23	Pass
			99	20.64	-0.09	20.55	<=23	Pass
		50	0	20.13	-0.09	20.04	<=23	Pass
			25	20.14	-0.09	20.05	<=23	Pass
			50	20.09	-0.09	20.00	<=23	Pass
		100	0	17.40	-0.09	17.31	<=23	Pass
	3690	1	0	19.99	-0.09	19.90	<=23	Pass
			50	19.74	-0.09	19.65	<=23	Pass
			99	20.27	-0.09	20.18	<=23	Pass
		50	0	19.24	-0.09	19.15	<=23	Pass
			25	19.17	-0.09	19.08	<=23	Pass
			50	18.72	-0.09	18.63	<=23	Pass
		100	0	16.69	-0.09	16.60	<=23	Pass
64QAM	3560	1	0	19.97	-0.09	19.88	<=23	Pass
			50	19.40	-0.09	19.31	<=23	Pass
			99	19.41	-0.09	19.32	<=23	Pass
		50	0	18.72	-0.09	18.63	<=23	Pass
			25	18.92	-0.09	18.83	<=23	Pass
			50	18.72	-0.09	18.63	<=23	Pass
		100	0	16.29	-0.09	16.20	<=23	Pass
	3625	1	0	20.04	-0.09	19.95	<=23	Pass
			50	19.91	-0.09	19.82	<=23	Pass
			99	19.67	-0.09	19.58	<=23	Pass
		50	0	18.92	-0.09	18.83	<=23	Pass
			25	19.02	-0.09	18.93	<=23	Pass
			50	18.90	-0.09	18.81	<=23	Pass
		100	0	16.33	-0.09	16.24	<=23	Pass
	3690	1	0	19.31	-0.09	19.22	<=23	Pass
			50	19.13	-0.09	19.04	<=23	Pass
			99	19.22	-0.09	19.13	<=23	Pass
		50	0	17.98	-0.09	17.89	<=23	Pass
			25	18.01	-0.09	17.92	<=23	Pass
			50	18.01	-0.09	17.92	<=23	Pass
		100	0	15.60	-0.09	15.51	<=23	Pass
256QAM	3560	1	0	17.00	-0.09	16.91	<=23	Pass
			50	17.12	-0.09	17.03	<=23	Pass
			99	17.02	-0.09	16.93	<=23	Pass
		50	0	16.78	-0.09	16.69	<=23	Pass
			25	16.79	-0.09	16.70	<=23	Pass
			50	16.91	-0.09	16.82	<=23	Pass
		100	0	14.31	-0.09	14.22	<=23	Pass
	3625	1	0	17.30	-0.09	17.21	<=23	Pass
			50	17.14	-0.09	17.05	<=23	Pass
			99	16.59	-0.09	16.50	<=23	Pass
		50	0	16.92	-0.09	16.83	<=23	Pass
			25	17.01	-0.09	16.92	<=23	Pass
			50	17.11	-0.09	17.02	<=23	Pass
		100	0	14.50	-0.09	14.41	<=23	Pass
	3690	1	0	16.62	-0.09	16.53	<=23	Pass



Report No.: SUCR260400031709

Page: 15 of 152

			50	15.75	-0.09	15.66	<=23	Pass
			99	16.24	-0.09	16.15	<=23	Pass
		50	0	16.10	-0.09	16.01	<=23	Pass
			25	16.00	-0.09	15.91	<=23	Pass
			50	16.15	-0.09	16.06	<=23	Pass
		100	0	13.88	-0.09	13.79	<=23	Pass
			Note1: EIRP/10MHz=Conducted Power+Antenna Gain					

2. Frequency Stability

2.1 Test Result

2.1.1 B48_10MHz

Band: 48 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	3625	50	0	20	LV	0.077	0.0000	-2.5 to 2.5	Pass
					NV	0.688	0.0002	-2.5 to 2.5	Pass
					HV	-0.885	-0.0002	-2.5 to 2.5	Pass
				-30	NV	-0.011	0.0000	-2.5 to 2.5	Pass
				-20	NV	0.285	0.0001	-2.5 to 2.5	Pass
				-10	NV	-1.264	-0.0003	-2.5 to 2.5	Pass
				0	NV	-0.077	0.0000	-2.5 to 2.5	Pass
				10	NV	0.317	0.0001	-2.5 to 2.5	Pass
				30	NV	-0.631	-0.0002	-2.5 to 2.5	Pass
				40	NV	-1.621	-0.0004	-2.5 to 2.5	Pass
				50	NV	-0.842	-0.0002	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band48_OBW

Band: 48 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	3625	25	0	4.582	/	Pass
	16QAM	3625	25	0	4.511	/	Pass
	64QAM	3625	25	0	4.437	/	Pass
	256QAM	3625	25	0	4.482	/	Pass
10	QPSK	3625	50	0	8.954	/	Pass
	16QAM	3625	50	0	8.973	/	Pass
	64QAM	3625	50	0	8.956	/	Pass



Report No.: SUCR260400031709
Page: 16 of 152


	256QAM	3625	50	0	8.959	/	Pass
15	QPSK	3625	75	0	13.357	/	Pass
	16QAM	3625	75	0	13.427	/	Pass
	64QAM	3625	75	0	13.329	/	Pass
	256QAM	3625	75	0	13.456	/	Pass
20	QPSK	3625	100	0	17.907	/	Pass
	16QAM	3625	100	0	17.870	/	Pass
	64QAM	3625	100	0	17.911	/	Pass
	256QAM	3625	100	0	17.829	/	Pass


3.1.2 Band48_XDB

Band: 48 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	3625	25	0	5.197	/	Pass
	16QAM	3625	25	0	5.012	/	Pass
	64QAM	3625	25	0	5.005	/	Pass
	256QAM	3625	25	0	4.980	/	Pass
10	QPSK	3625	50	0	10.183	/	Pass
	16QAM	3625	50	0	9.862	/	Pass
	64QAM	3625	50	0	9.850	/	Pass
	256QAM	3625	50	0	9.672	/	Pass
15	QPSK	3625	75	0	14.176	/	Pass
	16QAM	3625	75	0	14.040	/	Pass
	64QAM	3625	75	0	14.099	/	Pass
	256QAM	3625	75	0	14.403	/	Pass
20	QPSK	3625	100	0	18.627	/	Pass
	16QAM	3625	100	0	18.781	/	Pass
	64QAM	3625	100	0	19.570	/	Pass
	256QAM	3625	100	0	18.996	/	Pass


3.2 Test Graph

3.2.1 Band48_OBW







Band48_5MHz_64QAM_MCH_3625MHz_RB_25_0_NTNV




Band48_5MHz_256QAM_MCH_3625MHz_RB_25_0_NTNV




Band48_10MHz_QPSK_MCH_3625MHz_RB_50_0_NTNV




Band48_10MHz_16QAM_MCH_3625MHz_RB_50_0_NTNV




Band48_10MHz_64QAM_MCH_3625MHz_RB_50_0_NTNV




Band48_10MHz_256QAM_MCH_3625MHz_RB_50_0_NTNV




Band48_15MHz_QPSK_MCH_3625MHz_RB_75_0_NTNV




Band48_15MHz_16QAM_MCH_3625MHz_RB_75_0_NTNV




Band48_15MHz_64QAM_MCH_3625MHz_RB_75_0_NTNV




Band48_15MHz_256QAM_MCH_3625MHz_RB_75_0_NTNV




Band48_20MHz_QPSK_MCH_3625MHz_RB_100_0_NTNV




Band48_20MHz_16QAM_MCH_3625MHz_RB_100_0_NTNV




Band48_20MHz_64QAM_MCH_3625MHz_RB_100_0_NTNV




Band48_20MHz_256QAM_MCH_3625MHz_RB_100_0_NTNV




3.2.2 Band48_XDB







Band48_5MHz_64QAM_MCH_3625MHz_RB_25_0_NTNV




Band48_5MHz_256QAM_MCH_3625MHz_RB_25_0_NTNV




Band48_10MHz_QPSK_MCH_3625MHz_RB_50_0_NTNV




Band48_10MHz_16QAM_MCH_3625MHz_RB_50_0_NTNV




Band48_10MHz_64QAM_MCH_3625MHz_RB_50_0_NTNV




Band48_10MHz_256QAM_MCH_3625MHz_RB_50_0_NTNV




Band48_15MHz_QPSK_MCH_3625MHz_RB_75_0_NTNV



Band48_15MHz_16QAM_MCH_3625MHz_RB_75_0_NTNV



Band48_15MHz_64QAM_MCH_3625MHz_RB_75_0_NTNV



Band48_15MHz_256QAM_MCH_3625MHz_RB_75_0_NTNV

