




CA_2C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:1860 CC2:1879.8MHz_CC1: 100@0 CC2: 100@0



CA_2C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:1860 CC2:1879.8MHz_CC1: 100@0 CC2: 100@0




CA_2C_SISO_NTNV_CC1:20_CC2:20MHz_CC1:QPSK_CC2:QPSK_CC1:1880.2_CC2:1900MHz_CC1: 1@0_CC2: 1@99




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1870.1	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.003	-59.95	-13	Pass
1911	1950.1	1	CHP	2	1911.500	-50.66	-13	Pass


CA_2C_SISO_NTNV_CC1:20_CC2:20MHz_CC1:QPSK_CC2:QPSK_CC1:1880.2_CC2:1900MHz_CC1: 1@0_CC2: 1@99



CA_2C_SISO_NTNV_CC1:20_CC2:20MHz_CC1:QPSK_CC2:QPSK_CC1:1880.2_CC2:1900MHz_CC1: 1@0_CC2: 1@99




CA_2C_SISO_NTNV_CC1:20_CC2:20MHz_CC1:QPSK_CC2:QPSK_CC1:1880.2_CC2:1900MHz_CC1: 100@0_CC2: 100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1870.1	1910	0.1	/	/	/	/	/	/
1910	1911	0.402	CHP	1	1910.250	-38.09	-13	Pass
1911	1950.1	1	CHP	2	1912.350	-34.32	-13	Pass


CA_2C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:1880.2 CC2:1900MHz_CC1: 100@0 CC2: 100@0



CA_2C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:1880.2 CC2:1900MHz_CC1: 100@0 CC2: 100@0




CA_2C_SISO_NTNV_CC1:20_CC2:20MHz_CC1:16QAM_CC2:16QAM_CC1:1860_CC2:1879.8MHz_CC1: 1@0 CC2: 1@99




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1809.9	1849	1	CHP	1	1848.500	-48.86	-13	Pass
1849	1850	0.003	/	2	1849.995	-54.28	-13	Pass
1850	1889.9	0.003	/	/	/	/	/	/


CA_2C_SISO_NTNV_CC1:20_CC2:20MHz_CC1:16QAM_CC2:16QAM_CC1:1860_CC2:1879.8MHz_CC1: 1@0 CC2: 1@99



CA_2C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:1860 CC2:1879.8MHz_CC1: 1@0 CC2: 1@99




CA_2C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:1860 CC2:1879.8MHz_CC1: 100@0 CC2: 100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1809.9	1849	1	CHP	1	1848.400	-34.54	-13	Pass
1849	1850	0.402	CHP	2	1849.750	-36.47	-13	Pass
1850	1889.9	0.1	/	/	/	/	/	/

CA_2C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:1860 CC2:1879.8MHz_CC1: 100@0 CC2:
100@0




CA_2C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:1860 CC2:1879.8MHz_CC1: 100@0 CC2:
100@0






Report No.: SUCR260400031709
Page: 526 of 550

CA_2C_SISO_NTNV_CC1:20_CC2:20MHz_CC1:16QAM_CC2:16QAM_CC1:1880.2_CC2:1900MHz_CC1: 1@0 CC2: 1@99




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1870.1	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.003	-58.68	-13	Pass
1911	1950.1	1	CHP	2	1911.500	-50.60	-13	Pass


CA_2C_SISO_NTNV_CC1:20_CC2:20MHz_CC1:16QAM_CC2:16QAM_CC1:1880.2_CC2:1900MHz_CC1: 1@0 CC2: 1@99



CA_2C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:1880.2 CC2:1900MHz_CC1: 1@0 CC2: 1@99




CA_2C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:1880.2 CC2:1900MHz_CC1: 100@0 CC2: 100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1870.1	1910	0.1	/	/	/	/	/	/
1910	1911	0.402	CHP	1	1910.400	-41.16	-13	Pass
1911	1950.1	1	CHP	2	1911.500	-38.31	-13	Pass

CA_2C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:1880.2 CC2:1900MHz_CC1: 100@0 CC2:
100@0




CA_2C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:1880.2 CC2:1900MHz_CC1: 100@0 CC2:
100@0






Report No.: SUCR260400031709
Page: 530 of 550

CA_2C_SISO_NTNV_CC1:20_CC2:20MHz_CC1:64QAM_CC2:64QAM_CC1:1860_CC2:1879.8MHz_CC1: 1@0 CC2: 1@99




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1809.9	1849	1	CHP	1	1848.498	-48.90	-13	Pass
1849	1850	0.003	/	2	1849.979	-53.38	-13	Pass
1850	1889.9	0.003	/	/	/	/	/	/


CA_2C_SISO_NTNV_CC1:20_CC2:20MHz_CC1:64QAM_CC2:64QAM_CC1:1860_CC2:1879.8MHz_CC1: 1@0 CC2: 1@99



CA_2C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:1860 CC2:1879.8MHz_CC1: 1@0 CC2: 1@99




CA_2C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:1860 CC2:1879.8MHz_CC1: 100@0 CC2: 100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1809.9	1849	1	CHP	1	1848.500	-34.48	-13	Pass
1849	1850	0.401	CHP	2	1849.750	-36.95	-13	Pass
1850	1889.9	0.1	/	/	/	/	/	/

CA_2C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:1860 CC2:1879.8MHz_CC1: 100@0 CC2: 100@0




CA_2C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:1860 CC2:1879.8MHz_CC1: 100@0 CC2: 100@0






Report No.: SUCR260400031709
Page: 534 of 550

CA_2C_SISO_NTNV_CC1:20_CC2:20MHz_CC1:64QAM_CC2:64QAM_CC1:1880.2_CC2:1900MHz_CC1: 1@0 CC2: 1@99




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1870.1	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.002	-59.91	-13	Pass
1911	1950.1	1	CHP	2	1911.500	-50.54	-13	Pass


CA_2C_SISO_NTNV_CC1:20_CC2:20MHz_CC1:64QAM_CC2:64QAM_CC1:1880.2_CC2:1900MHz_CC1: 1@0 CC2: 1@99



CA_2C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:1880.2 CC2:1900MHz_CC1: 1@0 CC2: 1@99




CA_2C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:1880.2 CC2:1900MHz_CC1: 100@0 CC2: 100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1870.1	1910	0.1	/	/	/	/	/	/
1910	1911	0.4	CHP	1	1910.200	-41.16	-13	Pass
1911	1950.1	1	CHP	2	1911.500	-38.52	-13	Pass

CA_2C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:1880.2 CC2:1900MHz_CC1: 100@0 CC2:
100@0




CA_2C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:1880.2 CC2:1900MHz_CC1: 100@0 CC2:
100@0






Report No.: SUCR260400031709
Page: 538 of 550

CA_2C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:1860 CC2:1879.8MHz_CC1: 1@0 CC2: 1@99



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1809.9	1849	1	CHP	1	1848.500	-49.07	-13	Pass
1849	1850	0.003	/	2	1849.995	-54.27	-13	Pass
1850	1889.9	0.003	/	/	/	/	/	/


CA_2C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:1860 CC2:1879.8MHz_CC1: 1@0 CC2: 1@99






Report No.: SUCR260400031709
Page: 540 of 550

CA_2C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:1860 CC2:1879.8MHz_CC1: 1@0 CC2: 1@99



CA_2C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:1860 CC2:1879.8MHz_CC1: 100@0 CC2: 100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1809.9	1849	1	CHP	1	1848.500	-36.74	-13	Pass
1849	1850	0.404	CHP	2	1849.750	-38.73	-13	Pass
1850	1889.9	0.1	/	/	/	/	/	/




Report No.: SUCR260400031709
Page: 542 of 550

CA_2C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:1860 CC2:1879.8MHz_CC1: 100@0 CC2:
100@0




CA_2C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:1860 CC2:1879.8MHz_CC1: 100@0 CC2:
100@0






Report No.: SUCR260400031709
Page: 544 of 550

CA_2C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:1880.2 CC2:1900MHz_CC1: 1@0 CC2: 1@99



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1870.1	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.033	-59.24	-13	Pass
1911	1950.1	1	CHP	2	1911.500	-50.44	-13	Pass


CA_2C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:1880.2 CC2:1900MHz_CC1: 1@0 CC2: 1@99






Report No.: SUCR260400031709
Page: 546 of 550

CA_2C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:1880.2 CC2:1900MHz_CC1: 1@0 CC2: 1@99



CA_2C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:1880.2 CC2:1900MHz_CC1: 100@0 CC2: 100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1870.1	1910	0.1	/	/	/	/	/	/
1910	1911	0.402	CHP	1	1910.250	-44.68	-13	Pass
1911	1950.1	1	CHP	2	1917.800	-42.77	-13	Pass




Report No.: SUCR260400031709
Page: 548 of 550

CA_2C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:1880.2 CC2:1900MHz_CC1: 100@0 CC2:
100@0



CA_2C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:1880.2 CC2:1900MHz_CC1: 100@0 CC2:
100@0





Report No.: SUCR260400031709
Page: 550 of 550

---End of Attachment---