



n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_793MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	769	0.1	/	1	764.700	-53.22	-13	Pass
769	775	0.1	/	2	772.450	-69.81	-35	Pass
775	787.9	0.1	/	3	782.700	-64.31	-13	Pass
787.9	803	0.1	/	/	/	/	/	/
803	805	0.1	/	4	803.150	-71.49	-35	Pass
805	1000	0.1	/	5	872.350	-68.90	-13	Pass

n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_793MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7980	1	/	1	3709.500	-45.79	-13	Pass

n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_795.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
790.5	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	1	798.003	-18.66	-13	Pass
798.1	799	0.1	CHP	2	798.152	-22.91	-13	Pass
799	805	0.00625	CHP	3	799.826	-54.07	-35	Pass
805	810	0.1	CHP	4	806.388	-73.16	-13	Pass

n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_795.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	769	0.1	/	1	765.450	-51.88	-13	Pass
769	775	0.1	/	2	773.900	-69.65	-35	Pass
775	787.9	0.1	/	3	782.850	-66.67	-13	Pass
787.9	803	0.1	/	/	/	/	/	/
803	805	0.1	/	4	803.950	-66.98	-35	Pass
805	1000	0.1	/	5	949.750	-69.36	-13	Pass

n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_795.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7980	1	/	1	3739.000	-46.07	-13	Pass

n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_795.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
790.5	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	1	798.001	-27.68	-13	Pass
798.1	799	0.1	CHP	2	798.152	-26.28	-13	Pass
799	805	0.00625	CHP	3	800.269	-42.05	-35	Pass
805	810	0.1	CHP	4	805.656	-54.49	-13	Pass

n14_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_790.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	765.521	-73.43	-13	Pass
769	775	0.00625	CHP	2	771.476	-84.19	-35	Pass
775	787.9	0.1	CHP	3	787.848	-24.21	-13	Pass
787.9	788	0.03	CHP	4	787.999	-19.64	-13	Pass
788	795.5	0.03	CHP	/	/	/	/	/

n14_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_790.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	769	0.1	/	1	762.300	-53.35	-13	Pass
769	775	0.1	/	2	772.700	-70.86	-35	Pass
775	787.9	0.1	/	3	781.850	-51.52	-13	Pass
787.9	803	0.1	/	/	/	/	/	/
803	805	0.1	/	4	803.400	-69.84	-35	Pass
805	1000	0.1	/	5	958.400	-69.03	-13	Pass

n14_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_790.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7980	1	/	1	4553.000	-45.92	-13	Pass

n14_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_790.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	768.896	-73.52	-13	Pass
769	775	0.00625	CHP	2	774.749	-84.37	-35	Pass
775	787.9	0.1	CHP	3	787.848	-27.44	-13	Pass
787.9	788	0.03	CHP	4	787.992	-29.11	-13	Pass
788	795.5	0.03	CHP	/	/	/	/	/

n14_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_793MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	769	0.1	/	1	764.900	-52.67	-13	Pass
769	775	0.1	/	2	770.100	-70.50	-35	Pass
775	787.9	0.1	/	3	782.250	-65.26	-13	Pass
787.9	803	0.1	/	/	/	/	/	/
803	805	0.1	/	4	804.550	-71.36	-35	Pass
805	1000	0.1	/	5	979.900	-67.84	-13	Pass

n14_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_793MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7980	1	/	1	3752.000	-46.31	-13	Pass

n14_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_795.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
790.5	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	1	798.001	-20.56	-13	Pass
798.1	799	0.1	CHP	2	798.152	-24.73	-13	Pass
799	805	0.00625	CHP	3	799.683	-53.57	-35	Pass
805	810	0.1	CHP	4	808.030	-73.36	-13	Pass

n14_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_795.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	769	0.1	/	1	765.800	-52.44	-13	Pass
769	775	0.1	/	2	774.700	-70.72	-35	Pass
775	787.9	0.1	/	3	782.100	-68.28	-13	Pass
787.9	803	0.1	/	/	/	/	/	/
803	805	0.1	/	4	803.850	-70.73	-35	Pass
805	1000	0.1	/	5	997.400	-69.20	-13	Pass

n14_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_795.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7980	1	/	1	4574.000	-47.09	-13	Pass


n14_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_795.5MHz_Outer_Full_Ant0



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
790.5	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	1	798.001	-31.29	-13	Pass
798.1	799	0.1	CHP	2	798.152	-29.22	-13	Pass
799	805	0.00625	CHP	3	799.131	-43.26	-35	Pass
805	810	0.1	CHP	4	805.083	-57.61	-13	Pass


5.2.2 15_S_10M_NTNV






Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	769	0.1	/	1	765.250	-56.53	-13	Pass
769	775	0.1	/	2	774.000	-70.66	-35	Pass
775	787.9	0.1	/	3	781.950	-60.81	-13	Pass
787.9	803	0.1	/	/	/	/	/	/
803	805	0.1	/	4	804.100	-70.06	-35	Pass
805	1000	0.1	/	5	908.850	-69.13	-13	Pass

n14_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_793MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7980	1	/	1	3749.000	-47.18	-13	Pass

n14_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_793MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	765.058	-57.75	-13	Pass
769	775	0.00625	CHP	2	774.996	-84.43	-35	Pass
775	787.9	0.1	CHP	3	787.848	-31.92	-13	Pass
787.9	788	0.03	CHP	4	787.999	-33.63	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	5	798.006	-39.82	-13	Pass
798.1	799	0.1	CHP	6	798.150	-36.74	-13	Pass
799	803	0.00625	CHP	7	800.231	-46.69	-35	Pass

n14_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_793MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
783	787.9	0.1	CHP	1	787.038	-61.34	-13	Pass
787.9	788	0.03	CHP	2	787.956	-70.13	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	3	798.001	-21.46	-13	Pass
798.1	799	0.1	CHP	4	798.152	-23.26	-13	Pass
799	805	0.00625	CHP	5	799.044	-56.63	-35	Pass
805	810	0.1	CHP	6	807.394	-73.34	-13	Pass

n14_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_793MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	769	0.1	/	1	765.800	-56.40	-13	Pass
769	775	0.1	/	2	771.100	-70.05	-35	Pass
775	787.9	0.1	/	3	781.850	-68.06	-13	Pass
787.9	803	0.1	/	/	/	/	/	/
803	805	0.1	/	4	803.300	-68.39	-35	Pass
805	1000	0.1	/	5	911.150	-69.22	-13	Pass

n14_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_793MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7980	1	/	1	4551.500	-46.69	-13	Pass

n14_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_793MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
783	787.9	0.1	CHP	1	787.848	-31.88	-13	Pass
787.9	788	0.03	CHP	2	787.998	-33.50	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	3	798.006	-39.63	-13	Pass
798.1	799	0.1	CHP	4	798.152	-36.62	-13	Pass
799	805	0.00625	CHP	5	800.231	-46.70	-35	Pass
805	810	0.1	CHP	6	805.076	-53.80	-13	Pass

n14_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_793MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	765.353	-57.90	-13	Pass
769	775	0.00625	CHP	2	770.027	-83.94	-35	Pass
775	787.9	0.1	CHP	3	787.848	-22.85	-13	Pass
787.9	788	0.03	CHP	4	787.999	-20.61	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	5	798.056	-71.21	-13	Pass
798.1	799	0.1	CHP	6	798.506	-66.44	-13	Pass
799	803	0.00625	CHP	7	799.928	-70.69	-35	Pass

n14_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_793MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	769	0.1	/	1	765.500	-56.37	-13	Pass
769	775	0.1	/	2	770.850	-70.66	-35	Pass
775	787.9	0.1	/	3	782.800	-50.91	-13	Pass
787.9	803	0.1	/	/	/	/	/	/
803	805	0.1	/	4	804.900	-70.77	-35	Pass
805	1000	0.1	/	5	961.400	-68.65	-13	Pass

n14_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_793MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7980	1	/	1	3756.500	-46.37	-13	Pass

n14_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_793MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	765.026	-57.85	-13	Pass
769	775	0.00625	CHP	2	774.939	-79.62	-35	Pass
775	787.9	0.1	CHP	3	787.848	-31.30	-13	Pass
787.9	788	0.03	CHP	4	787.964	-34.65	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	5	798.024	-39.19	-13	Pass
798.1	799	0.1	CHP	6	798.150	-34.67	-13	Pass
799	803	0.00625	CHP	7	799.235	-44.12	-35	Pass

n14_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_793MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
783	787.9	0.1	CHP	1	787.039	-61.58	-13	Pass
787.9	788	0.03	CHP	2	787.966	-69.26	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	3	798.003	-21.42	-13	Pass
798.1	799	0.1	CHP	4	798.152	-23.80	-13	Pass
799	805	0.00625	CHP	5	799.758	-54.40	-35	Pass
805	810	0.1	CHP	6	807.197	-73.48	-13	Pass

n14_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_793MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	769	0.1	/	1	765.800	-56.28	-13	Pass
769	775	0.1	/	2	770.850	-70.13	-35	Pass
775	787.9	0.1	/	3	782.300	-67.73	-13	Pass
787.9	803	0.1	/	/	/	/	/	/
803	805	0.1	/	4	803.600	-70.17	-35	Pass
805	1000	0.1	/	5	903.900	-68.21	-13	Pass


n14_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_793MHz_Edge_1RB_Right_Ant0



n14_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_793MHz_Outer_Full_Ant0




n14_15kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_793MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	765.024	-57.91	-13	Pass
769	775	0.00625	CHP	2	774.974	-84.54	-35	Pass
775	787.9	0.1	CHP	3	787.848	-24.84	-13	Pass
787.9	788	0.03	CHP	4	787.999	-22.17	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	5	798.014	-70.27	-13	Pass
798.1	799	0.1	CHP	6	798.462	-62.39	-13	Pass
799	803	0.00625	CHP	7	799.463	-72.50	-35	Pass

n14_15kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_793MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	769	0.1	/	1	764.800	-56.01	-13	Pass
769	775	0.1	/	2	771.400	-70.26	-35	Pass
775	787.9	0.1	/	3	781.500	-59.60	-13	Pass
787.9	803	0.1	/	/	/	/	/	/
803	805	0.1	/	4	803.400	-68.37	-35	Pass
805	1000	0.1	/	5	866.650	-69.30	-13	Pass

n14_15kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_793MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7980	1	/	1	7733.500	-46.15	-13	Pass

n14_15kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_793MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	765.351	-57.80	-13	Pass
769	775	0.00625	CHP	2	774.946	-84.37	-35	Pass
775	787.9	0.1	CHP	3	787.848	-33.00	-13	Pass
787.9	788	0.03	CHP	4	787.999	-36.06	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	5	798.002	-33.54	-13	Pass
798.1	799	0.1	CHP	6	798.150	-31.79	-13	Pass
799	803	0.00625	CHP	7	799.118	-44.23	-35	Pass

n14_15kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_793MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
783	787.9	0.1	CHP	1	786.056	-62.55	-13	Pass
787.9	788	0.03	CHP	2	787.915	-68.45	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	3	798.003	-22.65	-13	Pass
798.1	799	0.1	CHP	4	798.152	-25.42	-13	Pass
799	805	0.00625	CHP	5	799.763	-51.64	-35	Pass
805	810	0.1	CHP	6	805.795	-73.45	-13	Pass

n14_15kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_793MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	769	0.1	/	1	767.050	-57.05	-13	Pass
769	775	0.1	/	2	770.300	-71.52	-35	Pass
775	787.9	0.1	/	3	778.350	-68.83	-13	Pass
787.9	803	0.1	/	/	/	/	/	/
803	805	0.1	/	4	803.150	-66.44	-35	Pass
805	1000	0.1	/	5	901.500	-69.15	-13	Pass

n14_15kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_793MHz_Edge_1RB_Right_Ant0



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7980	1	/	1	4569.500	-46.08	-13	Pass

n14_15kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_793MHz_Outer_Full_Ant0



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
783	787.9	0.1	CHP	1	787.789	-32.82	-13	Pass
787.9	788	0.03	CHP	2	787.995	-35.95	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	3	798.003	-33.61	-13	Pass
798.1	799	0.1	CHP	4	798.152	-31.76	-13	Pass
799	805	0.00625	CHP	5	799.571	-44.54	-35	Pass
805	810	0.1	CHP	6	805.071	-52.65	-13	Pass

6. Emission Mask

6.1 Test Result

6.1.1 15_S_5M_NTNV

5G NR n14 SCS=15kHz SISO 5MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Freq. (MHz)		Emission Mask (dBm)		Verdict
			Start	Stop	Result	Limit	
DFT-s-OFDM PI/2 BPSK	790.5	Outer_Full	785.5	787.95	-29.43	-19	Pass
			773	778	-52.40	-13	Pass
			795.5	803	-36.36	-29	Pass
			793.05	795.5	-22.53	-19	Pass
			778	785.5	-34.63	-29	Pass
			803	808	-60.75	-13	Pass
		Edge_1RB_Left	787.95	793.05	6.00	6	Pass
			803	808	-72.30	-13	Pass
			793.05	795.5	-59.59	-6.94	Pass
			787.95	793.05	18.06	18.06	Pass
			778	785.5	-45.64	-16.94	Pass
			773	778	-71.18	-13	Pass
			795.5	803	-62.79	-16.94	Pass
			785.5	787.95	-18.18	-6.94	Pass
		Edge_1RB_Right	803	808	-72.75	-13	Pass
			787.95	793.05	17.86	17.86	Pass
			793.05	795.5	-19.58	-7.14	Pass
			773	778	-72.26	-13	Pass
			778	785.5	-63.93	-17.14	Pass
			795.5	803	-45.63	-17.14	Pass
	793	Outer_Full	785.5	787.95	-63.61	-7.14	Pass
			805.5	810.5	-66.59	-13	Pass
			788	790.45	-30.43	-20.76	Pass
			790.45	795.55	4.24	4.24	Pass
			780.5	788	-46.94	-30.76	Pass
			798	805.5	-47.87	-30.76	Pass
		Edge_1RB_Left	795.55	798	-27.95	-20.76	Pass
			775.5	780.5	-57.34	-13	Pass
			775.5	780.5	-66.07	-13	Pass
			798	805.5	-65.91	-18.62	Pass
			790.45	795.55	16.38	16.38	Pass
			805.5	810.5	-66.69	-13	Pass
		Edge_1RB_Right	780.5	788	-51.82	-18.62	Pass
			795.55	798	-57.37	-8.62	Pass
			788	790.45	-22.98	-8.62	Pass
			788	790.45	-64.02	-9.15	Pass
			795.55	798	-24.07	-9.15	Pass
			790.45	795.55	15.85	15.85	Pass
	795.5	Outer_Full	798	805.5	-53.21	-19.15	Pass
			805.5	810.5	-65.78	-13	Pass
			775.5	780.5	-66.39	-13	Pass
			780.5	788	-66.23	-19.15	Pass
			783	790.5	-41.63	-30.32	Pass
			800.5	808	-42.07	-30.32	Pass
			808	813	-69.79	-13	Pass

			798.05	800.5	-28.69	-20.32	Pass
			790.5	792.95	-29.93	-20.32	Pass
			792.95	798.05	4.68	4.68	Pass
			778	783	-55.81	-13	Pass
		Edge_1RB_Left	790.5	792.95	-18.55	-8.07	Pass
			783	790.5	-54.13	-18.07	Pass
			792.95	798.05	16.93	16.93	Pass
			808	813	-72.18	-13	Pass
			798.05	800.5	-65.62	-8.07	Pass
			778	783	-71.51	-13	Pass
			800.5	808	-67.49	-18.07	Pass
		Edge_1RB_Right	790.5	792.95	-57.96	-8.54	Pass
			800.5	808	-51.42	-18.54	Pass
			783	790.5	-66.22	-18.54	Pass
			778	783	-70.82	-13	Pass
			798.05	800.5	-20.65	-8.54	Pass
			792.95	798.05	16.46	16.46	Pass
			808	813	-72.09	-13	Pass
DFT-s-OFDM QPSK	790.5	Outer_Full	793.05	795.5	-23.96	-19.02	Pass
			778	785.5	-35.92	-29.02	Pass
			787.95	793.05	5.98	5.98	Pass
			773	778	-48.52	-13	Pass
			795.5	803	-35.34	-29.02	Pass
			803	808	-56.63	-13	Pass
		Edge_1RB_Left	785.5	787.95	-29.50	-19.02	Pass
			773	778	-72.09	-13	Pass
			793.05	795.5	-54.00	-8.52	Pass
			787.95	793.05	16.48	16.48	Pass
			785.5	787.95	-21.01	-8.52	Pass
			803	808	-72.26	-13	Pass
		Edge_1RB_Right	778	785.5	-49.63	-18.52	Pass
			795.5	803	-65.02	-18.52	Pass
			795.5	803	-50.32	-18.34	Pass
			773	778	-72.01	-13	Pass
			778	785.5	-66.57	-18.34	Pass
			793.05	795.5	-17.65	-8.34	Pass
			803	808	-72.61	-13	Pass
			785.5	787.95	-63.78	-8.34	Pass
			787.95	793.05	16.66	16.66	Pass
	793	Outer_Full	790.45	795.55	3.56	3.56	Pass
			780.5	788	-43.72	-31.44	Pass
			775.5	780.5	-53.56	-13	Pass
			798	805.5	-43.65	-31.44	Pass
			795.55	798	-29.00	-21.44	Pass
			805.5	810.5	-66.27	-13	Pass
		Edge_1RB_Left	788	790.45	-30.67	-21.44	Pass
			798	805.5	-65.73	-19.72	Pass
			788	790.45	-21.61	-9.72	Pass
			790.45	795.55	15.28	15.28	Pass
		Edge_1RB_Right	780.5	788	-50.76	-19.72	Pass
			775.5	780.5	-66.50	-13	Pass
			805.5	810.5	-66.58	-13	Pass
			795.55	798	-57.98	-9.72	Pass

		Edge_1RB_Right	775.5	780.5	-66.57	-13	Pass
			798	805.5	-50.76	-18.95	Pass
			780.5	788	-66.20	-18.95	Pass
			795.55	798	-21.19	-8.95	Pass
			788	790.45	-65.08	-8.95	Pass
			790.45	795.55	16.05	16.05	Pass
			805.5	810.5	-66.65	-13	Pass
		Outer_Full	792.95	798.05	7.19	7.19	Pass
			783	790.5	-36.68	-27.81	Pass
			790.5	792.95	-25.56	-17.81	Pass
			798.05	800.5	-25.04	-17.81	Pass
			800.5	808	-35.23	-27.81	Pass
			808	813	-59.76	-13	Pass
			778	783	-46.73	-13	Pass
	795.5	Edge_1RB_Left	808	813	-72.57	-13	Pass
			778	783	-69.02	-13	Pass
			790.5	792.95	-16.98	-5.15	Pass
			800.5	808	-64.21	-15.15	Pass
			783	790.5	-50.41	-15.15	Pass
			792.95	798.05	19.85	19.85	Pass
			798.05	800.5	-54.67	-5.15	Pass
		Edge_1RB_Right	800.5	808	-45.01	-15.54	Pass
			790.5	792.95	-54.50	-5.54	Pass
			808	813	-72.26	-13	Pass
			783	790.5	-63.84	-15.54	Pass
			792.95	798.05	19.46	19.46	Pass
			778	783	-69.25	-13	Pass
			798.05	800.5	-16.06	-5.54	Pass
			778	785.5	-39.13	-30	Pass
DFT-s-OFDM 16 QAM	790.5	Outer_Full	793.05	795.5	-26.61	-20	Pass
			773	778	-49.09	-13	Pass
			795.5	803	-38.13	-30	Pass
			785.5	787.95	-27.63	-20	Pass
			803	808	-59.25	-13	Pass
			787.95	793.05	5.00	5	Pass
		Edge_1RB_Left	803	808	-72.73	-13	Pass
			795.5	803	-64.34	-19.55	Pass
			778	785.5	-48.99	-19.55	Pass
			793.05	795.5	-58.16	-9.55	Pass
			773	778	-72.14	-13	Pass
			785.5	787.95	-18.64	-9.55	Pass
			787.95	793.05	15.45	15.45	Pass
		Edge_1RB_Right	773	778	-71.86	-13	Pass
			793.05	795.5	-18.87	-8.09	Pass
			803	808	-72.03	-13	Pass
			785.5	787.95	-64.42	-8.09	Pass
			778	785.5	-65.92	-18.09	Pass
			795.5	803	-47.90	-18.09	Pass
			787.95	793.05	16.91	16.91	Pass
	793	Outer_Full	780.5	788	-45.49	-32.19	Pass
			798	805.5	-45.09	-32.19	Pass
			795.55	798	-31.26	-22.19	Pass
			790.45	795.55	2.81	2.81	Pass

			775.5	780.5	-55.72	-13	Pass
			805.5	810.5	-66.19	-13	Pass
			788	790.45	-30.14	-22.19	Pass
		Edge_1RB_Left	790.45	795.55	14.84	14.84	Pass
			775.5	780.5	-66.17	-13	Pass
			795.55	798	-61.22	-10.16	Pass
			805.5	810.5	-66.57	-13	Pass
			798	805.5	-65.25	-20.16	Pass
			780.5	788	-50.75	-20.16	Pass
			788	790.45	-22.89	-10.16	Pass
		Edge_1RB_Right	805.5	810.5	-66.51	-13	Pass
			780.5	788	-65.82	-20.02	Pass
			788	790.45	-64.49	-10.02	Pass
			790.45	795.55	14.98	14.98	Pass
			798	805.5	-52.75	-20.02	Pass
			775.5	780.5	-66.26	-13	Pass
			795.55	798	-21.80	-10.02	Pass
	795.5	Outer_Full	808	813	-59.84	-13	Pass
			798.05	800.5	-23.57	-17.88	Pass
			800.5	808	-34.85	-27.88	Pass
			783	790.5	-36.42	-27.88	Pass
			790.5	792.95	-22.65	-17.88	Pass
			792.95	798.05	7.12	7.12	Pass
			778	783	-47.69	-13	Pass
		Edge_1RB_Left	783	790.5	-47.68	-15.87	Pass
			790.5	792.95	-16.53	-5.87	Pass
			792.95	798.05	19.13	19.13	Pass
			800.5	808	-65.64	-15.87	Pass
			798.05	800.5	-58.55	-5.87	Pass
			808	813	-71.94	-13	Pass
			778	783	-69.44	-13	Pass
		Edge_1RB_Right	808	813	-71.85	-13	Pass
			798.05	800.5	-19.35	-5.39	Pass
			800.5	808	-45.25	-15.39	Pass
			783	790.5	-61.94	-15.39	Pass
			790.5	792.95	-54.94	-5.39	Pass
			792.95	798.05	19.61	19.61	Pass
			778	783	-68.97	-13	Pass
DFT-s-OFDM 64 QAM	790.5	Outer_Full	773	778	-50.77	-13	Pass
			778	785.5	-36.53	-30.08	Pass
			803	808	-59.96	-13	Pass
			787.95	793.05	4.92	4.92	Pass
			795.5	803	-35.69	-30.08	Pass
			785.5	787.95	-29.52	-20.08	Pass
		Edge_1RB_Left	793.05	795.5	-27.31	-20.08	Pass
			785.5	787.95	-23.17	-8.76	Pass
			795.5	803	-64.29	-18.76	Pass
			787.95	793.05	16.24	16.24	Pass
			773	778	-71.85	-13	Pass
			778	785.5	-51.99	-18.76	Pass
			803	808	-72.54	-13	Pass
			793.05	795.5	-60.94	-8.76	Pass
		Edge_1RB_Right	795.5	803	-55.98	-18.53	Pass

			793.05	795.5	-21.52	-8.53	Pass
			785.5	787.95	-63.78	-8.53	Pass
			773	778	-72.68	-13	Pass
			787.95	793.05	16.47	16.47	Pass
			778	785.5	-65.39	-18.53	Pass
			803	808	-71.79	-13	Pass
	793	Outer_Full	805.5	810.5	-66.09	-13	Pass
			798	805.5	-45.01	-32.97	Pass
			775.5	780.5	-56.55	-13	Pass
			790.45	795.55	2.03	2.03	Pass
			788	790.45	-33.85	-22.97	Pass
			795.55	798	-28.51	-22.97	Pass
			780.5	788	-45.38	-32.97	Pass
		Edge_1RB_Left	775.5	780.5	-66.31	-13	Pass
			795.55	798	-63.21	-10.08	Pass
			780.5	788	-55.21	-20.08	Pass
			805.5	810.5	-66.63	-13	Pass
			788	790.45	-21.18	-10.08	Pass
			790.45	795.55	14.92	14.92	Pass
			798	805.5	-65.84	-20.08	Pass
		Edge_1RB_Right	790.45	795.55	14.45	14.45	Pass
			805.5	810.5	-66.26	-13	Pass
			788	790.45	-64.50	-10.55	Pass
			798	805.5	-51.93	-20.55	Pass
			780.5	788	-65.95	-20.55	Pass
			775.5	780.5	-65.98	-13	Pass
	795.5	Outer_Full	795.55	798	-22.58	-10.55	Pass
			798.05	800.5	-27.38	-18.3	Pass
			778	783	-47.86	-13	Pass
			792.95	798.05	6.70	6.7	Pass
			808	813	-59.85	-13	Pass
			800.5	808	-35.05	-28.3	Pass
		Edge_1RB_Left	783	790.5	-36.39	-28.3	Pass
			790.5	792.95	-25.75	-18.3	Pass
			783	790.5	-51.11	-16.05	Pass
			792.95	798.05	18.95	18.95	Pass
			800.5	808	-63.87	-16.05	Pass
			798.05	800.5	-58.89	-6.05	Pass
		Edge_1RB_Right	790.5	792.95	-18.59	-6.05	Pass
			808	813	-71.26	-13	Pass
			778	783	-68.73	-13	Pass
			808	813	-72.46	-13	Pass
			790.5	792.95	-57.39	-6.23	Pass
			783	790.5	-62.72	-16.23	Pass
DFT-s-OFDM 256 QAM	790.5	Outer_Full	798.05	800.5	-20.60	-6.23	Pass
			778	783	-70.29	-13	Pass
			792.95	798.05	18.77	18.77	Pass
			800.5	808	-48.72	-16.23	Pass
			773	778	-54.76	-13	Pass
			785.5	787.95	-30.66	-22.38	Pass
			793.05	795.5	-27.40	-22.38	Pass
			803	808	-63.97	-13	Pass
			778	785.5	-38.97	-32.38	Pass

			795.5	803	-37.42	-32.38	Pass
			787.95	793.05	2.62	2.62	Pass
		Edge_1RB_Left	787.95	793.05	13.67	13.67	Pass
			803	808	-72.77	-13	Pass
			778	785.5	-51.89	-21.33	Pass
			793.05	795.5	-59.19	-11.33	Pass
			773	778	-71.39	-13	Pass
			795.5	803	-62.52	-21.33	Pass
			785.5	787.95	-22.59	-11.33	Pass
		Edge_1RB_Right	795.5	803	-55.32	-20.52	Pass
			773	778	-71.89	-13	Pass
			785.5	787.95	-62.47	-10.52	Pass
			787.95	793.05	14.48	14.48	Pass
			793.05	795.5	-24.27	-10.52	Pass
			778	785.5	-63.17	-20.52	Pass
			803	808	-72.49	-13	Pass
		Outer_Full	805.5	810.5	-67.00	-13	Pass
			788	790.45	-29.49	-25.14	Pass
			775.5	780.5	-61.24	-13	Pass
			795.55	798	-29.87	-25.14	Pass
			780.5	788	-46.76	-35.14	Pass
			798	805.5	-45.63	-35.14	Pass
			790.45	795.55	-0.14	-0.14	Pass
	793	Edge_1RB_Left	790.45	795.55	11.91	11.91	Pass
			795.55	798	-63.58	-13.09	Pass
			780.5	788	-60.65	-23.09	Pass
			788	790.45	-26.69	-13.09	Pass
			805.5	810.5	-66.78	-13	Pass
			775.5	780.5	-66.31	-13	Pass
			798	805.5	-66.04	-23.09	Pass
		Edge_1RB_Right	788	790.45	-64.40	-13.39	Pass
			790.45	795.55	11.61	11.61	Pass
			798	805.5	-54.99	-23.39	Pass
			805.5	810.5	-66.66	-13	Pass
			775.5	780.5	-65.45	-13	Pass
			795.55	798	-26.42	-13.39	Pass
			780.5	788	-66.65	-23.39	Pass
	795.5	Outer_Full	808	813	-64.78	-13	Pass
			783	790.5	-37.10	-30.15	Pass
			790.5	792.95	-24.95	-20.15	Pass
			778	783	-52.58	-13	Pass
			798.05	800.5	-28.47	-20.15	Pass
			800.5	808	-36.57	-30.15	Pass
			792.95	798.05	4.85	4.85	Pass
		Edge_1RB_Left	792.95	798.05	16.04	16.04	Pass
			778	783	-69.77	-13	Pass
			798.05	800.5	-59.72	-8.96	Pass
			800.5	808	-67.50	-18.96	Pass
			783	790.5	-52.97	-18.96	Pass
			808	813	-72.36	-13	Pass
			790.5	792.95	-19.86	-8.96	Pass
		Edge_1RB_Right	790.5	792.95	-56.72	-8.91	Pass
			808	813	-72.25	-13	Pass

			798.05	800.5	-21.60	-8.91	Pass
			792.95	798.05	16.09	16.09	Pass
			800.5	808	-46.50	-18.91	Pass
			783	790.5	-63.74	-18.91	Pass
CP-OFDM QPSK			778	783	-71.14	-13	Pass
			787.95	793.05	3.01	3.01	Pass
			803	808	-61.35	-13	Pass
			773	778	-51.97	-13	Pass
			785.5	787.95	-32.27	-21.99	Pass
			795.5	803	-39.56	-31.99	Pass
			778	785.5	-41.22	-31.99	Pass
			793.05	795.5	-31.24	-21.99	Pass
		Outer_Full	803	808	-72.86	-13	Pass
			785.5	787.95	-20.57	-10.92	Pass
			787.95	793.05	14.08	14.08	Pass
			778	785.5	-44.10	-20.92	Pass
			773	778	-71.54	-13	Pass
			793.05	795.5	-53.94	-10.92	Pass
		Edge_1RB_Left	795.5	803	-65.87	-20.92	Pass
			787.95	793.05	14.52	14.52	Pass
			795.5	803	-51.16	-20.48	Pass
			778	785.5	-70.29	-20.48	Pass
			785.5	787.95	-65.05	-10.48	Pass
			793.05	795.5	-21.11	-10.48	Pass
		Edge_1RB_Right	803	808	-72.14	-13	Pass
			773	778	-72.50	-13	Pass
			790.45	795.55	1.36	1.36	Pass
			798	805.5	-43.77	-33.64	Pass
			805.5	810.5	-66.11	-13	Pass
			775.5	780.5	-57.60	-13	Pass
		Outer_Full	795.55	798	-29.21	-23.64	Pass
			780.5	788	-44.56	-33.64	Pass
			788	790.45	-31.41	-23.64	Pass
			805.5	810.5	-66.64	-13	Pass
			790.45	795.55	13.07	13.07	Pass
			795.55	798	-62.98	-11.93	Pass
		Edge_1RB_Left	788	790.45	-22.94	-11.93	Pass
			780.5	788	-49.99	-21.93	Pass
			798	805.5	-66.11	-21.93	Pass
			775.5	780.5	-66.55	-13	Pass
			805.5	810.5	-66.79	-13	Pass
			798	805.5	-49.77	-21.23	Pass
		Edge_1RB_Right	780.5	788	-66.31	-21.23	Pass
			788	790.45	-63.60	-11.23	Pass
			795.55	798	-24.59	-11.23	Pass
			790.45	795.55	13.77	13.77	Pass
			775.5	780.5	-66.14	-13	Pass
			808	813	-61.53	-13	Pass
		Outer_Full	792.95	798.05	5.88	5.88	Pass
			790.5	792.95	-25.09	-19.12	Pass
			800.5	808	-36.67	-29.12	Pass
			778	783	-50.06	-13	Pass
			783	790.5	-36.67	-29.12	Pass