



Report No.: SUCR260400031709

Page: 1 of 51

Appendix B.2

1.1. Test Band = LTE Band2_ TM1

1.1.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702	54.92	-45.90	29.92	-56.32	-13.00	43.32	Horizontal
2	5553.375	46.33	-46.55	33.21	-62.26	-13.00	49.26	Horizontal
3	7404.375	47.46	-44.77	36.43	-56.15	-13.00	43.15	Horizontal
4	9255.75	41.66	-41.67	38.13	-57.13	-13.00	44.13	Horizontal
5	12183	37.49	-37.17	39.17	-55.77	-13.00	42.77	Horizontal
6	14808.75	38.12	-36.94	39.67	-54.41	-13.00	41.41	Horizontal

1.2. Test Band = LTE Band2_ TM1

1.2.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702.375	50.75	-45.90	29.92	-60.49	-13.00	47.49	Vertical
2	5194.125	44.14	-45.34	32.85	-63.62	-13.00	50.62	Vertical
3	7404.375	52.93	-44.77	36.43	-50.68	-13.00	37.68	Vertical
4	8998.5	39.83	-40.44	38.20	-57.67	-13.00	44.67	Vertical
5	12096.375	37.47	-36.86	38.99	-55.65	-13.00	42.65	Vertical
6	15519.75	41.26	-37.97	39.18	-52.79	-13.00	39.79	Vertical



Report No.: SUCR260400031709

Page: 2 of 51

1.3. Test Band = LTE Band2_ TM1

1.3.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.125	47.41	-46.28	30.32	-63.81	-13.00	50.81	Horizontal
2	4016.625	45.58	-47.05	31.30	-65.43	-13.00	52.43	Horizontal
3	7484.25	48.89	-43.56	36.49	-53.43	-13.00	40.43	Horizontal
4	9355.5	41.03	-41.21	38.29	-57.15	-13.00	44.15	Horizontal
5	11961.75	39.00	-38.37	38.80	-55.83	-13.00	42.83	Horizontal
6	15679.875	39.49	-36.43	39.02	-53.18	-13.00	40.18	Horizontal

1.4. Test Band = LTE Band2_ TM1

1.4.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.125	48.16	-46.28	30.32	-63.06	-13.00	50.06	Vertical
2	4784.25	44.20	-46.02	32.71	-64.37	-13.00	51.37	Vertical
3	7484.25	51.99	-43.56	36.49	-50.33	-13.00	37.33	Vertical
4	9060.75	40.66	-41.12	38.02	-57.70	-13.00	44.70	Vertical
5	11241.375	38.54	-37.89	38.88	-55.73	-13.00	42.73	Vertical
6	15679.875	44.14	-36.43	39.02	-48.53	-13.00	35.53	Vertical



Report No.: SUCR260400031709

Page: 3 of 51

1.5. Test Band = LTE Band2_ TM1

1.5.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3782.25	47.73	-46.67	30.92	-63.28	-13.00	50.28	Horizontal
2	4542.375	44.25	-46.44	32.21	-65.24	-13.00	52.24	Horizontal
3	7564.5	49.93	-43.39	36.00	-52.72	-13.00	39.72	Horizontal
4	8996.25	39.69	-40.46	38.19	-57.84	-13.00	44.84	Horizontal
5	11230.125	39.16	-37.66	38.86	-54.90	-13.00	41.90	Horizontal
6	15839.625	38.50	-36.03	39.48	-53.31	-13.00	40.31	Horizontal

1.6. Test Band = LTE Band2_ TM1

1.6.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3782.25	46.44	-46.67	30.92	-64.57	-13.00	51.57	Vertical
2	4870.125	44.18	-46.10	32.98	-64.20	-13.00	51.20	Vertical
3	5817.75	44.33	-45.82	34.17	-62.58	-13.00	49.58	Vertical
4	7564.125	53.49	-43.39	36.00	-49.16	-13.00	36.16	Vertical
5	9834	38.76	-39.68	38.20	-57.98	-13.00	44.98	Vertical
6	15840	41.77	-36.03	39.48	-50.04	-13.00	37.04	Vertical



Report No.: SUCR260400031709

Page: 4 of 51

1.7. Test Band = LTE Band4_ TM1

1.7.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3422.25	72.23	-46.99	29.59	-40.43	-13.00	27.43	Horizontal
2	4563.375	43.99	-46.24	32.22	-65.29	-13.00	52.29	Horizontal
3	5133	49.95	-45.89	33.34	-57.86	-13.00	44.86	Horizontal
4	6844.5	57.18	-45.04	35.69	-47.43	-13.00	34.43	Horizontal
5	10266.375	44.97	-39.81	38.37	-51.74	-13.00	38.74	Horizontal
6	13689.375	40.84	-36.90	39.99	-51.33	-13.00	38.33	Horizontal

1.8. Test Band = LTE Band4_ TM1

1.8.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3422.25	68.79	-46.99	29.59	-43.87	-13.00	30.87	Vertical
2	5133.375	46.45	-45.88	33.33	-61.36	-13.00	48.36	Vertical
3	6844.125	55.60	-45.03	35.69	-49.01	-13.00	36.01	Vertical
4	10266.75	49.43	-39.82	38.37	-47.28	-13.00	34.28	Vertical
5	13688.25	42.90	-36.89	39.99	-49.26	-13.00	36.26	Vertical
6	15400.125	37.62	-37.46	39.00	-56.10	-13.00	43.10	Vertical



Report No.: SUCR260400031709

Page: 5 of 51

1.9. Test Band = LTE Band4_ TM1

1.9.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3447	63.63	-47.07	29.69	-49.01	-13.00	36.01	Horizontal
2	4345.5	44.21	-46.38	32.01	-65.42	-13.00	52.42	Horizontal
3	6894	51.05	-45.59	36.05	-53.75	-13.00	40.75	Horizontal
4	9560.625	39.00	-40.96	38.38	-58.84	-13.00	45.84	Horizontal
5	10789.125	37.46	-38.35	38.96	-57.20	-13.00	44.20	Horizontal
6	12421.5	37.58	-38.05	39.06	-56.67	-13.00	43.67	Horizontal

1.10. Test Band = LTE Band4_ TM1

1.10.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3447	60.26	-47.07	29.69	-52.38	-13.00	39.38	Vertical
2	4574.625	44.10	-46.13	32.15	-65.13	-13.00	52.13	Vertical
3	6894.75	52.50	-45.60	36.06	-52.30	-13.00	39.30	Vertical
4	8373.375	42.38	-42.22	36.99	-58.11	-13.00	45.11	Vertical
5	9586.125	39.82	-40.84	38.33	-57.95	-13.00	44.95	Vertical
6	11188.125	37.53	-37.25	38.85	-56.13	-13.00	43.13	Vertical



Report No.: SUCR260400031709

Page: 6 of 51

1.11. Test Band = LTE Band4_ TM1

1.11.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3472.125	59.69	-47.15	29.83	-52.89	-13.00	39.89	Horizontal
2	4810.875	43.94	-45.95	32.94	-64.32	-13.00	51.32	Horizontal
3	6944.625	49.85	-45.06	36.10	-54.37	-13.00	41.37	Horizontal
4	8680.5	42.27	-42.24	37.84	-57.39	-13.00	44.39	Horizontal
5	10807.875	36.97	-38.17	39.01	-57.46	-13.00	44.46	Horizontal
6	12422.25	37.98	-38.05	39.06	-56.27	-13.00	43.27	Horizontal

1.12. Test Band = LTE Band4_ TM1

1.12.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3472.125	58.08	-47.15	29.83	-54.50	-13.00	41.50	Vertical
2	5083.125	43.71	-46.12	33.57	-64.10	-13.00	51.10	Vertical
3	6944.25	53.55	-45.06	36.10	-50.67	-13.00	37.67	Vertical
4	8407.5	40.83	-41.64	37.18	-58.89	-13.00	45.89	Vertical
5	10110.375	38.26	-39.32	38.57	-57.75	-13.00	44.75	Vertical
6	11233.875	38.35	-37.74	38.87	-55.78	-13.00	42.78	Vertical



Report No.: SUCR260400031709

Page: 7 of 51

1.13. Test Band = LTE Band5_ TM1

1.13.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1649.1429	70.98	-48.79	26.09	-46.97	-13.00	33.97	Horizontal
2	2473.7143	70.99	-47.78	27.90	-44.15	-13.00	31.15	Horizontal
3	3298.2857	45.07	-47.42	29.91	-67.70	-13.00	54.70	Horizontal
4	4122.8571	49.36	-46.29	31.06	-61.13	-13.00	48.13	Horizontal
5	5192	43.17	-45.13	32.86	-64.35	-13.00	51.35	Horizontal
6	6621.7143	41.90	-45.31	35.73	-62.94	-13.00	49.94	Horizontal

1.14. Test Band = LTE Band5_ TM1

1.14.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1649.1429	62.65	-48.79	26.09	-55.30	-13.00	42.30	Vertical
2	2473.7143	69.66	-47.78	27.90	-45.48	-13.00	32.48	Vertical
3	3298.2857	47.34	-47.42	29.91	-65.43	-13.00	52.43	Vertical
4	4122.8571	47.68	-46.29	31.06	-62.81	-13.00	49.81	Vertical
5	5182.8571	43.85	-45.24	32.94	-63.71	-13.00	50.71	Vertical
6	5945.7143	42.89	-45.77	34.31	-63.83	-13.00	50.83	Vertical



Report No.: SUCR260400031709
Page: 8 of 51

1.15. Test Band = LTE Band5_ TM1

1.15.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1313.7143	45.54	-48.74	25.76	-72.70	-13.00	59.70	Horizontal
2	1664	63.20	-48.82	25.93	-54.95	-13.00	41.95	Horizontal
3	2496.5714	70.01	-47.47	27.90	-44.82	-13.00	31.82	Horizontal
4	4160.5714	47.03	-46.07	30.92	-63.38	-13.00	50.38	Horizontal
5	6009.7143	43.40	-46.05	34.10	-63.81	-13.00	50.81	Horizontal
6	7028	42.04	-44.19	35.94	-61.46	-13.00	48.46	Horizontal

1.16. Test Band = LTE Band5_ TM1

1.16.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1346.2857	45.96	-48.72	26.16	-71.86	-13.00	58.86	Vertical
2	1664	57.47	-48.82	25.93	-60.68	-13.00	47.68	Vertical
3	2496	69.12	-47.47	27.90	-45.71	-13.00	32.71	Vertical
4	3328.5714	46.25	-47.38	29.67	-66.72	-13.00	53.72	Vertical
5	4160.5714	48.27	-46.07	30.92	-62.14	-13.00	49.14	Vertical
6	5688.5714	42.75	-45.38	33.42	-64.47	-13.00	51.47	Vertical



Report No.: SUCR260400031709

Page: 9 of 51

1.17. Test Band = LTE Band5_ TM1

1.17.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1679.4286	73.48	-48.85	25.75	-44.88	-13.00	31.88	Horizontal
2	2518.8571	69.46	-47.57	27.98	-45.40	-13.00	32.40	Horizontal
3	3358.2857	45.38	-47.33	29.50	-67.71	-13.00	54.71	Horizontal
4	4197.7143	46.11	-45.86	31.00	-64.02	-13.00	51.02	Horizontal
5	5741.1429	43.04	-45.47	33.65	-64.04	-13.00	51.04	Horizontal
6	6716.5714	44.93	-44.42	36.03	-58.72	-13.00	45.72	Horizontal

1.18. Test Band = LTE Band5_ TM1

1.18.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1180	46.09	-49.10	26.08	-72.19	-13.00	59.19	Vertical
2	1679.4286	59.98	-48.85	25.75	-58.38	-13.00	45.38	Vertical
3	2518.8571	70.62	-47.57	27.98	-44.24	-13.00	31.24	Vertical
4	3358.2857	46.02	-47.33	29.50	-67.07	-13.00	54.07	Vertical
5	4198.2857	49.61	-45.86	31.00	-60.51	-13.00	47.51	Vertical
6	6716.5714	43.89	-44.42	36.03	-59.76	-13.00	46.76	Vertical



Report No.: SUCR260400031709
Page: 10 of 51

1.19. Test Band = LTE Band7_ TM1

1.19.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3765	45.04	-46.50	30.64	-66.08	-25.00	41.08	Horizontal
2	5002.125	58.33	-45.81	33.02	-49.72	-25.00	24.72	Horizontal
3	7503	44.69	-43.32	36.38	-57.52	-25.00	32.52	Horizontal
4	10004.25	48.02	-41.68	38.31	-50.60	-25.00	25.60	Horizontal
5	12505.5	39.83	-38.03	38.91	-54.54	-25.00	29.54	Horizontal
6	15800.25	38.13	-35.53	39.60	-53.06	-25.00	28.06	Horizontal

1.20. Test Band = LTE Band7_ TM1

1.20.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3456	45.64	-47.10	29.74	-66.98	-25.00	41.98	Vertical
2	5002.125	58.30	-45.81	33.02	-49.75	-25.00	24.75	Vertical
3	7503	51.54	-43.32	36.38	-50.67	-25.00	25.67	Vertical
4	10004.625	47.22	-41.67	38.31	-51.39	-25.00	26.39	Vertical
5	12505.5	45.86	-38.03	38.91	-48.51	-25.00	23.51	Vertical
6	15061.5	37.52	-36.59	39.32	-55.02	-25.00	30.02	Vertical



Report No.: SUCR260400031709

Page: 11 of 51

1.21. Test Band = LTE Band7_ TM1

1.21.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5052.375	51.11	-46.00	33.50	-56.64	-25.00	31.64	Horizontal
2	7578	47.12	-43.41	36.00	-55.55	-25.00	30.55	Horizontal
3	10104.375	47.90	-39.33	38.59	-48.10	-25.00	23.10	Horizontal
4	11186.625	39.03	-37.27	38.85	-54.65	-25.00	29.65	Horizontal
5	13604.625	38.15	-36.18	39.90	-53.38	-25.00	28.38	Horizontal
6	14333.25	37.76	-36.21	39.93	-53.78	-25.00	28.78	Horizontal

1.22. Test Band = LTE Band7_ TM1

1.22.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4369.875	46.33	-46.29	31.80	-63.42	-25.00	38.42	Vertical
2	5052.375	49.88	-46.00	33.50	-57.87	-25.00	32.87	Vertical
3	7578	50.50	-43.41	36.00	-52.17	-25.00	27.17	Vertical
4	10104.375	45.23	-39.33	38.59	-50.77	-25.00	25.77	Vertical
5	12630.375	43.74	-38.88	39.22	-51.18	-25.00	26.18	Vertical
6	14332.5	37.27	-36.21	39.94	-54.27	-25.00	29.27	Vertical



Report No.: SUCR260400031709

Page: 12 of 51

1.23. Test Band = LTE Band7_ TM1

1.23.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3872.25	45.33	-46.57	30.77	-65.74	-25.00	40.74	Horizontal
2	5102.25	52.79	-46.16	33.58	-55.05	-25.00	30.05	Horizontal
3	7653.375	48.80	-43.36	36.42	-53.40	-25.00	28.40	Horizontal
4	10204.5	44.72	-39.18	38.30	-51.41	-25.00	26.41	Horizontal
5	12097.5	37.94	-36.84	39.00	-55.16	-25.00	30.16	Horizontal
6	13690.875	38.20	-36.91	39.99	-53.98	-25.00	28.98	Horizontal

1.24. Test Band = LTE Band7_ TM1

1.24.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4345.5	45.04	-46.38	32.01	-64.59	-25.00	39.59	Vertical
2	5102.25	52.58	-46.16	33.58	-55.26	-25.00	30.26	Vertical
3	7653.375	49.57	-43.36	36.42	-52.63	-25.00	27.63	Vertical
4	10204.5	46.57	-39.18	38.30	-49.56	-25.00	24.56	Vertical
5	12755.25	43.68	-38.16	39.44	-50.29	-25.00	25.29	Vertical
6	14512.125	37.72	-37.03	39.96	-54.61	-25.00	29.61	Vertical



Report No.: SUCR260400031709

Page: 13 of 51

1.25. Test Band = LTE Band12_ TM1

1.25.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1399.4286	63.78	-48.68	26.69	-53.47	-13.00	40.47	Horizontal
2	2098.8571	57.47	-47.79	27.19	-58.39	-13.00	45.39	Horizontal
3	2798.2857	48.15	-46.91	28.70	-65.32	-13.00	52.32	Horizontal
4	3497.7143	47.03	-47.54	29.99	-65.79	-13.00	52.79	Horizontal
5	5019.4286	43.97	-46.05	33.19	-64.14	-13.00	51.14	Horizontal
6	5691.4286	44.32	-45.35	33.42	-62.87	-13.00	49.87	Horizontal

1.26. Test Band = LTE Band12_ TM1

1.26.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1399.4286	58.06	-48.68	26.69	-59.19	-13.00	46.19	Vertical
2	2098.8571	59.83	-47.79	27.19	-56.03	-13.00	43.03	Vertical
3	2798.2857	48.37	-46.91	28.70	-65.10	-13.00	52.10	Vertical
4	3770.8571	44.91	-46.85	30.73	-66.46	-13.00	53.46	Vertical
5	4845.7143	44.26	-46.11	33.08	-64.02	-13.00	51.02	Vertical
6	5739.4286	44.15	-45.46	33.64	-62.93	-13.00	49.93	Vertical



Report No.: SUCR260400031709

Page: 14 of 51

1.27. Test Band = LTE Band12_ TM1

1.27.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1406.2857	60.80	-48.67	26.66	-56.47	-13.00	43.47	Horizontal
2	2109.1429	56.58	-47.87	27.29	-59.26	-13.00	46.26	Horizontal
3	2812.5714	45.91	-46.97	28.73	-67.59	-13.00	54.59	Horizontal
4	3516	45.38	-47.41	29.97	-67.32	-13.00	54.32	Horizontal
5	4382.2857	44.32	-46.39	31.68	-65.65	-13.00	52.65	Horizontal
6	5822.8571	44.24	-45.73	34.19	-62.56	-13.00	49.56	Horizontal

1.28. Test Band = LTE Band12_ TM1

1.28.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1406.2857	56.06	-48.67	26.66	-61.21	-13.00	48.21	Vertical
2	2109.1429	59.38	-47.87	27.29	-56.46	-13.00	43.46	Vertical
3	3515.4286	46.79	-47.41	29.97	-65.92	-13.00	52.92	Vertical
4	4221.7143	43.89	-46.05	31.22	-66.20	-13.00	53.20	Vertical
5	5126.2857	44.37	-45.92	33.39	-63.42	-13.00	50.42	Vertical
6	5736.5714	44.44	-45.44	33.62	-62.64	-13.00	49.64	Vertical



Report No.: SUCR260400031709

Page: 15 of 51

1.29. Test Band = LTE Band12_ TM1

1.29.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1413.1429	62.80	-48.66	26.62	-54.50	-13.00	41.50	Horizontal
2	2119.4286	56.83	-47.98	27.39	-59.01	-13.00	46.01	Horizontal
3	2826.2857	46.17	-47.04	28.75	-67.37	-13.00	54.37	Horizontal
4	3254.2857	44.68	-47.26	30.17	-67.66	-13.00	54.66	Horizontal
5	4286.8571	43.83	-46.65	31.94	-66.14	-13.00	53.14	Horizontal
6	5673.1429	44.02	-45.56	33.45	-63.34	-13.00	50.34	Horizontal

1.30. Test Band = LTE Band12_ TM1

1.30.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1413.1429	54.61	-48.66	26.62	-62.69	-13.00	49.69	Vertical
2	2120	60.39	-47.98	27.40	-55.45	-13.00	42.45	Vertical
3	2826.2857	45.62	-47.04	28.75	-67.92	-13.00	54.92	Vertical
4	3686.2857	44.87	-46.54	29.85	-67.09	-13.00	54.09	Vertical
5	4533.7143	44.19	-46.58	32.10	-65.54	-13.00	52.54	Vertical
6	5667.4286	44.39	-45.62	33.47	-63.03	-13.00	50.03	Vertical



Report No.: SUCR260400031709

Page: 16 of 51

1.31. Test Band = LTE Band13 10M_ TM1

1.31.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1555.4286	60.62	-48.61	25.62	-57.63	-13.00	44.63	Horizontal
2	2332.5714	68.39	-48.51	27.23	-48.15	-13.00	35.15	Horizontal
3	3110.2857	48.98	-46.71	29.60	-63.39	-13.00	50.39	Horizontal
4	3888	51.00	-46.42	30.67	-60.00	-13.00	47.00	Horizontal
5	5140.5714	43.60	-45.75	33.28	-64.13	-13.00	51.13	Horizontal
6	6417.7143	42.29	-45.37	35.14	-63.20	-13.00	50.20	Horizontal

1.32. Test Band = LTE Band13 10M_ TM1

1.32.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1555.4286	57.17	-48.61	25.62	-61.08	-13.00	48.08	Vertical
2	2332.5714	68.56	-48.51	27.23	-47.98	-13.00	34.98	Vertical
3	3110.2857	52.24	-46.71	29.60	-60.13	-13.00	47.13	Vertical
4	3888	52.56	-46.42	30.67	-58.44	-13.00	45.44	Vertical
5	4805.1429	43.97	-46.02	32.92	-64.39	-13.00	51.39	Vertical
6	5913.7143	42.72	-45.63	34.37	-63.80	-13.00	50.80	Vertical



Report No.: SUCR260400031709

Page: 17 of 51

1.33. Test Band = LTE Band13 5M_ TM1

1.33.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1554.8571	61.04	-48.61	25.62	-57.21	-13.00	44.21	Horizontal
2	2332	68.46	-48.50	27.23	-48.08	-13.00	35.08	Horizontal
3	3109.1429	51.60	-46.70	29.60	-60.76	-13.00	47.76	Horizontal
4	3886.8571	50.48	-46.42	30.68	-60.53	-13.00	47.53	Horizontal
5	4802.2857	42.81	-46.01	32.91	-65.56	-13.00	52.56	Horizontal
6	5686.2857	43.11	-45.41	33.43	-64.13	-13.00	51.13	Horizontal

1.34. Test Band = LTE Band13 5M_ TM1

1.34.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1554.8571	56.74	-48.61	25.62	-61.51	-13.00	48.51	Vertical
2	2332	68.50	-48.50	27.23	-48.04	-13.00	35.04	Vertical
3	3109.7143	52.56	-46.71	29.60	-59.81	-13.00	46.81	Vertical
4	3886.8571	51.55	-46.42	30.68	-59.46	-13.00	46.46	Vertical
5	5019.4286	43.08	-46.05	33.19	-65.03	-13.00	52.03	Vertical
6	5830.8571	42.99	-45.72	34.22	-63.76	-13.00	50.76	Vertical



Report No.: SUCR260400031709

Page: 18 of 51

1.35. Test Band = LTE Band13 5M_ TM1

1.35.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1559.4286	65.27	-48.62	25.64	-52.97	-40.00	12.97	Horizontal
2	2339.4286	69.38	-48.54	27.26	-47.16	-13.00	34.16	Horizontal
3	3119.4286	49.41	-46.74	29.60	-62.99	-13.00	49.99	Horizontal
4	3899.4286	50.37	-46.34	30.60	-60.63	-13.00	47.63	Horizontal
5	5167.4286	43.21	-45.42	33.06	-64.41	-13.00	51.41	Horizontal
6	5977.7143	43.63	-45.90	34.19	-63.35	-13.00	50.35	Horizontal

1.36. Test Band = LTE Band13 5M_ TM1

1.36.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1559.4286	61.04	-48.62	25.64	-57.20	-40.00	17.20	Vertical
2	2339.4286	67.32	-48.54	27.26	-49.22	-13.00	36.22	Vertical
3	3119.4286	51.40	-46.74	29.60	-61.00	-13.00	48.00	Vertical
4	3898.8571	51.69	-46.35	30.61	-59.31	-13.00	46.31	Vertical
5	4848.5714	43.44	-46.11	33.09	-64.84	-13.00	51.84	Vertical
6	6373.1429	42.62	-45.31	34.83	-63.12	-13.00	50.12	Vertical



Report No.: SUCR260400031709

Page: 19 of 51

1.37. Test Band = LTE Band13 5M_ TM1

1.37.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1564.5714	60.77	-48.63	25.66	-57.46	-40.00	17.46	Horizontal
2	2346.8571	67.05	-48.57	27.29	-49.49	-13.00	36.49	Horizontal
3	3129.7143	48.11	-46.78	29.60	-64.33	-13.00	51.33	Horizontal
4	3911.4286	46.14	-46.45	30.62	-64.95	-13.00	51.95	Horizontal
5	5169.7143	43.29	-45.40	33.04	-64.32	-13.00	51.32	Horizontal
6	5772	43.20	-45.63	33.88	-63.82	-13.00	50.82	Horizontal

1.38. Test Band = LTE Band13 5M_ TM1

1.38.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1564.5714	59.16	-48.63	25.66	-59.07	-40.00	19.07	Vertical
2	2346.8571	67.98	-48.57	27.29	-48.56	-13.00	35.56	Vertical
3	3129.1429	51.01	-46.78	29.60	-61.43	-13.00	48.43	Vertical
4	3911.4286	45.13	-46.45	30.62	-65.96	-13.00	52.96	Vertical
5	5816	43.49	-45.75	34.16	-63.35	-13.00	50.35	Vertical
6	6765.7143	42.61	-44.51	35.81	-61.36	-13.00	48.36	Vertical



Report No.: SUCR260400031709

Page: 20 of 51

1.39. Test Band = LTE Band14 10M_ TM1

1.39.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1577.1429	66.77	-48.65	25.71	-51.43	-40.00	11.43	Horizontal
2	2365.7143	68.02	-48.65	27.43	-48.46	-13.00	35.46	Horizontal
3	3154.2857	45.23	-46.88	29.63	-67.27	-13.00	54.27	Horizontal
4	3942.8571	48.94	-46.76	30.69	-62.39	-13.00	49.39	Horizontal
5	4855.4286	43.43	-46.13	33.07	-64.89	-13.00	51.89	Horizontal
6	7097.7143	43.80	-44.40	36.19	-59.68	-13.00	46.68	Horizontal

1.40. Test Band = LTE Band14 10M_ TM1

1.40.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1577.1429	62.19	-48.65	25.71	-56.01	-40.00	16.01	Vertical
2	2365.7143	68.03	-48.65	27.43	-48.45	-13.00	35.45	Vertical
3	3154.2857	49.76	-46.88	29.63	-62.74	-13.00	49.74	Vertical
4	3943.4286	45.98	-46.76	30.69	-65.35	-13.00	52.35	Vertical
5	5832	43.09	-45.71	34.23	-63.65	-13.00	50.65	Vertical
6	7097.1429	42.39	-44.40	36.18	-61.09	-13.00	48.09	Vertical



Report No.: SUCR260400031709

Page: 21 of 51

1.41. Test Band = LTE Band14 5M_ TM1

1.41.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1576.5714	68.00	-48.65	25.71	-50.20	-40.00	10.20	Horizontal
2	2365.1429	68.46	-48.64	27.42	-48.02	-13.00	35.02	Horizontal
3	3153.1429	46.34	-46.87	29.63	-66.17	-13.00	53.17	Horizontal
4	3941.7143	49.96	-46.74	30.68	-61.36	-13.00	48.36	Horizontal
5	5143.4286	43.55	-45.71	33.25	-64.17	-13.00	51.17	Horizontal
6	6990.2857	42.26	-44.26	36.02	-61.24	-13.00	48.24	Horizontal

1.42. Test Band = LTE Band14 5M_ TM1

1.42.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1576.5714	61.88	-48.65	25.71	-56.32	-40.00	16.32	Vertical
2	2365.1429	66.57	-48.64	27.42	-49.91	-13.00	36.91	Vertical
3	3153.7143	48.17	-46.87	29.63	-64.33	-13.00	51.33	Vertical
4	3942.2857	45.24	-46.75	30.68	-66.09	-13.00	53.09	Vertical
5	5022.2857	43.24	-46.05	33.22	-64.85	-13.00	51.85	Vertical
6	5822.2857	43.13	-45.73	34.19	-63.67	-13.00	50.67	Vertical



Report No.: SUCR260400031709

Page: 22 of 51

1.43. Test Band = LTE Band14 5M_ TM1

1.43.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1581.7143	64.24	-48.66	25.73	-53.95	-40.00	13.95	Horizontal
2	2372.5714	68.51	-48.67	27.48	-47.94	-13.00	34.94	Horizontal
3	3954.2857	48.70	-46.87	30.74	-62.68	-13.00	49.68	Horizontal
4	5164	43.63	-45.47	33.09	-64.01	-13.00	51.01	Horizontal
5	5868	42.80	-45.64	34.34	-63.76	-13.00	50.76	Horizontal
6	6754.2857	42.60	-44.49	35.87	-61.28	-13.00	48.28	Horizontal

1.44. Test Band = LTE Band14 5M_ TM1

1.44.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1581.7143	59.91	-48.66	25.73	-58.28	-40.00	18.28	Vertical
2	2372.5714	67.13	-48.67	27.48	-49.32	-13.00	36.32	Vertical
3	3163.4286	45.44	-46.91	29.71	-67.02	-13.00	54.02	Vertical
4	3954.2857	46.07	-46.87	30.74	-65.31	-13.00	52.31	Vertical
5	5178.2857	43.56	-45.29	32.97	-64.02	-13.00	51.02	Vertical
6	6380	42.42	-45.31	34.90	-63.25	-13.00	50.25	Vertical



Report No.: SUCR260400031709

Page: 23 of 51

1.45. Test Band = LTE Band14 5M_ TM1

1.45.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1586.8571	61.45	-48.67	25.75	-56.73	-40.00	16.73	Horizontal
2	2380	69.24	-48.71	27.54	-47.19	-13.00	34.19	Horizontal
3	3084	44.50	-46.68	29.76	-67.68	-13.00	54.68	Horizontal
4	3966.8571	46.38	-46.99	30.87	-65.00	-13.00	52.00	Horizontal
5	5123.4286	43.09	-45.96	33.41	-64.71	-13.00	51.71	Horizontal
6	5876.5714	42.65	-45.62	34.35	-63.88	-13.00	50.88	Horizontal

1.46. Test Band = LTE Band14 5M_ TM1

1.46.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1586.8571	54.55	-48.67	25.75	-63.63	-40.00	23.63	Vertical
2	2380	66.30	-48.71	27.54	-50.13	-13.00	37.13	Vertical
3	3173.1429	46.54	-46.95	29.79	-65.88	-13.00	52.88	Vertical
4	3892.5714	43.51	-46.39	30.64	-67.49	-13.00	54.49	Vertical
5	4850.8571	43.24	-46.12	33.09	-65.04	-13.00	52.04	Vertical
6	5742.2857	43.89	-45.47	33.65	-63.19	-13.00	50.19	Vertical



Report No.: SUCR260400031709

Page: 24 of 51

1.47. Test Band = LTE Band17_ TM1

1.47.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1409.1429	58.62	-48.66	26.65	-58.66	-13.00	45.66	Horizontal
2	2113.7143	54.86	-47.92	27.34	-60.98	-13.00	47.98	Horizontal
3	2818.2857	45.06	-47.00	28.74	-68.46	-13.00	55.46	Horizontal
4	3526.8571	43.82	-47.31	29.95	-68.81	-13.00	55.81	Horizontal
5	4386.8571	43.38	-46.37	31.63	-66.62	-13.00	53.62	Horizontal
6	5694.2857	43.15	-45.32	33.41	-64.01	-13.00	51.01	Horizontal

1.48. Test Band = LTE Band17_ TM1

1.48.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1409.1429	52.66	-48.66	26.65	-64.62	-13.00	51.62	Vertical
2	2113.7143	55.83	-47.92	27.34	-60.01	-13.00	47.01	Vertical
3	3046.8571	43.76	-46.72	30.09	-68.12	-13.00	55.12	Vertical
4	3848.5714	43.37	-46.67	30.91	-67.65	-13.00	54.65	Vertical
5	4568	43.43	-46.29	32.19	-65.93	-13.00	52.93	Vertical
6	5178.8571	43.27	-45.29	32.97	-64.31	-13.00	51.31	Vertical



Report No.: SUCR260400031709

Page: 25 of 51

1.49. Test Band = LTE Band17_ TM1

1.49.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1411.4286	56.77	-48.66	26.63	-60.52	-13.00	47.52	Horizontal
2	2116.5714	53.23	-47.95	27.37	-62.61	-13.00	49.61	Horizontal
3	2822.2857	45.05	-47.02	28.74	-68.48	-13.00	55.48	Horizontal
4	3700	43.76	-46.52	29.90	-68.12	-13.00	55.12	Horizontal
5	4849.7143	43.28	-46.11	33.10	-65.00	-13.00	52.00	Horizontal
6	5676	43.33	-45.52	33.45	-64.01	-13.00	51.01	Horizontal

1.50. Test Band = LTE Band17_ TM1

1.50.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1411.4286	52.77	-48.66	26.63	-64.52	-13.00	51.52	Vertical
2	2117.1429	56.10	-47.95	27.37	-59.74	-13.00	46.74	Vertical
3	3020	43.76	-46.74	30.04	-68.20	-13.00	55.20	Vertical
4	3804	43.20	-46.95	31.18	-67.84	-13.00	54.84	Vertical
5	4629.7143	43.73	-46.24	31.88	-65.89	-13.00	52.89	Vertical
6	5796	42.93	-45.76	34.07	-64.02	-13.00	51.02	Vertical



Report No.: SUCR260400031709

Page: 26 of 51

1.51. Test Band = LTE Band17_ TM1

1.51.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1413.1429	59.26	-48.66	26.62	-58.04	-13.00	45.04	Horizontal
2	2119.4286	51.71	-47.98	27.39	-64.13	-13.00	51.13	Horizontal
3	2826.2857	44.66	-47.04	28.75	-68.88	-13.00	55.88	Horizontal
4	3271.4286	43.90	-47.32	30.07	-68.61	-13.00	55.61	Horizontal
5	4382.2857	43.36	-46.39	31.68	-66.61	-13.00	53.61	Horizontal
6	5202.8571	43.09	-45.06	32.81	-64.43	-13.00	51.43	Horizontal

1.52. Test Band = LTE Band17_ TM1

1.52.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1413.1429	55.06	-48.66	26.62	-62.24	-13.00	49.24	Vertical
2	2120	57.41	-47.98	27.40	-58.43	-13.00	45.43	Vertical
3	2743.4286	43.96	-47.26	28.67	-69.88	-13.00	56.88	Vertical
4	3050.2857	43.86	-46.71	30.10	-68.02	-13.00	55.02	Vertical
5	3828	43.84	-46.80	31.03	-67.19	-13.00	54.19	Vertical
6	5141.1429	43.56	-45.74	33.27	-64.17	-13.00	51.17	Vertical



Report No.: SUCR260400031709

Page: 27 of 51

1.53. Test Band = LTE Band25_ TM1

1.53.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702.375	54.94	-45.90	29.92	-56.30	-13.00	43.30	Horizontal
2	5170.5	44.18	-45.55	33.04	-63.60	-13.00	50.60	Horizontal
3	7404	45.50	-44.78	36.42	-58.12	-13.00	45.12	Horizontal
4	8405.625	41.57	-41.62	37.16	-58.15	-13.00	45.15	Horizontal
5	10057.125	39.26	-40.39	38.47	-57.91	-13.00	44.91	Horizontal
6	13114.875	37.16	-37.72	39.63	-56.19	-13.00	43.19	Horizontal

1.54. Test Band = LTE Band25_ TM1

1.54.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702	52.45	-45.90	29.92	-58.79	-13.00	45.79	Vertical
2	5191.5	44.09	-45.37	32.87	-63.67	-13.00	50.67	Vertical
3	7404.375	52.88	-44.77	36.43	-50.73	-13.00	37.73	Vertical
4	8997.375	39.28	-40.45	38.19	-58.23	-13.00	45.23	Vertical
5	10810.5	37.09	-38.17	39.01	-57.33	-13.00	44.33	Vertical
6	15519.75	39.51	-37.97	39.18	-54.54	-13.00	41.54	Vertical



Report No.: SUCR260400031709
Page: 28 of 51

1.55. Test Band = LTE Band25_ TM1

1.55.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.125	47.57	-46.28	30.32	-63.65	-13.00	50.65	Horizontal
2	5798.25	43.63	-45.90	34.09	-63.44	-13.00	50.44	Horizontal
3	7484.625	46.75	-43.55	36.49	-55.57	-13.00	42.57	Horizontal
4	9006.75	40.49	-40.50	38.17	-57.10	-13.00	44.10	Horizontal
5	11237.25	38.77	-37.81	38.87	-55.42	-13.00	42.42	Horizontal
6	12993.75	37.77	-37.03	39.79	-54.73	-13.00	41.73	Horizontal

1.56. Test Band = LTE Band25_ TM1

1.56.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4393.5	44.27	-46.20	31.57	-65.62	-13.00	52.62	Vertical
2	5106.75	44.60	-46.12	33.55	-63.23	-13.00	50.23	Vertical
3	6378	43.14	-45.23	34.88	-62.47	-13.00	49.47	Vertical
4	7483.875	49.76	-43.57	36.50	-52.57	-13.00	39.57	Vertical
5	9355.5	40.45	-41.21	38.29	-57.73	-13.00	44.73	Vertical
6	15679.875	41.16	-36.43	39.02	-51.51	-13.00	38.51	Vertical



Report No.: SUCR260400031709
Page: 29 of 51

1.57. Test Band = LTE Band25_ TM1

1.57.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4395	44.82	-46.19	31.55	-65.08	-13.00	52.08	Horizontal
2	5873.625	43.43	-45.55	34.35	-63.04	-13.00	50.04	Horizontal
3	6661.5	43.13	-44.70	35.95	-60.88	-13.00	47.88	Horizontal
4	7584	47.18	-43.41	36.00	-55.49	-13.00	42.49	Horizontal
5	8983.875	39.54	-40.59	38.17	-58.14	-13.00	45.14	Horizontal
6	12081.75	37.10	-37.08	38.96	-56.28	-13.00	43.28	Horizontal

1.58. Test Band = LTE Band25_ TM1

1.58.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4372.125	44.58	-46.28	31.78	-65.18	-13.00	52.18	Vertical
2	5869.5	43.13	-45.57	34.34	-63.36	-13.00	50.36	Vertical
3	6759.375	43.57	-44.43	35.84	-60.27	-13.00	47.27	Vertical
4	7584.375	49.22	-43.41	36.00	-53.45	-13.00	40.45	Vertical
5	9003.375	39.78	-40.46	38.19	-57.75	-13.00	44.75	Vertical
6	11187.375	38.34	-37.26	38.85	-55.33	-13.00	42.33	Vertical



Report No.: SUCR260400031709

Page: 30 of 51

1.59. Test Band = LTE Band26_ TM1

1.59.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1649.7143	70.42	-48.79	26.10	-47.53	-13.00	34.53	Horizontal
2	2474.8571	69.57	-47.76	27.90	-45.55	-13.00	32.55	Horizontal
3	3299.4286	46.94	-47.43	29.90	-65.84	-13.00	52.84	Horizontal
4	4124	49.12	-46.28	31.06	-61.37	-13.00	48.37	Horizontal
5	5202.8571	43.11	-45.06	32.81	-64.41	-13.00	51.41	Horizontal
6	7020.5714	41.85	-44.16	35.96	-61.61	-13.00	48.61	Horizontal

1.60. Test Band = LTE Band26_ TM1

1.60.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1649.7143	61.96	-48.79	26.10	-55.99	-13.00	42.99	Vertical
2	2474.2857	70.98	-47.77	27.90	-44.15	-13.00	31.15	Vertical
3	3299.4286	48.79	-47.43	29.90	-63.99	-13.00	50.99	Vertical
4	4124.5714	50.37	-46.28	31.05	-60.12	-13.00	47.12	Vertical
5	5186.8571	43.29	-45.19	32.91	-64.25	-13.00	51.25	Vertical
6	6370.8571	42.48	-45.31	34.81	-63.28	-13.00	50.28	Vertical



Report No.: SUCR260400031709

Page: 31 of 51

1.61. Test Band = LTE Band26_ TM1

1.61.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1659.4286	66.98	-48.81	25.99	-51.10	-13.00	38.10	Horizontal
2	2489.7143	68.35	-47.56	27.90	-46.57	-13.00	33.57	Horizontal
3	3319.4286	45.52	-47.40	29.74	-67.39	-13.00	54.39	Horizontal
4	4149.1429	47.45	-46.14	30.91	-63.04	-13.00	50.04	Horizontal
5	5814.8571	42.84	-45.75	34.16	-64.01	-13.00	51.01	Horizontal
6	6978.8571	42.24	-44.45	36.04	-61.43	-13.00	48.43	Horizontal

1.62. Test Band = LTE Band26_ TM1

1.62.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1659.4286	59.55	-48.81	25.99	-58.53	-13.00	45.53	Vertical
2	2489.7143	71.90	-47.56	27.90	-43.02	-13.00	30.02	Vertical
3	3319.4286	45.46	-47.40	29.74	-67.45	-13.00	54.45	Vertical
4	4149.7143	48.51	-46.14	30.90	-61.98	-13.00	48.98	Vertical
5	5168.5714	43.23	-45.41	33.05	-64.39	-13.00	51.39	Vertical
6	6746.2857	41.90	-44.48	35.91	-61.92	-13.00	48.92	Vertical



Report No.: SUCR260400031709

Page: 32 of 51

1.63. Test Band = LTE Band26_ TM1

1.63.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1439.4286	45.41	-48.61	26.46	-72.00	-13.00	59.00	Horizontal
2	1937.7143	45.01	-48.16	26.43	-71.99	-13.00	58.99	Horizontal
3	2516	44.92	-47.55	27.96	-69.93	-13.00	56.93	Horizontal
4	3049.7143	43.98	-46.72	30.10	-67.90	-13.00	54.90	Horizontal
5	4276	43.22	-46.55	31.81	-66.78	-13.00	53.78	Horizontal
6	5020.5714	43.23	-46.05	33.21	-64.87	-13.00	51.87	Horizontal

1.64. Test Band = LTE Band26_ TM1

1.64.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1385.1429	45.84	-48.69	26.55	-71.56	-13.00	58.56	Vertical
2	1925.7143	44.59	-48.10	26.35	-72.42	-13.00	59.42	Vertical
3	2433.7143	44.86	-48.33	27.83	-70.89	-13.00	57.89	Vertical
4	3010.8571	43.82	-46.75	30.02	-68.17	-13.00	55.17	Vertical
5	4225.7143	43.43	-46.09	31.26	-66.66	-13.00	53.66	Vertical
6	5140	43.41	-45.76	33.28	-64.33	-13.00	51.33	Vertical



Report No.: SUCR260400031709

Page: 33 of 51

1.65. Test Band = LTE Band30 10M_ TM1

1.65.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4611	51.08	-45.96	31.96	-58.18	-40.00	18.18	Horizontal
2	5886	43.98	-45.50	34.37	-62.40	-40.00	22.40	Horizontal
3	6917	51.57	-45.43	36.10	-53.02	-40.00	13.02	Horizontal
4	9222.5	50.09	-41.76	38.05	-48.88	-40.00	8.88	Horizontal
5	11233	38.94	-37.72	38.87	-55.17	-40.00	15.17	Horizontal
6	14041	37.45	-36.76	39.98	-54.60	-40.00	14.60	Horizontal

1.66. Test Band = LTE Band30 10M_ TM1

1.66.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4611	50.23	-45.96	31.96	-59.03	-40.00	19.03	Vertical
2	6916.5	53.24	-45.44	36.10	-51.36	-40.00	11.36	Vertical
3	9222.5	51.12	-41.76	38.05	-47.85	-40.00	7.85	Vertical
4	10786.5	37.90	-38.39	38.95	-56.81	-40.00	16.81	Vertical
5	13833.5	38.79	-36.85	39.83	-53.48	-40.00	13.48	Vertical
6	15934.5	37.25	-36.71	39.06	-55.67	-40.00	15.67	Vertical



Report No.: SUCR260400031709

Page: 34 of 51

1.67. Test Band = LTE Band30 5M_ TM1

1.67.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4610.5	50.65	-45.95	31.96	-58.60	-40.00	18.60	Horizontal
2	6916	51.79	-45.44	36.10	-52.81	-40.00	12.81	Horizontal
3	9221.5	49.42	-41.76	38.04	-49.56	-40.00	9.56	Horizontal
4	11188.5	38.24	-37.24	38.85	-55.41	-40.00	15.41	Horizontal
5	12981.5	37.58	-37.27	39.76	-55.19	-40.00	15.19	Horizontal
6	13832.5	38.43	-36.85	39.84	-53.84	-40.00	13.84	Horizontal

1.68. Test Band = LTE Band30 5M_ TM1

1.68.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4610.5	49.18	-45.95	31.96	-60.07	-40.00	20.07	Vertical
2	6916	52.75	-45.44	36.10	-51.85	-40.00	11.85	Vertical
3	9221.5	50.45	-41.76	38.04	-48.53	-40.00	8.53	Vertical
4	11204.5	38.29	-37.13	38.81	-55.29	-40.00	15.29	Vertical
5	12101.5	37.22	-36.81	39.00	-55.84	-40.00	15.84	Vertical
6	13832	39.01	-36.85	39.84	-53.26	-40.00	13.26	Vertical



Report No.: SUCR260400031709

Page: 35 of 51

1.69. Test Band = LTE Band30 5M_ TM1

1.69.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4616	52.66	-45.99	31.94	-56.65	-40.00	16.65	Horizontal
2	6923.5	54.82	-45.34	36.10	-49.68	-40.00	9.68	Horizontal
3	9231	49.18	-41.74	38.06	-49.75	-40.00	9.75	Horizontal
4	10796	37.81	-38.24	38.98	-56.71	-40.00	16.71	Horizontal
5	12425	38.82	-38.05	39.05	-55.44	-40.00	15.44	Horizontal
6	13847	37.91	-36.83	39.81	-54.37	-40.00	14.37	Horizontal

1.70. Test Band = LTE Band30 5M_ TM1

1.70.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4615.5	52.92	-45.99	31.94	-56.39	-40.00	16.39	Vertical
2	6923.5	51.25	-45.34	36.10	-53.25	-40.00	13.25	Vertical
3	9231.5	50.49	-41.73	38.06	-48.44	-40.00	8.44	Vertical
4	10811.5	37.81	-38.17	39.01	-56.61	-40.00	16.61	Vertical
5	13000.5	37.14	-36.90	39.80	-55.23	-40.00	15.23	Vertical
6	13847	39.49	-36.83	39.81	-52.79	-40.00	12.79	Vertical



Report No.: SUCR260400031709

Page: 36 of 51

1.71. Test Band = LTE Band30 5M_ TM1

1.71.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4620.5	51.91	-46.02	31.92	-57.45	-40.00	17.45	Horizontal
2	6931	53.66	-45.24	36.10	-50.74	-40.00	10.74	Horizontal
3	9241.5	49.94	-41.71	38.08	-48.94	-40.00	8.94	Horizontal
4	11195.5	38.30	-37.12	38.82	-55.26	-40.00	15.26	Horizontal
5	13605	37.20	-36.18	39.91	-54.34	-40.00	14.34	Horizontal
6	14512	36.85	-37.03	39.96	-55.48	-40.00	15.48	Horizontal

1.72. Test Band = LTE Band30 5M_ TM1

1.72.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4620.5	53.20	-46.02	31.92	-56.16	-40.00	16.16	Vertical
2	6931	51.51	-45.24	36.10	-52.89	-40.00	12.89	Vertical
3	7939.5	42.61	-43.10	37.17	-58.57	-40.00	18.57	Vertical
4	9241.5	49.19	-41.71	38.08	-49.69	-40.00	9.69	Vertical
5	11551.5	40.95	-36.94	38.90	-52.35	-40.00	12.35	Vertical
6	13862	41.09	-36.81	39.78	-51.20	-40.00	11.20	Vertical



Report No.: SUCR260400031709

Page: 37 of 51

1.73. Test Band = LTE Band38_ TM1

1.73.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5142	51.80	-45.81	33.26	-56.00	-25.00	31.00	Horizontal
2	6382.125	44.33	-45.22	34.92	-61.23	-25.00	36.23	Horizontal
3	7713.375	47.87	-43.23	36.73	-53.89	-25.00	28.89	Horizontal
4	8998.125	40.29	-40.44	38.20	-57.21	-25.00	32.21	Horizontal
5	10284.375	48.81	-40.00	38.38	-48.06	-25.00	23.06	Horizontal
6	12100.875	38.55	-36.80	39.00	-54.51	-25.00	29.51	Horizontal

1.74. Test Band = LTE Band38_ TM1

1.74.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5142	52.79	-45.81	33.26	-55.01	-25.00	30.01	Vertical
2	6697.5	43.07	-44.29	36.09	-60.39	-25.00	35.39	Vertical
3	7713.375	51.14	-43.23	36.73	-50.62	-25.00	25.62	Vertical
4	10284	46.90	-40.00	38.38	-49.97	-25.00	24.97	Vertical
5	12855.375	40.48	-38.39	39.51	-53.66	-25.00	28.66	Vertical
6	14308.125	37.25	-36.16	39.98	-54.18	-25.00	29.18	Vertical



Report No.: SUCR260400031709

Page: 38 of 51

1.75. Test Band = LTE Band38_ TM1

1.75.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5172	51.41	-45.54	33.02	-56.37	-25.00	31.37	Horizontal
2	6814.875	44.11	-44.71	35.63	-60.23	-25.00	35.23	Horizontal
3	7758	49.93	-43.02	36.78	-51.56	-25.00	26.56	Horizontal
4	9009.375	41.22	-40.53	38.16	-56.41	-25.00	31.41	Horizontal
5	10344.375	50.19	-39.75	38.53	-46.28	-25.00	21.28	Horizontal
6	12930.75	40.89	-38.29	39.66	-53.00	-25.00	28.00	Horizontal

1.76. Test Band = LTE Band38_ TM1

1.76.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5172	51.23	-45.54	33.02	-56.55	-25.00	31.55	Vertical
2	5859.375	44.09	-45.62	34.32	-62.47	-25.00	37.47	Vertical
3	7758.375	51.17	-43.02	36.78	-50.32	-25.00	25.32	Vertical
4	10344.375	49.75	-39.75	38.53	-46.72	-25.00	21.72	Vertical
5	12930.375	43.06	-38.30	39.66	-50.84	-25.00	25.84	Vertical
6	14328.75	37.62	-36.20	39.94	-53.90	-25.00	28.90	Vertical



Report No.: SUCR260400031709

Page: 39 of 51

1.77. Test Band = LTE Band38_ TM1

1.77.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5202	52.96	-45.30	32.80	-54.80	-25.00	29.80	Horizontal
2	6378.375	44.44	-45.23	34.88	-61.16	-25.00	36.16	Horizontal
3	7803.375	48.49	-42.82	36.69	-52.90	-25.00	27.90	Horizontal
4	10404.375	48.19	-39.24	38.68	-47.62	-25.00	22.62	Horizontal
5	13005.75	40.25	-36.96	39.79	-52.18	-25.00	27.18	Horizontal
6	14271.75	37.51	-36.41	40.06	-54.10	-25.00	29.10	Horizontal

1.78. Test Band = LTE Band38_ TM1

1.78.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5202	50.93	-45.30	32.80	-56.83	-25.00	31.83	Vertical
2	6458.25	44.13	-45.39	35.20	-61.32	-25.00	36.32	Vertical
3	7803.375	52.88	-42.82	36.69	-48.51	-25.00	23.51	Vertical
4	9004.125	40.65	-40.47	38.18	-56.89	-25.00	31.89	Vertical
5	10404.375	48.32	-39.24	38.68	-47.49	-25.00	22.49	Vertical
6	13005.75	45.45	-36.96	39.79	-46.98	-25.00	21.98	Vertical



Report No.: SUCR260400031709

Page: 40 of 51

1.79. Test Band = LTE Band41_ TM1

1.79.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4548	45.40	-46.38	32.28	-63.97	-25.00	38.97	Horizontal
2	4994.25	72.05	-45.82	32.98	-36.05	-25.00	11.05	Horizontal
3	7491	50.09	-43.46	36.45	-52.17	-25.00	27.17	Horizontal
4	9988.5	52.98	-41.61	38.23	-45.65	-25.00	20.65	Horizontal
5	12485.625	43.32	-37.98	38.93	-51.00	-25.00	26.00	Horizontal
6	14050.5	38.24	-36.71	39.95	-53.78	-25.00	28.78	Horizontal

1.80. Test Band = LTE Band41_ TM1

1.80.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4381.5	45.04	-46.24	31.69	-64.78	-25.00	39.78	Vertical
2	4994.25	68.89	-45.82	32.98	-39.21	-25.00	14.21	Vertical
3	7491.375	52.95	-43.45	36.45	-49.31	-25.00	24.31	Vertical
4	9988.125	51.76	-41.60	38.23	-46.87	-25.00	21.87	Vertical
5	12485.625	47.85	-37.98	38.93	-46.47	-25.00	21.47	Vertical
6	14388.75	37.66	-36.34	39.82	-54.11	-25.00	29.11	Vertical



Report No.: SUCR260400031709

Page: 41 of 51

1.81. Test Band = LTE Band41_ TM1

1.81.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4192.875	44.78	-45.82	30.99	-65.31	-25.00	40.31	Horizontal
2	5081.25	57.17	-46.11	33.56	-50.64	-25.00	25.64	Horizontal
3	7621.5	52.60	-43.40	36.17	-49.89	-25.00	24.89	Horizontal
4	10162.5	52.97	-39.21	38.41	-43.09	-25.00	18.09	Horizontal
5	12703.125	43.42	-38.63	39.50	-50.97	-25.00	25.97	Horizontal
6	14336.625	37.95	-36.22	39.93	-53.60	-25.00	28.60	Horizontal

1.82. Test Band = LTE Band41_ TM1

1.82.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4265.25	45.08	-46.29	31.68	-64.79	-25.00	39.79	Vertical
2	5081.25	54.93	-46.11	33.56	-52.88	-25.00	27.88	Vertical
3	7621.5	56.38	-43.40	36.17	-46.11	-25.00	21.11	Vertical
4	10162.5	50.42	-39.21	38.41	-45.64	-25.00	20.64	Vertical
5	12703.125	47.22	-38.63	39.50	-47.17	-25.00	22.17	Vertical
6	14214.75	38.18	-36.94	40.17	-53.85	-25.00	28.85	Vertical



Report No.: SUCR260400031709

Page: 42 of 51

1.83. Test Band = LTE Band41_ TM1

1.83.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4229.625	44.62	-46.01	31.30	-65.35	-25.00	40.35	Horizontal
2	5254.875	55.01	-45.64	32.94	-52.95	-25.00	27.95	Horizontal
3	6352.5	44.80	-45.27	34.63	-61.11	-25.00	36.11	Horizontal
4	7882.875	56.16	-42.93	36.67	-45.36	-25.00	20.36	Horizontal
5	10510.5	43.64	-39.51	38.37	-52.76	-25.00	27.76	Horizontal
6	13137.375	41.32	-37.50	39.67	-51.77	-25.00	26.77	Horizontal

1.84. Test Band = LTE Band41_ TM1

1.84.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4082.625	45.01	-46.44	31.30	-65.39	-25.00	40.39	Vertical
2	5255.25	56.55	-45.64	32.94	-51.41	-25.00	26.41	Vertical
3	6778.875	43.65	-44.48	35.73	-60.36	-25.00	35.36	Vertical
4	7882.875	54.46	-42.93	36.67	-47.06	-25.00	22.06	Vertical
5	10510.125	44.78	-39.51	38.37	-51.62	-25.00	26.62	Vertical
6	13137.75	44.41	-37.50	39.68	-48.67	-25.00	23.67	Vertical



Report No.: SUCR260400031709

Page: 43 of 51

1.85. Test Band = LTE Band66_ TM1

1.85.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4169.625	44.10	-45.93	30.94	-66.15	-13.00	53.15	Horizontal
2	4904.625	44.36	-46.15	32.80	-64.25	-13.00	51.25	Horizontal
3	6399.75	42.60	-45.19	35.10	-62.75	-13.00	49.75	Horizontal
4	7260	42.17	-44.11	36.64	-60.56	-13.00	47.56	Horizontal
5	9005.25	39.77	-40.48	38.18	-57.79	-13.00	44.79	Horizontal
6	10803.75	37.47	-38.18	39.00	-56.96	-13.00	43.96	Horizontal

1.86. Test Band = LTE Band66_ TM1

1.86.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3898.5	45.54	-46.48	30.61	-65.59	-13.00	52.59	Vertical
2	5173.5	44.46	-45.53	33.01	-63.31	-13.00	50.31	Vertical
3	6960	44.44	-44.85	36.08	-59.59	-13.00	46.59	Vertical
4	7925.625	41.39	-43.04	37.01	-59.91	-13.00	46.91	Vertical
5	10083	38.64	-39.75	38.55	-57.83	-13.00	44.83	Vertical
6	11844	38.28	-38.20	38.80	-56.38	-13.00	43.38	Vertical



Report No.: SUCR260400031709

Page: 44 of 51

1.87. Test Band = LTE Band66_ TM1

1.87.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3927.75	44.64	-46.67	30.66	-66.64	-13.00	53.64	Horizontal
2	5378.25	43.69	-45.38	33.13	-63.82	-13.00	50.82	Horizontal
3	7427.625	42.29	-44.42	36.57	-60.82	-13.00	47.82	Horizontal
4	9013.125	39.75	-40.57	38.15	-57.93	-13.00	44.93	Horizontal
5	10812	37.32	-38.17	39.01	-57.10	-13.00	44.10	Horizontal
6	13657.125	36.57	-36.63	39.96	-55.36	-13.00	42.36	Horizontal

1.88. Test Band = LTE Band66_ TM1

1.88.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3779.625	44.43	-46.64	30.87	-66.60	-13.00	53.60	Vertical
2	5184.75	44.11	-45.43	32.92	-63.65	-13.00	50.65	Vertical
3	6626.625	42.51	-45.10	35.76	-62.09	-13.00	49.09	Vertical
4	7413.375	43.18	-44.64	36.48	-60.24	-13.00	47.24	Vertical
5	9013.125	39.81	-40.57	38.15	-57.87	-13.00	44.87	Vertical
6	10817.25	37.45	-38.17	39.02	-56.96	-13.00	43.96	Vertical



Report No.: SUCR260400031709

Page: 45 of 51

1.89. Test Band = LTE Band66_ TM1

1.89.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3721.125	44.71	-46.08	30.11	-66.52	-13.00	53.52	Horizontal
2	4844.25	43.51	-46.03	33.08	-64.70	-13.00	51.70	Horizontal
3	5876.625	43.23	-45.54	34.35	-63.22	-13.00	50.22	Horizontal
4	7465.125	42.56	-43.85	36.61	-59.94	-13.00	46.94	Horizontal
5	8395.875	41.30	-41.65	37.08	-58.53	-13.00	45.53	Horizontal
6	11217.75	37.93	-37.41	38.84	-55.90	-13.00	42.90	Horizontal

1.90. Test Band = LTE Band66_ TM1

1.90.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3494.25	60.78	-47.22	29.97	-51.74	-13.00	38.74	Vertical
2	4851.75	43.95	-46.05	33.09	-64.27	-13.00	51.27	Vertical
3	6409.5	43.03	-45.22	35.12	-62.33	-13.00	49.33	Vertical
4	7463.625	42.39	-43.87	36.62	-60.12	-13.00	47.12	Vertical
5	9571.5	39.63	-40.91	38.36	-58.18	-13.00	45.18	Vertical
6	11200.125	37.58	-37.04	38.80	-55.92	-13.00	42.92	Vertical



Report No.: SUCR260400031709

Page: 46 of 51

1.91. Test Band = LTE Band71_ TM1

1.91.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1328	59.23	-48.73	25.94	-58.82	-13.00	45.82	Horizontal
2	1992	63.96	-48.44	26.58	-53.16	-13.00	40.16	Horizontal
3	2656.5714	50.59	-47.83	28.33	-64.18	-13.00	51.18	Horizontal
4	3320.5714	45.95	-47.39	29.74	-66.97	-13.00	53.97	Horizontal
5	4373.7143	43.26	-46.43	31.76	-66.67	-13.00	53.67	Horizontal
6	5143.4286	43.22	-45.71	33.25	-64.50	-13.00	51.50	Horizontal

1.92. Test Band = LTE Band71_ TM1

1.92.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1328	58.11	-48.73	25.94	-59.94	-13.00	46.94	Vertical
2	1992	60.89	-48.44	26.58	-56.23	-13.00	43.23	Vertical
3	2656.5714	51.59	-47.83	28.33	-63.18	-13.00	50.18	Vertical
4	3320.5714	48.97	-47.39	29.74	-63.95	-13.00	50.95	Vertical
5	4554.8571	43.21	-46.40	32.27	-66.18	-13.00	53.18	Vertical
6	5131.4286	43.44	-45.86	33.35	-64.33	-13.00	51.33	Vertical



Report No.: SUCR260400031709

Page: 47 of 51

1.93. Test Band = LTE Band71_ TM1

1.93.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1348	57.82	-48.72	26.18	-59.98	-13.00	46.98	Horizontal
2	2022.2857	59.56	-48.32	26.69	-57.33	-13.00	44.33	Horizontal
3	2696.5714	48.99	-47.55	28.49	-65.34	-13.00	52.34	Horizontal
4	3370.2857	50.49	-47.30	29.50	-62.57	-13.00	49.57	Horizontal
5	4210.2857	43.32	-45.94	31.10	-66.78	-13.00	53.78	Horizontal
6	5185.1429	43.23	-45.21	32.92	-64.32	-13.00	51.32	Horizontal

1.94. Test Band = LTE Band71_ TM1

1.94.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1348	53.61	-48.72	26.18	-64.19	-13.00	51.19	Vertical
2	2022.2857	60.56	-48.32	26.69	-56.33	-13.00	43.33	Vertical
3	2696.5714	49.26	-47.55	28.49	-65.07	-13.00	52.07	Vertical
4	3370.2857	47.14	-47.30	29.50	-65.92	-13.00	52.92	Vertical
5	4388.5714	43.46	-46.36	31.61	-66.55	-13.00	53.55	Vertical
6	5872.5714	42.78	-45.63	34.35	-63.76	-13.00	50.76	Vertical



Report No.: SUCR260400031709

Page: 48 of 51

1.95. Test Band = LTE Band71_ TM1

1.95.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1358.2857	58.68	-48.71	26.28	-59.01	-13.00	46.01	Horizontal
2	2037.1429	60.05	-48.22	26.75	-56.68	-13.00	43.68	Horizontal
3	2716	48.28	-47.43	28.56	-65.85	-13.00	52.85	Horizontal
4	3395.4286	48.31	-47.26	29.50	-64.71	-13.00	51.71	Horizontal
5	4566.8571	43.65	-46.30	32.20	-65.71	-13.00	52.71	Horizontal
6	5972.5714	42.81	-45.88	34.21	-64.12	-13.00	51.12	Horizontal

1.96. Test Band = LTE Band71_ TM1

1.96.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1358.2857	52.25	-48.71	26.28	-65.44	-13.00	52.44	Vertical
2	2037.1429	64.21	-48.22	26.75	-52.52	-13.00	39.52	Vertical
3	2716.5714	50.05	-47.43	28.57	-64.07	-13.00	51.07	Vertical
4	3395.4286	47.41	-47.26	29.50	-65.61	-13.00	52.61	Vertical
5	4810.8571	42.92	-46.03	32.94	-65.43	-13.00	52.43	Vertical
6	6684	41.99	-44.58	36.04	-61.81	-13.00	48.81	Vertical

---End of Attachment---



Report No.: SUCR260400031709

Page: 49 of 51

1.97. Test Band = LTE Band48_ TM1

1.97.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7231.975	50.56	-44.40	36.77	-52.33	-40.00	12.33	Horizontal
2	8392.9	41.52	-41.58	37.07	-58.25	-40.00	18.25	Horizontal
3	10143.2	37.88	-38.89	38.47	-57.80	-40.00	17.80	Horizontal
4	11797.475	37.71	-37.85	38.80	-56.60	-40.00	16.60	Horizontal
5	13673.7	36.98	-36.59	39.97	-54.89	-40.00	14.89	Horizontal
6	14499.975	39.38	-36.35	40.00	-52.23	-40.00	12.23	Horizontal

1.98. Test Band = LTE Band48_ TM1

1.98.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7231.975	53.40	-44.40	36.77	-49.49	-40.00	9.49	Vertical
2	9009.875	39.65	-40.67	38.16	-58.12	-40.00	18.12	Vertical
3	9845.35	38.34	-39.46	38.20	-58.18	-40.00	18.18	Vertical
4	11194.3	37.40	-36.65	38.82	-55.69	-40.00	15.69	Vertical
5	12972.775	36.98	-37.41	39.75	-55.95	-40.00	15.95	Vertical
6	14499.975	46.68	-36.35	40.00	-44.93	-40.00	4.93	Vertical



Report No.: SUCR260400031709

Page: 50 of 51

1.99. Test Band = LTE Band48_ TM1

1.99.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7102.025	47.67	-43.83	36.22	-55.20	-40.00	15.20	Horizontal
2	8403.825	41.22	-41.44	37.14	-58.34	-40.00	18.34	Horizontal
3	9567.625	39.53	-40.89	38.36	-58.26	-40.00	18.26	Horizontal
4	11263.875	37.68	-38.15	38.93	-56.80	-40.00	16.80	Horizontal
5	13486.25	37.09	-37.75	40.07	-55.85	-40.00	15.85	Horizontal
6	14240.075	40.84	-37.77	40.12	-52.07	-40.00	12.07	Horizontal

1.100. Test Band = LTE Band48_ TM1

1.100.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7102.025	50.30	-43.83	36.22	-52.57	-40.00	12.57	Vertical
2	8492.95	40.74	-42.50	37.69	-59.33	-40.00	19.33	Vertical
3	10653.225	39.69	-39.72	38.79	-56.51	-40.00	16.51	Vertical
4	11665.225	36.24	-36.95	38.77	-57.20	-40.00	17.20	Vertical
5	12972.775	36.91	-37.41	39.75	-56.02	-40.00	16.02	Vertical
6	14240.075	46.77	-37.77	40.12	-46.14	-40.00	6.14	Vertical



Report No.: SUCR260400031709

Page: 51 of 51

1.101. Test Band = LTE Band48_ TM1

1.101.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7361.925	51.07	-44.12	36.32	-51.98	-40.00	11.98	Horizontal
2	8392.325	41.29	-41.59	37.07	-58.49	-40.00	18.49	Horizontal
3	10670.475	38.64	-39.59	38.72	-57.49	-40.00	17.49	Horizontal
4	11753.775	36.99	-37.55	38.75	-57.06	-40.00	17.06	Horizontal
5	12977.375	37.11	-37.36	39.75	-55.76	-40.00	15.76	Horizontal
6	14008.925	36.24	-35.96	40.07	-54.91	-40.00	14.91	Horizontal

1.102. Test Band = LTE Band48_ TM1

1.102.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7362.5	53.63	-44.12	36.33	-49.43	-40.00	9.43	Vertical
2	8840.825	39.94	-41.48	37.82	-58.99	-40.00	18.99	Vertical
3	9856.85	38.85	-39.57	38.16	-57.82	-40.00	17.82	Vertical
4	11243.175	38.37	-37.63	38.89	-55.63	-40.00	15.63	Vertical
5	12978.525	37.13	-37.35	39.76	-55.72	-40.00	15.72	Vertical
6	14759.875	41.34	-36.56	39.70	-50.78	-40.00	10.78	Vertical

---End of Attachment---