



Report No.: SUCR260400031710

Page: 1 of 45

Appendix B.4

1.1. Test Band = SA N2_ TM1

1.1.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3831.375	44.27	-46.72	31.01	-66.70	-13.00	53.70	Horizontal
2	4797.75	43.69	-45.93	32.87	-64.63	-13.00	51.63	Horizontal
3	6395.625	42.91	-45.20	35.06	-62.49	-13.00	49.49	Horizontal
4	7455.75	41.89	-43.99	36.67	-60.70	-13.00	47.70	Horizontal
5	9420	39.05	-41.00	38.20	-59.01	-13.00	46.01	Horizontal
6	11936.25	37.73	-38.38	38.80	-57.11	-13.00	44.11	Horizontal

1.2. Test Band = SA N2_ TM1

1.2.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4033.5	44.17	-46.89	31.40	-66.58	-13.00	53.58	Vertical
2	5194.125	43.62	-45.34	32.85	-64.14	-13.00	51.14	Vertical
3	5953.875	43.40	-45.93	34.28	-63.51	-13.00	50.51	Vertical
4	7453.125	42.16	-44.03	36.68	-60.45	-13.00	47.45	Vertical
5	9050.25	40.07	-41.00	38.00	-58.19	-13.00	45.19	Vertical
6	12093	36.37	-36.91	38.99	-56.81	-13.00	43.81	Vertical



Report No.: SUCR260400031710

Page: 2 of 45

1.3. Test Band = SA N2_ TM1

1.3.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4035.75	44.13	-46.87	31.41	-66.59	-13.00	53.59	Horizontal
2	5142.75	43.86	-45.80	33.26	-63.94	-13.00	50.94	Horizontal
3	6398.25	42.84	-45.19	35.08	-62.53	-13.00	49.53	Horizontal
4	7948.875	41.68	-43.13	37.29	-59.42	-13.00	46.42	Horizontal
5	10369.5	38.16	-39.51	38.61	-58.01	-13.00	45.01	Horizontal
6	12959.625	37.83	-37.71	39.72	-55.42	-13.00	42.42	Horizontal

1.4. Test Band = SA N2_ TM1

1.4.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4091.625	43.48	-46.36	31.25	-66.89	-13.00	53.89	Vertical
2	5592	43.53	-46.24	33.37	-64.61	-13.00	51.61	Vertical
3	7006.125	42.45	-44.32	35.99	-61.14	-13.00	48.14	Vertical
4	8471.625	41.66	-42.40	37.64	-58.36	-13.00	45.36	Vertical
5	11809.5	37.87	-38.08	38.80	-56.67	-13.00	43.67	Vertical
6	13615.875	36.25	-36.27	39.92	-55.37	-13.00	42.37	Vertical



Report No.: SUCR260400031710

Page: 3 of 45

1.5. Test Band = SA N2_ TM1

1.5.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4058.625	44.65	-46.66	31.45	-65.82	-13.00	52.82	Horizontal
2	5650.875	43.64	-46.00	33.50	-64.12	-13.00	51.12	Horizontal
3	6969.75	42.69	-44.72	36.06	-61.23	-13.00	48.23	Horizontal
4	9049.125	40.54	-40.99	38.00	-57.71	-13.00	44.71	Horizontal
5	12974.25	37.04	-37.42	39.75	-55.89	-13.00	42.89	Horizontal
6	14332.125	36.07	-36.21	39.94	-55.46	-13.00	42.46	Horizontal

1.6. Test Band = SA N2_ TM1

1.6.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3897	44.28	-46.48	30.62	-66.84	-13.00	53.84	Vertical
2	5262.75	43.93	-45.69	33.00	-64.01	-13.00	51.01	Vertical
3	6751.125	42.55	-44.40	35.89	-61.22	-13.00	48.22	Vertical
4	8188.5	40.07	-42.52	37.26	-60.45	-13.00	47.45	Vertical
5	10821	37.40	-38.16	39.02	-57.00	-13.00	44.00	Vertical
6	12395.625	37.64	-38.09	39.09	-56.62	-13.00	43.62	Vertical



Report No.: SUCR260400031710

Page: 4 of 45

1.7. Test Band = SA N5_ TM1

1.7.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1174.8571	47.35	-49.03	26.15	-70.79	-13.00	57.79	Horizontal
2	1888	44.92	-48.01	26.06	-72.30	-13.00	59.30	Horizontal
3	3023.4286	43.54	-46.74	30.05	-68.41	-13.00	55.41	Horizontal
4	3815.4286	43.61	-46.88	31.11	-67.42	-13.00	54.42	Horizontal
5	5317.1429	42.70	-45.91	33.30	-65.17	-13.00	52.17	Horizontal
6	6704	42.07	-44.40	36.08	-61.50	-13.00	48.50	Horizontal

1.8. Test Band = SA N5_ TM1

1.8.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1395.4286	45.51	-48.68	26.65	-71.78	-13.00	58.78	Vertical
2	1984	45.60	-48.40	26.57	-71.49	-13.00	58.49	Vertical
3	2697.7143	43.86	-47.55	28.49	-70.46	-13.00	57.46	Vertical
4	3802.2857	43.16	-46.97	31.19	-67.88	-13.00	54.88	Vertical
5	5096.5714	42.72	-46.23	33.59	-65.18	-13.00	52.18	Vertical
6	6984	41.82	-44.37	36.03	-61.77	-13.00	48.77	Vertical



Report No.: SUCR260400031710

Page: 5 of 45

1.9. Test Band = SA N5_ TM1

1.9.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1425.1429	46.57	-48.64	26.55	-70.78	-13.00	57.78	Horizontal
2	1918.2857	45.54	-48.06	26.31	-71.47	-13.00	58.47	Horizontal
3	2501.7143	44.71	-47.43	27.91	-70.08	-13.00	57.08	Horizontal
4	3249.7143	44.13	-47.24	30.20	-68.17	-13.00	55.17	Horizontal
5	4580.5714	43.32	-46.18	32.12	-66.01	-13.00	53.01	Horizontal
6	6751.4286	42.00	-44.49	35.89	-61.86	-13.00	48.86	Horizontal

1.10. Test Band = SA N5_ TM1

1.10.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1441.1429	46.19	-48.61	26.45	-71.23	-13.00	58.23	Vertical
2	2261.7143	45.02	-48.53	27.25	-71.52	-13.00	58.52	Vertical
3	2514.8571	44.41	-47.54	27.96	-70.43	-13.00	57.43	Vertical
4	3826.2857	43.40	-46.81	31.04	-67.63	-13.00	54.63	Vertical
5	5159.4286	42.95	-45.52	33.12	-64.71	-13.00	51.71	Vertical
6	6381.1429	42.43	-45.31	34.91	-63.22	-13.00	50.22	Vertical



Report No.: SUCR260400031710

Page: 6 of 45

1.11. Test Band = SA N5_ TM1

1.11.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1325.7143	45.76	-48.73	25.91	-72.32	-13.00	59.32	Horizontal
2	2144.5714	44.44	-48.23	27.65	-71.40	-13.00	58.40	Horizontal
3	3269.7143	44.05	-47.31	30.08	-68.44	-13.00	55.44	Horizontal
4	3817.1429	43.24	-46.87	31.10	-67.79	-13.00	54.79	Horizontal
5	5140	43.60	-45.76	33.28	-64.14	-13.00	51.14	Horizontal
6	8398.2857	40.32	-41.64	37.09	-59.49	-13.00	46.49	Horizontal

1.12. Test Band = SA N5_ TM1

1.12.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1324.5714	46.15	-48.73	25.89	-71.95	-13.00	58.95	Vertical
2	2088.5714	44.59	-47.86	27.11	-71.42	-13.00	58.42	Vertical
3	2737.1429	44.13	-47.30	28.65	-69.78	-13.00	56.78	Vertical
4	3256.5714	43.81	-47.26	30.16	-68.55	-13.00	55.55	Vertical
5	4372	43.29	-46.44	31.78	-66.63	-13.00	53.63	Vertical
6	6395.4286	41.92	-45.30	35.05	-63.59	-13.00	50.59	Vertical



Report No.: SUCR260400031710

Page: 7 of 45

1.13. Test Band = SA N7_ TM1

1.13.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4188	44.46	-45.84	30.98	-65.66	-25.00	40.66	Horizontal
2	5199.375	44.47	-45.30	32.81	-63.28	-25.00	38.28	Horizontal
3	6399.375	44.05	-45.19	35.09	-61.31	-25.00	36.31	Horizontal
4	7974.75	42.35	-43.23	37.30	-58.84	-25.00	33.84	Horizontal
5	11889	38.93	-38.36	38.80	-55.89	-25.00	30.89	Horizontal
6	15102.75	37.88	-36.48	39.20	-54.66	-25.00	29.66	Horizontal

1.14. Test Band = SA N7_ TM1

1.14.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3661.875	45.09	-46.09	29.75	-66.52	-25.00	41.52	Vertical
2	5103	45.34	-46.15	33.58	-62.50	-25.00	37.50	Vertical
3	6717.375	43.00	-44.31	36.03	-60.54	-25.00	35.54	Vertical
4	7465.125	42.86	-43.85	36.61	-59.64	-25.00	34.64	Vertical
5	10805.25	38.14	-38.18	39.01	-56.29	-25.00	31.29	Vertical
6	14109.375	37.39	-36.50	39.84	-54.53	-25.00	29.53	Vertical



Report No.: SUCR260400031710

Page: 8 of 45

1.15. Test Band = SA N7_ TM1

1.15.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3584.25	45.65	-46.57	29.83	-66.34	-25.00	41.34	Horizontal
2	5168.25	45.27	-45.57	33.05	-62.51	-25.00	37.51	Horizontal
3	5981.25	44.65	-46.19	34.18	-62.62	-25.00	37.62	Horizontal
4	8235.375	41.84	-43.07	37.33	-59.16	-25.00	34.16	Horizontal
5	11190.375	39.61	-37.21	38.84	-54.02	-25.00	29.02	Horizontal
6	13598.625	37.59	-36.17	39.90	-53.94	-25.00	28.94	Horizontal

1.16. Test Band = SA N7_ TM1

1.16.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3727.5	45.28	-46.14	30.18	-65.95	-25.00	40.95	Vertical
2	5094	45.37	-46.16	33.59	-62.46	-25.00	37.46	Vertical
3	5867.25	43.84	-45.58	34.33	-62.67	-25.00	37.67	Vertical
4	7440	43.25	-44.23	36.64	-59.60	-25.00	34.60	Vertical
5	10379.625	38.94	-39.42	38.64	-57.10	-25.00	32.10	Vertical
6	11879.625	39.78	-38.33	38.80	-55.01	-25.00	30.01	Vertical



Report No.: SUCR260400031710

Page: 9 of 45

1.17. Test Band = SA N7_ TM1

1.17.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3735.375	45.23	-46.22	30.25	-66.00	-25.00	41.00	Horizontal
2	5181.375	44.85	-45.46	32.95	-62.92	-25.00	37.92	Horizontal
3	6340.5	43.92	-45.29	34.54	-62.09	-25.00	37.09	Horizontal
4	7754.25	41.65	-43.04	36.79	-59.85	-25.00	34.85	Horizontal
5	10423.125	39.13	-39.26	38.61	-56.79	-25.00	31.79	Horizontal
6	13653.375	38.34	-36.59	39.95	-53.56	-25.00	28.56	Horizontal

1.18. Test Band = SA N7_ TM1

1.18.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3751.125	45.42	-46.37	30.42	-65.79	-25.00	40.79	Vertical
2	5400.75	43.80	-45.24	33.00	-63.71	-25.00	38.71	Vertical
3	6765.375	43.37	-44.44	35.81	-60.53	-25.00	35.53	Vertical
4	8996.25	40.53	-40.46	38.19	-57.00	-25.00	32.00	Vertical
5	11131.5	39.12	-38.23	39.07	-55.29	-25.00	30.29	Vertical
6	13987.125	40.15	-36.96	40.05	-52.02	-25.00	27.02	Vertical



Report No.: SUCR260400031710

Page: 10 of 45

1.19. Test Band = SA N14_ TM1

1.19.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1574.8571	48.56	-48.64	25.70	-69.65	-40.00	29.65	Horizontal
2	1920.5714	45.28	-48.07	26.32	-71.73	-13.00	58.73	Horizontal
3	2430.8571	44.78	-48.37	27.82	-71.02	-13.00	58.02	Horizontal
4	3577.7143	43.86	-46.87	29.84	-68.42	-13.00	55.42	Horizontal
5	5108	42.86	-46.14	33.54	-65.01	-13.00	52.01	Horizontal
6	7462.8571	41.28	-44.01	36.62	-61.37	-13.00	48.37	Horizontal

1.20. Test Band = SA N14_ TM1

1.20.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1256.5714	56.51	-49.01	25.43	-62.33	-13.00	49.33	Vertical
2	1574.8571	47.69	-48.64	25.70	-70.52	-40.00	30.52	Vertical
3	2253.7143	44.54	-48.56	27.29	-72.00	-13.00	59.00	Vertical
4	3533.7143	43.33	-47.25	29.93	-69.25	-13.00	56.25	Vertical
5	5367.4286	42.24	-45.33	33.20	-65.15	-13.00	52.15	Vertical
6	7923.4286	40.63	-43.05	36.98	-60.70	-13.00	47.70	Vertical



Report No.: SUCR260400031710

Page: 11 of 45

1.21. Test Band = SA N14_ TM1

1.21.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1574.8571	48.92	-48.64	25.70	-69.29	-40.00	29.29	Horizontal
2	2100	44.54	-47.78	27.20	-71.30	-13.00	58.30	Horizontal
3	2917.1429	44.13	-47.31	28.94	-69.50	-13.00	56.50	Horizontal
4	3764	43.69	-46.81	30.62	-67.76	-13.00	54.76	Horizontal
5	5678.8571	42.67	-45.49	33.44	-64.64	-13.00	51.64	Horizontal
6	7812.5714	40.18	-42.97	36.67	-61.38	-13.00	48.38	Horizontal

1.22. Test Band = SA N14_ TM1

1.22.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1574.8571	48.89	-48.64	25.70	-69.32	-40.00	29.32	Vertical
2	2148	44.55	-48.26	27.68	-71.29	-13.00	58.29	Vertical
3	3041.7143	43.61	-46.72	30.08	-68.29	-13.00	55.29	Vertical
4	4039.4286	43.47	-46.96	31.44	-67.31	-13.00	54.31	Vertical
5	5382.8571	41.83	-45.15	33.10	-65.48	-13.00	52.48	Vertical
6	6996	41.48	-44.17	36.01	-61.94	-13.00	48.94	Vertical



Report No.: SUCR260400031710

Page: 12 of 45

1.23. Test Band = SA N14_ TM1

1.23.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1574.8571	48.86	-48.64	25.70	-69.35	-40.00	29.35	Horizontal
2	2198.2857	44.67	-48.77	27.70	-71.66	-13.00	58.66	Horizontal
3	2906.2857	44.07	-47.38	28.85	-69.72	-13.00	56.72	Horizontal
4	4044	43.05	-46.92	31.46	-67.66	-13.00	54.66	Horizontal
5	5992.5714	42.93	-45.97	34.13	-64.17	-13.00	51.17	Horizontal
6	7434.2857	41.92	-44.35	36.61	-61.08	-13.00	48.08	Horizontal

1.24. Test Band = SA N14_ TM1

1.24.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1574.8571	47.51	-48.64	25.70	-70.70	-40.00	30.70	Vertical
2	2384.5714	44.93	-48.73	27.58	-71.48	-13.00	58.48	Vertical
3	3408	43.77	-47.27	29.53	-69.23	-13.00	56.23	Vertical
4	4546.2857	42.93	-46.47	32.26	-66.55	-13.00	53.55	Vertical
5	5799.4286	42.82	-45.78	34.10	-64.12	-13.00	51.12	Vertical
6	7232	41.35	-44.59	36.77	-61.73	-13.00	48.73	Vertical



Report No.: SUCR260400031710

Page: 13 of 45

1.25. Test Band = SA N25_ TM1

1.25.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4349.625	43.87	-46.37	32.00	-65.76	-13.00	52.76	Horizontal
2	6708	42.13	-44.28	36.07	-61.34	-13.00	48.34	Horizontal
3	7756.125	40.42	-43.03	36.79	-61.08	-13.00	48.08	Horizontal
4	10117.875	37.99	-39.30	38.55	-58.03	-13.00	45.03	Horizontal
5	13351.5	38.06	-38.20	39.85	-55.55	-13.00	42.55	Horizontal
6	16305.375	36.32	-37.40	38.41	-57.93	-13.00	44.93	Horizontal

1.26. Test Band = SA N25_ TM1

1.26.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3767.25	44.51	-46.53	30.68	-66.60	-13.00	53.60	Vertical
2	5512.875	44.79	-46.87	32.98	-64.36	-13.00	51.36	Vertical
3	6711.75	41.79	-44.29	36.05	-61.71	-13.00	48.71	Vertical
4	8832.375	40.22	-41.54	37.84	-58.75	-13.00	45.75	Vertical
5	11783.25	37.58	-38.05	38.78	-56.94	-13.00	43.94	Vertical
6	15078	35.89	-36.54	39.27	-56.64	-13.00	43.64	Vertical



Report No.: SUCR260400031710

Page: 14 of 45

1.27. Test Band = SA N25_ TM1

1.27.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3735.375	44.92	-46.22	30.25	-66.31	-13.00	53.31	Horizontal
2	5461.125	43.68	-46.29	32.82	-65.05	-13.00	52.05	Horizontal
3	7393.125	42.28	-44.77	36.39	-61.36	-13.00	48.36	Horizontal
4	8585.25	39.37	-41.85	37.56	-60.18	-13.00	47.18	Horizontal
5	11234.25	38.64	-37.75	38.87	-55.50	-13.00	42.50	Horizontal
6	14032.125	36.17	-36.81	40.00	-55.90	-13.00	42.90	Horizontal

1.28. Test Band = SA N25_ TM1

1.28.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3671.25	43.61	-46.04	29.79	-67.91	-13.00	54.91	Vertical
2	4989.75	42.95	-45.84	32.96	-65.19	-13.00	52.19	Vertical
3	7278	41.37	-43.96	36.53	-61.32	-13.00	48.32	Vertical
4	8946.75	39.24	-40.97	38.08	-58.91	-13.00	45.91	Vertical
5	11785.5	37.24	-38.05	38.79	-57.28	-13.00	44.28	Vertical
6	14272.125	35.86	-36.40	40.06	-55.75	-13.00	42.75	Vertical



Report No.: SUCR260400031710

Page: 15 of 45

1.29. Test Band = SA N25_ TM1

1.29.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4118.25	44.30	-46.19	31.09	-66.06	-13.00	53.06	Horizontal
2	5310.75	43.03	-45.85	33.30	-64.78	-13.00	51.78	Horizontal
3	6467.25	43.35	-45.42	35.20	-62.13	-13.00	49.13	Horizontal
4	7264.5	41.84	-44.07	36.61	-60.88	-13.00	47.88	Horizontal
5	8986.875	40.08	-40.56	38.17	-57.56	-13.00	44.56	Horizontal
6	9810	37.86	-39.47	38.20	-58.67	-13.00	45.67	Horizontal

1.30. Test Band = SA N25_ TM1

1.30.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3897.75	44.54	-46.48	30.61	-66.58	-13.00	53.58	Vertical
2	5029.875	43.66	-45.91	33.30	-64.21	-13.00	51.21	Vertical
3	6276.375	42.59	-45.55	34.25	-63.96	-13.00	50.96	Vertical
4	6765.75	43.69	-44.44	35.81	-60.21	-13.00	47.21	Vertical
5	9547.5	38.82	-41.02	38.40	-59.06	-13.00	46.06	Vertical
6	10816.875	37.11	-38.17	39.02	-57.30	-13.00	44.30	Vertical



Report No.: SUCR260400031710

Page: 16 of 45

1.31. Test Band = SA N30_ TM1

1.31.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4067.5	44.18	-46.58	31.40	-66.26	-40.00	26.26	Horizontal
2	5388	43.15	-45.31	33.07	-64.35	-40.00	24.35	Horizontal
3	6734.5	42.64	-44.36	35.96	-61.01	-40.00	21.01	Horizontal
4	8340	41.91	-43.07	36.94	-59.48	-40.00	19.48	Horizontal
5	9000.5	39.91	-40.43	38.20	-57.58	-40.00	17.58	Horizontal
6	10796.5	37.48	-38.24	38.99	-57.03	-40.00	17.03	Horizontal

1.32. Test Band = SA N30_ TM1

1.32.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4277.5	43.82	-46.38	31.83	-65.99	-40.00	25.99	Vertical
2	5666.5	43.60	-45.95	33.47	-64.14	-40.00	24.14	Vertical
3	6771	43.14	-44.46	35.77	-60.80	-40.00	20.80	Vertical
4	8048	41.76	-42.96	36.92	-59.55	-40.00	19.55	Vertical
5	9011.5	40.21	-40.55	38.15	-57.45	-40.00	17.45	Vertical
6	10190	38.24	-39.15	38.33	-57.84	-40.00	17.84	Vertical



Report No.: SUCR260400031710

Page: 17 of 45

1.33. Test Band = SA N30_ TM1

1.33.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3885.5	44.76	-46.52	30.69	-66.34	-40.00	26.34	Horizontal
2	5325	43.79	-45.75	33.30	-63.92	-40.00	23.92	Horizontal
3	6672	42.09	-44.58	35.99	-61.76	-40.00	21.76	Horizontal
4	7460	42.39	-43.93	36.64	-60.16	-40.00	20.16	Horizontal
5	9773	38.22	-39.60	38.04	-58.60	-40.00	18.60	Horizontal
6	10815	37.26	-38.17	39.02	-57.15	-40.00	17.15	Horizontal

1.34. Test Band = SA N30_ TM1

1.34.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4074.5	44.37	-46.51	31.35	-66.05	-40.00	26.05	Vertical
2	5029	44.44	-45.91	33.29	-63.44	-40.00	23.44	Vertical
3	6474	43.42	-45.44	35.20	-62.08	-40.00	22.08	Vertical
4	7944.5	41.50	-43.11	37.23	-59.64	-40.00	19.64	Vertical
5	9826	38.50	-39.61	38.20	-58.17	-40.00	18.17	Vertical
6	11109	37.69	-38.61	39.16	-57.02	-40.00	17.02	Vertical



Report No.: SUCR260400031710

Page: 18 of 45

1.35. Test Band = SA N30_ TM1

1.35.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3936.5	44.11	-46.74	30.67	-67.21	-40.00	27.21	Horizontal
2	5398.5	43.21	-45.24	33.01	-64.28	-40.00	24.28	Horizontal
3	5819	43.86	-45.81	34.18	-63.03	-40.00	23.03	Horizontal
4	7737	39.70	-43.12	36.77	-61.90	-40.00	21.90	Horizontal
5	10990	37.62	-38.51	38.56	-57.59	-40.00	17.59	Horizontal
6	13365	37.62	-38.25	39.87	-56.02	-40.00	16.02	Horizontal

1.36. Test Band = SA N30_ TM1

1.36.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4010	44.64	-47.11	31.26	-66.47	-40.00	26.47	Vertical
2	5141.5	43.53	-45.81	33.27	-64.27	-40.00	24.27	Vertical
3	6751	43.31	-44.40	35.89	-60.46	-40.00	20.46	Vertical
4	8198	39.70	-42.51	37.38	-60.70	-40.00	20.70	Vertical
5	11236.5	38.01	-37.79	38.87	-56.17	-40.00	16.17	Vertical
6	14303.5	36.49	-36.15	39.99	-54.92	-40.00	14.92	Vertical



Report No.: SUCR260400031710

Page: 19 of 45

1.37. Test Band = SA N38_ TM1

1.37.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3847.875	44.83	-46.66	30.91	-66.18	-25.00	41.18	Horizontal
2	5023.875	44.88	-45.89	33.24	-63.03	-25.00	38.03	Horizontal
3	6765.375	43.23	-44.44	35.81	-60.67	-25.00	35.67	Horizontal
4	7907.25	42.61	-42.98	36.79	-58.84	-25.00	33.84	Horizontal
5	10820.625	38.50	-38.16	39.02	-55.90	-25.00	30.90	Horizontal
6	14346	37.27	-36.24	39.91	-54.32	-25.00	29.32	Horizontal

1.38. Test Band = SA N38_ TM1

1.38.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3715.125	44.95	-46.03	30.05	-66.28	-25.00	41.28	Vertical
2	5208.75	44.16	-45.35	32.82	-63.63	-25.00	38.63	Vertical
3	6428.25	43.60	-45.29	35.16	-61.79	-25.00	36.79	Vertical
4	7933.125	42.20	-43.07	37.10	-59.04	-25.00	34.04	Vertical
5	11140.5	38.77	-38.07	39.04	-55.52	-25.00	30.52	Vertical
6	12976.5	39.20	-37.37	39.75	-53.68	-25.00	28.68	Vertical



Report No.: SUCR260400031710

Page: 20 of 45

1.39. Test Band = SA N38_ TM1

1.39.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4119	44.06	-46.19	31.09	-66.30	-25.00	41.30	Horizontal
2	5884.125	44.51	-45.50	34.37	-61.89	-25.00	36.89	Horizontal
3	7453.875	43.14	-44.02	36.68	-59.46	-25.00	34.46	Horizontal
4	9002.625	41.41	-40.45	38.19	-56.11	-25.00	31.11	Horizontal
5	11071.125	38.76	-38.71	39.00	-56.21	-25.00	31.21	Horizontal
6	13601.625	37.28	-36.15	39.90	-54.23	-25.00	29.23	Horizontal

1.40. Test Band = SA N38_ TM1

1.40.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3849.75	44.79	-46.66	30.90	-66.22	-25.00	41.22	Vertical
2	5181.75	44.36	-45.45	32.95	-63.41	-25.00	38.41	Vertical
3	6508.875	44.03	-45.52	35.20	-61.55	-25.00	36.55	Vertical
4	7771.5	41.28	-42.95	36.76	-60.18	-25.00	35.18	Vertical
5	10408.5	38.90	-39.24	38.67	-56.94	-25.00	31.94	Vertical
6	12171.375	38.19	-37.11	39.14	-55.04	-25.00	30.04	Vertical



Report No.: SUCR260400031710

Page: 21 of 45

1.41. Test Band = SA N38_ TM1

1.41.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3799.5	44.99	-46.84	31.19	-65.91	-25.00	40.91	Horizontal
2	5428.125	43.53	-45.72	32.89	-64.56	-25.00	39.56	Horizontal
3	7449.75	43.46	-44.08	36.70	-59.19	-25.00	34.19	Horizontal
4	9561	39.70	-40.96	38.38	-58.14	-25.00	33.14	Horizontal
5	10816.125	38.43	-38.17	39.02	-55.98	-25.00	30.98	Horizontal
6	13018.125	37.87	-37.07	39.76	-54.70	-25.00	29.70	Horizontal

1.42. Test Band = SA N38_ TM1

1.42.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3884.625	44.64	-46.53	30.69	-66.45	-25.00	41.45	Vertical
2	5345.25	43.83	-45.61	33.30	-63.74	-25.00	38.74	Vertical
3	6598.5	43.35	-45.40	35.59	-61.72	-25.00	36.72	Vertical
4	7907.625	42.94	-42.98	36.79	-58.51	-25.00	33.51	Vertical
5	10515.375	39.03	-39.57	38.41	-57.40	-25.00	32.40	Vertical
6	13601.25	37.79	-36.15	39.90	-53.72	-25.00	28.72	Vertical



Report No.: SUCR260400031710

Page: 22 of 45

1.43. Test Band = SA N41_ TM1

1.43.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3799.125	44.65	-46.83	31.19	-66.26	-25.00	41.26	Horizontal
2	5880.375	43.87	-45.52	34.36	-62.55	-25.00	37.55	Horizontal
3	7006.875	42.61	-44.32	35.99	-60.98	-25.00	35.98	Horizontal
4	8919.75	40.73	-41.25	37.92	-57.86	-25.00	32.86	Horizontal
5	12394.5	38.86	-38.09	39.08	-55.41	-25.00	30.41	Horizontal
6	16451.625	39.32	-36.25	38.70	-53.48	-25.00	28.48	Horizontal

1.44. Test Band = SA N41_ TM1

1.44.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3769.875	44.91	-46.55	30.72	-66.18	-25.00	41.18	Vertical
2	5137.125	44.36	-45.85	33.30	-63.45	-25.00	38.45	Vertical
3	6756.375	43.47	-44.42	35.86	-60.35	-25.00	35.35	Vertical
4	8396.625	41.87	-41.64	37.09	-57.94	-25.00	32.94	Vertical
5	11214.375	39.28	-37.34	38.83	-54.49	-25.00	29.49	Vertical
6	13038.375	38.30	-37.27	39.72	-54.51	-25.00	29.51	Vertical



Report No.: SUCR260400031710

Page: 23 of 45

1.45. Test Band = SA N41_ TM1

1.45.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3767.625	45.03	-46.53	30.68	-66.08	-25.00	41.08	Horizontal
2	4815.375	44.44	-45.96	32.96	-63.82	-25.00	38.82	Horizontal
3	6175.875	43.08	-46.22	34.45	-63.95	-25.00	38.95	Horizontal
4	7495.5	42.61	-43.39	36.43	-59.61	-25.00	34.61	Horizontal
5	9783.75	38.54	-39.51	38.10	-58.13	-25.00	33.13	Horizontal
6	12951.75	38.26	-37.87	39.70	-55.17	-25.00	30.17	Horizontal

1.46. Test Band = SA N41_ TM1

1.46.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3770.625	44.65	-46.56	30.73	-66.44	-25.00	41.44	Vertical
2	5190.375	44.53	-45.38	32.88	-63.23	-25.00	38.23	Vertical
3	7737.75	41.03	-43.11	36.78	-60.57	-25.00	35.57	Vertical
4	8452.5	42.37	-42.17	37.61	-57.46	-25.00	32.46	Vertical
5	12115.5	37.79	-36.87	39.03	-55.31	-25.00	30.31	Vertical
6	15699	37.76	-36.29	39.00	-54.79	-25.00	29.79	Vertical



Report No.: SUCR260400031710

Page: 24 of 45

1.47. Test Band = SA N41_ TM1

1.47.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3781.125	44.55	-46.66	30.90	-66.47	-25.00	41.47	Horizontal
2	5273.625	43.77	-45.75	33.09	-64.15	-25.00	39.15	Horizontal
3	6700.875	43.62	-44.26	36.10	-59.81	-25.00	34.81	Horizontal
4	8424.375	41.46	-41.84	37.34	-58.30	-25.00	33.30	Horizontal
5	12095.625	37.96	-36.87	38.99	-55.18	-25.00	30.18	Horizontal
6	14057.25	37.46	-36.68	39.93	-54.55	-25.00	29.55	Horizontal

1.48. Test Band = SA N41_ TM1

1.48.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3787.875	45.16	-46.72	31.01	-65.82	-25.00	40.82	Vertical
2	5004.375	44.36	-45.82	33.04	-63.67	-25.00	38.67	Vertical
3	6177.375	43.53	-46.21	34.45	-63.50	-25.00	38.50	Vertical
4	7752.75	40.90	-43.04	36.79	-60.61	-25.00	35.61	Vertical
5	12383.625	38.60	-38.14	39.05	-55.75	-25.00	30.75	Vertical
6	14365.125	37.03	-36.28	39.87	-54.64	-25.00	29.64	Vertical



Report No.: SUCR260400031710

Page: 25 of 45

1.49. Test Band = SA N41_ TM1

1.49.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3744.375	45.23	-46.31	30.34	-65.99	-25.00	40.99	Horizontal
2	5034	44.42	-45.93	33.34	-63.43	-25.00	38.43	Horizontal
3	6523.5	43.77	-45.50	35.20	-61.79	-25.00	36.79	Horizontal
4	8200.125	40.24	-42.51	37.40	-60.13	-25.00	35.13	Horizontal
5	10361.625	38.67	-39.59	38.58	-57.59	-25.00	32.59	Horizontal
6	13051.5	38.79	-37.39	39.70	-54.17	-25.00	29.17	Horizontal

1.50. Test Band = SA N41_ TM1

1.50.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3771.375	44.93	-46.57	30.74	-66.15	-25.00	41.15	Vertical
2	5134.125	44.55	-45.88	33.33	-63.26	-25.00	38.26	Vertical
3	6298.5	43.82	-45.37	34.30	-62.51	-25.00	37.51	Vertical
4	9751.5	39.80	-39.78	37.91	-57.33	-25.00	32.33	Vertical
5	12991.875	38.11	-37.06	39.78	-54.43	-25.00	29.43	Vertical
6	15855.375	38.48	-36.23	39.43	-53.57	-25.00	28.57	Vertical



Report No.: SUCR260400031710

Page: 26 of 45

1.51. Test Band = SA N41_ TM1

1.51.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3964.5	44.53	-46.94	30.85	-66.83	-25.00	41.83	Horizontal
2	5334.75	44.60	-45.68	33.30	-63.04	-25.00	38.04	Horizontal
3	6151.5	43.75	-46.28	34.50	-63.29	-25.00	38.29	Horizontal
4	7918.875	42.18	-43.02	36.93	-59.17	-25.00	34.17	Horizontal
5	10780.125	38.48	-38.49	38.92	-56.35	-25.00	31.35	Horizontal
6	15043.125	37.56	-36.65	39.37	-54.98	-25.00	29.98	Horizontal

1.52. Test Band = SA N41_ TM1

1.52.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3759	45.07	-46.45	30.54	-66.09	-25.00	41.09	Vertical
2	5272.125	44.06	-45.74	33.08	-63.87	-25.00	38.87	Vertical
3	7947	42.44	-43.12	37.26	-58.68	-25.00	33.68	Vertical
4	10153.875	38.69	-39.23	38.44	-57.36	-25.00	32.36	Vertical
5	13971	37.93	-36.92	39.98	-54.27	-25.00	29.27	Vertical
6	15841.125	38.03	-36.05	39.48	-53.80	-25.00	28.80	Vertical



Report No.: SUCR260400031710

Page: 27 of 45

1.53. Test Band = SA N41_ TM1

1.53.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3718.125	45.13	-46.05	30.08	-66.10	-25.00	41.10	Horizontal
2	4865.625	44.87	-46.08	33.01	-63.47	-25.00	38.47	Horizontal
3	6652.125	43.03	-44.81	35.91	-61.13	-25.00	36.13	Horizontal
4	8968.5	40.17	-40.74	38.14	-57.70	-25.00	32.70	Horizontal
5	11175.75	39.02	-37.46	38.90	-54.80	-25.00	29.80	Horizontal
6	16374	39.91	-37.21	38.55	-54.01	-25.00	29.01	Horizontal

1.54. Test Band = SA N41_ TM1

1.54.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3774.75	44.72	-46.60	30.80	-66.34	-25.00	41.34	Vertical
2	4870.875	44.47	-46.10	32.97	-63.91	-25.00	38.91	Vertical
3	6175.125	43.90	-46.22	34.45	-63.13	-25.00	38.13	Vertical
4	7909.5	42.22	-42.99	36.81	-59.21	-25.00	34.21	Vertical
5	11236.125	39.24	-37.78	38.87	-54.93	-25.00	29.93	Vertical
6	14634.75	37.10	-36.90	39.70	-55.36	-25.00	30.36	Vertical



Report No.: SUCR260400031710

Page: 28 of 45

1.55. Test Band = SA N48_ TM1

1.55.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7530.975	41.77	-43.44	36.15	-60.78	-30.00	30.78	Horizontal
2	9124.875	37.89	-41.48	38.00	-60.85	-30.00	30.85	Horizontal
3	10473.25	37.34	-39.14	38.41	-58.65	-30.00	28.65	Horizontal
4	11774.475	37.10	-37.69	38.77	-57.08	-30.00	27.08	Horizontal
5	13803.075	36.39	-36.79	39.89	-55.76	-30.00	25.76	Horizontal
6	16403.8	37.10	-37.21	38.61	-56.76	-30.00	26.76	Horizontal

1.56. Test Band = SA N48_ TM1

1.56.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7755.225	39.49	-43.18	36.79	-62.16	-30.00	32.16	Vertical
2	9004.7	39.58	-40.63	38.18	-58.13	-30.00	28.13	Vertical
3	10711.875	37.97	-39.20	38.65	-57.84	-30.00	27.84	Vertical
4	12942.3	36.34	-37.74	39.68	-56.97	-30.00	26.97	Vertical
5	14830.6	34.37	-37.20	39.61	-58.48	-30.00	28.48	Vertical
6	17327.825	37.14	-36.33	39.76	-54.70	-30.00	24.70	Vertical



Report No.: SUCR260400031710

Page: 29 of 45

1.57. Test Band = SA N48_ TM1

1.57.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7498.2	41.33	-43.47	36.41	-60.99	-30.00	30.99	Horizontal
2	9327.85	38.31	-41.28	38.34	-59.88	-30.00	29.88	Horizontal
3	10641.725	38.11	-39.82	38.83	-58.13	-30.00	28.13	Horizontal
4	11929.725	36.66	-38.35	38.80	-58.15	-30.00	28.15	Horizontal
5	15033.575	35.46	-37.80	39.40	-58.20	-30.00	28.20	Horizontal
6	15862.15	35.10	-37.52	39.41	-58.27	-30.00	28.27	Horizontal

1.58. Test Band = SA N48_ TM1

1.58.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7093.4	41.95	-43.79	36.16	-60.94	-30.00	30.94	Vertical
2	8620.6	39.45	-41.62	37.54	-59.89	-30.00	29.89	Vertical
3	10145.5	37.38	-38.90	38.46	-58.31	-30.00	28.31	Vertical
4	11550.8	35.49	-36.79	38.90	-57.66	-30.00	27.66	Vertical
5	14333.225	35.47	-36.01	39.93	-55.86	-30.00	25.86	Vertical
6	16112.85	34.72	-37.16	38.50	-59.20	-30.00	29.20	Vertical



Report No.: SUCR260400031710

Page: 30 of 45

1.59. Test Band = SA N48_ TM1

1.59.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7301.55	40.95	-43.72	36.40	-61.63	-30.00	31.63	Horizontal
2	8877.625	39.41	-41.49	37.80	-59.54	-30.00	29.54	Horizontal
3	10176.55	37.15	-38.96	38.37	-58.70	-30.00	28.70	Horizontal
4	12063.125	36.36	-37.01	38.93	-56.98	-30.00	26.98	Horizontal
5	14426.95	35.90	-36.44	39.85	-55.95	-30.00	25.95	Horizontal
6	16641.85	36.05	-36.29	38.98	-56.52	-30.00	26.52	Horizontal

1.60. Test Band = SA N48_ TM1

1.60.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7375.15	41.71	-44.21	36.35	-61.41	-30.00	31.41	Vertical
2	8540.675	39.97	-42.14	37.70	-59.73	-30.00	29.73	Vertical
3	10417.475	37.31	-38.96	38.63	-58.28	-30.00	28.28	Vertical
4	12103.375	35.83	-36.60	39.01	-57.02	-30.00	27.02	Vertical
5	14613.25	35.83	-37.08	39.70	-56.81	-30.00	26.81	Vertical
6	16228.425	35.11	-37.59	38.47	-59.27	-30.00	29.27	Vertical



Report No.: SUCR260400031710

Page: 31 of 45

1.61. Test Band = SA N48_ TM1

1.61.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7410.225	42.20	-44.28	36.46	-60.87	-40.00	20.87	Horizontal
2	8466.5	40.06	-42.18	37.63	-59.75	-40.00	19.75	Horizontal
3	10094.9	36.98	-38.96	38.58	-58.66	-40.00	18.66	Horizontal
4	10782.6	37.17	-38.30	38.93	-57.46	-40.00	17.46	Horizontal
5	12391.45	37.25	-38.18	39.07	-57.12	-40.00	17.12	Horizontal
6	14455.125	35.91	-36.41	39.91	-55.85	-40.00	15.85	Horizontal

1.62. Test Band = SA N48_ TM1

1.62.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7774.2	40.37	-43.21	36.75	-61.35	-40.00	21.35	Vertical
2	9011.025	39.23	-40.68	38.16	-58.56	-40.00	18.56	Vertical
3	10505.45	37.66	-39.27	38.34	-58.53	-40.00	18.53	Vertical
4	11238.575	37.83	-37.51	38.88	-56.06	-40.00	16.06	Vertical
5	12986.575	36.52	-37.26	39.77	-56.23	-40.00	16.23	Vertical
6	14000.3	35.92	-35.92	40.10	-55.16	-40.00	15.16	Vertical



Report No.: SUCR260400031710

Page: 32 of 45

1.63. Test Band = SA N48_ TM1

1.63.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7839.75	40.60	-43.08	36.62	-61.12	-40.00	21.12	Horizontal
2	8452.125	40.40	-42.01	37.60	-59.27	-40.00	19.27	Horizontal
3	9828.1	37.47	-39.29	38.20	-58.88	-40.00	18.88	Horizontal
4	10799.85	36.44	-38.08	39.00	-57.90	-40.00	17.90	Horizontal
5	12233.325	36.64	-37.08	39.07	-56.63	-40.00	16.63	Horizontal
6	14002.025	35.80	-35.93	40.09	-55.29	-40.00	15.29	Horizontal

1.64. Test Band = SA N48_ TM1

1.64.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7841.475	40.49	-43.07	36.62	-61.22	-40.00	21.22	Vertical
2	8828.75	39.46	-41.48	37.84	-59.44	-40.00	19.44	Vertical
3	9844.775	37.68	-39.45	38.20	-58.83	-40.00	18.83	Vertical
4	10773.4	36.94	-38.42	38.89	-57.84	-40.00	17.84	Vertical
5	12206.3	35.75	-36.92	39.17	-57.25	-40.00	17.25	Vertical
6	14322.3	35.75	-35.93	39.96	-55.48	-40.00	15.48	Vertical



Report No.: SUCR260400031710

Page: 33 of 45

1.65. Test Band = SA N48_ TM1

1.65.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7942.675	41.05	-42.99	37.21	-59.99	-40.00	19.99	Horizontal
2	9315.2	38.61	-41.34	38.37	-59.62	-40.00	19.62	Horizontal
3	10112.15	37.17	-38.83	38.56	-58.36	-40.00	18.36	Horizontal
4	11285.15	37.47	-38.69	38.97	-57.51	-40.00	17.51	Horizontal
5	12955.525	37.35	-37.60	39.71	-55.79	-40.00	15.79	Horizontal
6	15068.075	35.77	-37.96	39.30	-58.15	-40.00	18.15	Horizontal

1.66. Test Band = SA N48_ TM1

1.66.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7530.4	41.26	-43.44	36.16	-61.29	-40.00	21.29	Vertical
2	9009.3	39.23	-40.67	38.16	-58.54	-40.00	18.54	Vertical
3	10501.425	37.62	-39.23	38.31	-58.56	-40.00	18.56	Vertical
4	12388.575	37.01	-38.16	39.07	-57.35	-40.00	17.35	Vertical
5	13611.025	35.98	-36.17	39.91	-55.54	-40.00	15.54	Vertical
6	15864.45	35.86	-37.53	39.41	-57.53	-40.00	17.53	Vertical



Report No.: SUCR260400031710

Page: 34 of 45

1.67. Test Band = SA N66_ TM1

1.67.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4335.375	44.44	-46.42	32.03	-65.21	-13.00	52.21	Horizontal
2	5150.25	43.61	-45.73	33.20	-64.18	-13.00	51.18	Horizontal
3	5869.125	42.77	-45.58	34.34	-63.73	-13.00	50.73	Horizontal
4	6645.75	42.50	-44.88	35.87	-61.76	-13.00	48.76	Horizontal
5	7961.625	41.20	-43.18	37.30	-59.94	-13.00	46.94	Horizontal
6	9555.75	39.88	-40.98	38.39	-57.97	-13.00	44.97	Horizontal

1.68. Test Band = SA N66_ TM1

1.68.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3940.5	44.50	-46.77	30.68	-66.84	-13.00	53.84	Vertical
2	4783.875	43.34	-46.02	32.71	-65.24	-13.00	52.24	Vertical
3	5461.875	43.81	-46.31	32.82	-64.93	-13.00	51.93	Vertical
4	6719.625	41.92	-44.31	36.02	-61.63	-13.00	48.63	Vertical
5	7918.125	41.49	-43.02	36.92	-59.87	-13.00	46.87	Vertical
6	9523.5	39.49	-41.12	38.35	-58.55	-13.00	45.55	Vertical



Report No.: SUCR260400031710

Page: 35 of 45

1.69. Test Band = SA N66_ TM1

1.69.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4369.5	44.19	-46.29	31.81	-65.55	-13.00	52.55	Horizontal
2	5864.25	43.37	-45.60	34.33	-63.16	-13.00	50.16	Horizontal
3	6750	43.01	-44.40	35.90	-60.75	-13.00	47.75	Horizontal
4	7464.375	41.96	-43.86	36.61	-60.55	-13.00	47.55	Horizontal
5	9045.75	40.74	-40.95	38.02	-57.45	-13.00	44.45	Horizontal
6	11201.625	37.55	-37.07	38.80	-55.98	-13.00	42.98	Horizontal

1.70. Test Band = SA N66_ TM1

1.70.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3579	44.69	-46.61	29.84	-67.34	-13.00	54.34	Vertical
2	4800	43.40	-45.92	32.90	-64.88	-13.00	51.88	Vertical
3	5802.75	43.39	-45.89	34.11	-63.65	-13.00	50.65	Vertical
4	7093.125	42.39	-44.42	36.16	-61.13	-13.00	48.13	Vertical
5	9008.25	39.65	-40.52	38.17	-57.96	-13.00	44.96	Vertical
6	10393.5	38.07	-39.29	38.68	-57.80	-13.00	44.80	Vertical



Report No.: SUCR260400031710

Page: 36 of 45

1.71. Test Band = SA N66_ TM1

1.71.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4803	43.96	-45.93	32.91	-64.32	-13.00	51.32	Horizontal
2	5820.375	43.60	-45.80	34.18	-63.28	-13.00	50.28	Horizontal
3	6995.625	42.66	-44.37	36.01	-60.96	-13.00	47.96	Horizontal
4	7951.125	40.92	-43.14	37.30	-60.18	-13.00	47.18	Horizontal
5	9022.875	39.77	-40.69	38.11	-58.07	-13.00	45.07	Horizontal
6	11202	37.42	-37.08	38.80	-56.12	-13.00	43.12	Horizontal

1.72. Test Band = SA N66_ TM1

1.72.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4103.625	43.62	-46.26	31.18	-66.72	-13.00	53.72	Vertical
2	5004.375	43.44	-45.82	33.04	-64.59	-13.00	51.59	Vertical
3	6341.625	43.05	-45.29	34.55	-62.95	-13.00	49.95	Vertical
4	7460.625	41.85	-43.92	36.64	-60.69	-13.00	47.69	Vertical
5	9060.375	39.70	-41.12	38.02	-58.66	-13.00	45.66	Vertical
6	11184.75	37.55	-37.30	38.86	-56.15	-13.00	43.15	Vertical



Report No.: SUCR260400031710

Page: 37 of 45

1.73. Test Band = SA N71_ TM1

1.73.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1429.7143	45.60	-48.63	26.52	-71.77	-13.00	58.77	Horizontal
2	1847.4286	45.12	-48.16	25.57	-72.73	-13.00	59.73	Horizontal
3	2412	44.75	-48.63	27.75	-71.39	-13.00	58.39	Horizontal
4	2787.4286	44.35	-46.98	28.70	-69.19	-13.00	56.19	Horizontal
5	3726.8571	43.61	-46.64	30.17	-68.12	-13.00	55.12	Horizontal
6	4809.7143	42.95	-46.03	32.94	-65.40	-13.00	52.40	Horizontal

1.74. Test Band = SA N71_ TM1

1.74.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1312	45.49	-48.74	25.74	-72.77	-13.00	59.77	Vertical
2	1874.2857	45.16	-48.07	25.89	-72.27	-13.00	59.27	Vertical
3	2152.5714	44.66	-48.31	27.70	-71.21	-13.00	58.21	Vertical
4	2760	43.95	-47.15	28.70	-69.76	-13.00	56.76	Vertical
5	3530.2857	44.03	-47.28	29.94	-68.57	-13.00	55.57	Vertical
6	4799.4286	43.27	-46.01	32.89	-65.11	-13.00	52.11	Vertical



Report No.: SUCR260400031710

Page: 38 of 45

1.75. Test Band = SA N71_ TM1

1.75.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1474.8571	45.46	-48.55	26.15	-72.20	-13.00	59.20	Horizontal
2	1941.1429	59.26	-48.18	26.45	-57.73	-13.00	44.73	Horizontal
3	2089.7143	44.71	-47.85	27.12	-71.28	-13.00	58.28	Horizontal
4	3098.2857	43.90	-46.67	29.62	-68.41	-13.00	55.41	Horizontal
5	4269.7143	42.86	-46.49	31.74	-67.15	-13.00	54.15	Horizontal
6	5117.1429	42.82	-46.03	33.46	-65.01	-13.00	52.01	Horizontal

1.76. Test Band = SA N71_ TM1

1.76.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1361.7143	45.25	-48.71	26.32	-72.40	-13.00	59.40	Vertical
2	1676	45.33	-48.84	25.79	-72.98	-13.00	59.98	Vertical
3	2313.1429	44.87	-48.43	27.15	-71.66	-13.00	58.66	Vertical
4	2937.1429	44.29	-47.17	29.10	-69.05	-13.00	56.05	Vertical
5	3739.4286	43.70	-46.70	30.29	-67.97	-13.00	54.97	Vertical
6	5145.1429	43.23	-45.69	33.24	-64.48	-13.00	51.48	Vertical



Report No.: SUCR260400031710

Page: 39 of 45

1.77. Test Band = SA N71_ TM1

1.77.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1505.7143	48.55	-48.52	25.87	-69.36	-13.00	56.36	Horizontal
2	2150.2857	44.97	-48.29	27.70	-70.88	-13.00	57.88	Horizontal
3	3060	44.20	-46.71	30.00	-67.77	-13.00	54.77	Horizontal
4	3686.8571	43.96	-46.54	29.85	-67.99	-13.00	54.99	Horizontal
5	4326.2857	43.10	-46.65	32.05	-66.76	-13.00	53.76	Horizontal
6	5159.4286	43.14	-45.52	33.12	-64.52	-13.00	51.52	Horizontal

1.78. Test Band = SA N71_ TM1

1.78.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1437.1429	45.55	-48.62	26.48	-71.85	-13.00	58.85	Vertical
2	2149.1429	44.74	-48.28	27.69	-71.10	-13.00	58.10	Vertical
3	2734.8571	44.05	-47.31	28.64	-69.88	-13.00	56.88	Vertical
4	3257.1429	43.67	-47.27	30.16	-68.70	-13.00	55.70	Vertical
5	3862.2857	43.49	-46.58	30.83	-67.53	-13.00	54.53	Vertical
6	5041.1429	42.57	-46.10	33.41	-65.38	-13.00	52.38	Vertical



Report No.: SUCR260400031710

Page: 40 of 45

1.79. Test Band = SA N77 3450-3550_ TM1

1.79.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7959.35	40.89	-43.06	37.30	-60.13	-13.00	47.13	Horizontal
2	8764.925	38.58	-41.70	38.04	-60.34	-13.00	47.34	Horizontal
3	9825.8	37.79	-39.27	38.20	-58.54	-13.00	45.54	Horizontal
4	10476.7	37.80	-39.15	38.39	-58.21	-13.00	45.21	Horizontal
5	11808.4	37.91	-37.93	38.80	-56.48	-13.00	43.48	Horizontal
6	12977.95	36.67	-37.36	39.76	-56.19	-13.00	43.19	Horizontal

1.80. Test Band = SA N77 3450-3550_ TM1

1.80.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	8073.775	40.80	-42.75	36.80	-60.41	-13.00	47.41	Vertical
2	9531.4	38.88	-40.99	38.36	-59.01	-13.00	46.01	Vertical
3	10363.425	37.88	-39.29	38.59	-58.08	-13.00	45.08	Vertical
4	11185.1	37.36	-36.84	38.86	-55.88	-13.00	42.88	Vertical
5	12239.65	36.64	-37.12	39.04	-56.70	-13.00	43.70	Vertical
6	13335.6	37.57	-38.18	39.84	-56.03	-13.00	43.03	Vertical



Report No.: SUCR260400031710

Page: 41 of 45

1.81. Test Band = SA N77 3700-3980_ TM1

1.81.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	8198.55	39.47	-42.32	37.38	-60.73	-13.00	47.73	Horizontal
2	9016.775	39.39	-40.73	38.13	-58.47	-13.00	45.47	Horizontal
3	9851.675	38.30	-39.52	38.19	-58.29	-13.00	45.29	Horizontal
4	10824.575	36.41	-38.05	39.02	-57.87	-13.00	44.87	Horizontal
5	11788.275	37.18	-37.79	38.79	-57.08	-13.00	44.08	Horizontal
6	13153.325	36.11	-36.83	39.71	-56.27	-13.00	43.27	Horizontal

1.82. Test Band = SA N77 3700-3980_ TM1

1.82.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7783.4	40.66	-43.23	36.73	-61.09	-13.00	48.09	Vertical
2	8971.925	38.78	-40.84	38.14	-59.18	-13.00	46.18	Vertical
3	9813.725	37.55	-39.15	38.20	-58.66	-13.00	45.66	Vertical
4	10649.2	38.58	-39.76	38.80	-57.63	-13.00	44.63	Vertical
5	12220.1	36.40	-37.00	39.12	-56.74	-13.00	43.74	Vertical
6	12994.625	36.13	-37.18	39.79	-56.52	-13.00	43.52	Vertical



Report No.: SUCR260400031710
Page: 42 of 45

1.83. Test Band = SA N77 3700-3980_ TM1

1.83.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7433.8	42.02	-44.06	36.60	-60.70	-13.00	47.70	Horizontal
2	7748.9	40.19	-43.17	36.80	-61.45	-13.00	48.45	Horizontal
3	9011.025	39.71	-40.68	38.16	-58.08	-13.00	45.08	Horizontal
4	9775.775	37.82	-39.28	38.05	-58.66	-13.00	45.66	Horizontal
5	10484.175	37.97	-39.17	38.36	-58.10	-13.00	45.10	Horizontal
6	12204.575	36.15	-36.91	39.18	-56.84	-13.00	43.84	Horizontal

1.84. Test Band = SA N77 3700-3980_ TM1

1.84.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7951.875	41.66	-43.03	37.30	-59.33	-13.00	46.33	Vertical
2	9548.65	38.68	-40.94	38.40	-59.13	-13.00	46.13	Vertical
3	10112.725	36.89	-38.83	38.56	-58.64	-13.00	45.64	Vertical
4	11200.625	36.76	-36.55	38.80	-56.24	-13.00	43.24	Vertical
5	12384.55	37.75	-38.13	39.05	-56.59	-13.00	43.59	Vertical
6	13605.85	35.84	-36.14	39.91	-55.65	-13.00	42.65	Vertical



Report No.: SUCR260400031710

Page: 43 of 45

1.85. Test Band = SA N77 3700-3980_ TM1

1.85.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	8199.7	39.59	-42.32	37.40	-60.59	-13.00	47.59	Horizontal
2	9057.6	38.97	-41.09	38.02	-59.36	-13.00	46.36	Horizontal
3	10102.375	37.32	-38.81	38.59	-58.16	-13.00	45.16	Horizontal
4	10786.05	37.00	-38.26	38.94	-57.57	-13.00	44.57	Horizontal
5	11764.125	36.84	-37.62	38.76	-57.27	-13.00	44.27	Horizontal
6	12993.475	36.80	-37.19	39.79	-55.86	-13.00	42.86	Horizontal

1.86. Test Band = SA N77 3700-3980_ TM1

1.86.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7826.525	40.32	-43.14	36.65	-61.43	-13.00	48.43	Vertical
2	9066.8	39.23	-41.16	38.03	-59.16	-13.00	46.16	Vertical
3	10138.6	37.52	-38.88	38.48	-58.14	-13.00	45.14	Vertical
4	10653.225	38.73	-39.72	38.79	-57.47	-13.00	44.47	Vertical
5	11788.275	37.02	-37.79	38.79	-57.24	-13.00	44.24	Vertical
6	12957.825	36.22	-37.57	39.72	-56.90	-13.00	43.90	Vertical



Report No.: SUCR260400031710

Page: 44 of 45

1.87. Test Band = SA N78 3450-3550_ TM1

1.87.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7481.525	41.81	-43.62	36.51	-60.56	-13.00	47.56	Horizontal
2	8839.675	39.54	-41.48	37.82	-59.38	-13.00	46.38	Horizontal
3	10110.425	37.33	-38.83	38.57	-58.19	-13.00	45.19	Horizontal
4	10822.275	36.93	-38.05	39.02	-57.36	-13.00	44.36	Horizontal
5	12390.3	37.67	-38.18	39.07	-56.69	-13.00	43.69	Horizontal
6	13355.15	37.08	-38.04	39.86	-56.36	-13.00	43.36	Horizontal

1.88. Test Band = SA N78 3450-3550_ TM1

1.88.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7788.575	40.66	-43.23	36.72	-61.11	-13.00	48.11	Vertical
2	9020.225	39.50	-40.76	38.12	-58.40	-13.00	45.40	Vertical
3	10117.325	37.09	-38.84	38.55	-58.46	-13.00	45.46	Vertical
4	11244.9	37.62	-37.67	38.89	-56.42	-13.00	43.42	Vertical
5	12375.925	36.99	-38.06	39.03	-57.31	-13.00	44.31	Vertical
6	13998.575	35.85	-35.93	40.09	-55.25	-13.00	42.25	Vertical



Report No.: SUCR260400031710

Page: 45 of 45

1.89. Test Band = SA N78 3700-3800_ TM1

1.89.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7993.275	40.74	-43.20	37.30	-60.42	-13.00	47.42	Horizontal
2	9066.8	39.16	-41.16	38.03	-59.23	-13.00	46.23	Horizontal
3	9805.675	38.04	-39.07	38.20	-58.09	-13.00	45.09	Horizontal
4	11202.925	36.95	-36.60	38.81	-56.11	-13.00	43.11	Horizontal
5	12200.55	36.35	-36.88	39.20	-56.60	-13.00	43.60	Horizontal
6	12956.675	36.77	-37.58	39.71	-56.36	-13.00	43.36	Horizontal

1.90. Test Band = SA N78 3700-3800_ TM1

1.90.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7956.475	40.68	-43.05	37.30	-60.33	-13.00	47.33	Vertical
2	8418.2	40.48	-41.61	37.28	-59.10	-13.00	46.10	Vertical
3	9552.1	39.00	-40.93	38.40	-58.80	-13.00	45.80	Vertical
4	10186.325	37.43	-38.97	38.34	-58.46	-13.00	45.46	Vertical
5	11184.525	37.07	-36.85	38.86	-56.18	-13.00	43.18	Vertical
6	12389.725	37.34	-38.17	39.07	-57.02	-13.00	44.02	Vertical

---End of Attachment---