



Report No.: SUCR260400031710

Page: 1 of 70

Appendix B.5

1.1. Test Band = NSA 66A-N71A_ TM1

1.1.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3422.25	65.70	-46.99	29.59	-46.96	-13.00	33.96	Horizontal
2	4548.75	45.16	-46.38	32.29	-64.19	-13.00	51.19	Horizontal
3	6844.125	58.45	-45.03	35.69	-46.16	-13.00	33.16	Horizontal
4	9010.875	41.14	-40.55	38.16	-56.51	-13.00	43.51	Horizontal
5	11226.75	38.57	-37.59	38.85	-55.43	-13.00	42.43	Horizontal
6	16650.375	37.17	-35.13	39.00	-54.22	-13.00	41.22	Horizontal

1.2. Test Band = NSA 66A-N71A_ TM1

1.2.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3422.25	63.50	-46.99	29.59	-49.16	-13.00	36.16	Vertical
2	4374	45.90	-46.27	31.76	-63.87	-13.00	50.87	Vertical
3	6844.5	56.47	-45.04	35.69	-48.14	-13.00	35.14	Vertical
4	9002.625	40.52	-40.45	38.19	-57.00	-13.00	44.00	Vertical
5	12081.75	37.87	-37.08	38.96	-55.51	-13.00	42.51	Vertical
6	15065.25	36.69	-36.58	39.30	-55.85	-13.00	42.85	Vertical



Report No.: SUCR260400031710

Page: 2 of 70

1.3. Test Band = NSA 66A-N71A_ TM1

1.3.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3472.125	61.95	-47.15	29.83	-50.63	-13.00	37.63	Horizontal
2	4803	45.55	-45.93	32.91	-62.73	-13.00	49.73	Horizontal
3	6944.25	54.11	-45.06	36.10	-50.11	-13.00	37.11	Horizontal
4	8392.125	43.24	-41.75	37.07	-56.70	-13.00	43.70	Horizontal
5	10416.75	39.91	-39.26	38.63	-55.97	-13.00	42.97	Horizontal
6	13610.625	37.37	-36.23	39.91	-54.21	-13.00	41.21	Horizontal

1.4. Test Band = NSA 66A-N71A_ TM1

1.4.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3472.125	60.94	-47.15	29.83	-51.64	-13.00	38.64	Vertical
2	4808.625	45.34	-45.94	32.93	-62.93	-13.00	49.93	Vertical
3	6944.25	56.49	-45.06	36.10	-47.73	-13.00	34.73	Vertical
4	10416.375	45.00	-39.25	38.63	-50.88	-13.00	37.88	Vertical
5	13638.75	37.39	-36.47	39.94	-54.40	-13.00	41.40	Vertical
6	17205.375	38.66	-35.60	39.51	-52.69	-13.00	39.69	Vertical



Report No.: SUCR260400031710

Page: 3 of 70

1.5. Test Band = NSA 66A-N71A_ TM1

1.5.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3522.375	61.89	-47.06	29.96	-50.48	-13.00	37.48	Horizontal
2	4869	44.65	-46.09	32.99	-63.72	-13.00	50.72	Horizontal
3	7044	53.89	-44.36	35.91	-49.82	-13.00	36.82	Horizontal
4	10566.375	42.72	-40.22	38.76	-53.99	-13.00	40.99	Horizontal
5	12989.625	37.33	-37.11	39.78	-55.26	-13.00	42.26	Horizontal
6	17200.875	39.26	-35.55	39.50	-52.05	-13.00	39.05	Horizontal

1.6. Test Band = NSA 66A-N71A_ TM1

1.6.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3522.375	60.33	-47.06	29.96	-52.04	-13.00	39.04	Vertical
2	4866.375	44.60	-46.09	33.00	-63.74	-13.00	50.74	Vertical
3	7044.375	55.17	-44.36	35.91	-48.54	-13.00	35.54	Vertical
4	9330.75	40.01	-41.36	38.34	-58.27	-13.00	45.27	Vertical
5	13002.75	36.87	-36.93	39.79	-55.52	-13.00	42.52	Vertical
6	17194.875	38.42	-35.65	39.49	-52.99	-13.00	39.99	Vertical



Report No.: SUCR260400031710

Page: 4 of 70

1.7. Test Band = NSA 2A-N71A_ TM1

1.7.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702.375	53.47	-45.90	29.92	-57.77	-13.00	44.77	Horizontal
2	4812.375	43.82	-45.95	32.95	-64.44	-13.00	51.44	Horizontal
3	7404.375	47.74	-44.77	36.43	-55.87	-13.00	42.87	Horizontal
4	10489.875	37.83	-39.36	38.34	-58.45	-13.00	45.45	Horizontal
5	14001.375	37.25	-36.98	40.10	-54.90	-13.00	41.90	Horizontal
6	17922	37.59	-34.86	42.71	-49.82	-13.00	36.82	Horizontal

1.8. Test Band = NSA 2A-N71A_ TM1

1.8.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702	52.30	-45.90	29.92	-58.94	-13.00	45.94	Vertical
2	4852.125	43.60	-46.05	33.09	-64.62	-13.00	51.62	Vertical
3	7404.375	51.36	-44.77	36.43	-52.25	-13.00	39.25	Vertical
4	9834	39.08	-39.68	38.20	-57.66	-13.00	44.66	Vertical
5	13174.5	37.95	-37.14	39.75	-54.71	-13.00	41.71	Vertical
6	17245.5	38.48	-36.09	39.59	-53.28	-13.00	40.28	Vertical



Report No.: SUCR260400031710

Page: 5 of 70

1.9. Test Band = NSA 2A-N71A_ TM1

1.9.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.125	47.74	-46.28	30.32	-63.48	-13.00	50.48	Horizontal
2	4806.75	43.95	-45.94	32.93	-64.32	-13.00	51.32	Horizontal
3	7484.25	46.41	-43.56	36.49	-55.91	-13.00	42.91	Horizontal
4	10158.75	37.74	-39.22	38.42	-58.31	-13.00	45.31	Horizontal
5	13609.875	35.76	-36.22	39.91	-55.81	-13.00	42.81	Horizontal
6	16635	36.68	-35.22	38.97	-54.83	-13.00	41.83	Horizontal

1.10. Test Band = NSA 2A-N71A_ TM1

1.10.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.125	46.64	-46.28	30.32	-64.58	-13.00	51.58	Vertical
2	5149.875	44.00	-45.74	33.20	-63.80	-13.00	50.80	Vertical
3	7484.625	50.71	-43.55	36.49	-51.61	-13.00	38.61	Vertical
4	10145.625	37.75	-39.24	38.46	-58.29	-13.00	45.29	Vertical
5	13366.875	38.48	-38.25	39.87	-55.16	-13.00	42.16	Vertical
6	16676.625	36.55	-34.97	39.05	-54.63	-13.00	41.63	Vertical



Report No.: SUCR260400031710

Page: 6 of 70

1.11. Test Band = NSA 2A-N71A_ TM1

1.11.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3781.875	46.88	-46.67	30.91	-64.14	-13.00	51.14	Horizontal
2	4846.125	43.85	-46.04	33.08	-64.36	-13.00	51.36	Horizontal
3	7564.5	48.49	-43.39	36.00	-54.16	-13.00	41.16	Horizontal
4	9050.625	40.40	-41.01	38.00	-57.87	-13.00	44.87	Horizontal
5	12964.125	37.23	-37.62	39.73	-55.92	-13.00	42.92	Horizontal
6	16555.5	35.81	-35.43	38.86	-56.02	-13.00	43.02	Horizontal

1.12. Test Band = NSA 2A-N71A_ TM1

1.12.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3781.875	45.80	-46.67	30.91	-65.22	-13.00	52.22	Vertical
2	5137.125	43.79	-45.85	33.30	-64.02	-13.00	51.02	Vertical
3	7564.125	53.50	-43.39	36.00	-49.15	-13.00	36.15	Vertical
4	10817.25	37.28	-38.17	39.02	-57.13	-13.00	44.13	Vertical
5	14257.875	36.26	-36.54	40.08	-55.45	-13.00	42.45	Vertical
6	17903.25	36.60	-34.66	42.62	-50.71	-13.00	37.71	Vertical



Report No.: SUCR260400031710

Page: 7 of 70

1.13. Test Band = NSA 2A-N66A_ TM1

1.13.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702	54.04	-45.90	29.92	-57.20	-13.00	44.20	Horizontal
2	5365.875	43.48	-45.47	33.20	-64.04	-13.00	51.04	Horizontal
3	7404.375	48.15	-44.77	36.43	-55.46	-13.00	42.46	Horizontal
4	8989.125	40.91	-40.53	38.18	-56.70	-13.00	43.70	Horizontal
5	11155.125	37.84	-37.82	38.98	-56.26	-13.00	43.26	Horizontal
6	15734.25	35.70	-36.02	39.21	-56.38	-13.00	43.38	Horizontal

1.14. Test Band = NSA 2A-N66A_ TM1

1.14.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702.375	53.13	-45.90	29.92	-58.11	-13.00	45.11	Vertical
2	5049.75	43.71	-45.99	33.50	-64.04	-13.00	51.04	Vertical
3	7404.375	53.21	-44.77	36.43	-50.40	-13.00	37.40	Vertical
4	8994	39.90	-40.48	38.19	-57.65	-13.00	44.65	Vertical
5	12151.875	36.75	-37.03	39.10	-56.43	-13.00	43.43	Vertical
6	15810	35.26	-35.66	39.57	-56.09	-13.00	43.09	Vertical



Report No.: SUCR260400031710

Page: 8 of 70

1.15. Test Band = NSA 2A-N66A_ TM1

1.15.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.125	47.49	-46.28	30.32	-63.73	-13.00	50.73	Horizontal
2	5007.375	43.85	-45.83	33.07	-64.16	-13.00	51.16	Horizontal
3	7484.25	48.63	-43.56	36.49	-53.69	-13.00	40.69	Horizontal
4	10660.125	38.80	-40.11	38.76	-57.81	-13.00	44.81	Horizontal
5	13611.75	36.27	-36.24	39.91	-55.32	-13.00	42.32	Horizontal
6	17907.75	36.75	-34.71	42.64	-50.58	-13.00	37.58	Horizontal

1.16. Test Band = NSA 2A-N66A_ TM1

1.16.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.125	47.87	-46.28	30.32	-63.35	-13.00	50.35	Vertical
2	5385.75	44.12	-45.33	33.09	-63.38	-13.00	50.38	Vertical
3	7484.625	53.43	-43.55	36.49	-48.89	-13.00	35.89	Vertical
4	10057.5	38.45	-40.38	38.47	-58.71	-13.00	45.71	Vertical
5	13359	38.36	-38.23	39.86	-55.27	-13.00	42.27	Vertical
6	16493.625	36.45	-35.53	38.79	-55.55	-13.00	42.55	Vertical



Report No.: SUCR260400031710

Page: 9 of 70

1.17. Test Band = NSA 2A-N66A_ TM1

1.17.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3782.25	48.73	-46.67	30.92	-62.28	-13.00	49.28	Horizontal
2	5194.875	43.75	-45.34	32.84	-64.00	-13.00	51.00	Horizontal
3	7564.125	49.83	-43.39	36.00	-52.82	-13.00	39.82	Horizontal
4	9873.375	38.79	-40.03	38.06	-58.44	-13.00	45.44	Horizontal
5	13195.875	36.36	-36.94	39.79	-56.05	-13.00	43.05	Horizontal
6	16654.5	36.31	-35.10	39.01	-55.04	-13.00	42.04	Horizontal

1.18. Test Band = NSA 2A-N66A_ TM1

1.18.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3782.25	47.15	-46.67	30.92	-63.86	-13.00	50.86	Vertical
2	5188.5	44.52	-45.39	32.89	-63.24	-13.00	50.24	Vertical
3	7564.5	53.70	-43.39	36.00	-48.95	-13.00	35.95	Vertical
4	10785.375	36.93	-38.41	38.94	-57.80	-13.00	44.80	Vertical
5	13601.625	36.33	-36.15	39.90	-55.18	-13.00	42.18	Vertical
6	17202	37.98	-35.56	39.50	-53.34	-13.00	40.34	Vertical



Report No.: SUCR260400031710

Page: 10 of 70

1.19. Test Band = NSA 66A-N25A_ TM1

1.19.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702	51.76	-45.90	29.92	-59.48	-13.00	46.48	Horizontal
2	4780.5	44.24	-46.05	32.67	-64.40	-13.00	51.40	Horizontal
3	7404	50.71	-44.78	36.42	-52.91	-13.00	39.91	Horizontal
4	9570.375	39.86	-40.91	38.36	-57.95	-13.00	44.95	Horizontal
5	13014.375	37.32	-37.04	39.77	-55.21	-13.00	42.21	Horizontal
6	17895.375	36.74	-34.74	42.57	-50.69	-13.00	37.69	Horizontal

1.20. Test Band = NSA 66A-N25A_ TM1

1.20.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702.375	51.22	-45.90	29.92	-60.02	-13.00	47.02	Vertical
2	5092.875	44.04	-46.15	33.59	-63.79	-13.00	50.79	Vertical
3	7404.375	53.56	-44.77	36.43	-50.05	-13.00	37.05	Vertical
4	11125.5	37.83	-38.33	39.10	-56.66	-13.00	43.66	Vertical
5	14055.75	36.97	-36.68	39.93	-55.04	-13.00	42.04	Vertical
6	17926.5	36.47	-34.91	42.73	-50.97	-13.00	37.97	Vertical



Report No.: SUCR260400031710

Page: 11 of 70

1.21. Test Band = NSA 66A-N25A_ TM1

1.21.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.125	47.26	-46.28	30.32	-63.96	-13.00	50.96	Horizontal
2	5146.5	44.04	-45.77	33.23	-63.76	-13.00	50.76	Horizontal
3	7484.625	47.26	-43.55	36.49	-55.06	-13.00	42.06	Horizontal
4	10117.125	38.08	-39.30	38.55	-57.94	-13.00	44.94	Horizontal
5	13645.875	36.30	-36.53	39.95	-55.54	-13.00	42.54	Horizontal
6	17193.375	37.96	-35.68	39.49	-53.49	-13.00	40.49	Horizontal

1.22. Test Band = NSA 66A-N25A_ TM1

1.22.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.125	46.82	-46.28	30.32	-64.40	-13.00	51.40	Vertical
2	5072.625	43.88	-46.08	33.55	-63.91	-13.00	50.91	Vertical
3	7484.25	53.11	-43.56	36.49	-49.21	-13.00	36.21	Vertical
4	10186.5	38.81	-39.16	38.34	-57.27	-13.00	44.27	Vertical
5	13601.625	36.01	-36.15	39.90	-55.50	-13.00	42.50	Vertical
6	17200.5	38.07	-35.55	39.50	-53.24	-13.00	40.24	Vertical



Report No.: SUCR260400031710
Page: 12 of 70

1.23. Test Band = NSA 66A-N25A_ TM1

1.23.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3792	46.98	-46.76	31.07	-63.97	-13.00	50.97	Horizontal
2	4854	44.12	-46.06	33.08	-64.12	-13.00	51.12	Horizontal
3	7584.75	45.96	-43.41	36.00	-56.71	-13.00	43.71	Horizontal
4	9048.75	40.52	-40.99	38.01	-57.72	-13.00	44.72	Horizontal
5	13614	36.23	-36.26	39.91	-55.38	-13.00	42.38	Horizontal
6	17898.375	36.31	-34.67	42.59	-51.03	-13.00	38.03	Horizontal

1.24. Test Band = NSA 66A-N25A_ TM1

1.24.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3792	44.57	-46.76	31.07	-66.38	-13.00	53.38	Vertical
2	5025.75	43.42	-45.90	33.26	-64.48	-13.00	51.48	Vertical
3	7584.375	51.77	-43.41	36.00	-50.90	-13.00	37.90	Vertical
4	9056.25	40.23	-41.07	38.01	-58.09	-13.00	45.09	Vertical
5	11788.875	37.62	-38.05	38.79	-56.90	-13.00	43.90	Vertical
6	14602.5	37.24	-37.16	39.70	-55.48	-13.00	42.48	Vertical



Report No.: SUCR260400031710

Page: 13 of 70

1.25. Test Band = NSA 66A-N41A_ TM1

1.25.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3616.125	44.98	-46.35	29.77	-66.86	-25.00	41.86	Horizontal
2	4994.25	71.79	-45.82	32.98	-36.31	-25.00	11.31	Horizontal
3	7491.75	49.89	-43.45	36.45	-52.37	-25.00	27.37	Horizontal
4	9988.5	56.87	-41.61	38.23	-41.76	-25.00	16.76	Horizontal
5	12485.625	40.84	-37.98	38.93	-53.48	-25.00	28.48	Horizontal
6	15794.25	37.26	-35.57	39.57	-54.01	-25.00	29.01	Horizontal

1.26. Test Band = NSA 66A-N41A_ TM1

1.26.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3669.375	45.81	-46.05	29.78	-65.72	-25.00	40.72	Vertical
2	4994.25	71.59	-45.82	32.98	-36.51	-25.00	11.51	Vertical
3	7491.375	52.93	-43.45	36.45	-49.33	-25.00	24.33	Vertical
4	9988.5	53.36	-41.61	38.23	-45.27	-25.00	20.27	Vertical
5	12485.25	48.45	-37.98	38.93	-45.87	-25.00	20.87	Vertical
6	16665	39.05	-35.04	39.03	-52.22	-25.00	27.22	Vertical



Report No.: SUCR260400031710

Page: 14 of 70

1.27. Test Band = NSA 66A-N41A_ TM1

1.27.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3769.875	44.98	-46.55	30.72	-66.11	-25.00	41.11	Horizontal
2	5081.25	59.60	-46.11	33.56	-48.21	-25.00	23.21	Horizontal
3	7621.875	52.20	-43.40	36.18	-50.28	-25.00	25.28	Horizontal
4	10162.5	52.87	-39.21	38.41	-43.19	-25.00	18.19	Horizontal
5	12703.125	44.15	-38.63	39.50	-50.24	-25.00	25.24	Horizontal
6	16471.875	40.00	-35.90	38.74	-52.42	-25.00	27.42	Horizontal

1.28. Test Band = NSA 66A-N41A_ TM1

1.28.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3692.625	45.16	-45.92	29.87	-66.15	-25.00	41.15	Vertical
2	5081.25	56.18	-46.11	33.56	-51.63	-25.00	26.63	Vertical
3	7621.875	57.01	-43.40	36.18	-45.47	-25.00	20.47	Vertical
4	10162.125	52.66	-39.21	38.41	-43.40	-25.00	18.40	Vertical
5	12702.75	48.80	-38.63	39.50	-45.60	-25.00	20.60	Vertical
6	16651.125	38.79	-35.12	39.00	-52.59	-25.00	27.59	Vertical



Report No.: SUCR260400031710

Page: 15 of 70

1.29. Test Band = NSA 66A-N41A_ TM1

1.29.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3916.5	45.95	-46.59	30.63	-65.27	-25.00	40.27	Horizontal
2	5255.25	60.02	-45.64	32.94	-47.94	-25.00	22.94	Horizontal
3	7882.5	50.54	-42.93	36.67	-50.98	-25.00	25.98	Horizontal
4	10510.5	42.57	-39.51	38.37	-53.83	-25.00	28.83	Horizontal
5	13137.75	44.17	-37.50	39.68	-48.91	-25.00	23.91	Horizontal
6	16670.625	38.72	-35.01	39.04	-52.51	-25.00	27.51	Horizontal

1.30. Test Band = NSA 66A-N41A_ TM1

1.30.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3832.5	45.27	-46.72	31.01	-65.70	-25.00	40.70	Vertical
2	5255.25	57.57	-45.64	32.94	-50.39	-25.00	25.39	Vertical
3	7882.5	55.22	-42.93	36.67	-46.30	-25.00	21.30	Vertical
4	10510.5	43.87	-39.51	38.37	-52.53	-25.00	27.53	Vertical
5	13138.125	43.80	-37.49	39.68	-49.28	-25.00	24.28	Vertical
6	16639.5	39.32	-35.19	38.98	-52.15	-25.00	27.15	Vertical



Report No.: SUCR260400031710

Page: 16 of 70

1.31. Test Band = NSA 2A-N41A_ TM1

1.31.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3761.25	44.99	-46.47	30.58	-66.16	-25.00	41.16	Horizontal
2	4993.875	72.09	-45.82	32.98	-36.02	-25.00	11.02	Horizontal
3	7491.375	47.73	-43.45	36.45	-54.53	-25.00	29.53	Horizontal
4	9988.5	58.19	-41.61	38.23	-40.44	-25.00	15.44	Horizontal
5	12485.25	42.04	-37.98	38.93	-52.28	-25.00	27.28	Horizontal
6	16640.25	39.43	-35.19	38.98	-52.04	-25.00	27.04	Horizontal

1.32. Test Band = NSA 2A-N41A_ TM1

1.32.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3740.25	45.81	-46.27	30.30	-65.41	-25.00	40.41	Vertical
2	4994.25	69.92	-45.82	32.98	-38.18	-25.00	13.18	Vertical
3	7491.375	51.17	-43.45	36.45	-51.09	-25.00	26.09	Vertical
4	9988.125	53.31	-41.60	38.23	-45.32	-25.00	20.32	Vertical
5	12485.625	48.82	-37.98	38.93	-45.50	-25.00	20.50	Vertical
6	15805.125	37.45	-35.59	39.58	-53.82	-25.00	28.82	Vertical



Report No.: SUCR260400031710

Page: 17 of 70

1.33. Test Band = NSA 2A-N41A_ TM1

1.33.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3843.75	45.39	-46.68	30.94	-65.61	-25.00	40.61	Horizontal
2	5081.25	58.81	-46.11	33.56	-49.00	-25.00	24.00	Horizontal
3	7621.875	53.60	-43.40	36.18	-48.88	-25.00	23.88	Horizontal
4	10162.125	54.87	-39.21	38.41	-41.19	-25.00	16.19	Horizontal
5	12702.75	43.32	-38.63	39.50	-51.08	-25.00	26.08	Horizontal
6	16657.5	38.68	-35.09	39.02	-52.65	-25.00	27.65	Horizontal

1.34. Test Band = NSA 2A-N41A_ TM1

1.34.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3882.375	44.89	-46.54	30.71	-66.20	-25.00	41.20	Vertical
2	5081.25	55.52	-46.11	33.56	-52.29	-25.00	27.29	Vertical
3	7621.875	54.35	-43.40	36.18	-48.13	-25.00	23.13	Vertical
4	10162.5	53.08	-39.21	38.41	-42.98	-25.00	17.98	Vertical
5	12703.125	47.50	-38.63	39.50	-46.89	-25.00	21.89	Vertical
6	15753.375	38.23	-35.88	39.32	-53.59	-25.00	28.59	Vertical



Report No.: SUCR260400031710

Page: 18 of 70

1.35. Test Band = NSA 2A-N41A_ TM1

1.35.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3700.5	45.78	-45.88	29.91	-65.46	-25.00	40.46	Horizontal
2	5254.875	54.43	-45.64	32.94	-53.53	-25.00	28.53	Horizontal
3	7882.875	51.24	-42.93	36.67	-50.28	-25.00	25.28	Horizontal
4	10510.5	43.57	-39.51	38.37	-52.83	-25.00	27.83	Horizontal
5	13138.125	45.20	-37.49	39.68	-47.88	-25.00	22.88	Horizontal
6	16627.125	39.34	-35.27	38.95	-52.23	-25.00	27.23	Horizontal

1.36. Test Band = NSA 2A-N41A_ TM1

1.36.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3781.875	45.09	-46.67	30.91	-65.93	-25.00	40.93	Vertical
2	5255.25	56.85	-45.64	32.94	-51.11	-25.00	26.11	Vertical
3	7882.875	57.04	-42.93	36.67	-44.48	-25.00	19.48	Vertical
4	10510.5	43.92	-39.51	38.37	-52.48	-25.00	27.48	Vertical
5	13138.125	44.16	-37.49	39.68	-48.92	-25.00	23.92	Vertical
6	16733.25	38.84	-35.11	39.13	-52.40	-25.00	27.40	Vertical



Report No.: SUCR260400031710

Page: 19 of 70

1.37. Test Band = NSA 13A-N2A_ TM1

1.37.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702.375	52.53	-45.90	29.92	-58.71	-13.00	45.71	Horizontal
2	4857	44.13	-46.06	33.06	-64.13	-13.00	51.13	Horizontal
3	7404.375	45.39	-44.77	36.43	-58.22	-13.00	45.22	Horizontal
4	9255.375	42.35	-41.67	38.13	-56.45	-13.00	43.45	Horizontal
5	13606.875	36.18	-36.20	39.91	-55.37	-13.00	42.37	Horizontal
6	15798	34.98	-35.55	39.59	-56.24	-13.00	43.24	Horizontal

1.38. Test Band = NSA 13A-N2A_ TM1

1.38.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702.375	52.27	-45.90	29.92	-58.97	-13.00	45.97	Vertical
2	4823.25	43.96	-45.98	32.99	-64.29	-13.00	51.29	Vertical
3	7404.375	53.48	-44.77	36.43	-50.13	-13.00	37.13	Vertical
4	9868.875	38.51	-39.99	38.09	-58.65	-13.00	45.65	Vertical
5	13046.625	36.79	-37.35	39.71	-56.11	-13.00	43.11	Vertical
6	16476	36.50	-35.83	38.75	-55.84	-13.00	42.84	Vertical



Report No.: SUCR260400031710

Page: 20 of 70

1.39. Test Band = NSA 13A-N2A_ TM1

1.39.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.125	47.52	-46.28	30.32	-63.70	-13.00	50.70	Horizontal
2	5236.125	43.80	-45.52	32.87	-64.11	-13.00	51.11	Horizontal
3	7484.25	48.09	-43.56	36.49	-54.23	-13.00	41.23	Horizontal
4	10695.75	38.77	-39.80	38.62	-57.67	-13.00	44.67	Horizontal
5	13642.125	36.99	-36.50	39.94	-54.83	-13.00	41.83	Horizontal
6	17246.25	38.14	-36.10	39.59	-53.62	-13.00	40.62	Horizontal

1.40. Test Band = NSA 13A-N2A_ TM1

1.40.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.125	47.85	-46.28	30.32	-63.37	-13.00	50.37	Vertical
2	5139.375	44.17	-45.83	33.29	-63.63	-13.00	50.63	Vertical
3	7484.625	52.14	-43.55	36.49	-50.18	-13.00	37.18	Vertical
4	9804.75	37.62	-39.42	38.20	-58.86	-13.00	45.86	Vertical
5	12965.25	37.07	-37.60	39.73	-56.06	-13.00	43.06	Vertical
6	16662	37.24	-35.06	39.02	-54.05	-13.00	41.05	Vertical



Report No.: SUCR260400031710

Page: 21 of 70

1.41. Test Band = NSA 13A-N2A_ TM1

1.41.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3782.25	47.64	-46.67	30.92	-63.37	-13.00	50.37	Horizontal
2	4801.875	43.71	-45.92	32.91	-64.57	-13.00	51.57	Horizontal
3	7564.125	49.51	-43.39	36.00	-53.14	-13.00	40.14	Horizontal
4	9591.375	39.44	-40.82	38.32	-58.32	-13.00	45.32	Horizontal
5	12178.5	36.42	-37.15	39.16	-56.83	-13.00	43.83	Horizontal
6	15802.125	34.96	-35.56	39.59	-56.26	-13.00	43.26	Horizontal

1.42. Test Band = NSA 13A-N2A_ TM1

1.42.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3782.25	46.29	-46.67	30.92	-64.72	-13.00	51.72	Vertical
2	5051.25	43.36	-45.99	33.50	-64.39	-13.00	51.39	Vertical
3	7564.5	54.87	-43.39	36.00	-47.78	-13.00	34.78	Vertical
4	10129.875	38.24	-39.28	38.51	-57.79	-13.00	44.79	Vertical
5	13611.75	36.31	-36.24	39.91	-55.28	-13.00	42.28	Vertical
6	15804	35.08	-35.58	39.59	-56.17	-13.00	43.17	Vertical



Report No.: SUCR260400031710

Page: 22 of 70

1.43. Test Band = NSA 13A-N66A_ TM1

1.43.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3422.25	64.82	-46.99	29.59	-47.84	-13.00	34.84	Horizontal
2	4575	45.15	-46.12	32.15	-64.08	-13.00	51.08	Horizontal
3	6844.5	55.76	-45.04	35.69	-48.85	-13.00	35.85	Horizontal
4	10266.375	41.45	-39.81	38.37	-55.26	-13.00	42.26	Horizontal
5	12986.25	37.47	-37.18	39.77	-55.19	-13.00	42.19	Horizontal
6	17965.5	37.85	-35.32	42.93	-49.81	-13.00	36.81	Horizontal

1.44. Test Band = NSA 13A-N66A_ TM1

1.44.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3422.25	63.22	-46.99	29.59	-49.44	-13.00	36.44	Vertical
2	4531.5	45.02	-46.54	32.08	-64.71	-13.00	51.71	Vertical
3	6844.125	59.43	-45.03	35.69	-45.18	-13.00	32.18	Vertical
4	8556	43.03	-42.16	37.68	-56.71	-13.00	43.71	Vertical
5	10266.375	41.48	-39.81	38.37	-55.23	-13.00	42.23	Vertical
6	14448	36.72	-36.67	39.90	-55.32	-13.00	42.32	Vertical



Report No.: SUCR260400031710

Page: 23 of 70

1.45. Test Band = NSA 13A-N66A_ TM1

1.45.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3472.125	61.38	-47.15	29.83	-51.20	-13.00	38.20	Horizontal
2	4806.75	44.71	-45.94	32.93	-63.56	-13.00	50.56	Horizontal
3	6944.625	55.47	-45.06	36.10	-48.75	-13.00	35.75	Horizontal
4	8996.25	41.14	-40.46	38.19	-56.39	-13.00	43.39	Horizontal
5	12165	37.66	-37.09	39.13	-55.56	-13.00	42.56	Horizontal
6	15867.75	37.71	-36.38	39.40	-54.54	-13.00	41.54	Horizontal

1.46. Test Band = NSA 13A-N66A_ TM1

1.46.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3472.125	60.55	-47.15	29.83	-52.03	-13.00	39.03	Vertical
2	4568.25	45.38	-46.19	32.19	-63.88	-13.00	50.88	Vertical
3	6944.25	57.60	-45.06	36.10	-46.62	-13.00	33.62	Vertical
4	9538.875	39.94	-41.06	38.38	-58.00	-13.00	45.00	Vertical
5	13626.75	37.19	-36.37	39.93	-54.51	-13.00	41.51	Vertical
6	16657.875	37.71	-35.08	39.02	-53.62	-13.00	40.62	Vertical



Report No.: SUCR260400031710

Page: 24 of 70

1.47. Test Band = NSA 13A-N66A_ TM1

1.47.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3522	63.06	-47.06	29.96	-49.31	-13.00	36.31	Horizontal
2	4797.75	44.22	-45.93	32.87	-64.10	-13.00	51.10	Horizontal
3	7044.375	54.50	-44.36	35.91	-49.21	-13.00	36.21	Horizontal
4	9051.375	41.39	-41.02	38.00	-56.88	-13.00	43.88	Horizontal
5	12091.875	37.20	-36.93	38.98	-56.00	-13.00	43.00	Horizontal
6	15793.125	35.63	-35.58	39.56	-55.65	-13.00	42.65	Horizontal

1.48. Test Band = NSA 13A-N66A_ TM1

1.48.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3522	60.38	-47.06	29.96	-51.99	-13.00	38.99	Vertical
2	4882.875	44.99	-46.13	32.90	-63.49	-13.00	50.49	Vertical
3	7044.375	54.38	-44.36	35.91	-49.33	-13.00	36.33	Vertical
4	9595.875	39.64	-40.80	38.31	-58.11	-13.00	45.11	Vertical
5	11797.5	38.39	-38.05	38.80	-56.12	-13.00	43.12	Vertical
6	15806.625	35.78	-35.61	39.58	-55.51	-13.00	42.51	Vertical



Report No.: SUCR260400031710

Page: 25 of 70

1.49. Test Band = NSA 2A-N5A_ TM1

1.49.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702.375	51.35	-45.90	29.92	-59.89	-13.00	46.89	Horizontal
2	5039.25	43.94	-45.95	33.39	-63.88	-13.00	50.88	Horizontal
3	7404.75	46.64	-44.77	36.43	-56.96	-13.00	43.96	Horizontal
4	9568.875	39.43	-40.92	38.36	-58.39	-13.00	45.39	Horizontal
5	12996.75	36.46	-36.97	39.79	-55.97	-13.00	42.97	Horizontal
6	15860.625	36.36	-36.29	39.42	-55.78	-13.00	42.78	Horizontal

1.50. Test Band = NSA 2A-N5A_ TM1

1.50.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702	50.84	-45.90	29.92	-60.40	-13.00	47.40	Vertical
2	5043.375	43.25	-45.96	33.43	-64.54	-13.00	51.54	Vertical
3	7404.375	52.97	-44.77	36.43	-50.64	-13.00	37.64	Vertical
4	10190.625	37.98	-39.15	38.33	-58.10	-13.00	45.10	Vertical
5	13794.375	37.46	-36.90	39.91	-54.79	-13.00	41.79	Vertical
6	17416.125	36.77	-35.24	39.95	-53.78	-13.00	40.78	Vertical



Report No.: SUCR260400031710

Page: 26 of 70

1.51. Test Band = NSA 2A-N5A_ TM1

1.51.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.125	48.53	-46.28	30.32	-62.69	-13.00	49.69	Horizontal
2	5175.375	43.69	-45.51	33.00	-64.08	-13.00	51.08	Horizontal
3	7484.25	50.68	-43.56	36.49	-51.64	-13.00	38.64	Horizontal
4	9807.75	37.83	-39.45	38.20	-58.68	-13.00	45.68	Horizontal
5	13600.5	36.81	-36.14	39.90	-54.69	-13.00	41.69	Horizontal
6	17226.75	37.99	-35.86	39.55	-53.58	-13.00	40.58	Horizontal

1.52. Test Band = NSA 2A-N5A_ TM1

1.52.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.125	46.90	-46.28	30.32	-64.32	-13.00	51.32	Vertical
2	4847.625	43.89	-46.04	33.09	-64.32	-13.00	51.32	Vertical
3	7484.25	53.13	-43.56	36.49	-49.19	-13.00	36.19	Vertical
4	9540.75	39.57	-41.05	38.38	-58.36	-13.00	45.36	Vertical
5	12999.75	36.09	-36.91	39.80	-56.28	-13.00	43.28	Vertical
6	16634.625	36.54	-35.22	38.97	-54.97	-13.00	41.97	Vertical



Report No.: SUCR260400031710

Page: 27 of 70

1.53. Test Band = NSA 2A-N5A_ TM1

1.53.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3782.25	47.35	-46.67	30.92	-63.66	-13.00	50.66	Horizontal
2	4843.125	44.17	-46.03	33.07	-64.05	-13.00	51.05	Horizontal
3	7564.125	50.97	-43.39	36.00	-51.68	-13.00	38.68	Horizontal
4	9837.75	38.41	-39.71	38.20	-58.36	-13.00	45.36	Horizontal
5	12135.375	37.40	-36.96	39.07	-55.74	-13.00	42.74	Horizontal
6	15748.875	35.15	-35.91	39.29	-56.73	-13.00	43.73	Horizontal

1.54. Test Band = NSA 2A-N5A_ TM1

1.54.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3781.875	45.91	-46.67	30.91	-65.11	-13.00	52.11	Vertical
2	5135.625	43.78	-45.86	33.32	-64.03	-13.00	51.03	Vertical
3	7564.5	55.11	-43.39	36.00	-47.54	-13.00	34.54	Vertical
4	9828.75	38.51	-39.63	38.20	-58.18	-13.00	45.18	Vertical
5	12978	36.54	-37.34	39.76	-56.31	-13.00	43.31	Vertical
6	15908.25	36.37	-36.77	39.24	-56.42	-13.00	43.42	Vertical



Report No.: SUCR260400031710

Page: 28 of 70

1.55. Test Band = NSA 5A-N2A_ TM1

1.55.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702	53.31	-45.90	29.92	-57.93	-13.00	44.93	Horizontal
2	4843.875	44.26	-46.03	33.08	-63.95	-13.00	50.95	Horizontal
3	7404.375	52.75	-44.77	36.43	-50.86	-13.00	37.86	Horizontal
4	10074	38.43	-39.97	38.52	-58.28	-13.00	45.28	Horizontal
5	12095.25	36.88	-36.87	38.99	-56.26	-13.00	43.26	Horizontal
6	15042.75	36.72	-36.65	39.37	-55.82	-13.00	42.82	Horizontal

1.56. Test Band = NSA 5A-N2A_ TM1

1.56.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702	52.20	-45.90	29.92	-59.04	-13.00	46.04	Vertical
2	5334	43.24	-45.69	33.30	-64.41	-13.00	51.41	Vertical
3	7404.375	53.01	-44.77	36.43	-50.60	-13.00	37.60	Vertical
4	10363.875	38.12	-39.57	38.59	-58.11	-13.00	45.11	Vertical
5	14311.5	35.62	-36.17	39.98	-55.83	-13.00	42.83	Vertical
6	17916.375	36.33	-34.80	42.68	-51.05	-13.00	38.05	Vertical



Report No.: SUCR260400031710

Page: 29 of 70

1.57. Test Band = NSA 5A-N2A_ TM1

1.57.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.125	48.51	-46.28	30.32	-62.71	-13.00	49.71	Horizontal
2	5179.875	44.66	-45.47	32.96	-63.11	-13.00	50.11	Horizontal
3	7484.25	49.07	-43.56	36.49	-53.25	-13.00	40.25	Horizontal
4	10185.375	38.24	-39.16	38.34	-57.84	-13.00	44.84	Horizontal
5	12978.375	36.38	-37.33	39.76	-56.46	-13.00	43.46	Horizontal
6	15799.5	35.19	-35.53	39.60	-56.01	-13.00	43.01	Horizontal

1.58. Test Band = NSA 5A-N2A_ TM1

1.58.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.125	48.01	-46.28	30.32	-63.21	-13.00	50.21	Vertical
2	4849.125	43.91	-46.04	33.10	-64.30	-13.00	51.30	Vertical
3	7484.625	53.02	-43.55	36.49	-49.30	-13.00	36.30	Vertical
4	10706.625	38.65	-39.66	38.63	-57.64	-13.00	44.64	Vertical
5	12993	36.73	-37.04	39.79	-55.78	-13.00	42.78	Vertical
6	16626	36.41	-35.27	38.95	-55.17	-13.00	42.17	Vertical



Report No.: SUCR260400031710

Page: 30 of 70

1.59. Test Band = NSA 5A-N2A_ TM1

1.59.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3782.25	47.27	-46.67	30.92	-63.74	-13.00	50.74	Horizontal
2	5010.375	43.56	-45.84	33.10	-64.44	-13.00	51.44	Horizontal
3	7564.125	48.05	-43.39	36.00	-54.60	-13.00	41.60	Horizontal
4	10185	37.78	-39.16	38.35	-58.30	-13.00	45.30	Horizontal
5	12993.75	36.48	-37.03	39.79	-56.02	-13.00	43.02	Horizontal
6	16638	36.55	-35.20	38.98	-54.94	-13.00	41.94	Horizontal

1.60. Test Band = NSA 5A-N2A_ TM1

1.60.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3782.25	46.58	-46.67	30.92	-64.43	-13.00	51.43	Vertical
2	5617.875	44.64	-46.12	33.44	-63.30	-13.00	50.30	Vertical
3	7564.125	55.26	-43.39	36.00	-47.39	-13.00	34.39	Vertical
4	10126.5	38.03	-39.28	38.52	-57.99	-13.00	44.99	Vertical
5	13596.375	36.13	-36.22	39.91	-55.44	-13.00	42.44	Vertical
6	17197.5	38.19	-35.59	39.50	-53.16	-13.00	40.16	Vertical



Report No.: SUCR260400031710

Page: 31 of 70

1.61. Test Band = NSA 5A-N66A_ TM1

1.61.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3422.25	66.76	-46.99	29.59	-45.90	-13.00	32.90	Horizontal
2	4866	44.83	-46.09	33.00	-63.51	-13.00	50.51	Horizontal
3	6844.125	59.36	-45.03	35.69	-45.25	-13.00	32.25	Horizontal
4	8555.625	42.88	-42.16	37.68	-56.86	-13.00	43.86	Horizontal
5	10266.375	44.85	-39.81	38.37	-51.86	-13.00	38.86	Horizontal
6	13596.75	37.14	-36.21	39.91	-54.42	-13.00	41.42	Horizontal

1.62. Test Band = NSA 5A-N66A_ TM1

1.62.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3422.25	65.97	-46.99	29.59	-46.69	-13.00	33.69	Vertical
2	4805.625	44.48	-45.93	32.92	-63.79	-13.00	50.79	Vertical
3	6844.125	60.77	-45.03	35.69	-43.84	-13.00	30.84	Vertical
4	8555.625	44.46	-42.16	37.68	-55.28	-13.00	42.28	Vertical
5	10266.75	41.16	-39.82	38.37	-55.55	-13.00	42.55	Vertical
6	13559.25	37.48	-37.03	39.98	-54.83	-13.00	41.83	Vertical



Report No.: SUCR260400031710

Page: 32 of 70

1.63. Test Band = NSA 5A-N66A_ TM1

1.63.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3472.125	62.92	-47.15	29.83	-49.66	-13.00	36.66	Horizontal
2	5098.5	44.91	-46.17	33.60	-62.93	-13.00	49.93	Horizontal
3	6944.25	56.84	-45.06	36.10	-47.38	-13.00	34.38	Horizontal
4	8994.75	41.18	-40.47	38.19	-56.36	-13.00	43.36	Horizontal
5	10416.375	41.93	-39.25	38.63	-53.95	-13.00	40.95	Horizontal
6	13611	37.57	-36.23	39.91	-54.01	-13.00	41.01	Horizontal

1.64. Test Band = NSA 5A-N66A_ TM1

1.64.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3472.125	63.66	-47.15	29.83	-48.92	-13.00	35.92	Vertical
2	5040.375	44.85	-45.95	33.40	-62.96	-13.00	49.96	Vertical
3	6944.25	59.72	-45.06	36.10	-44.50	-13.00	31.50	Vertical
4	10416.375	41.99	-39.25	38.63	-53.89	-13.00	40.89	Vertical
5	12973.875	38.33	-37.43	39.75	-54.61	-13.00	41.61	Vertical
6	16376.25	39.09	-37.20	38.55	-54.82	-13.00	41.82	Vertical



Report No.: SUCR260400031710

Page: 33 of 70

1.65. Test Band = NSA 5A-N66A_ TM1

1.65.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3522	63.93	-47.06	29.96	-48.44	-13.00	35.44	Horizontal
2	4822.875	45.43	-45.98	32.99	-62.82	-13.00	49.82	Horizontal
3	7044	56.47	-44.36	35.91	-47.24	-13.00	34.24	Horizontal
4	8805.375	43.83	-41.58	37.89	-55.12	-13.00	42.12	Horizontal
5	10566.75	41.47	-40.22	38.77	-55.24	-13.00	42.24	Horizontal
6	14088.75	38.82	-36.50	39.83	-53.11	-13.00	40.11	Horizontal

1.66. Test Band = NSA 5A-N66A_ TM1

1.66.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3522	63.41	-47.06	29.96	-48.96	-13.00	35.96	Vertical
2	5041.875	44.86	-45.96	33.42	-62.94	-13.00	49.94	Vertical
3	7044.375	56.62	-44.36	35.91	-47.09	-13.00	34.09	Vertical
4	8805.375	43.91	-41.58	37.89	-55.04	-13.00	42.04	Vertical
5	10566.375	44.19	-40.22	38.76	-52.52	-13.00	39.52	Vertical
6	13561.5	37.18	-36.98	39.98	-55.09	-13.00	42.09	Vertical



Report No.: SUCR260400031710

Page: 34 of 70

1.67. Test Band = NSA 66A-N2A_ TM1

1.67.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702	54.68	-45.90	29.92	-56.56	-13.00	43.56	Horizontal
2	5351.625	43.09	-45.56	33.29	-64.44	-13.00	51.44	Horizontal
3	7404.375	49.85	-44.77	36.43	-53.76	-13.00	40.76	Horizontal
4	9804	38.20	-39.42	38.20	-58.28	-13.00	45.28	Horizontal
5	12199.125	36.71	-37.24	39.20	-56.59	-13.00	43.59	Horizontal
6	15039.75	36.26	-36.66	39.38	-56.28	-13.00	43.28	Horizontal

1.68. Test Band = NSA 66A-N2A_ TM1

1.68.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702	52.01	-45.90	29.92	-59.23	-13.00	46.23	Vertical
2	5010.75	43.78	-45.84	33.11	-64.21	-13.00	51.21	Vertical
3	7404.375	53.07	-44.77	36.43	-50.54	-13.00	37.54	Vertical
4	10103.25	37.49	-39.33	38.59	-58.51	-13.00	45.51	Vertical
5	13827.75	36.88	-36.85	39.84	-55.39	-13.00	42.39	Vertical
6	17225.25	38.34	-35.84	39.55	-53.21	-13.00	40.21	Vertical



Report No.: SUCR260400031710

Page: 35 of 70

1.69. Test Band = NSA 66A-N2A_ TM1

1.69.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.125	48.70	-46.28	30.32	-62.52	-13.00	49.52	Horizontal
2	4875.375	45.11	-46.11	32.95	-63.31	-13.00	50.31	Horizontal
3	7484.625	50.30	-43.55	36.49	-52.02	-13.00	39.02	Horizontal
4	9355.5	41.00	-41.21	38.29	-57.18	-13.00	44.18	Horizontal
5	11770.5	37.46	-38.04	38.77	-57.07	-13.00	44.07	Horizontal
6	15856.125	36.02	-36.24	39.43	-56.05	-13.00	43.05	Horizontal

1.70. Test Band = NSA 66A-N2A_ TM1

1.70.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.125	47.94	-46.28	30.32	-63.28	-13.00	50.28	Vertical
2	5043.75	43.61	-45.97	33.44	-64.18	-13.00	51.18	Vertical
3	7484.25	53.90	-43.56	36.49	-48.42	-13.00	35.42	Vertical
4	9355.5	42.04	-41.21	38.29	-56.14	-13.00	43.14	Vertical
5	11552.625	36.85	-36.92	38.90	-56.43	-13.00	43.43	Vertical
6	14559.75	36.70	-37.11	39.82	-55.85	-13.00	42.85	Vertical



Report No.: SUCR260400031710

Page: 36 of 70

1.71. Test Band = NSA 66A-N2A_ TM1

1.71.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3782.25	48.86	-46.67	30.92	-62.15	-13.00	49.15	Horizontal
2	5149.875	44.15	-45.74	33.20	-63.65	-13.00	50.65	Horizontal
3	7564.5	51.02	-43.39	36.00	-51.63	-13.00	38.63	Horizontal
4	9057	39.76	-41.08	38.01	-58.57	-13.00	45.57	Horizontal
5	12130.5	36.59	-36.93	39.06	-56.54	-13.00	43.54	Horizontal
6	14656.5	36.39	-36.72	39.70	-55.89	-13.00	42.89	Horizontal

1.72. Test Band = NSA 66A-N2A_ TM1

1.72.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3877.125	44.97	-46.55	30.74	-66.11	-13.00	53.11	Vertical
2	5061	43.58	-46.03	33.52	-64.19	-13.00	51.19	Vertical
3	7564.125	58.38	-43.39	36.00	-44.27	-13.00	31.27	Vertical
4	9826.5	38.59	-39.61	38.20	-58.08	-13.00	45.08	Vertical
5	12942	37.78	-38.07	39.68	-55.86	-13.00	42.86	Vertical
6	15802.5	34.99	-35.56	39.59	-56.24	-13.00	43.24	Vertical



Report No.: SUCR260400031710

Page: 37 of 70

1.73. Test Band = NSA 66A-N5A_ TM1

1.73.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3422.25	65.79	-46.99	29.59	-46.87	-13.00	33.87	Horizontal
2	4611	45.01	-45.96	31.96	-64.25	-13.00	51.25	Horizontal
3	6844.125	58.05	-45.03	35.69	-46.56	-13.00	33.56	Horizontal
4	8555.25	44.67	-42.17	37.68	-55.08	-13.00	42.08	Horizontal
5	10266.75	42.86	-39.82	38.37	-53.85	-13.00	40.85	Horizontal
6	14269.125	37.25	-36.43	40.06	-54.38	-13.00	41.38	Horizontal

1.74. Test Band = NSA 66A-N5A_ TM1

1.74.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3422.25	66.08	-46.99	29.59	-46.58	-13.00	33.58	Vertical
2	4879.125	45.58	-46.12	32.93	-62.87	-13.00	49.87	Vertical
3	6844.5	61.25	-45.04	35.69	-43.36	-13.00	30.36	Vertical
4	8555.25	43.79	-42.17	37.68	-55.96	-13.00	42.96	Vertical
5	10266.375	41.12	-39.81	38.37	-55.59	-13.00	42.59	Vertical
6	14001.75	37.63	-36.98	40.09	-54.52	-13.00	41.52	Vertical



Report No.: SUCR260400031710

Page: 38 of 70

1.75. Test Band = NSA 66A-N5A_ TM1

1.75.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3472.125	62.37	-47.15	29.83	-50.21	-13.00	37.21	Horizontal
2	4844.625	44.73	-46.03	33.08	-63.48	-13.00	50.48	Horizontal
3	6944.625	55.56	-45.06	36.10	-48.66	-13.00	35.66	Horizontal
4	10416.375	42.26	-39.25	38.63	-53.62	-13.00	40.62	Horizontal
5	14270.625	37.35	-36.42	40.06	-54.27	-13.00	41.27	Horizontal
6	16617.375	37.56	-35.33	38.93	-54.09	-13.00	41.09	Horizontal

1.76. Test Band = NSA 66A-N5A_ TM1

1.76.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3472.125	61.20	-47.15	29.83	-51.38	-13.00	38.38	Vertical
2	4857.75	44.72	-46.06	33.05	-63.55	-13.00	50.55	Vertical
3	6944.25	60.25	-45.06	36.10	-43.97	-13.00	30.97	Vertical
4	9666.375	39.77	-40.40	37.93	-57.95	-13.00	44.95	Vertical
5	13365.375	38.70	-38.25	39.87	-54.94	-13.00	41.94	Vertical
6	16482	37.48	-35.73	38.76	-54.74	-13.00	41.74	Vertical



Report No.: SUCR260400031710

Page: 39 of 70

1.77. Test Band = NSA 66A-N5A_ TM1

1.77.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3522.375	64.37	-47.06	29.96	-48.00	-13.00	35.00	Horizontal
2	5206.125	44.79	-45.33	32.81	-62.99	-13.00	49.99	Horizontal
3	7044.375	58.64	-44.36	35.91	-45.07	-13.00	32.07	Horizontal
4	8805.375	43.31	-41.58	37.89	-55.64	-13.00	42.64	Horizontal
5	11239.875	39.72	-37.86	38.88	-54.52	-13.00	41.52	Horizontal
6	14272.125	36.92	-36.40	40.06	-54.69	-13.00	41.69	Horizontal

1.78. Test Band = NSA 66A-N5A_ TM1

1.78.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3522	62.75	-47.06	29.96	-49.62	-13.00	36.62	Vertical
2	4841.25	44.62	-46.02	33.07	-63.60	-13.00	50.60	Vertical
3	7044.375	56.23	-44.36	35.91	-47.48	-13.00	34.48	Vertical
4	8805.375	43.27	-41.58	37.89	-55.68	-13.00	42.68	Vertical
5	12117.75	37.60	-36.88	39.04	-55.50	-13.00	42.50	Vertical
6	15067.875	37.26	-36.57	39.30	-55.28	-13.00	42.28	Vertical



Report No.: SUCR260400031710

Page: 40 of 70

1.79. Test Band = NSA 13A-N77A 3450-3550_ TM1

1.79.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7951.3	41.22	-43.03	37.30	-59.77	-13.00	46.77	Horizontal
2	9556.7	39.30	-40.92	38.39	-58.49	-13.00	45.49	Horizontal
3	10807.9	37.13	-38.07	39.01	-57.19	-13.00	44.19	Horizontal
4	12398.925	37.53	-38.24	39.10	-56.87	-13.00	43.87	Horizontal
5	14327.475	35.28	-35.97	39.95	-56.00	-13.00	43.00	Horizontal
6	15870.2	35.20	-37.55	39.39	-58.22	-13.00	45.22	Horizontal

1.80. Test Band = NSA 13A-N77A 3450-3550_ TM1

1.80.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7459.675	41.84	-43.82	36.64	-60.60	-13.00	47.60	Vertical
2	8800.575	39.13	-41.48	37.90	-59.71	-13.00	46.71	Vertical
3	10656.1	37.75	-39.70	38.78	-58.44	-13.00	45.44	Vertical
4	12201.125	36.30	-36.89	39.20	-56.65	-13.00	43.65	Vertical
5	14516.075	35.28	-36.49	39.95	-56.51	-13.00	43.51	Vertical
6	16391.15	36.49	-37.25	38.58	-57.44	-13.00	44.44	Vertical



Report No.: SUCR260400031710

Page: 41 of 70

1.81. Test Band = NSA 13A-N77A 3700-3980_ TM1

1.81.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7026.125	42.41	-43.61	35.95	-60.51	-13.00	47.51	Horizontal
2	8390.025	41.11	-41.65	37.06	-58.74	-13.00	45.74	Horizontal
3	9856.85	38.34	-39.57	38.16	-58.33	-13.00	45.33	Horizontal
4	11598.525	35.57	-36.54	38.90	-57.33	-13.00	44.33	Horizontal
5	13173.45	36.36	-36.63	39.75	-55.79	-13.00	42.79	Horizontal
6	15686.2	35.46	-37.37	39.01	-58.15	-13.00	45.15	Horizontal

1.82. Test Band = NSA 13A-N77A 3700-3980_ TM1

1.82.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7362.5	41.93	-44.12	36.33	-61.13	-13.00	48.13	Vertical
2	8449.825	40.50	-41.98	37.60	-59.14	-13.00	46.14	Vertical
3	10373.2	37.73	-39.19	38.62	-58.10	-13.00	45.10	Vertical
4	11611.175	35.67	-36.60	38.88	-57.31	-13.00	44.31	Vertical
5	14004.325	35.98	-35.94	40.09	-55.13	-13.00	42.13	Vertical
6	15813.275	35.39	-37.35	39.56	-57.66	-13.00	44.66	Vertical



Report No.: SUCR260400031710

Page: 42 of 70

1.83. Test Band = NSA 13A-N77A 3700-3980_ TM1

1.83.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7086.5	42.71	-43.77	36.12	-60.20	-13.00	47.20	Horizontal
2	8398.65	41.30	-41.43	37.09	-58.29	-13.00	45.29	Horizontal
3	10113.3	38.21	-38.84	38.56	-57.33	-13.00	44.33	Horizontal
4	11753.775	37.09	-37.55	38.75	-56.96	-13.00	43.96	Horizontal
5	13621.95	36.24	-36.24	39.92	-55.34	-13.00	42.34	Horizontal
6	15337.175	35.28	-37.88	39.13	-58.73	-13.00	45.73	Horizontal

1.84. Test Band = NSA 13A-N77A 3700-3980_ TM1

1.84.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7355.6	42.25	-44.08	36.31	-60.78	-13.00	47.78	Vertical
2	8975.375	39.22	-40.81	38.15	-58.70	-13.00	45.70	Vertical
3	11229.375	37.50	-37.28	38.86	-56.18	-13.00	43.18	Vertical
4	13547.775	36.20	-36.97	40.00	-56.02	-13.00	43.02	Vertical
5	15867.9	35.66	-37.54	39.40	-57.75	-13.00	44.75	Vertical
6	17754.475	36.65	-35.97	41.58	-53.00	-13.00	40.00	Vertical



Report No.: SUCR260400031710

Page: 43 of 70

1.85. Test Band = NSA 13A-N77A 3700-3980_ TM1

1.85.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7076.15	42.44	-43.75	36.06	-60.51	-13.00	47.51	Horizontal
2	7956.475	41.33	-43.05	37.30	-59.68	-13.00	46.68	Horizontal
3	8810.35	39.10	-41.48	37.88	-59.76	-13.00	46.76	Horizontal
4	10371.475	37.71	-39.21	38.61	-58.15	-13.00	45.15	Horizontal
5	12379.375	37.96	-38.09	39.04	-56.35	-13.00	43.35	Horizontal
6	14048.025	35.90	-36.13	39.96	-55.54	-13.00	42.54	Horizontal

1.86. Test Band = NSA 13A-N77A 3700-3980_ TM1

1.86.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7496.475	41.79	-43.48	36.42	-60.53	-13.00	47.53	Vertical
2	9013.325	39.66	-40.70	38.15	-58.16	-13.00	45.16	Vertical
3	10354.8	38.01	-39.38	38.56	-58.07	-13.00	45.07	Vertical
4	11573.225	35.73	-36.67	38.90	-57.30	-13.00	44.30	Vertical
5	13365.5	37.29	-37.96	39.87	-56.07	-13.00	43.07	Vertical
6	16634.375	36.57	-36.28	38.97	-56.01	-13.00	43.01	Vertical



Report No.: SUCR260400031710

Page: 44 of 70

1.87. Test Band = NSA 2A-N77A 3450-3550_ TM1

1.87.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7188.275	41.89	-44.62	36.83	-61.16	-13.00	48.16	Horizontal
2	9400.3	38.66	-40.94	38.20	-59.34	-13.00	46.34	Horizontal
3	10693.475	38.49	-39.40	38.63	-57.55	-13.00	44.55	Horizontal
4	12663.425	36.14	-38.73	39.35	-58.49	-13.00	45.49	Horizontal
5	14569.55	35.52	-36.94	39.79	-56.89	-13.00	43.89	Horizontal
6	16824.7	35.60	-36.12	39.20	-56.58	-13.00	43.58	Horizontal

1.88. Test Band = NSA 2A-N77A 3450-3550_ TM1

1.88.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6988.175	42.10	-43.77	36.02	-60.91	-13.00	47.91	Vertical
2	8620.025	39.38	-41.62	37.54	-59.96	-13.00	46.96	Vertical
3	9405.475	38.88	-40.95	38.20	-59.13	-13.00	46.13	Vertical
4	11154.05	37.68	-37.49	38.98	-56.09	-13.00	43.09	Vertical
5	12973.925	36.98	-37.40	39.75	-55.93	-13.00	42.93	Vertical
6	14306.2	35.71	-35.81	39.99	-55.38	-13.00	42.38	Vertical



Report No.: SUCR260400031710

Page: 45 of 70

1.89. Test Band = NSA 2A-N77A 3700-3980_ TM1

1.89.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7108.925	42.44	-43.89	36.27	-60.44	-13.00	47.44	Horizontal
2	8818.4	39.11	-41.48	37.86	-59.77	-13.00	46.77	Horizontal
3	9857.425	38.17	-39.58	38.16	-58.51	-13.00	45.51	Horizontal
4	12033.225	37.44	-37.35	38.87	-56.30	-13.00	43.30	Horizontal
5	14511.475	35.31	-36.45	39.97	-56.43	-13.00	43.43	Horizontal
6	15901.25	36.01	-37.66	39.29	-57.62	-13.00	44.62	Horizontal

1.90. Test Band = NSA 2A-N77A 3700-3980_ TM1

1.90.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7017.5	42.40	-43.59	35.97	-60.48	-13.00	47.48	Vertical
2	8398.075	40.96	-41.44	37.09	-58.65	-13.00	45.65	Vertical
3	9808.55	37.68	-39.09	38.20	-58.47	-13.00	45.47	Vertical
4	11794.025	37.38	-37.83	38.79	-56.91	-13.00	43.91	Vertical
5	13800.775	36.04	-36.78	39.90	-56.10	-13.00	43.10	Vertical
6	15876.525	35.47	-37.58	39.37	-58.00	-13.00	45.00	Vertical



Report No.: SUCR260400031710

Page: 46 of 70

1.91. Test Band = NSA 2A-N77A 3700-3980_ TM1

1.91.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6765.65	42.94	-44.03	35.81	-60.55	-13.00	47.55	Horizontal
2	8395.775	41.48	-41.50	37.08	-58.20	-13.00	45.20	Horizontal
3	9774.625	37.84	-39.29	38.05	-58.66	-13.00	45.66	Horizontal
4	12039.55	36.41	-37.28	38.88	-57.25	-13.00	44.25	Horizontal
5	14050.325	36.39	-36.14	39.95	-55.06	-13.00	42.06	Horizontal
6	17178.325	37.70	-37.00	39.48	-55.08	-13.00	42.08	Horizontal

1.92. Test Band = NSA 2A-N77A 3700-3980_ TM1

1.92.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7052	42.17	-43.68	35.91	-60.86	-13.00	47.86	Vertical
2	8191.075	40.43	-42.34	37.29	-59.88	-13.00	46.88	Vertical
3	8982.85	39.11	-40.74	38.17	-58.73	-13.00	45.73	Vertical
4	10146.65	37.82	-38.90	38.46	-57.88	-13.00	44.88	Vertical
5	12413.875	37.50	-38.18	39.07	-56.87	-13.00	43.87	Vertical
6	16626.325	36.60	-36.28	38.95	-55.99	-13.00	42.99	Vertical



Report No.: SUCR260400031710

Page: 47 of 70

1.93. Test Band = NSA 2A-N77A 3700-3980_ TM1

1.93.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7098.575	41.95	-43.81	36.19	-60.92	-13.00	47.92	Horizontal
2	8399.225	41.16	-41.41	37.10	-58.41	-13.00	45.41	Horizontal
3	10157	37.68	-38.92	38.43	-58.07	-13.00	45.07	Horizontal
4	12093.6	36.47	-36.66	38.99	-56.47	-13.00	43.47	Horizontal
5	14620.15	35.91	-37.02	39.70	-56.67	-13.00	43.67	Horizontal
6	17511.825	36.57	-34.77	40.24	-53.22	-13.00	40.22	Horizontal

1.94. Test Band = NSA 2A-N77A 3700-3980_ TM1

1.94.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7116.4	42.19	-43.96	36.33	-60.70	-13.00	47.70	Vertical
2	8407.275	41.05	-41.48	37.17	-58.51	-13.00	45.51	Vertical
3	9862.025	38.31	-39.62	38.13	-58.45	-13.00	45.45	Vertical
4	11293.775	38.08	-38.91	38.99	-57.10	-13.00	44.10	Vertical
5	14008.925	36.35	-35.96	40.07	-54.80	-13.00	41.80	Vertical
6	15082.45	36.25	-38.03	39.25	-57.78	-13.00	44.78	Vertical



Report No.: SUCR260400031710

Page: 48 of 70

1.95. Test Band = NSA 5A-N77A 3450-3550_ TM1

1.95.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7480.95	41.84	-43.63	36.51	-60.53	-13.00	47.53	Horizontal
2	8398.075	40.86	-41.44	37.09	-58.75	-13.00	45.75	Horizontal
3	9810.275	37.65	-39.11	38.20	-58.52	-13.00	45.52	Horizontal
4	12202.85	36.57	-36.90	39.19	-56.40	-13.00	43.40	Horizontal
5	14510.325	35.34	-36.44	39.97	-56.39	-13.00	43.39	Horizontal
6	16642.425	36.44	-36.29	38.98	-56.12	-13.00	43.12	Horizontal

1.96. Test Band = NSA 5A-N77A 3450-3550_ TM1

1.96.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7123.875	42.28	-44.03	36.39	-60.62	-13.00	47.62	Vertical
2	8840.25	39.68	-41.48	37.82	-59.24	-13.00	46.24	Vertical
3	10385.275	37.72	-39.06	38.66	-57.95	-13.00	44.95	Vertical
4	12079.225	36.85	-36.83	38.96	-56.28	-13.00	43.28	Vertical
5	14462.6	35.58	-36.40	39.93	-56.15	-13.00	43.15	Vertical
6	16640.125	36.97	-36.29	38.98	-55.60	-13.00	42.60	Vertical



Report No.: SUCR260400031710

Page: 49 of 70

1.97. Test Band = NSA 5A-N77A 3700-3980_ TM1

1.97.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7074.425	42.60	-43.74	36.05	-60.35	-13.00	47.35	Horizontal
2	8398.075	41.39	-41.44	37.09	-58.22	-13.00	45.22	Horizontal
3	9528.525	39.11	-41.00	38.36	-58.79	-13.00	45.79	Horizontal
4	11179.35	37.85	-36.96	38.88	-55.49	-13.00	42.49	Horizontal
5	12988.875	36.54	-37.24	39.78	-56.18	-13.00	43.18	Horizontal
6	15040.475	35.80	-37.83	39.38	-57.91	-13.00	44.91	Horizontal

1.98. Test Band = NSA 5A-N77A 3700-3980_ TM1

1.98.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7300.4	42.13	-43.71	36.40	-60.44	-13.00	47.44	Vertical
2	8436.025	41.00	-41.82	37.46	-58.62	-13.00	45.62	Vertical
3	9806.825	37.78	-39.08	38.20	-58.36	-13.00	45.36	Vertical
4	11561.725	36.11	-36.73	38.90	-56.98	-13.00	43.98	Vertical
5	14104.375	37.23	-36.48	39.82	-54.69	-13.00	41.69	Vertical
6	16648.175	36.85	-36.29	39.00	-55.71	-13.00	42.71	Vertical



Report No.: SUCR260400031710

Page: 50 of 70

1.99. Test Band = NSA 5A-N77A 3700-3980_ TM1

1.99.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7010.6	42.45	-43.57	35.98	-60.40	-13.00	47.40	Horizontal
2	8549.875	40.24	-42.04	37.70	-59.36	-13.00	46.36	Horizontal
3	9572.225	38.94	-40.88	38.36	-58.84	-13.00	45.84	Horizontal
4	11185.1	36.83	-36.84	38.86	-56.41	-13.00	43.41	Horizontal
5	12972.2	37.61	-37.42	39.74	-55.32	-13.00	42.32	Horizontal
6	17132.325	37.07	-37.07	39.43	-55.83	-13.00	42.83	Horizontal

1.100. Test Band = NSA 5A-N77A 3700-3980_ TM1

1.100.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7377.45	42.29	-44.22	36.35	-60.84	-13.00	47.84	Vertical
2	8514.8	40.41	-42.42	37.70	-59.57	-13.00	46.57	Vertical
3	9082.9	39.41	-41.30	38.07	-59.09	-13.00	46.09	Vertical
4	10822.85	36.93	-38.05	39.02	-57.36	-13.00	44.36	Vertical
5	12374.2	37.50	-38.05	39.02	-56.79	-13.00	43.79	Vertical
6	14309.65	35.76	-35.84	39.98	-55.36	-13.00	42.36	Vertical



Report No.: SUCR260400031710

Page: 51 of 70

1.101. Test Band = NSA 5A-N77A 3700-3980_ TM1

1.101.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7027.275	42.37	-43.61	35.95	-60.56	-13.00	47.56	Horizontal
2	7959.925	41.06	-43.07	37.30	-59.97	-13.00	46.97	Horizontal
3	9001.825	39.26	-40.61	38.19	-58.41	-13.00	45.41	Horizontal
4	10134.575	37.55	-38.88	38.50	-58.09	-13.00	45.09	Horizontal
5	12986.575	36.72	-37.26	39.77	-56.03	-13.00	43.03	Horizontal
6	15696.55	35.84	-37.34	39.00	-57.76	-13.00	44.76	Horizontal

1.102. Test Band = NSA 5A-N77A 3700-3980_ TM1

1.102.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7103.175	42.12	-43.84	36.23	-60.75	-13.00	47.75	Vertical
2	8856.35	39.57	-41.49	37.80	-59.38	-13.00	46.38	Vertical
3	9836.15	37.87	-39.37	38.20	-58.56	-13.00	45.56	Vertical
4	11414.525	37.62	-38.61	39.07	-57.18	-13.00	44.18	Vertical
5	13197.025	35.91	-36.41	39.79	-55.96	-13.00	42.96	Vertical
6	14318.275	35.85	-35.90	39.96	-55.35	-13.00	42.35	Vertical



Report No.: SUCR260400031710

Page: 52 of 70

1.103. Test Band = NSA 66A-N77A 3450-3550_ TM1

1.103.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7472.325	41.69	-43.70	36.57	-60.71	-13.00	47.71	Horizontal
2	9005.85	39.30	-40.64	38.18	-58.42	-13.00	45.42	Horizontal
3	10145.5	37.87	-38.90	38.46	-57.82	-13.00	44.82	Horizontal
4	11925.125	37.69	-38.39	38.80	-57.16	-13.00	44.16	Horizontal
5	14374.625	35.92	-36.30	39.85	-55.79	-13.00	42.79	Horizontal
6	15932.3	35.96	-37.64	39.07	-57.87	-13.00	44.87	Horizontal

1.104. Test Band = NSA 66A-N77A 3450-3550_ TM1

1.104.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7438.975	42.09	-44.01	36.63	-60.55	-13.00	47.55	Vertical
2	9064.5	39.11	-41.14	38.03	-59.27	-13.00	46.27	Vertical
3	11186.825	37.37	-36.81	38.85	-55.84	-13.00	42.84	Vertical
4	12992.9	36.53	-37.20	39.79	-56.14	-13.00	43.14	Vertical
5	14305.05	35.46	-35.81	39.99	-55.62	-13.00	42.62	Vertical
6	16629.2	36.79	-36.28	38.96	-55.79	-13.00	42.79	Vertical



Report No.: SUCR260400031710

Page: 53 of 70

1.105. Test Band = NSA 66A-N77A 3700-3980_ TM1

1.105.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7532.125	42.06	-43.44	36.14	-60.50	-13.00	47.50	Horizontal
2	9057.025	40.13	-41.08	38.01	-58.20	-13.00	45.20	Horizontal
3	10118.475	37.63	-38.85	38.54	-57.93	-13.00	44.93	Horizontal
4	12940	36.62	-37.76	39.68	-56.72	-13.00	43.72	Horizontal
5	14013.525	36.60	-35.98	40.06	-54.58	-13.00	41.58	Horizontal
6	15940.35	36.09	-37.64	39.02	-57.79	-13.00	44.79	Horizontal

1.106. Test Band = NSA 66A-N77A 3700-3980_ TM1

1.106.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7119.85	42.30	-43.99	36.36	-60.59	-13.00	47.59	Vertical
2	8854.05	39.73	-41.49	37.80	-59.22	-13.00	46.22	Vertical
3	9598.675	38.87	-40.80	38.30	-58.89	-13.00	45.89	Vertical
4	11202.35	37.37	-36.59	38.80	-55.67	-13.00	42.67	Vertical
5	13378.15	37.75	-37.87	39.88	-55.50	-13.00	42.50	Vertical
6	15034.725	36.34	-37.80	39.40	-57.33	-13.00	44.33	Vertical



Report No.: SUCR260400031710

Page: 54 of 70

1.107. Test Band = NSA 66A-N77A 3700-3980_ TM1

1.107.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7095.7	42.53	-43.80	36.17	-60.35	-13.00	47.35	Horizontal
2	8396.925	41.09	-41.47	37.09	-58.55	-13.00	45.55	Horizontal
3	9812.575	37.72	-39.13	38.20	-58.47	-13.00	45.47	Horizontal
4	10661.85	38.47	-39.66	38.75	-57.69	-13.00	44.69	Horizontal
5	12995.2	37.02	-37.17	39.79	-55.62	-13.00	42.62	Horizontal
6	14668.45	34.92	-36.59	39.70	-57.23	-13.00	44.23	Horizontal

1.108. Test Band = NSA 66A-N77A 3700-3980_ TM1

1.108.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7012.325	42.11	-43.57	35.98	-60.75	-13.00	47.75	Vertical
2	8828.175	39.75	-41.48	37.84	-59.15	-13.00	46.15	Vertical
3	9778.65	38.18	-39.25	38.07	-58.26	-13.00	45.26	Vertical
4	11597.95	35.80	-36.54	38.90	-57.10	-13.00	44.10	Vertical
5	13602.4	36.05	-36.12	39.90	-55.42	-13.00	42.42	Vertical
6	14300.45	35.37	-35.77	40.00	-55.66	-13.00	42.66	Vertical



Report No.: SUCR260400031710

Page: 55 of 70

1.109. Test Band = NSA 66A-N77A 3700-3980_ TM1

1.109.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7480.95	41.89	-43.63	36.51	-60.48	-13.00	47.48	Horizontal
2	8971.925	39.46	-40.84	38.14	-58.50	-13.00	45.50	Horizontal
3	10193.225	38.20	-38.99	38.32	-57.73	-13.00	44.73	Horizontal
4	12208.6	36.79	-36.93	39.17	-56.24	-13.00	43.24	Horizontal
5	14049.75	36.49	-36.14	39.95	-54.96	-13.00	41.96	Horizontal
6	15035.875	35.48	-37.81	39.39	-58.20	-13.00	45.20	Horizontal

1.110. Test Band = NSA 66A-N77A 3700-3980_ TM1

1.110.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7903.575	40.88	-42.83	36.74	-60.47	-13.00	47.47	Vertical
2	9813.15	38.24	-39.14	38.20	-57.96	-13.00	44.96	Vertical
3	11137.375	38.15	-37.85	39.05	-55.90	-13.00	42.90	Vertical
4	12108.55	36.71	-36.61	39.02	-56.15	-13.00	43.15	Vertical
5	14012.375	36.09	-35.97	40.06	-55.08	-13.00	42.08	Vertical
6	15812.125	35.37	-37.34	39.56	-57.67	-13.00	44.67	Vertical



Report No.: SUCR260400031710

Page: 56 of 70

1.111. Test Band = NSA 30A-N5A_ TM1

1.111.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3759	44.66	-46.45	30.54	-66.50	-40.00	26.50	Horizontal
2	4615	47.81	-45.98	31.94	-61.49	-40.00	21.49	Horizontal
3	6918	45.62	-45.42	36.10	-58.96	-40.00	18.96	Horizontal
4	9230	41.60	-41.74	38.06	-57.34	-40.00	17.34	Horizontal
5	13607	36.60	-36.20	39.91	-54.95	-40.00	14.95	Horizontal
6	16648	37.37	-35.14	39.00	-54.04	-40.00	14.04	Horizontal

1.112. Test Band = NSA 30A-N5A_ TM1

1.112.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3709.5	44.45	-45.97	30.00	-66.79	-40.00	26.79	Vertical
2	4614.5	45.48	-45.98	31.94	-63.82	-40.00	23.82	Vertical
3	6473.5	43.74	-45.44	35.20	-61.76	-40.00	21.76	Vertical
4	9230	43.55	-41.74	38.06	-55.39	-40.00	15.39	Vertical
5	11944.5	39.23	-38.38	38.80	-55.61	-40.00	15.61	Vertical
6	16495.5	36.92	-35.50	38.79	-55.05	-40.00	15.05	Vertical



Report No.: SUCR260400031710

Page: 57 of 70

1.113. Test Band = NSA 30A-N5A_ TM1

1.113.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3586.5	44.77	-46.55	29.83	-67.21	-40.00	27.21	Horizontal
2	4615.5	51.25	-45.99	31.94	-58.06	-40.00	18.06	Horizontal
3	6923	52.51	-45.35	36.10	-52.00	-40.00	12.00	Horizontal
4	9231.5	48.68	-41.73	38.06	-50.25	-40.00	10.25	Horizontal
5	13012.5	36.79	-37.02	39.78	-55.72	-40.00	15.72	Horizontal
6	16624.5	37.22	-35.28	38.95	-54.37	-40.00	14.37	Horizontal

1.114. Test Band = NSA 30A-N5A_ TM1

1.114.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4615.5	51.51	-45.99	31.94	-57.80	-40.00	17.80	Vertical
2	6923.5	52.23	-45.34	36.10	-52.27	-40.00	12.27	Vertical
3	9231	49.82	-41.74	38.06	-49.11	-40.00	9.11	Vertical
4	12073	37.74	-37.22	38.95	-55.79	-40.00	15.79	Vertical
5	13847	38.47	-36.83	39.81	-53.81	-40.00	13.81	Vertical
6	17912.5	37.31	-34.76	42.66	-50.05	-40.00	10.05	Vertical



Report No.: SUCR260400031710

Page: 58 of 70

1.115. Test Band = NSA 30A-N5A_ TM1

1.115.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4620.5	52.40	-46.02	31.92	-56.96	-40.00	16.96	Horizontal
2	6931	52.29	-45.24	36.10	-52.11	-40.00	12.11	Horizontal
3	9241.5	48.43	-41.71	38.08	-50.45	-40.00	10.45	Horizontal
4	11235.5	38.29	-37.77	38.87	-55.87	-40.00	15.87	Horizontal
5	13802	37.29	-36.89	39.90	-54.96	-40.00	14.96	Horizontal
6	17196.5	38.32	-35.61	39.50	-53.06	-40.00	13.06	Horizontal

1.116. Test Band = NSA 30A-N5A_ TM1

1.116.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4620.5	53.83	-46.02	31.92	-55.53	-40.00	15.53	Vertical
2	6931	50.63	-45.24	36.10	-53.77	-40.00	13.77	Vertical
3	9241.5	50.46	-41.71	38.08	-48.42	-40.00	8.42	Vertical
4	11551.5	38.41	-36.94	38.90	-54.89	-40.00	14.89	Vertical
5	13862	41.01	-36.81	39.78	-51.28	-40.00	11.28	Vertical
6	17912.5	37.16	-34.76	42.66	-50.20	-40.00	10.20	Vertical



Report No.: SUCR260400031710

Page: 59 of 70

1.117. Test Band = NSA 12A-N66A_ TM1

1.117.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3424.125	51.52	-47.00	29.60	-61.14	-13.00	48.14	Horizontal
2	5187.75	45.11	-45.40	32.90	-62.65	-13.00	49.65	Horizontal
3	6705.75	43.80	-44.28	36.08	-59.66	-13.00	46.66	Horizontal
4	8998.125	40.82	-40.44	38.20	-56.68	-13.00	43.68	Horizontal
5	13621.5	37.96	-36.32	39.92	-53.70	-13.00	40.70	Horizontal
6	15810.375	36.43	-35.66	39.57	-54.92	-13.00	41.92	Horizontal

1.118. Test Band = NSA 12A-N66A_ TM1

1.118.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702.375	45.21	-45.90	29.92	-66.03	-13.00	53.03	Vertical
2	5853	44.77	-45.65	34.31	-61.83	-13.00	48.83	Vertical
3	7933.5	42.35	-43.07	37.10	-58.88	-13.00	45.88	Vertical
4	9760.125	40.45	-39.71	37.96	-56.56	-13.00	43.56	Vertical
5	14436.75	36.93	-36.60	39.87	-55.06	-13.00	42.06	Vertical
6	15787.5	36.45	-35.62	39.53	-54.91	-13.00	41.91	Vertical



Report No.: SUCR260400031710
Page: 60 of 70

1.119. Test Band = NSA 12A-N66A_ TM1

1.119.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3864.75	45.36	-46.60	30.81	-65.69	-13.00	52.69	Horizontal
2	5654.625	45.52	-45.99	33.49	-62.24	-13.00	49.24	Horizontal
3	7554.75	43.26	-43.38	36.00	-59.38	-13.00	46.38	Horizontal
4	10703.25	39.89	-39.71	38.61	-56.47	-13.00	43.47	Horizontal
5	14327.25	36.91	-36.20	39.95	-54.60	-13.00	41.60	Horizontal
6	17901	38.90	-34.64	42.61	-48.40	-13.00	35.40	Horizontal

1.120. Test Band = NSA 12A-N66A_ TM1

1.120.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3801.375	44.99	-46.83	31.19	-65.91	-13.00	52.91	Vertical
2	5193.75	44.83	-45.35	32.85	-62.93	-13.00	49.93	Vertical
3	6465	44.63	-45.41	35.20	-60.84	-13.00	47.84	Vertical
4	7944	42.62	-43.11	37.23	-58.52	-13.00	45.52	Vertical
5	11208.75	39.18	-37.22	38.82	-54.48	-13.00	41.48	Vertical
6	14350.5	37.41	-36.25	39.90	-54.20	-13.00	41.20	Vertical



Report No.: SUCR260400031710

Page: 61 of 70

1.121. Test Band = NSA 12A-N66A_ TM1

1.121.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4036.875	45.20	-46.86	31.42	-65.50	-13.00	52.50	Horizontal
2	5828.625	44.83	-45.77	34.21	-61.98	-13.00	48.98	Horizontal
3	7483.875	42.88	-43.57	36.50	-59.45	-13.00	46.45	Horizontal
4	9002.25	40.74	-40.45	38.19	-56.78	-13.00	43.78	Horizontal
5	11167.875	39.21	-37.60	38.93	-54.72	-13.00	41.72	Horizontal
6	13602	37.65	-36.16	39.90	-53.87	-13.00	40.87	Horizontal

1.122. Test Band = NSA 12A-N66A_ TM1

1.122.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3763.875	45.83	-46.49	30.62	-65.30	-13.00	52.30	Vertical
2	5117.625	45.36	-46.02	33.46	-62.46	-13.00	49.46	Vertical
3	5815.875	44.85	-45.83	34.16	-62.07	-13.00	49.07	Vertical
4	7876.875	42.20	-42.92	36.65	-59.33	-13.00	46.33	Vertical
5	11202	38.96	-37.08	38.80	-54.58	-13.00	41.58	Vertical
6	13182	37.75	-37.07	39.76	-54.82	-13.00	41.82	Vertical



Report No.: SUCR260400031710

Page: 62 of 70

1.123. Test Band = NSA 30A-N66A_ TM1

1.123.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3798.5	44.95	-46.83	31.18	-65.96	-40.00	25.96	Horizontal
2	4610.5	51.98	-45.95	31.96	-57.27	-40.00	17.27	Horizontal
3	6916	57.01	-45.44	36.10	-47.59	-40.00	7.59	Horizontal
4	9221.5	51.27	-41.76	38.04	-47.71	-40.00	7.71	Horizontal
5	11172.5	38.67	-37.52	38.91	-55.20	-40.00	15.20	Horizontal
6	16635.5	37.33	-35.22	38.97	-54.18	-40.00	14.18	Horizontal

1.124. Test Band = NSA 30A-N66A_ TM1

1.124.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4610.5	53.59	-45.95	31.96	-55.66	-40.00	15.66	Vertical
2	6916	54.74	-45.44	36.10	-49.86	-40.00	9.86	Vertical
3	9221.5	51.93	-41.76	38.04	-47.05	-40.00	7.05	Vertical
4	11526.5	38.35	-37.23	38.90	-55.24	-40.00	15.24	Vertical
5	13832	40.09	-36.85	39.84	-52.18	-40.00	12.18	Vertical
6	17969.5	37.93	-35.37	42.95	-49.75	-40.00	9.75	Vertical



Report No.: SUCR260400031710

Page: 63 of 70

1.125. Test Band = NSA 30A-N66A_ TM1

1.125.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3755.5	45.11	-46.41	30.49	-66.07	-40.00	26.07	Horizontal
2	4616	54.35	-45.99	31.94	-54.96	-40.00	14.96	Horizontal
3	6923.5	55.09	-45.34	36.10	-49.41	-40.00	9.41	Horizontal
4	9231	51.15	-41.74	38.06	-47.78	-40.00	7.78	Horizontal
5	11168	39.54	-37.59	38.93	-54.39	-40.00	14.39	Horizontal
6	15803.5	36.17	-35.57	39.59	-55.07	-40.00	15.07	Horizontal

1.126. Test Band = NSA 30A-N66A_ TM1

1.126.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4615.5	54.55	-45.99	31.94	-54.76	-40.00	14.76	Vertical
2	6923.5	55.26	-45.34	36.10	-49.24	-40.00	9.24	Vertical
3	9231.5	49.88	-41.73	38.06	-49.05	-40.00	9.05	Vertical
4	11539	38.41	-37.08	38.90	-55.03	-40.00	15.03	Vertical
5	13847	39.83	-36.83	39.81	-52.45	-40.00	12.45	Vertical
6	17925.5	37.95	-34.90	42.73	-49.48	-40.00	9.48	Vertical



Report No.: SUCR260400031710

Page: 64 of 70

1.127. Test Band = NSA 30A-N66A_ TM1

1.127.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3243	45.00	-46.72	30.17	-66.81	-40.00	26.81	Horizontal
2	4620.5	53.85	-46.02	31.92	-55.51	-40.00	15.51	Horizontal
3	6931	56.77	-45.24	36.10	-47.63	-40.00	7.63	Horizontal
4	9241.5	49.80	-41.71	38.08	-49.08	-40.00	9.08	Horizontal
5	13861.5	38.35	-36.81	39.78	-53.94	-40.00	13.94	Horizontal
6	17916	37.49	-34.80	42.68	-49.89	-40.00	9.89	Horizontal

1.128. Test Band = NSA 30A-N66A_ TM1

1.128.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3260	45.08	-46.84	30.14	-66.88	-40.00	26.88	Vertical
2	4620.5	54.22	-46.02	31.92	-55.14	-40.00	15.14	Vertical
3	6931	55.63	-45.24	36.10	-48.77	-40.00	8.77	Vertical
4	9241.5	50.78	-41.71	38.08	-48.10	-40.00	8.10	Vertical
5	11551.5	40.59	-36.94	38.90	-52.71	-40.00	12.71	Vertical
6	13862	41.91	-36.81	39.78	-50.38	-40.00	10.38	Vertical



Report No.: SUCR260400031710
Page: 65 of 70

1.129. Test Band = NSA 12A-N2A_ TM1

1.129.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702	54.84	-45.90	29.92	-56.40	-13.00	43.40	Horizontal
2	5553.375	47.64	-46.55	33.21	-60.95	-13.00	47.95	Horizontal
3	7404.375	49.61	-44.77	36.43	-54.00	-13.00	41.00	Horizontal
4	10154.625	38.15	-39.23	38.44	-57.90	-13.00	44.90	Horizontal
5	13612.5	36.83	-36.25	39.91	-54.76	-13.00	41.76	Horizontal
6	17194.125	38.38	-35.66	39.49	-53.05	-13.00	40.05	Horizontal

1.130. Test Band = NSA 12A-N2A_ TM1

1.130.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702	54.67	-45.90	29.92	-56.57	-13.00	43.57	Vertical
2	5553	50.53	-46.55	33.21	-58.07	-13.00	45.07	Vertical
3	7404.375	55.07	-44.77	36.43	-48.54	-13.00	35.54	Vertical
4	9843.375	38.76	-39.76	38.20	-58.06	-13.00	45.06	Vertical
5	12997.125	36.88	-36.96	39.79	-55.54	-13.00	42.54	Vertical
6	15808.5	35.54	-35.64	39.57	-55.78	-13.00	42.78	Vertical



Report No.: SUCR260400031710
Page: 66 of 70

1.131. Test Band = NSA 12A-N2A_ TM1

1.131.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.125	49.70	-46.28	30.32	-61.52	-13.00	48.52	Horizontal
2	5172.75	44.36	-45.53	33.02	-63.41	-13.00	50.41	Horizontal
3	7484.25	52.72	-43.56	36.49	-49.60	-13.00	36.60	Horizontal
4	9355.5	41.05	-41.21	38.29	-57.13	-13.00	44.13	Horizontal
5	12404.25	37.82	-38.07	39.09	-56.41	-13.00	43.41	Horizontal
6	14504.625	36.41	-37.02	39.99	-55.88	-13.00	42.88	Horizontal

1.132. Test Band = NSA 12A-N2A_ TM1

1.132.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.125	49.66	-46.28	30.32	-61.56	-13.00	48.56	Vertical
2	5613.375	47.18	-46.13	33.43	-60.79	-13.00	47.79	Vertical
3	7484.625	54.65	-43.55	36.49	-47.67	-13.00	34.67	Vertical
4	9355.125	40.63	-41.21	38.29	-57.55	-13.00	44.55	Vertical
5	13011	36.94	-37.01	39.78	-55.55	-13.00	42.55	Vertical
6	16670.25	36.94	-35.01	39.04	-54.29	-13.00	41.29	Vertical



Report No.: SUCR260400031710

Page: 67 of 70

1.133. Test Band = NSA 12A-N2A_ TM1

1.133.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3782.25	48.16	-46.67	30.92	-62.85	-13.00	49.85	Horizontal
2	5160.75	44.38	-45.64	33.11	-63.41	-13.00	50.41	Horizontal
3	7564.5	53.64	-43.39	36.00	-49.01	-13.00	36.01	Horizontal
4	10753.5	38.24	-38.91	38.81	-57.12	-13.00	44.12	Horizontal
5	14300.25	36.39	-36.14	40.00	-55.01	-13.00	42.01	Horizontal
6	17926.5	37.61	-34.91	42.73	-49.83	-13.00	36.83	Horizontal

1.134. Test Band = NSA 12A-N2A_ TM1

1.134.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3782.25	49.13	-46.67	30.92	-61.88	-13.00	48.88	Vertical
2	5673	44.67	-45.92	33.45	-63.06	-13.00	50.06	Vertical
3	7564.5	56.92	-43.39	36.00	-45.73	-13.00	32.73	Vertical
4	9405.375	40.16	-40.96	38.20	-57.86	-13.00	44.86	Vertical
5	13974.75	37.14	-36.93	40.00	-55.05	-13.00	42.05	Vertical
6	17908.125	37.19	-34.72	42.64	-50.15	-13.00	37.15	Vertical



Report No.: SUCR260400031710

Page: 68 of 70

1.135. Test Band = NSA 30A-N2A_ TM1

1.135.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4610.5	53.22	-45.95	31.96	-56.03	-40.00	16.03	Horizontal
2	6916	56.77	-45.44	36.10	-47.83	-40.00	7.83	Horizontal
3	9221	50.75	-41.76	38.04	-48.23	-40.00	8.23	Horizontal
4	11940	39.19	-38.38	38.80	-55.65	-40.00	15.65	Horizontal
5	15125.5	36.68	-36.60	39.20	-55.98	-40.00	15.98	Horizontal
6	17796.5	37.99	-36.98	41.88	-52.37	-40.00	12.37	Horizontal

1.136. Test Band = NSA 30A-N2A_ TM1

1.136.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4610.5	53.60	-45.95	31.96	-55.65	-40.00	15.65	Vertical
2	6916	56.40	-45.44	36.10	-48.20	-40.00	8.20	Vertical
3	9221	51.55	-41.76	38.04	-47.43	-40.00	7.43	Vertical
4	11526.5	38.96	-37.23	38.90	-54.63	-40.00	14.63	Vertical
5	13832	40.42	-36.85	39.84	-51.85	-40.00	11.85	Vertical
6	17919	37.95	-34.83	42.70	-49.45	-40.00	9.45	Vertical



Report No.: SUCR260400031710

Page: 69 of 70

1.137. Test Band = NSA 30A-N2A_ TM1

1.137.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4615.5	53.33	-45.99	31.94	-55.98	-40.00	15.98	Horizontal
2	6923.5	57.45	-45.34	36.10	-47.05	-40.00	7.05	Horizontal
3	9231.5	49.61	-41.73	38.06	-49.32	-40.00	9.32	Horizontal
4	12096	37.61	-36.86	38.99	-55.52	-40.00	15.52	Horizontal
5	15794	35.44	-35.58	39.56	-55.83	-40.00	15.83	Horizontal
6	17904.5	38.26	-34.68	42.62	-49.06	-40.00	9.06	Horizontal

1.138. Test Band = NSA 30A-N2A_ TM1

1.138.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4615.5	54.74	-45.99	31.94	-54.57	-40.00	14.57	Vertical
2	6923.5	55.19	-45.34	36.10	-49.31	-40.00	9.31	Vertical
3	9231.5	50.69	-41.73	38.06	-48.24	-40.00	8.24	Vertical
4	11539	38.48	-37.08	38.90	-54.96	-40.00	14.96	Vertical
5	13847	39.63	-36.83	39.81	-52.65	-40.00	12.65	Vertical
6	17268.5	39.33	-36.36	39.64	-52.66	-40.00	12.66	Vertical



Report No.: SUCR260400031710

Page: 70 of 70

1.139. Test Band = NSA 30A-N2A_ TM1

1.139.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4620.5	55.12	-46.02	31.92	-54.24	-40.00	14.24	Horizontal
2	6931	53.82	-45.24	36.10	-50.58	-40.00	10.58	Horizontal
3	9241.5	50.73	-41.71	38.08	-48.15	-40.00	8.15	Horizontal
4	11185.5	38.35	-37.29	38.86	-55.34	-40.00	15.34	Horizontal
5	14306.5	36.49	-36.15	39.99	-54.94	-40.00	14.94	Horizontal
6	15806.5	35.58	-35.61	39.58	-55.71	-40.00	15.71	Horizontal

1.140. Test Band = NSA 30A-N2A_ TM1

1.140.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4620.5	54.97	-46.02	31.92	-54.39	-40.00	14.39	Vertical
2	6931	55.85	-45.24	36.10	-48.55	-40.00	8.55	Vertical
3	9241.5	51.50	-41.71	38.08	-47.38	-40.00	7.38	Vertical
4	11552	39.10	-36.93	38.90	-54.19	-40.00	14.19	Vertical
5	13862	41.12	-36.81	39.78	-51.17	-40.00	11.17	Vertical
6	17893	38.16	-34.80	42.55	-49.35	-40.00	9.35	Vertical

---End of Attachment---