



11n(HT40)_TX_CH_46_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17987.35	35.33	41.66	-30.96	46.04	54.00	7.96	Vertical
2	6072.8333	40.59	34.65	-16.80	58.44	68.20	9.76	Vertical
3	7209.55	50.30	36.30	-42.03	44.57	68.20	23.63	Vertical
4	9442.4667	48.82	38.04	-38.56	48.30	74.00	25.70	Vertical
5	11144.4667	44.89	39.21	-35.44	48.66	74.00	25.34	Vertical
6	12851.0667	46.50	39.72	-34.62	51.60	68.20	16.60	Vertical
7	17893.4333	43.09	41.39	-31.18	53.30	74.00	20.70	Vertical

11n(HT40)_TX_CH_54_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17972.0167	35.33	41.62	-30.99	45.96	54.00	8.04	Horizontal
2	6280.4583	40.98	35.06	-17.00	59.05	68.20	9.15	Horizontal
3	7873.4833	51.01	37.05	-41.37	46.68	68.20	21.52	Horizontal
4	9586.9833	48.46	38.06	-38.26	48.26	68.20	19.94	Horizontal
5	12799.3167	46.79	39.66	-34.78	51.67	68.20	16.53	Horizontal
6	14530.0667	46.04	40.08	-34.74	51.38	68.20	16.82	Horizontal
7	17981.2167	43.25	41.65	-30.97	53.93	74.00	20.07	Horizontal

11n(HT40)_TX_CH_54_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17968.95	35.19	41.61	-30.99	45.81	54.00	8.19	Vertical
2	6258.9167	40.99	35.02	-16.95	59.06	68.20	9.14	Vertical
3	7809.85	50.58	36.92	-41.07	46.43	68.20	21.77	Vertical
4	9519.5167	50.23	38.05	-38.44	49.84	68.20	18.36	Vertical
5	12909.3333	45.83	39.79	-34.55	51.07	68.20	17.13	Vertical
6	14431.1667	45.06	40.14	-34.09	51.11	68.20	17.09	Vertical
7	17918.35	43.15	41.46	-31.09	53.52	74.00	20.48	Vertical

11n(HT40)_TX_CH_62_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17983.9	35.30	41.65	-30.96	45.99	54.00	8.01	Horizontal
2	6181.9167	41.01	34.86	-16.79	59.09	68.20	9.11	Horizontal
3	7933.2833	50.25	37.17	-41.39	46.02	68.20	22.18	Horizontal
4	9508.7833	49.38	38.05	-38.47	48.96	68.20	19.24	Horizontal
5	12816.1833	46.69	39.68	-34.73	51.64	68.20	16.56	Horizontal
6	14482.9167	45.48	40.11	-34.64	50.95	74.00	23.05	Horizontal
7	17917.9667	43.34	41.46	-31.09	53.71	74.00	20.29	Horizontal

11n(HT40)_TX_CH_62_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17970.4833	35.26	41.61	-30.99	45.89	54.00	8.11	Vertical
2	6138.375	41.53	34.78	-16.73	59.58	68.20	8.62	Vertical
3	7819.05	49.81	36.94	-41.11	45.64	68.20	22.56	Vertical
4	9514.9167	49.64	38.05	-38.45	49.24	68.20	18.96	Vertical
5	12804.3	46.48	39.67	-34.77	51.38	68.20	16.82	Vertical
6	14343.3833	45.23	40.19	-34.45	50.98	68.20	17.22	Vertical
7	17961.6667	43.72	41.59	-31.01	54.30	74.00	19.70	Vertical

11n(HT40)_TX_CH_102_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17932.5333	35.68	41.50	-31.06	46.12	54.00	7.88	Horizontal
2	6220.4167	41.81	34.94	-16.86	59.89	68.20	8.31	Horizontal
3	7801.4167	49.07	36.90	-41.03	44.95	68.20	23.25	Horizontal
4	9494.2167	49.38	38.05	-38.50	48.93	74.00	25.07	Horizontal
5	11201.5833	45.26	39.18	-35.08	49.36	74.00	24.64	Horizontal
6	13867.6667	46.06	40.33	-34.24	52.16	68.20	16.04	Horizontal
7	17942.1167	44.43	41.53	-31.05	54.92	74.00	19.08	Horizontal

11n(HT40)_TX_CH_102_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17960.9	35.76	41.59	-31.01	46.34	54.00	7.66	Vertical
2	6248.8333	40.98	35.00	-16.92	59.06	68.20	9.14	Vertical
3	7804.1	50.26	36.91	-41.04	46.13	68.20	22.07	Vertical
4	9503.0333	49.31	38.05	-38.48	48.88	68.20	19.32	Vertical
5	12942.6833	46.65	39.83	-34.86	51.62	68.20	16.58	Vertical
6	14501.3167	46.56	40.10	-34.82	51.84	68.20	16.36	Vertical
7	17971.25	42.59	41.62	-30.99	53.22	74.00	20.78	Vertical

11n(HT40)_TX_CH_110_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17952.4667	35.51	41.56	-31.03	46.05	54.00	7.95	Horizontal
2	6160.375	41.17	34.82	-16.76	59.23	68.20	8.97	Horizontal
3	8012.6333	50.27	37.31	-41.16	46.42	68.20	21.78	Horizontal
4	9488.4667	48.78	38.05	-38.50	48.32	74.00	25.68	Horizontal
5	12878.6667	45.89	39.75	-34.53	51.12	68.20	17.08	Horizontal
6	14347.2167	45.38	40.19	-34.40	51.17	68.20	17.03	Horizontal
7	17944.0333	43.74	41.54	-31.04	54.24	74.00	19.76	Horizontal

11n(HT40)_TX_CH_110_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17962.4333	35.63	41.59	-31.01	46.22	54.00	7.78	Vertical
2	6393.6667	40.24	35.29	-16.61	58.92	68.20	9.28	Vertical
3	7733.5667	49.80	36.77	-41.48	45.09	74.00	28.91	Vertical
4	9572.4167	48.79	38.06	-38.29	48.55	68.20	19.65	Vertical
5	12830.75	46.18	39.70	-34.68	51.20	68.20	17.00	Vertical
6	14509.3667	46.52	40.09	-34.79	51.82	68.20	16.38	Vertical
7	17988.5	43.20	41.67	-30.95	53.91	74.00	20.09	Vertical

11n(HT40)_TX_CH_118_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17983.1333	35.81	41.65	-30.96	46.50	54.00	7.50	Horizontal
2	6202.0833	41.49	34.90	-16.81	59.58	68.20	8.62	Horizontal
3	7812.15	50.38	36.92	-41.08	46.23	68.20	21.97	Horizontal
4	9498.4333	49.89	38.05	-38.49	49.45	74.00	24.55	Horizontal
5	12823.0833	45.99	39.69	-34.71	50.97	68.20	17.23	Horizontal
6	14488.6667	45.74	40.11	-34.70	51.15	74.00	22.85	Horizontal
7	17903.0167	43.25	41.42	-31.12	53.54	74.00	20.46	Horizontal

11n(HT40)_TX_CH_118_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17961.2833	35.49	41.59	-31.01	46.07	54.00	7.93	Vertical
2	6225.4583	40.99	34.95	-16.87	59.07	68.20	9.13	Vertical
3	7811.3833	50.34	36.92	-41.07	46.19	68.20	22.01	Vertical
4	9462.7833	48.79	38.05	-38.54	48.30	74.00	25.70	Vertical
5	11158.2667	45.75	39.21	-35.35	49.61	74.00	24.39	Vertical
6	12807.3667	46.72	39.67	-34.76	51.63	68.20	16.57	Vertical
7	17962.8167	43.15	41.59	-31.00	53.74	74.00	20.26	Vertical

11n(HT40)_TX_CH_126_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17965.5	35.28	41.60	-31.00	45.88	54.00	8.12	Horizontal
2	6285.0417	40.53	35.07	-17.01	58.59	68.20	9.61	Horizontal
3	8066.6833	49.58	37.35	-41.08	45.85	74.00	28.15	Horizontal
4	9568.5833	49.49	38.06	-38.30	49.24	68.20	18.96	Horizontal
5	11331.15	45.44	39.10	-35.89	48.65	74.00	25.35	Horizontal
6	13854.6333	45.66	40.33	-34.41	51.57	68.20	16.63	Horizontal
7	17859.3167	44.44	41.29	-31.45	54.28	74.00	19.72	Horizontal

11n(HT40)_TX_CH_126_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17925.6333	35.77	41.48	-31.08	46.18	54.00	7.82	Vertical
2	6238.75	41.07	34.98	-16.90	59.15	68.20	9.05	Vertical
3	8007.2667	50.43	37.31	-41.17	46.57	68.20	21.63	Vertical
4	9516.45	48.87	38.05	-38.45	48.48	68.20	19.72	Vertical
5	11325.0167	45.91	39.10	-35.92	49.10	74.00	24.90	Vertical
6	13632.3	46.18	40.22	-34.47	51.93	68.20	16.27	Vertical
7	17949.0167	43.51	41.55	-31.03	54.03	74.00	19.97	Vertical

11n(HT40)_TX_CH_134_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17944.4167	35.43	41.54	-31.04	45.93	54.00	8.07	Horizontal
2	6213.5417	40.49	34.93	-16.84	58.58	68.20	9.62	Horizontal
3	8036.4	50.24	37.33	-41.13	46.44	74.00	27.56	Horizontal
4	9501.8833	48.70	38.05	-38.48	48.27	68.20	19.93	Horizontal
5	12727.6333	45.61	39.57	-34.53	50.66	68.20	17.54	Horizontal
6	15228.1167	44.73	39.39	-33.64	50.48	68.20	17.72	Horizontal
7	17931	43.33	41.50	-31.07	53.76	74.00	20.24	Horizontal

11n(HT40)_TX_CH_134_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17933.3	35.34	41.51	-31.06	45.78	54.00	8.22	Vertical
2	6165.4167	40.64	34.83	-16.77	58.71	68.20	9.49	Vertical
3	7091.4833	51.54	36.30	-42.49	45.35	68.20	22.85	Vertical
4	9560.15	49.19	38.06	-38.33	48.92	68.20	19.28	Vertical
5	11179.35	45.37	39.19	-35.20	49.36	74.00	24.64	Vertical
6	13461.3333	46.20	40.13	-34.88	51.45	68.20	16.75	Vertical
7	17947.4833	42.71	41.55	-31.04	53.22	74.00	20.78	Vertical

11n(HT40)_TX_CH_142_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17974.3167	34.80	41.63	-30.98	45.44	54.00	8.56	Horizontal
2	6314.8333	40.74	35.13	-16.97	58.90	68.20	9.30	Horizontal
3	8022.9833	49.87	37.32	-41.15	46.04	68.20	22.16	Horizontal
4	10186.9	46.14	38.32	-36.39	48.07	68.20	20.13	Horizontal
5	12800.85	46.93	39.66	-34.78	51.81	68.20	16.39	Horizontal
6	14571.85	44.95	40.06	-34.63	50.38	68.20	17.82	Horizontal
7	17975.4667	42.47	41.63	-30.98	53.12	74.00	20.88	Horizontal

11n(HT40)_TX_CH_142_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17970.8667	34.71	41.62	-30.99	45.34	54.00	8.66	Vertical
2	6169.5417	40.70	34.84	-16.77	58.77	68.20	9.43	Vertical
3	7811.3833	49.36	36.92	-41.07	45.21	68.20	22.99	Vertical
4	9499.2	48.94	38.05	-38.49	48.50	74.00	25.50	Vertical
5	11672.7	43.92	38.90	-35.52	47.29	74.00	26.71	Vertical
6	13820.5167	46.74	40.31	-34.87	52.18	68.20	16.02	Vertical
7	17916.4333	42.10	41.46	-31.10	52.46	74.00	21.54	Vertical

11n(HT40)_TX_CH_151_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17902.6333	35.80	41.42	-31.12	46.09	54.00	7.91	Horizontal
2	6230.0417	40.70	34.96	-16.88	58.78	68.20	9.42	Horizontal
3	7886.9	50.10	37.07	-41.44	45.74	68.20	22.46	Horizontal
4	9580.4667	49.10	38.06	-38.27	48.89	68.20	19.31	Horizontal
5	10778.7667	45.43	39.03	-36.60	47.87	74.00	26.13	Horizontal
6	13459.8	45.89	40.13	-34.87	51.15	68.20	17.05	Horizontal
7	17990.0333	42.90	41.67	-30.95	53.62	74.00	20.38	Horizontal

11n(HT40)_TX_CH_151_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17969.3333	35.58	41.61	-30.99	46.20	54.00	7.80	Vertical
2	6274.5	40.64	35.05	-16.98	58.71	68.20	9.49	Vertical
3	7865.8167	50.38	37.03	-41.34	46.08	68.20	22.12	Vertical
4	9554.0167	49.59	38.06	-38.34	49.30	68.20	18.90	Vertical
5	11187.7833	44.83	39.19	-35.14	48.87	74.00	25.13	Vertical
6	12928.1167	45.96	39.81	-34.72	51.05	68.20	17.15	Vertical
7	17955.9167	42.96	41.57	-31.02	53.51	74.00	20.49	Vertical

11n(HT40)_TX_CH_159_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17993.1	35.70	41.68	-30.94	46.44	54.00	7.56	Horizontal
2	6221.3333	40.15	34.94	-16.86	58.23	68.20	9.97	Horizontal
3	7890.7333	50.31	37.08	-41.46	45.94	68.20	22.26	Horizontal
4	9503.0333	48.83	38.05	-38.48	48.40	68.20	19.80	Horizontal
5	12963.3833	45.95	39.86	-35.05	50.76	68.20	17.44	Horizontal
6	13846.2	45.67	40.32	-34.53	51.47	68.20	16.73	Horizontal
7	17951.7	42.43	41.56	-31.03	52.96	74.00	21.04	Horizontal

11n(HT40)_TX_CH_159_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17956.6833	34.95	41.57	-31.02	45.51	54.00	8.49	Vertical
2	6227.2917	40.25	34.95	-16.87	58.33	68.20	9.87	Vertical
3	7875.7833	50.11	37.05	-41.38	45.78	68.20	22.42	Vertical
4	9533.7	48.36	38.05	-38.40	48.01	68.20	20.19	Vertical
5	11198.1333	44.70	39.18	-35.07	48.81	74.00	25.19	Vertical
6	12822.3167	47.92	39.69	-34.71	52.90	68.20	15.30	Vertical
7	17897.2667	42.44	41.40	-31.15	52.69	74.00	21.31	Vertical

11ac(VHT20)_TX_CH_36_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17952.4667	35.77	41.56	-31.03	46.31	54.00	7.69	Horizontal
2	6305.6667	41.05	35.11	-17.01	59.15	68.20	9.05	Horizontal
3	8025.2833	50.67	37.32	-41.14	46.85	74.00	27.15	Horizontal
4	9422.15	48.71	38.04	-38.59	48.16	74.00	25.84	Horizontal
5	11187.7833	45.09	39.19	-35.14	49.13	74.00	24.87	Horizontal
6	14339.9333	45.05	40.20	-34.49	50.76	68.20	17.44	Horizontal
7	17935.6	43.10	41.51	-31.06	53.55	74.00	20.45	Horizontal

11ac(VHT20)_TX_CH_36_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17967.8	34.90	41.61	-30.99	45.51	54.00	8.49	Vertical
2	6219.9583	40.72	34.94	-16.86	58.80	68.20	9.40	Vertical
3	7797.5833	49.14	36.90	-41.04	45.00	68.20	23.20	Vertical
4	9511.85	48.54	38.05	-38.46	48.13	68.20	20.07	Vertical
5	12454.3167	45.12	39.25	-35.11	49.25	74.00	24.75	Vertical
6	15203.2	44.30	39.43	-33.83	49.90	68.20	18.30	Vertical
7	17952.0833	43.22	41.56	-31.03	53.76	74.00	20.24	Vertical

11ac(VHT20)_TX_CH_40_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17929.85	35.21	41.50	-31.07	45.64	54.00	8.36	Horizontal
2	6191.0833	40.72	34.88	-16.80	58.80	68.20	9.40	Horizontal
3	7392.7833	49.77	36.30	-42.04	44.03	74.00	29.97	Horizontal
4	9468.9167	48.64	38.05	-38.53	48.16	74.00	25.84	Horizontal
5	11192.7667	45.55	39.18	-35.11	49.62	74.00	24.38	Horizontal
6	13635.75	46.24	40.22	-34.51	51.95	68.20	16.25	Horizontal
7	17902.6333	43.00	41.42	-31.12	53.29	74.00	20.71	Horizontal

11ac(VHT20)_TX_CH_40_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17974.3167	35.25	41.63	-30.98	45.89	54.00	8.11	Vertical
2	6131.5	40.42	34.76	-16.72	58.46	68.20	9.74	Vertical
3	7220.6667	50.43	36.30	-42.04	44.69	68.20	23.51	Vertical
4	9506.1	48.09	38.05	-38.47	47.67	68.20	20.53	Vertical
5	11182.8	45.08	39.19	-35.18	49.09	74.00	24.91	Vertical
6	13598.95	45.46	40.20	-34.05	51.61	68.20	16.59	Vertical
7	17949.7833	43.05	41.55	-31.03	53.57	74.00	20.43	Vertical

11ac(VHT20)_TX_CH_48_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17967.4167	35.10	41.61	-31.00	45.71	54.00	8.29	Horizontal
2	6187.875	40.17	34.88	-16.79	58.25	68.20	9.95	Horizontal
3	8001.1333	49.83	37.30	-41.18	45.95	68.20	22.25	Horizontal
4	9533.7	48.59	38.05	-38.40	48.24	68.20	19.96	Horizontal
5	11152.5167	45.20	39.21	-35.39	49.02	74.00	24.98	Horizontal
6	12910.1	45.38	39.79	-34.55	50.62	68.20	17.58	Horizontal
7	17890.75	42.92	41.38	-31.20	53.10	74.00	20.90	Horizontal

11ac(VHT20)_TX_CH_48_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17953.6167	34.77	41.57	-31.02	45.31	54.00	8.69	Vertical
2	6189.7083	40.93	34.88	-16.80	59.01	68.20	9.19	Vertical
3	7806.4	49.68	36.91	-41.05	45.54	68.20	22.66	Vertical
4	9511.4667	48.70	38.05	-38.46	48.29	68.20	19.91	Vertical
5	11881.2333	46.88	38.77	-34.78	50.87	74.00	23.13	Vertical
6	13805.95	45.91	40.30	-35.07	51.14	68.20	17.06	Vertical
7	17938.2833	42.75	41.52	-31.05	53.22	74.00	20.78	Vertical

11ac(VHT20)_TX_CH_52_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17962.05	35.90	41.59	-31.01	46.48	54.00	7.52	Horizontal
2	6270.8333	40.44	35.04	-16.97	58.51	68.20	9.69	Horizontal
3	7819.4333	49.54	36.94	-41.11	45.37	68.20	22.83	Horizontal
4	9566.6667	48.66	38.06	-38.31	48.41	68.20	19.79	Horizontal
5	11127.9833	44.98	39.22	-35.56	48.65	74.00	25.35	Horizontal
6	14502.0833	45.67	40.10	-34.81	50.95	68.20	17.25	Horizontal
7	17951.7	44.15	41.56	-31.03	54.68	74.00	19.32	Horizontal

11ac(VHT20)_TX_CH_52_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17962.05	34.94	41.59	-31.01	45.52	54.00	8.48	Vertical
2	6212.625	40.17	34.93	-16.84	58.26	68.20	9.94	Vertical
3	7743.15	49.30	36.79	-41.41	44.67	74.00	29.33	Vertical
4	9578.1667	48.68	38.06	-38.28	48.46	68.20	19.74	Vertical
5	11406.2833	44.51	39.06	-35.63	47.94	74.00	26.06	Vertical
6	13863.45	45.16	40.33	-34.29	51.20	68.20	17.00	Vertical
7	17938.2833	43.44	41.52	-31.05	53.91	74.00	20.09	Vertical

11ac(VHT20)_TX_CH_60_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17986.2	35.18	41.66	-30.96	45.88	54.00	8.12	Horizontal
2	6143.4167	40.07	34.79	-16.74	58.12	68.20	10.08	Horizontal
3	7843.5833	49.80	36.99	-41.23	45.56	68.20	22.64	Horizontal
4	9548.65	49.06	38.05	-38.36	48.76	68.20	19.44	Horizontal
5	11320.4167	45.80	39.11	-35.94	48.97	74.00	25.03	Horizontal
6	13602.0167	45.39	40.20	-34.07	51.52	68.20	16.68	Horizontal
7	17905.7	42.99	41.43	-31.12	53.30	74.00	20.70	Horizontal

11ac(VHT20)_TX_CH_60_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17956.3	35.14	41.57	-31.02	45.70	54.00	8.30	Vertical
2	6151.2083	40.44	34.80	-16.75	58.50	68.20	9.70	Vertical
3	7782.6333	50.15	36.87	-41.14	45.88	68.20	22.32	Vertical
4	9511.85	48.62	38.05	-38.46	48.21	68.20	19.99	Vertical
5	12910.4833	46.19	39.79	-34.56	51.43	68.20	16.77	Vertical
6	14532.3667	46.77	40.08	-34.73	52.12	68.20	16.08	Vertical
7	17967.8	42.70	41.61	-30.99	53.31	74.00	20.69	Vertical

11ac(VHT20)_TX_CH_64_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17949.0167	35.12	41.55	-31.03	45.64	54.00	8.36	Horizontal
2	5999.5	40.74	34.50	-17.12	58.12	68.20	10.08	Horizontal
3	7810.6167	50.25	36.92	-41.07	46.10	68.20	22.10	Horizontal
4	9455.5	48.97	38.05	-38.55	48.47	74.00	25.53	Horizontal
5	12849.5333	45.94	39.72	-34.62	51.04	68.20	17.16	Horizontal
6	14991.2167	44.49	39.81	-34.17	50.13	68.20	18.07	Horizontal
7	17925.6333	43.04	41.48	-31.08	53.45	74.00	20.55	Horizontal

11ac(VHT20)_TX_CH_64_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17965.5	34.64	41.60	-31.00	45.24	54.00	8.76	Vertical
2	6199.7917	41.00	34.90	-16.81	59.09	68.20	9.11	Vertical
3	7498.2	50.06	36.30	-42.04	44.32	74.00	29.68	Vertical
4	9433.2667	49.34	38.04	-38.58	48.81	74.00	25.19	Vertical
5	11191.2333	45.12	39.19	-35.12	49.18	74.00	24.82	Vertical
6	13657.9833	46.46	40.23	-34.81	51.88	68.20	16.32	Vertical
7	17944.0333	43.46	41.54	-31.04	53.96	74.00	20.04	Vertical

11ac(VHT20)_TX_CH_100_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17952.85	35.03	41.56	-31.02	45.57	54.00	8.43	Horizontal
2	6144.3333	40.51	34.79	-16.74	58.56	68.20	9.64	Horizontal
3	7727.05	50.17	36.75	-41.52	45.40	74.00	28.60	Horizontal
4	9517.6	48.25	38.05	-38.44	47.86	68.20	20.34	Horizontal
5	12105.1	45.49	38.83	-34.98	49.33	74.00	24.67	Horizontal
6	14366.7667	45.12	40.18	-34.16	51.14	68.20	17.06	Horizontal
7	17937.9	42.54	41.52	-31.05	53.01	74.00	20.99	Horizontal

11ac(VHT20)_TX_CH_100_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17962.8167	34.85	41.59	-31.00	45.44	54.00	8.56	Vertical
2	6228.2083	40.85	34.96	-16.87	58.93	68.20	9.27	Vertical
3	7901.4667	50.22	37.10	-41.50	45.83	68.20	22.37	Vertical
4	9934.2833	45.78	38.09	-37.46	46.42	68.20	21.78	Vertical
5	13436.4167	45.65	40.12	-34.71	51.06	68.20	17.14	Vertical
6	15024.1833	45.14	39.76	-34.24	50.66	68.20	17.54	Vertical
7	17968.5667	43.19	41.61	-30.99	53.81	74.00	20.19	Vertical

11ac(VHT20)_TX_CH_116_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17932.5333	35.20	41.50	-31.06	45.64	54.00	8.36	Horizontal
2	6217.2083	40.37	34.93	-16.85	58.45	68.20	9.75	Horizontal
3	7732.8	49.57	36.77	-41.48	44.85	74.00	29.15	Horizontal
4	9534.85	48.86	38.05	-38.40	48.52	68.20	19.68	Horizontal
5	11425.8333	45.85	39.04	-35.67	49.22	74.00	24.78	Horizontal
6	14333.0333	45.79	40.20	-34.57	51.42	68.20	16.78	Horizontal
7	17900.3333	43.80	41.41	-31.13	54.08	74.00	19.92	Horizontal

11ac(VHT20)_TX_CH_116_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17944.4167	35.61	41.54	-31.04	46.11	54.00	7.89	Vertical
2	6103.0833	40.80	34.71	-16.68	58.82	68.20	9.38	Vertical
3	7836.6833	50.56	36.97	-41.20	46.34	68.20	21.86	Vertical
4	9570.1167	49.18	38.06	-38.30	48.94	68.20	19.26	Vertical
5	12935.0167	46.44	39.82	-34.79	51.48	68.20	16.72	Vertical
6	14376.35	44.63	40.17	-34.05	50.76	68.20	17.44	Vertical
7	17920.65	43.49	41.47	-31.09	53.87	74.00	20.13	Vertical

11ac(VHT20)_TX_CH_120_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17929.0833	35.54	41.49	-31.07	45.96	54.00	8.04	Horizontal
2	6264.875	41.27	35.03	-16.96	59.34	68.20	8.86	Horizontal
3	7354.45	51.06	36.30	-42.08	45.28	74.00	28.72	Horizontal
4	9575.4833	48.76	38.06	-38.29	48.53	68.20	19.67	Horizontal
5	11941.8	45.06	38.73	-35.06	48.74	74.00	25.26	Horizontal
6	13868.8167	45.63	40.33	-34.22	51.74	68.20	16.46	Horizontal
7	17988.1167	42.79	41.67	-30.95	53.50	74.00	20.50	Horizontal

11ac(VHT20)_TX_CH_120_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17932.15	35.62	41.50	-31.07	46.06	54.00	7.94	Vertical
2	6139.75	40.34	34.78	-16.73	58.39	68.20	9.81	Vertical
3	8008.4167	49.68	37.31	-41.17	45.82	68.20	22.38	Vertical
4	9563.6	49.21	38.06	-38.32	48.95	68.20	19.25	Vertical
5	12797.4	45.72	39.66	-34.77	50.61	68.20	17.59	Vertical
6	14502.4667	45.50	40.10	-34.81	50.79	68.20	17.41	Vertical
7	17919.8833	43.22	41.47	-31.09	53.60	74.00	20.40	Vertical

11ac(VHT20)_TX_CH_124_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17962.05	35.27	41.59	-31.01	45.85	54.00	8.15	Horizontal
2	6240.5833	40.73	34.98	-16.90	58.81	68.20	9.39	Horizontal
3	8005.7333	50.41	37.30	-41.17	46.54	68.20	21.66	Horizontal
4	9513.7667	49.57	38.05	-38.45	49.17	68.20	19.03	Horizontal
5	11131.4333	45.86	39.22	-35.53	49.55	74.00	24.45	Horizontal
6	13374.7	45.71	40.09	-34.50	51.30	74.00	22.70	Horizontal
7	17991.95	42.91	41.68	-30.95	53.64	74.00	20.36	Horizontal

11ac(VHT20)_TX_CH_124_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17959.3667	35.64	41.58	-31.01	46.21	54.00	7.79	Vertical
2	6231.875	41.37	34.96	-16.88	59.45	68.20	8.75	Vertical
3	8048.2833	49.76	37.33	-41.11	45.99	74.00	28.01	Vertical
4	9542.9	48.91	38.05	-38.37	48.59	68.20	19.61	Vertical
5	12782.45	45.16	39.64	-34.72	50.08	68.20	18.12	Vertical
6	15161.0333	46.75	39.51	-34.00	52.26	68.20	15.94	Vertical
7	17922.95	43.46	41.48	-31.08	53.85	74.00	20.15	Vertical

11ac(VHT20)_TX_CH_128_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17961.2833	35.29	41.59	-31.01	45.87	54.00	8.13	Horizontal
2	6242.4167	40.80	34.98	-16.91	58.88	68.20	9.32	Horizontal
3	7795.6667	50.48	36.89	-41.05	46.32	68.20	21.88	Horizontal
4	9520.6667	49.66	38.05	-38.43	49.28	68.20	18.92	Horizontal
5	11321.95	45.44	39.11	-35.93	48.62	74.00	25.38	Horizontal
6	12908.5667	46.09	39.79	-34.54	51.34	68.20	16.86	Horizontal
7	17916.8167	43.95	41.46	-31.10	54.31	74.00	19.69	Horizontal

11ac(VHT20)_TX_CH_128_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17970.4833	35.01	41.61	-30.99	45.64	54.00	8.36	Vertical
2	6106.75	41.20	34.71	-16.69	59.22	68.20	8.98	Vertical
3	8003.05	50.22	37.30	-41.18	46.35	68.20	21.85	Vertical
4	9510.7	49.36	38.05	-38.46	48.95	68.20	19.25	Vertical
5	12815.8	47.13	39.68	-34.73	52.08	68.20	16.12	Vertical
6	14633.95	45.30	40.02	-34.31	51.01	68.20	17.19	Vertical
7	17827.1167	44.56	41.20	-31.71	54.05	74.00	19.95	Vertical

11ac(VHT20)_TX_CH_140_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17983.5167	35.02	41.65	-30.96	45.71	54.00	8.29	Horizontal
2	6230.5	40.92	34.96	-16.88	59.00	68.20	9.20	Horizontal
3	7918.7167	51.29	37.14	-41.44	46.99	68.20	21.21	Horizontal
4	9520.6667	49.09	38.05	-38.43	48.71	68.20	19.49	Horizontal
5	12749.1	45.77	39.60	-34.60	50.77	68.20	17.43	Horizontal
6	14560.7333	45.75	40.06	-34.66	51.16	68.20	17.04	Horizontal
7	17896.5	43.40	41.40	-31.16	53.64	74.00	20.36	Horizontal

11ac(VHT20)_TX_CH_140_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17981.2167	35.16	41.65	-30.97	45.84	54.00	8.16	Vertical
2	6114.5417	40.86	34.73	-16.70	58.89	68.20	9.31	Vertical
3	7965.8667	50.43	37.23	-41.29	46.37	68.20	21.83	Vertical
4	9558.2333	48.97	38.06	-38.33	48.69	68.20	19.51	Vertical
5	13310.3	45.67	40.06	-34.59	51.13	74.00	22.87	Vertical
6	14485.6	46.26	40.11	-34.67	51.70	74.00	22.30	Vertical
7	17911.45	42.73	41.44	-31.11	53.07	74.00	20.93	Vertical

11ac(VHT20)_TX_CH_144_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17921.8	35.52	41.47	-31.09	45.91	54.00	8.09	Horizontal
2	6095.2917	41.21	34.69	-16.70	59.20	68.20	9.00	Horizontal
3	7801.4167	48.77	36.90	-41.03	44.65	68.20	23.55	Horizontal
4	9509.55	49.38	38.05	-38.46	48.97	68.20	19.23	Horizontal
5	12833.05	46.05	39.70	-34.67	51.08	68.20	17.12	Horizontal
6	14426.95	45.68	40.14	-34.05	51.78	68.20	16.42	Horizontal
7	17921.4167	43.87	41.47	-31.09	54.25	74.00	19.75	Horizontal

11ac(VHT20)_TX_CH_144_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17936.3667	35.49	41.52	-31.06	45.95	54.00	8.05	Vertical
2	6263.0417	41.31	35.03	-16.95	59.38	68.20	8.82	Vertical
3	8088.15	49.74	37.36	-41.05	46.05	74.00	27.95	Vertical
4	9519.5167	49.03	38.05	-38.44	48.64	68.20	19.56	Vertical
5	11314.2833	46.17	39.11	-35.96	49.32	74.00	24.68	Vertical
6	13621.5667	46.74	40.21	-34.32	52.63	68.20	15.57	Vertical
7	17986.9667	43.09	41.66	-30.96	53.80	74.00	20.20	Vertical

11ac(VHT20)_TX_CH_149_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17921.0333	35.84	41.47	-31.09	46.22	54.00	7.78	Horizontal
2	6158.5417	40.57	34.82	-16.76	58.63	68.20	9.57	Horizontal
3	7795.6667	49.72	36.89	-41.05	45.56	68.20	22.64	Horizontal
4	9570.1167	49.01	38.06	-38.30	48.77	68.20	19.43	Horizontal
5	12820.0167	46.83	39.68	-34.72	51.80	68.20	16.40	Horizontal
6	14613.25	45.39	40.03	-34.45	50.97	68.20	17.23	Horizontal
7	17919.8833	43.48	41.47	-31.09	53.86	74.00	20.14	Horizontal

11ac(VHT20)_TX_CH_149_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17955.15	35.52	41.57	-31.02	46.07	54.00	7.93	Vertical
2	6090.25	40.58	34.68	-16.72	58.54	68.20	9.66	Vertical
3	7974.3	49.67	37.25	-41.26	45.66	68.20	22.54	Vertical
4	9534.0833	48.99	38.05	-38.40	48.65	68.20	19.55	Vertical
5	12813.8833	47.51	39.68	-34.74	52.45	68.20	15.75	Vertical
6	13832.4	46.49	40.32	-34.71	52.09	68.20	16.11	Vertical
7	17969.7167	43.21	41.61	-30.99	53.83	74.00	20.17	Vertical

11ac(VHT20)_TX_CH_157_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17967.8	35.33	41.61	-30.99	45.94	54.00	8.06	Horizontal
2	6244.25	40.36	34.99	-16.91	58.44	68.20	9.76	Horizontal
3	7885.3667	50.73	37.07	-41.43	46.37	68.20	21.83	Horizontal
4	9522.9667	48.86	38.05	-38.43	48.48	68.20	19.72	Horizontal
5	11190.4667	46.18	39.19	-35.13	50.24	74.00	23.76	Horizontal
6	13294.9667	45.18	40.05	-34.61	50.61	74.00	23.39	Horizontal
7	17952.0833	43.02	41.56	-31.03	53.56	74.00	20.44	Horizontal

11ac(VHT20)_TX_CH_157_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17969.7167	35.37	41.61	-30.99	45.99	54.00	8.01	Vertical
2	6248.375	40.71	35.00	-16.92	58.79	68.20	9.41	Vertical
3	7955.9	50.01	37.21	-41.32	45.90	68.20	22.30	Vertical
4	9528.3333	48.31	38.05	-38.41	47.95	68.20	20.25	Vertical
5	11183.1833	45.22	39.19	-35.18	49.23	74.00	24.77	Vertical
6	12799.7	46.63	39.66	-34.78	51.51	68.20	16.69	Vertical
7	17966.2667	43.28	41.60	-31.00	53.88	74.00	20.12	Vertical

11ac(VHT20)_TX_CH_165_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17968.5667	35.24	41.61	-30.99	45.86	54.00	8.14	Horizontal
2	6266.25	41.42	35.03	-16.96	59.49	68.20	8.71	Horizontal
3	7796.4333	50.46	36.89	-41.04	46.31	68.20	21.89	Horizontal
4	9518.3667	48.85	38.05	-38.44	48.46	68.20	19.74	Horizontal
5	11182.4167	44.85	39.19	-35.18	48.86	74.00	25.14	Horizontal
6	13134.35	45.82	39.97	-34.90	50.88	68.20	17.32	Horizontal
7	17957.45	43.17	41.58	-31.02	53.73	74.00	20.27	Horizontal

11ac(VHT20)_TX_CH_165_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17965.5	35.70	41.60	-31.00	46.30	54.00	7.70	Vertical
2	6330.875	40.62	35.16	-16.90	58.88	68.20	9.32	Vertical
3	7587.9	49.71	36.48	-41.83	44.36	74.00	29.64	Vertical
4	9475.4333	48.64	38.05	-38.52	48.17	74.00	25.83	Vertical
5	12811.9667	46.37	39.67	-34.74	51.30	68.20	16.90	Vertical
6	14970.9	44.61	39.82	-34.00	50.43	68.20	17.77	Vertical
7	17978.5333	44.14	41.64	-30.97	54.80	74.00	19.20	Vertical

11ac(VHT40)_TX_CH_38_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17973.1667	35.51	41.62	-30.98	46.15	54.00	7.85	Horizontal
2	6235.0833	41.40	34.97	-16.89	59.48	68.20	8.72	Horizontal
3	7941.7167	52.08	37.18	-41.37	47.90	68.20	20.30	Horizontal
4	9519.5167	48.97	38.05	-38.44	48.58	68.20	19.62	Horizontal
5	11268.2833	44.82	39.14	-35.72	48.24	74.00	25.76	Horizontal
6	14539.65	46.19	40.08	-34.71	51.55	68.20	16.65	Horizontal
7	17978.15	43.55	41.64	-30.97	54.21	74.00	19.79	Horizontal

11ac(VHT40)_TX_CH_38_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17980.0667	35.49	41.64	-30.97	46.16	54.00	7.84	Vertical
2	6246.5417	41.21	34.99	-16.92	59.29	68.20	8.91	Vertical
3	7850.8667	49.84	37.00	-41.26	45.58	68.20	22.62	Vertical
4	9516.45	49.56	38.05	-38.45	49.17	68.20	19.03	Vertical
5	12625.6667	45.50	39.45	-35.31	49.64	74.00	24.36	Vertical
6	14343	45.60	40.19	-34.45	51.34	68.20	16.86	Vertical
7	17916.05	43.21	41.46	-31.10	53.57	74.00	20.43	Vertical

11ac(VHT40)_TX_CH_46_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17952.85	35.88	41.56	-31.02	46.42	54.00	7.58	Horizontal
2	6202.5417	41.05	34.91	-16.82	59.14	68.20	9.06	Horizontal
3	7977.75	50.94	37.26	-41.25	46.94	68.20	21.26	Horizontal
4	9596.1833	48.31	38.06	-38.23	48.14	68.20	20.06	Horizontal
5	12976.8	46.93	39.87	-35.17	51.63	68.20	16.57	Horizontal
6	15305.9333	44.79	39.25	-33.12	50.92	68.20	17.28	Horizontal
7	17980.0667	43.40	41.64	-30.97	54.07	74.00	19.93	Horizontal

11ac(VHT40)_TX_CH_46_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17924.8667	35.91	41.48	-31.08	46.31	54.00	7.69	Vertical
2	6150.75	40.78	34.80	-16.75	58.84	68.20	9.36	Vertical
3	7323.4	50.35	36.30	-42.11	44.54	74.00	29.46	Vertical
4	9513.3833	49.62	38.05	-38.45	49.22	68.20	18.98	Vertical
5	11473.3667	44.87	39.02	-35.79	48.09	74.00	25.91	Vertical
6	14085.4	46.55	40.35	-34.85	52.04	68.20	16.16	Vertical
7	17989.2667	43.47	41.67	-30.95	54.19	74.00	19.81	Vertical

11ac(VHT40)_TX_CH_54_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17969.7167	35.71	41.61	-30.99	46.33	54.00	7.67	Horizontal
2	6158.5417	40.80	34.82	-16.76	58.86	68.20	9.34	Horizontal
3	7600.9333	51.32	36.50	-41.80	46.02	74.00	27.98	Horizontal
4	9515.3	49.49	38.05	-38.45	49.09	68.20	19.11	Horizontal
5	12853.75	46.37	39.72	-34.61	51.49	68.20	16.71	Horizontal
6	13858.4667	45.94	40.33	-34.36	51.91	68.20	16.29	Horizontal
7	17938.6667	44.14	41.52	-31.05	54.61	74.00	19.39	Horizontal

11ac(VHT40)_TX_CH_54_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17917.9667	35.78	41.46	-31.09	46.15	54.00	7.85	Vertical
2	6254.7917	40.12	35.01	-16.94	58.19	68.20	10.01	Vertical
3	7878.4667	50.10	37.06	-41.40	45.76	68.20	22.44	Vertical
4	9504.95	49.34	38.05	-38.48	48.91	68.20	19.29	Vertical
5	12948.05	46.91	39.84	-34.91	51.84	68.20	16.36	Vertical
6	13889.1333	44.26	40.34	-33.95	50.66	68.20	17.54	Vertical
7	17991.95	43.44	41.68	-30.95	54.17	74.00	19.83	Vertical

11ac(VHT40)_TX_CH_62_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17957.45	36.22	41.58	-31.02	46.78	54.00	7.22	Horizontal
2	6263.9583	40.69	35.03	-16.96	58.76	68.20	9.44	Horizontal
3	7865.8167	50.35	37.03	-41.34	46.05	68.20	22.15	Horizontal
4	9491.5333	49.43	38.05	-38.50	48.98	74.00	25.02	Horizontal
5	11191.6167	45.05	39.19	-35.12	49.12	74.00	24.88	Horizontal
6	12968.3667	46.45	39.86	-35.10	51.22	68.20	16.98	Horizontal
7	17964.7333	43.68	41.60	-31.00	54.28	74.00	19.72	Horizontal

11ac(VHT40)_TX_CH_62_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17988.8833	35.83	41.67	-30.95	46.55	54.00	7.45	Vertical
2	6065.9583	40.91	34.63	-16.83	58.71	68.20	9.49	Vertical
3	7886.9	50.74	37.07	-41.44	46.38	68.20	21.82	Vertical
4	9487.7	48.79	38.05	-38.51	48.33	74.00	25.67	Vertical
5	12806.6	46.49	39.67	-34.76	51.40	68.20	16.80	Vertical
6	13843.1333	45.52	40.32	-34.57	51.27	68.20	16.93	Vertical
7	17898.0333	43.53	41.40	-31.15	53.79	74.00	20.21	Vertical

11ac(VHT40)_TX_CH_102_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17960.9	35.90	41.59	-31.01	46.48	54.00	7.52	Horizontal
2	6187.4167	40.67	34.87	-16.79	58.75	68.20	9.45	Horizontal
3	7856.2333	49.70	37.01	-41.29	45.42	68.20	22.78	Horizontal
4	9507.25	49.09	38.05	-38.47	48.67	68.20	19.53	Horizontal
5	12833.4333	46.40	39.70	-34.67	51.43	68.20	16.77	Horizontal
6	14536.9667	46.14	40.08	-34.72	51.50	68.20	16.70	Horizontal
7	17937.9	43.46	41.52	-31.05	53.93	74.00	20.07	Horizontal

11ac(VHT40)_TX_CH_102_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17974.3167	35.60	41.63	-30.98	46.24	54.00	7.76	Vertical
2	6115.4583	40.00	34.73	-16.70	58.03	68.20	10.17	Vertical
3	7799.8833	49.75	36.90	-41.02	45.63	68.20	22.57	Vertical
4	9562.0667	48.87	38.06	-38.32	48.60	68.20	19.60	Vertical
5	11127.6	46.06	39.22	-35.56	49.72	74.00	24.28	Vertical
6	12801.2333	46.90	39.66	-34.78	51.79	68.20	16.41	Vertical
7	17961.6667	43.21	41.59	-31.01	53.79	74.00	20.21	Vertical

11ac(VHT40)_TX_CH_110_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17998.4667	35.24	41.70	-30.93	46.00	54.00	8.00	Horizontal
2	6255.25	41.41	35.01	-16.94	59.48	68.20	8.72	Horizontal
3	7269.35	50.35	36.30	-42.10	44.55	74.00	29.45	Horizontal
4	9586.9833	49.05	38.06	-38.26	48.85	68.20	19.35	Horizontal
5	11191.6167	45.25	39.19	-35.12	49.32	74.00	24.68	Horizontal
6	12908.95	46.87	39.79	-34.54	52.12	68.20	16.08	Horizontal
7	17970.8667	43.74	41.62	-30.99	54.37	74.00	19.63	Horizontal

11ac(VHT40)_TX_CH_110_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17986.2	36.12	41.66	-30.96	46.82	54.00	7.18	Vertical
2	6192.9167	41.56	34.89	-16.80	59.65	68.20	8.55	Vertical
3	7840.1333	49.26	36.98	-41.21	45.03	68.20	23.17	Vertical
4	9481.95	49.43	38.05	-38.51	48.96	74.00	25.04	Vertical
5	12823.0833	47.18	39.69	-34.71	52.16	68.20	16.04	Vertical
6	14357.95	45.83	40.19	-34.27	51.75	68.20	16.45	Vertical
7	17979.6833	43.56	41.64	-30.97	54.23	74.00	19.77	Vertical

11ac(VHT40)_TX_CH_118_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17964.7333	35.65	41.60	-31.00	46.25	54.00	7.75	Horizontal
2	6195.2083	41.07	34.89	-16.80	59.16	68.20	9.04	Horizontal
3	7868.8833	50.08	37.04	-41.35	45.77	68.20	22.43	Horizontal
4	9491.5333	49.16	38.05	-38.50	48.71	74.00	25.29	Horizontal
5	11153.6667	45.66	39.21	-35.38	49.49	74.00	24.51	Horizontal
6	13408.8167	45.23	40.10	-34.52	50.81	68.20	17.39	Horizontal
7	17921.4167	43.74	41.47	-31.09	54.12	74.00	19.88	Horizontal

11ac(VHT40)_TX_CH_118_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17963.2	35.67	41.59	-31.00	46.26	54.00	7.74	Vertical
2	6195.2083	40.63	34.89	-16.80	58.72	68.20	9.48	Vertical
3	7434.1833	49.58	36.30	-42.03	43.85	74.00	30.15	Vertical
4	9509.55	49.05	38.05	-38.46	48.64	68.20	19.56	Vertical
5	12950.35	46.77	39.84	-34.93	51.68	68.20	16.52	Vertical
6	14633.5667	45.72	40.02	-34.31	51.43	68.20	16.77	Vertical
7	17989.65	43.21	41.67	-30.95	53.93	74.00	20.07	Vertical

11ac(VHT40)_TX_CH_126_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17915.6667	35.92	41.46	-31.10	46.28	54.00	7.72	Horizontal
2	6081.5417	41.31	34.66	-16.76	59.21	68.20	8.99	Horizontal
3	7344.8667	49.91	36.30	-42.09	44.12	74.00	29.88	Horizontal
4	8545.4667	49.89	37.68	-40.24	47.33	68.20	20.87	Horizontal
5	9545.9667	48.94	38.05	-38.37	48.63	68.20	19.57	Horizontal
6	12890.9333	46.25	39.77	-34.49	51.53	68.20	16.67	Horizontal
7	17915.2833	43.93	41.45	-31.10	54.28	74.00	19.72	Horizontal

11ac(VHT40)_TX_CH_126_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17934.8333	36.06	41.51	-31.06	46.51	54.00	7.49	Vertical
2	6240.5833	40.62	34.98	-16.90	58.70	68.20	9.50	Vertical
3	7865.05	49.99	37.03	-41.33	45.69	68.20	22.51	Vertical
4	9540.2167	49.08	38.05	-38.38	48.75	68.20	19.45	Vertical
5	11880.4667	44.73	38.77	-34.79	48.71	74.00	25.29	Vertical
6	12953.8	46.00	39.84	-34.96	50.88	68.20	17.32	Vertical
7	17977.3833	43.51	41.63	-30.98	54.17	74.00	19.83	Vertical

11ac(VHT40)_TX_CH_134_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17934.8333	36.30	41.51	-31.06	46.75	54.00	7.25	Horizontal
2	6199.7917	40.76	34.90	-16.81	58.85	68.20	9.35	Horizontal
3	7891.5	50.69	37.08	-41.46	46.31	68.20	21.89	Horizontal
4	9506.1	49.87	38.05	-38.47	49.45	68.20	18.75	Horizontal
5	11123	46.10	39.23	-35.59	49.73	74.00	24.27	Horizontal
6	13478.9667	47.24	40.14	-35.00	52.37	68.20	15.83	Horizontal
7	17800.2833	44.71	41.12	-31.92	53.91	74.00	20.09	Horizontal

11ac(VHT40)_TX_CH_134_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17968.1833	35.69	41.61	-30.99	46.30	54.00	7.70	Vertical
2	6191.0833	40.59	34.88	-16.80	58.67	68.20	9.53	Vertical
3	8012.6333	49.82	37.31	-41.16	45.97	68.20	22.23	Vertical
4	9779.0333	45.98	38.08	-37.70	46.36	68.20	21.84	Vertical
5	11451.5167	45.42	39.03	-35.74	48.71	74.00	25.29	Vertical
6	13508.4833	46.38	40.15	-35.06	51.48	68.20	16.72	Vertical
7	17915.2833	44.12	41.45	-31.10	54.47	74.00	19.53	Vertical

11ac(VHT40)_TX_CH_142_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17969.7167	35.92	41.61	-30.99	46.54	54.00	7.46	Horizontal
2	6306.5833	41.26	35.11	-17.01	59.36	68.20	8.84	Horizontal
3	8009.95	50.89	37.31	-41.17	47.03	68.20	21.17	Horizontal
4	9593.8833	49.29	38.06	-38.24	49.11	68.20	19.09	Horizontal
5	12665.5333	46.67	39.50	-34.84	51.33	74.00	22.67	Horizontal
6	14404.7167	45.49	40.16	-33.81	51.84	68.20	16.36	Horizontal
7	17929.0833	43.35	41.49	-31.07	53.77	74.00	20.23	Horizontal

11ac(VHT40)_TX_CH_142_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17979.3	35.60	41.64	-30.97	46.27	54.00	7.73	Vertical
2	6248.8333	40.76	35.00	-16.92	58.84	68.20	9.36	Vertical
3	7222.5833	50.62	36.30	-42.05	44.87	68.20	23.33	Vertical
4	9461.25	49.61	38.05	-38.54	49.12	74.00	24.88	Vertical
5	11326.1667	45.85	39.10	-35.91	49.04	74.00	24.96	Vertical
6	12990.2167	47.07	39.89	-35.30	51.66	68.20	16.54	Vertical
7	17959.3667	43.48	41.58	-31.01	54.05	74.00	19.95	Vertical

11ac(VHT40)_TX_CH_151_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17965.1167	36.08	41.60	-31.00	46.68	54.00	7.32	Horizontal
2	6208.9583	40.74	34.92	-16.83	58.83	68.20	9.37	Horizontal
3	7380.1333	50.07	36.30	-42.05	44.32	74.00	29.68	Horizontal
4	9540.6	49.12	38.05	-38.38	48.79	68.20	19.41	Horizontal
5	11183.5667	46.22	39.19	-35.17	50.24	74.00	23.76	Horizontal
6	13577.8667	46.07	40.19	-34.29	51.97	68.20	16.23	Horizontal
7	17957.45	43.15	41.58	-31.02	53.71	74.00	20.29	Horizontal

11ac(VHT40)_TX_CH_151_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17889.2167	36.29	41.38	-31.22	46.45	54.00	7.55	Vertical
2	6212.625	40.95	34.93	-16.84	59.04	68.20	9.16	Vertical
3	8012.6333	50.30	37.31	-41.16	46.45	68.20	21.75	Vertical
4	9521.4333	48.80	38.05	-38.43	48.42	68.20	19.78	Vertical
5	11176.6667	45.31	39.19	-35.22	49.28	74.00	24.72	Vertical
6	13271.5833	45.08	40.04	-34.63	50.49	74.00	23.51	Vertical
7	17960.9	43.26	41.59	-31.01	53.84	74.00	20.16	Vertical

11ac(VHT40)_TX_CH_159_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17994.25	35.66	41.68	-30.94	46.40	54.00	7.60	Horizontal
2	6226.375	40.69	34.95	-16.87	58.77	68.20	9.43	Horizontal
3	7720.5333	49.65	36.74	-41.57	44.82	74.00	29.18	Horizontal
4	9505.3333	49.14	38.05	-38.48	48.71	68.20	19.49	Horizontal
5	11127.2167	45.85	39.22	-35.56	49.51	74.00	24.49	Horizontal
6	13282.3167	46.28	40.04	-34.62	51.70	74.00	22.30	Horizontal
7	17942.5	43.13	41.53	-31.04	53.62	74.00	20.38	Horizontal

11ac(VHT40)_TX_CH_159_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17962.05	35.69	41.59	-31.01	46.27	54.00	7.73	Vertical
2	6240.5833	40.51	34.98	-16.90	58.59	68.20	9.61	Vertical
3	6949.2667	51.19	36.22	-42.63	44.78	68.20	23.42	Vertical
4	7978.5167	50.05	37.26	-41.25	46.06	68.20	22.14	Vertical
5	9583.5333	48.13	38.06	-38.26	47.92	68.20	20.28	Vertical
6	12975.2667	46.13	39.87	-35.16	50.84	68.20	17.36	Vertical
7	14494.0333	45.97	40.10	-34.76	51.32	74.00	22.68	Vertical
8	17940.5833	44.33	41.53	-31.05	54.81	74.00	19.19	Vertical

11ac(VHT80)_TX_CH_42_Horizontal



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17952.4667	35.60	41.56	-31.03	46.14	54.00	7.86	Horizontal
2	6194.2917	40.44	34.89	-16.80	58.53	68.20	9.67	Horizontal
3	7337.5833	50.92	36.30	-42.10	45.12	74.00	28.88	Horizontal
4	9483.4833	49.04	38.05	-38.51	48.58	74.00	25.42	Horizontal
5	11344.1833	46.39	39.09	-35.84	49.64	74.00	24.36	Horizontal
6	14339.55	45.41	40.20	-34.49	51.11	68.20	17.09	Horizontal
7	17910.3	44.29	41.44	-31.11	54.62	74.00	19.38	Horizontal

11ac(VHT80)_TX_CH_42_Vertical



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17981.6	35.44	41.65	-30.97	46.12	54.00	7.88	Vertical
2	6157.1667	40.51	34.81	-16.75	58.57	68.20	9.63	Vertical
3	7264.3667	51.32	36.30	-42.10	45.52	74.00	28.48	Vertical
4	9493.0667	49.07	38.05	-38.50	48.62	74.00	25.38	Vertical
5	11607.5333	45.25	38.94	-35.22	48.96	74.00	25.04	Vertical
6	12977.5667	46.64	39.87	-35.18	51.33	68.20	16.87	Vertical
7	17977.3833	43.36	41.63	-30.98	54.02	74.00	19.98	Vertical