




802.11ac(VHT20)_MCH_5580MHz_Ant9_NTNV




802.11ac(VHT20)_HCH_5700MHz_Ant9_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant9_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant9_NTNV




802.11ac(VHT40)_LCH_5270MHz_Ant9_NTNV




802.11ac(VHT40)_HCH_5310MHz_Ant9_NTNV




802.11ac(VHT40)_LCH_5510MHz_Ant9_NTNV




802.11ac(VHT40)_MCH_5550MHz_Ant9_NTNV




802.11ac(VHT40)_HCH_5670MHz_Ant9_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant9_NTNV




802.11ac(VHT80)_MCH_5290MHz_Ant9_NTNV



802.11ac(VHT80)_LCH_5530MHz_Ant9_NTNV




802.11ac(VHT80)_HCH_5610MHz_Ant9_NTNV




4.2.2 PSD-Band3


802.11a_LCH_5745MHz_Ant9_NTNV




802.11a_MCH_5785MHz_Ant9_NTNV




802.11a_HCH_5825MHz_Ant9_NTNV




802.11n(HT20)_LCH_5745MHz_Ant9_NTNV




802.11n(HT20)_MCH_5785MHz_Ant9_NTNV




802.11n(HT20)_HCH_5825MHz_Ant9_NTNV




802.11n(HT40)_LCH_5755MHz_Ant9_NTNV




802.11n(HT40)_HCH_5795MHz_Ant9_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant9_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant9_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant9_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant9_NTNV



802.11ac(VHT40)_HCH_5795MHz_Ant9_NTNV



802.11ac(VHT80)_MCH_5775MHz_Ant9_NTNV



5. Frequency Stability

5.1 Test Result

5.1.1 Ant9

Ant9							
Mode	TX Type	Frequency (MHz)	Temperature (°C)	Voltage	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5180	20	LV	5180.000	5150 to 5250	Pass
				NV	5179.940	5150 to 5250	Pass
				HV	5180.060	5150 to 5250	Pass
			-30	NV	5179.940	5150 to 5250	Pass
			-20	NV	5179.960	5150 to 5250	Pass
			-10	NV	5179.980	5150 to 5250	Pass
			0	NV	5180.000	5150 to 5250	Pass
			10	NV	5179.960	5150 to 5250	Pass
			30	NV	5180.000	5150 to 5250	Pass
			40	NV	5179.940	5150 to 5250	Pass
			50	NV	5180.000	5150 to 5250	Pass
		5200	20	LV	5199.960	5150 to 5250	Pass
				NV	5200.000	5150 to 5250	Pass
				HV	5199.960	5150 to 5250	Pass
			-30	NV	5199.980	5150 to 5250	Pass
			-20	NV	5199.900	5150 to 5250	Pass
			-10	NV	5199.940	5150 to 5250	Pass
			0	NV	5199.960	5150 to 5250	Pass
			10	NV	5199.960	5150 to 5250	Pass
			30	NV	5199.960	5150 to 5250	Pass
			40	NV	5199.980	5150 to 5250	Pass
			50	NV	5199.960	5150 to 5250	Pass
		5240	20	LV	5240.020	5150 to 5250	Pass
				NV	5240.040	5150 to 5250	Pass
				HV	5240.060	5150 to 5250	Pass
			-30	NV	5240.020	5150 to 5250	Pass
			-20	NV	5240.020	5150 to 5250	Pass
			-10	NV	5239.980	5150 to 5250	Pass
			0	NV	5240.000	5150 to 5250	Pass
			10	NV	5239.980	5150 to 5250	Pass
			30	NV	5240.000	5150 to 5250	Pass
			40	NV	5239.980	5150 to 5250	Pass
			50	NV	5240.020	5150 to 5250	Pass

		5260	20	LV	5260.000	5250 to 5350	Pass
				NV	5260.020	5250 to 5350	Pass
				HV	5260.040	5250 to 5350	Pass
			-30	NV	5259.980	5250 to 5350	Pass
			-20	NV	5259.980	5250 to 5350	Pass
			-10	NV	5259.940	5250 to 5350	Pass
			0	NV	5259.980	5250 to 5350	Pass
			10	NV	5259.920	5250 to 5350	Pass
			30	NV	5259.980	5250 to 5350	Pass
			40	NV	5260.040	5250 to 5350	Pass
			50	NV	5259.960	5250 to 5350	Pass
		5300	20	LV	5299.940	5250 to 5350	Pass
				NV	5300.000	5250 to 5350	Pass
				HV	5300.020	5250 to 5350	Pass
			-30	NV	5299.940	5250 to 5350	Pass
			-20	NV	5300.000	5250 to 5350	Pass
			-10	NV	5300.000	5250 to 5350	Pass
			0	NV	5300.000	5250 to 5350	Pass
			10	NV	5300.000	5250 to 5350	Pass
			30	NV	5300.020	5250 to 5350	Pass
			40	NV	5299.980	5250 to 5350	Pass
			50	NV	5300.000	5250 to 5350	Pass
		5320	20	LV	5320.000	5250 to 5350	Pass
				NV	5320.000	5250 to 5350	Pass
				HV	5319.980	5250 to 5350	Pass
			-30	NV	5320.000	5250 to 5350	Pass
			-20	NV	5320.040	5250 to 5350	Pass
			-10	NV	5320.000	5250 to 5350	Pass
			0	NV	5320.020	5250 to 5350	Pass
			10	NV	5320.040	5250 to 5350	Pass
			30	NV	5320.020	5250 to 5350	Pass
			40	NV	5319.960	5250 to 5350	Pass
			50	NV	5320.020	5250 to 5350	Pass
		5500	20	LV	5499.960	5470 to 5725	Pass
				NV	5499.940	5470 to 5725	Pass
				HV	5499.960	5470 to 5725	Pass
			-30	NV	5499.960	5470 to 5725	Pass
			-20	NV	5499.960	5470 to 5725	Pass
			-10	NV	5499.960	5470 to 5725	Pass
			0	NV	5500.000	5470 to 5725	Pass
			10	NV	5499.940	5470 to 5725	Pass
			30	NV	5500.000	5470 to 5725	Pass
			40	NV	5499.960	5470 to 5725	Pass

			50	NV	5499.960	5470 to 5725	Pass
		5580	20	LV	5579.960	5470 to 5725	Pass
				NV	5580.040	5470 to 5725	Pass
				HV	5580.020	5470 to 5725	Pass
			-30	NV	5579.960	5470 to 5725	Pass
			-20	NV	5580.000	5470 to 5725	Pass
			-10	NV	5579.980	5470 to 5725	Pass
			0	NV	5580.040	5470 to 5725	Pass
			10	NV	5580.060	5470 to 5725	Pass
			30	NV	5579.980	5470 to 5725	Pass
			40	NV	5579.960	5470 to 5725	Pass
			50	NV	5580.040	5470 to 5725	Pass
		5700	20	LV	5700.020	5470 to 5725	Pass
				NV	5700.060	5470 to 5725	Pass
				HV	5700.000	5470 to 5725	Pass
			-30	NV	5699.980	5470 to 5725	Pass
			-20	NV	5700.040	5470 to 5725	Pass
			-10	NV	5700.060	5470 to 5725	Pass
			0	NV	5700.020	5470 to 5725	Pass
			10	NV	5699.960	5470 to 5725	Pass
			30	NV	5699.980	5470 to 5725	Pass
			40	NV	5699.980	5470 to 5725	Pass
			50	NV	5699.940	5470 to 5725	Pass
		5745	20	LV	5744.980	5725 to 5850	Pass
				NV	5744.960	5725 to 5850	Pass
				HV	5744.980	5725 to 5850	Pass
			-30	NV	5744.980	5725 to 5850	Pass
			-20	NV	5745.060	5725 to 5850	Pass
			-10	NV	5745.040	5725 to 5850	Pass
			0	NV	5744.980	5725 to 5850	Pass
			10	NV	5744.980	5725 to 5850	Pass
			30	NV	5744.980	5725 to 5850	Pass
			40	NV	5745.040	5725 to 5850	Pass
			50	NV	5745.040	5725 to 5850	Pass
		5785	20	LV	5785.040	5725 to 5850	Pass
				NV	5785.020	5725 to 5850	Pass
				HV	5785.000	5725 to 5850	Pass
			-30	NV	5785.000	5725 to 5850	Pass
			-20	NV	5784.960	5725 to 5850	Pass
			-10	NV	5785.020	5725 to 5850	Pass
			0	NV	5785.000	5725 to 5850	Pass
			10	NV	5785.000	5725 to 5850	Pass
			30	NV	5785.060	5725 to 5850	Pass

		5825	40	NV	5785.000	5725 to 5850	Pass
			50	NV	5785.120	5725 to 5850	Pass
			20	LV	5825.040	5725 to 5850	Pass
				NV	5824.960	5725 to 5850	Pass
				HV	5825.000	5725 to 5850	Pass
			-30	NV	5824.980	5725 to 5850	Pass
			-20	NV	5824.980	5725 to 5850	Pass
			-10	NV	5825.080	5725 to 5850	Pass
			0	NV	5825.020	5725 to 5850	Pass
			10	NV	5825.000	5725 to 5850	Pass
			30	NV	5825.020	5725 to 5850	Pass
			40	NV	5825.020	5725 to 5850	Pass
			50	NV	5824.980	5725 to 5850	Pass
802.11n (HT20)	SISO	5180	20	LV	5180.060	5150 to 5250	Pass
				NV	5180.020	5150 to 5250	Pass
				HV	5179.940	5150 to 5250	Pass
			-30	NV	5180.000	5150 to 5250	Pass
			-20	NV	5179.980	5150 to 5250	Pass
			-10	NV	5180.000	5150 to 5250	Pass
			0	NV	5180.040	5150 to 5250	Pass
			10	NV	5180.000	5150 to 5250	Pass
			30	NV	5180.000	5150 to 5250	Pass
			40	NV	5179.920	5150 to 5250	Pass
			50	NV	5180.000	5150 to 5250	Pass
		5200	20	LV	5199.960	5150 to 5250	Pass
				NV	5199.980	5150 to 5250	Pass
				HV	5200.000	5150 to 5250	Pass
			-30	NV	5200.060	5150 to 5250	Pass
			-20	NV	5199.940	5150 to 5250	Pass
			-10	NV	5199.980	5150 to 5250	Pass
			0	NV	5199.900	5150 to 5250	Pass
			10	NV	5199.980	5150 to 5250	Pass
			30	NV	5200.000	5150 to 5250	Pass
			40	NV	5200.000	5150 to 5250	Pass
			50	NV	5200.000	5150 to 5250	Pass
		5240	20	LV	5240.000	5150 to 5250	Pass
				NV	5239.980	5150 to 5250	Pass
				HV	5239.940	5150 to 5250	Pass
			-30	NV	5240.020	5150 to 5250	Pass
			-20	NV	5240.020	5150 to 5250	Pass
			-10	NV	5240.020	5150 to 5250	Pass
			0	NV	5240.000	5150 to 5250	Pass
			10	NV	5240.020	5150 to 5250	Pass

			30	NV	5240.000	5150 to 5250	Pass
			40	NV	5240.020	5150 to 5250	Pass
			50	NV	5239.980	5150 to 5250	Pass
		5260	20	LV	5260.000	5250 to 5350	Pass
				NV	5260.000	5250 to 5350	Pass
				HV	5260.000	5250 to 5350	Pass
			-30	NV	5260.060	5250 to 5350	Pass
			-20	NV	5260.040	5250 to 5350	Pass
			-10	NV	5259.980	5250 to 5350	Pass
			0	NV	5260.060	5250 to 5350	Pass
			10	NV	5259.980	5250 to 5350	Pass
			30	NV	5259.980	5250 to 5350	Pass
			40	NV	5260.000	5250 to 5350	Pass
			50	NV	5259.980	5250 to 5350	Pass
		5300	20	LV	5300.020	5250 to 5350	Pass
				NV	5300.020	5250 to 5350	Pass
				HV	5299.980	5250 to 5350	Pass
			-30	NV	5299.980	5250 to 5350	Pass
			-20	NV	5300.000	5250 to 5350	Pass
			-10	NV	5299.940	5250 to 5350	Pass
			0	NV	5300.000	5250 to 5350	Pass
			10	NV	5300.020	5250 to 5350	Pass
			30	NV	5300.020	5250 to 5350	Pass
			40	NV	5300.060	5250 to 5350	Pass
			50	NV	5300.000	5250 to 5350	Pass
		5320	20	LV	5319.980	5250 to 5350	Pass
				NV	5320.020	5250 to 5350	Pass
				HV	5319.980	5250 to 5350	Pass
			-30	NV	5320.060	5250 to 5350	Pass
			-20	NV	5320.020	5250 to 5350	Pass
			-10	NV	5320.020	5250 to 5350	Pass
			0	NV	5320.020	5250 to 5350	Pass
			10	NV	5319.940	5250 to 5350	Pass
			30	NV	5320.000	5250 to 5350	Pass
			40	NV	5319.940	5250 to 5350	Pass
			50	NV	5320.000	5250 to 5350	Pass
		5500	20	LV	5500.040	5470 to 5725	Pass
				NV	5499.980	5470 to 5725	Pass
				HV	5499.960	5470 to 5725	Pass
			-30	NV	5500.000	5470 to 5725	Pass
			-20	NV	5500.060	5470 to 5725	Pass
			-10	NV	5499.980	5470 to 5725	Pass
			0	NV	5499.980	5470 to 5725	Pass

			10	NV	5500.020	5470 to 5725	Pass
			30	NV	5500.000	5470 to 5725	Pass
			40	NV	5499.980	5470 to 5725	Pass
			50	NV	5499.980	5470 to 5725	Pass
		5580	20	LV	5580.020	5470 to 5725	Pass
				NV	5580.000	5470 to 5725	Pass
				HV	5580.000	5470 to 5725	Pass
			-30	NV	5580.060	5470 to 5725	Pass
			-20	NV	5580.000	5470 to 5725	Pass
			-10	NV	5579.960	5470 to 5725	Pass
			0	NV	5579.960	5470 to 5725	Pass
			10	NV	5580.000	5470 to 5725	Pass
			30	NV	5579.960	5470 to 5725	Pass
			40	NV	5579.940	5470 to 5725	Pass
			50	NV	5579.960	5470 to 5725	Pass
		5700	20	LV	5700.020	5470 to 5725	Pass
				NV	5699.940	5470 to 5725	Pass
				HV	5700.020	5470 to 5725	Pass
			-30	NV	5700.000	5470 to 5725	Pass
			-20	NV	5700.000	5470 to 5725	Pass
			-10	NV	5699.960	5470 to 5725	Pass
			0	NV	5700.020	5470 to 5725	Pass
			10	NV	5700.020	5470 to 5725	Pass
			30	NV	5699.980	5470 to 5725	Pass
			40	NV	5700.000	5470 to 5725	Pass
			50	NV	5700.000	5470 to 5725	Pass
		5745	20	LV	5744.980	5725 to 5850	Pass
				NV	5745.020	5725 to 5850	Pass
				HV	5745.000	5725 to 5850	Pass
			-30	NV	5744.980	5725 to 5850	Pass
			-20	NV	5744.980	5725 to 5850	Pass
			-10	NV	5745.000	5725 to 5850	Pass
			0	NV	5744.980	5725 to 5850	Pass
			10	NV	5745.020	5725 to 5850	Pass
			30	NV	5745.020	5725 to 5850	Pass
			40	NV	5745.020	5725 to 5850	Pass
			50	NV	5745.020	5725 to 5850	Pass
		5785	20	LV	5785.040	5725 to 5850	Pass
				NV	5784.980	5725 to 5850	Pass
				HV	5785.000	5725 to 5850	Pass
			-30	NV	5785.060	5725 to 5850	Pass
			-20	NV	5784.980	5725 to 5850	Pass
			-10	NV	5784.980	5725 to 5850	Pass

			0	NV	5785.020	5725 to 5850	Pass
			10	NV	5784.960	5725 to 5850	Pass
			30	NV	5785.020	5725 to 5850	Pass
			40	NV	5784.960	5725 to 5850	Pass
			50	NV	5784.940	5725 to 5850	Pass
		5825	20	LV	5825.020	5725 to 5850	Pass
				NV	5824.980	5725 to 5850	Pass
				HV	5824.960	5725 to 5850	Pass
			-30	NV	5824.980	5725 to 5850	Pass
			-20	NV	5825.040	5725 to 5850	Pass
			-10	NV	5824.920	5725 to 5850	Pass
			0	NV	5825.000	5725 to 5850	Pass
			10	NV	5824.980	5725 to 5850	Pass
			30	NV	5824.980	5725 to 5850	Pass
			40	NV	5824.960	5725 to 5850	Pass
			50	NV	5824.960	5725 to 5850	Pass
		5190	20	LV	5190.000	5150 to 5250	Pass
				NV	5189.960	5150 to 5250	Pass
				HV	5190.000	5150 to 5250	Pass
			-30	NV	5190.000	5150 to 5250	Pass
			-20	NV	5189.960	5150 to 5250	Pass
			-10	NV	5189.960	5150 to 5250	Pass
			0	NV	5189.960	5150 to 5250	Pass
			10	NV	5190.000	5150 to 5250	Pass
			30	NV	5190.000	5150 to 5250	Pass
			40	NV	5190.000	5150 to 5250	Pass
			50	NV	5189.960	5150 to 5250	Pass
		5230	20	LV	5230.080	5150 to 5250	Pass
				NV	5229.960	5150 to 5250	Pass
				HV	5230.040	5150 to 5250	Pass
			-30	NV	5230.080	5150 to 5250	Pass
			-20	NV	5230.000	5150 to 5250	Pass
			-10	NV	5230.040	5150 to 5250	Pass
			0	NV	5230.040	5150 to 5250	Pass
			10	NV	5230.000	5150 to 5250	Pass
			30	NV	5230.000	5150 to 5250	Pass
			40	NV	5230.040	5150 to 5250	Pass
		5270	20	LV	5270.080	5250 to 5350	Pass
				NV	5270.040	5250 to 5350	Pass
				HV	5270.000	5250 to 5350	Pass
			-30	NV	5270.080	5250 to 5350	Pass
			-20	NV	5270.000	5250 to 5350	Pass

			-10	NV	5270.040	5250 to 5350	Pass
			0	NV	5270.000	5250 to 5350	Pass
			10	NV	5270.040	5250 to 5350	Pass
			30	NV	5269.960	5250 to 5350	Pass
			40	NV	5270.080	5250 to 5350	Pass
			50	NV	5270.000	5250 to 5350	Pass
		5310	20	LV	5310.000	5250 to 5350	Pass
				NV	5310.000	5250 to 5350	Pass
				HV	5310.040	5250 to 5350	Pass
			-30	NV	5310.080	5250 to 5350	Pass
			-20	NV	5310.080	5250 to 5350	Pass
			-10	NV	5310.000	5250 to 5350	Pass
			0	NV	5310.000	5250 to 5350	Pass
			10	NV	5309.960	5250 to 5350	Pass
			30	NV	5310.040	5250 to 5350	Pass
			40	NV	5310.040	5250 to 5350	Pass
			50	NV	5310.040	5250 to 5350	Pass
		5510	20	LV	5510.040	5470 to 5725	Pass
				NV	5510.000	5470 to 5725	Pass
				HV	5510.000	5470 to 5725	Pass
			-30	NV	5510.080	5470 to 5725	Pass
			-20	NV	5510.040	5470 to 5725	Pass
			-10	NV	5510.040	5470 to 5725	Pass
			0	NV	5510.080	5470 to 5725	Pass
			10	NV	5510.040	5470 to 5725	Pass
			30	NV	5510.000	5470 to 5725	Pass
			40	NV	5510.000	5470 to 5725	Pass
			50	NV	5510.080	5470 to 5725	Pass
		5550	20	LV	5550.000	5470 to 5725	Pass
				NV	5550.000	5470 to 5725	Pass
				HV	5550.000	5470 to 5725	Pass
			-30	NV	5550.040	5470 to 5725	Pass
			-20	NV	5550.000	5470 to 5725	Pass
			-10	NV	5550.000	5470 to 5725	Pass
			0	NV	5549.960	5470 to 5725	Pass
			10	NV	5550.040	5470 to 5725	Pass
			30	NV	5550.000	5470 to 5725	Pass
			40	NV	5550.000	5470 to 5725	Pass
			50	NV	5549.960	5470 to 5725	Pass
		5670	20	LV	5670.000	5470 to 5725	Pass
				NV	5670.040	5470 to 5725	Pass
				HV	5670.040	5470 to 5725	Pass
			-30	NV	5670.000	5470 to 5725	Pass

802.11ac (VHT20)	SISO		-20	NV	5670.080	5470 to 5725	Pass
			-10	NV	5670.080	5470 to 5725	Pass
			0	NV	5670.040	5470 to 5725	Pass
			10	NV	5670.000	5470 to 5725	Pass
			30	NV	5669.960	5470 to 5725	Pass
			40	NV	5670.080	5470 to 5725	Pass
			50	NV	5670.000	5470 to 5725	Pass
		5755	20	LV	5755.000	5725 to 5850	Pass
				NV	5755.120	5725 to 5850	Pass
				HV	5755.000	5725 to 5850	Pass
			-30	NV	5755.040	5725 to 5850	Pass
			-20	NV	5755.000	5725 to 5850	Pass
			-10	NV	5755.040	5725 to 5850	Pass
			0	NV	5754.960	5725 to 5850	Pass
			10	NV	5754.920	5725 to 5850	Pass
			30	NV	5755.000	5725 to 5850	Pass
			40	NV	5754.960	5725 to 5850	Pass
			50	NV	5755.000	5725 to 5850	Pass
		5795	20	LV	5795.040	5725 to 5850	Pass
				NV	5795.040	5725 to 5850	Pass
				HV	5795.040	5725 to 5850	Pass
			-30	NV	5794.960	5725 to 5850	Pass
			-20	NV	5795.000	5725 to 5850	Pass
			-10	NV	5795.000	5725 to 5850	Pass
			0	NV	5795.040	5725 to 5850	Pass
			10	NV	5794.960	5725 to 5850	Pass
			30	NV	5794.920	5725 to 5850	Pass
			40	NV	5795.040	5725 to 5850	Pass
			50	NV	5794.960	5725 to 5850	Pass
		5180	20	LV	5180.020	5150 to 5250	Pass
				NV	5179.980	5150 to 5250	Pass
				HV	5180.080	5150 to 5250	Pass
			-30	NV	5180.020	5150 to 5250	Pass
			-20	NV	5180.040	5150 to 5250	Pass
			-10	NV	5180.040	5150 to 5250	Pass
			0	NV	5180.020	5150 to 5250	Pass
			10	NV	5180.020	5150 to 5250	Pass
			30	NV	5179.980	5150 to 5250	Pass
			40	NV	5180.060	5150 to 5250	Pass
			50	NV	5180.080	5150 to 5250	Pass
		5200	20	LV	5199.980	5150 to 5250	Pass
				NV	5200.060	5150 to 5250	Pass
				HV	5199.980	5150 to 5250	Pass

			-30	NV	5199.980	5150 to 5250	Pass
			-20	NV	5200.000	5150 to 5250	Pass
			-10	NV	5199.940	5150 to 5250	Pass
			0	NV	5199.960	5150 to 5250	Pass
			10	NV	5200.000	5150 to 5250	Pass
			30	NV	5200.040	5150 to 5250	Pass
			40	NV	5199.960	5150 to 5250	Pass
			50	NV	5200.000	5150 to 5250	Pass
		5240	20	LV	5240.000	5150 to 5250	Pass
				NV	5239.980	5150 to 5250	Pass
				HV	5239.980	5150 to 5250	Pass
			-30	NV	5240.000	5150 to 5250	Pass
			-20	NV	5239.980	5150 to 5250	Pass
			-10	NV	5239.980	5150 to 5250	Pass
			0	NV	5240.020	5150 to 5250	Pass
			10	NV	5240.020	5150 to 5250	Pass
			30	NV	5240.000	5150 to 5250	Pass
			40	NV	5239.980	5150 to 5250	Pass
			50	NV	5239.980	5150 to 5250	Pass
		5260	20	LV	5259.960	5250 to 5350	Pass
				NV	5259.960	5250 to 5350	Pass
				HV	5260.000	5250 to 5350	Pass
			-30	NV	5260.000	5250 to 5350	Pass
			-20	NV	5260.040	5250 to 5350	Pass
			-10	NV	5259.960	5250 to 5350	Pass
			0	NV	5260.000	5250 to 5350	Pass
			10	NV	5260.040	5250 to 5350	Pass
			30	NV	5259.980	5250 to 5350	Pass
			40	NV	5260.060	5250 to 5350	Pass
			50	NV	5260.100	5250 to 5350	Pass
		5300	20	LV	5300.080	5250 to 5350	Pass
				NV	5299.940	5250 to 5350	Pass
				HV	5299.940	5250 to 5350	Pass
			-30	NV	5300.000	5250 to 5350	Pass
			-20	NV	5299.980	5250 to 5350	Pass
			-10	NV	5300.000	5250 to 5350	Pass
			0	NV	5300.040	5250 to 5350	Pass
			10	NV	5300.000	5250 to 5350	Pass
			30	NV	5299.960	5250 to 5350	Pass
			40	NV	5300.020	5250 to 5350	Pass
			50	NV	5300.040	5250 to 5350	Pass
		5320	20	LV	5319.980	5250 to 5350	Pass
				NV	5320.040	5250 to 5350	Pass

				HV	5319.980	5250 to 5350	Pass
			-30	NV	5320.020	5250 to 5350	Pass
			-20	NV	5320.000	5250 to 5350	Pass
			-10	NV	5319.980	5250 to 5350	Pass
			0	NV	5319.940	5250 to 5350	Pass
			10	NV	5320.000	5250 to 5350	Pass
			30	NV	5320.000	5250 to 5350	Pass
			40	NV	5320.000	5250 to 5350	Pass
			50	NV	5320.040	5250 to 5350	Pass
		5500	20	LV	5500.040	5470 to 5725	Pass
				NV	5499.980	5470 to 5725	Pass
				HV	5500.060	5470 to 5725	Pass
			-30	NV	5500.000	5470 to 5725	Pass
			-20	NV	5500.060	5470 to 5725	Pass
			-10	NV	5500.000	5470 to 5725	Pass
			0	NV	5499.960	5470 to 5725	Pass
			10	NV	5500.020	5470 to 5725	Pass
			30	NV	5500.020	5470 to 5725	Pass
			40	NV	5500.060	5470 to 5725	Pass
			50	NV	5500.020	5470 to 5725	Pass
		5580	20	LV	5579.940	5470 to 5725	Pass
				NV	5580.000	5470 to 5725	Pass
				HV	5579.940	5470 to 5725	Pass
			-30	NV	5579.980	5470 to 5725	Pass
			-20	NV	5580.020	5470 to 5725	Pass
			-10	NV	5579.980	5470 to 5725	Pass
			0	NV	5580.020	5470 to 5725	Pass
			10	NV	5579.980	5470 to 5725	Pass
			30	NV	5579.980	5470 to 5725	Pass
			40	NV	5580.040	5470 to 5725	Pass
			50	NV	5580.000	5470 to 5725	Pass
		5700	20	LV	5700.040	5470 to 5725	Pass
				NV	5700.000	5470 to 5725	Pass
				HV	5700.020	5470 to 5725	Pass
			-30	NV	5700.020	5470 to 5725	Pass
			-20	NV	5700.060	5470 to 5725	Pass
			-10	NV	5700.040	5470 to 5725	Pass
			0	NV	5700.020	5470 to 5725	Pass
			10	NV	5700.020	5470 to 5725	Pass
			30	NV	5700.020	5470 to 5725	Pass
			40	NV	5699.960	5470 to 5725	Pass
			50	NV	5699.980	5470 to 5725	Pass
		5745	20	LV	5745.000	5725 to 5850	Pass

				NV	5744.980	5725 to 5850	Pass
				HV	5745.020	5725 to 5850	Pass
			-30	NV	5744.980	5725 to 5850	Pass
			-20	NV	5744.960	5725 to 5850	Pass
			-10	NV	5745.040	5725 to 5850	Pass
			0	NV	5745.020	5725 to 5850	Pass
			10	NV	5744.960	5725 to 5850	Pass
			30	NV	5745.040	5725 to 5850	Pass
			40	NV	5744.980	5725 to 5850	Pass
			50	NV	5745.000	5725 to 5850	Pass
		5785	20	LV	5785.000	5725 to 5850	Pass
				NV	5784.940	5725 to 5850	Pass
				HV	5785.060	5725 to 5850	Pass
			-30	NV	5785.020	5725 to 5850	Pass
			-20	NV	5785.060	5725 to 5850	Pass
			-10	NV	5785.040	5725 to 5850	Pass
			0	NV	5785.020	5725 to 5850	Pass
			10	NV	5785.020	5725 to 5850	Pass
			30	NV	5785.040	5725 to 5850	Pass
			40	NV	5785.020	5725 to 5850	Pass
			50	NV	5785.120	5725 to 5850	Pass
		5825	20	LV	5825.040	5725 to 5850	Pass
				NV	5825.020	5725 to 5850	Pass
				HV	5825.040	5725 to 5850	Pass
			-30	NV	5825.000	5725 to 5850	Pass
			-20	NV	5825.000	5725 to 5850	Pass
			-10	NV	5825.000	5725 to 5850	Pass
			0	NV	5825.060	5725 to 5850	Pass
			10	NV	5824.960	5725 to 5850	Pass
			30	NV	5825.020	5725 to 5850	Pass
			40	NV	5824.980	5725 to 5850	Pass
			50	NV	5824.940	5725 to 5850	Pass
802.11ac (VHT40)	SISO	5190	20	LV	5190.040	5150 to 5250	Pass
				NV	5190.040	5150 to 5250	Pass
				HV	5190.040	5150 to 5250	Pass
			-30	NV	5190.040	5150 to 5250	Pass
			-20	NV	5190.040	5150 to 5250	Pass
			-10	NV	5190.000	5150 to 5250	Pass
			0	NV	5190.040	5150 to 5250	Pass
			10	NV	5190.080	5150 to 5250	Pass
			30	NV	5189.960	5150 to 5250	Pass
			40	NV	5190.080	5150 to 5250	Pass
			50	NV	5190.000	5150 to 5250	Pass

		5230	20	LV	5230.040	5150 to 5250	Pass
				NV	5229.960	5150 to 5250	Pass
				HV	5230.040	5150 to 5250	Pass
			-30	NV	5230.000	5150 to 5250	Pass
			-20	NV	5229.920	5150 to 5250	Pass
			-10	NV	5230.000	5150 to 5250	Pass
			0	NV	5230.000	5150 to 5250	Pass
			10	NV	5230.040	5150 to 5250	Pass
			30	NV	5230.000	5150 to 5250	Pass
			40	NV	5230.040	5150 to 5250	Pass
			50	NV	5230.040	5150 to 5250	Pass
		5270	20	LV	5270.040	5250 to 5350	Pass
				NV	5270.080	5250 to 5350	Pass
				HV	5270.040	5250 to 5350	Pass
			-30	NV	5270.000	5250 to 5350	Pass
			-20	NV	5270.040	5250 to 5350	Pass
			-10	NV	5270.040	5250 to 5350	Pass
			0	NV	5270.040	5250 to 5350	Pass
			10	NV	5270.040	5250 to 5350	Pass
			30	NV	5270.040	5250 to 5350	Pass
			40	NV	5270.080	5250 to 5350	Pass
			50	NV	5270.040	5250 to 5350	Pass
		5310	20	LV	5310.040	5250 to 5350	Pass
				NV	5310.040	5250 to 5350	Pass
				HV	5310.000	5250 to 5350	Pass
			-30	NV	5310.080	5250 to 5350	Pass
			-20	NV	5310.040	5250 to 5350	Pass
			-10	NV	5310.080	5250 to 5350	Pass
			0	NV	5310.040	5250 to 5350	Pass
			10	NV	5310.040	5250 to 5350	Pass
			30	NV	5310.000	5250 to 5350	Pass
			40	NV	5309.960	5250 to 5350	Pass
			50	NV	5310.040	5250 to 5350	Pass
		5510	20	LV	5510.080	5470 to 5725	Pass
				NV	5510.040	5470 to 5725	Pass
				HV	5510.080	5470 to 5725	Pass
			-30	NV	5510.000	5470 to 5725	Pass
			-20	NV	5510.080	5470 to 5725	Pass
			-10	NV	5510.000	5470 to 5725	Pass
			0	NV	5510.040	5470 to 5725	Pass
			10	NV	5510.080	5470 to 5725	Pass
			30	NV	5510.040	5470 to 5725	Pass
			40	NV	5510.000	5470 to 5725	Pass

			50	NV	5510.000	5470 to 5725	Pass
		5550	20	LV	5550.040	5470 to 5725	Pass
				NV	5550.000	5470 to 5725	Pass
				HV	5550.000	5470 to 5725	Pass
			-30	NV	5550.080	5470 to 5725	Pass
			-20	NV	5550.000	5470 to 5725	Pass
			-10	NV	5550.040	5470 to 5725	Pass
			0	NV	5550.040	5470 to 5725	Pass
			10	NV	5550.080	5470 to 5725	Pass
			30	NV	5550.000	5470 to 5725	Pass
			40	NV	5550.040	5470 to 5725	Pass
			50	NV	5550.000	5470 to 5725	Pass
		5670	20	LV	5670.000	5470 to 5725	Pass
				NV	5670.000	5470 to 5725	Pass
				HV	5670.000	5470 to 5725	Pass
			-30	NV	5670.080	5470 to 5725	Pass
			-20	NV	5670.040	5470 to 5725	Pass
			-10	NV	5670.120	5470 to 5725	Pass
			0	NV	5670.040	5470 to 5725	Pass
			10	NV	5670.000	5470 to 5725	Pass
			30	NV	5670.000	5470 to 5725	Pass
			40	NV	5670.000	5470 to 5725	Pass
			50	NV	5670.080	5470 to 5725	Pass
		5755	20	LV	5755.000	5725 to 5850	Pass
				NV	5755.040	5725 to 5850	Pass
				HV	5755.040	5725 to 5850	Pass
			-30	NV	5755.120	5725 to 5850	Pass
			-20	NV	5755.040	5725 to 5850	Pass
			-10	NV	5755.040	5725 to 5850	Pass
			0	NV	5755.080	5725 to 5850	Pass
			10	NV	5755.080	5725 to 5850	Pass
			30	NV	5754.960	5725 to 5850	Pass
			40	NV	5755.040	5725 to 5850	Pass
			50	NV	5755.000	5725 to 5850	Pass
		5795	20	LV	5795.040	5725 to 5850	Pass
				NV	5795.080	5725 to 5850	Pass
				HV	5795.040	5725 to 5850	Pass
			-30	NV	5795.040	5725 to 5850	Pass
			-20	NV	5795.040	5725 to 5850	Pass
			-10	NV	5795.000	5725 to 5850	Pass
			0	NV	5795.000	5725 to 5850	Pass
			10	NV	5795.040	5725 to 5850	Pass
			30	NV	5795.120	5725 to 5850	Pass

802.11ac (VHT80)	SISO		40	NV	5795.040	5725 to 5850	Pass
			50	NV	5795.000	5725 to 5850	Pass
		5210	20	LV	5210.075	5150 to 5250	Pass
				NV	5210.000	5150 to 5250	Pass
				HV	5210.075	5150 to 5250	Pass
			-30	NV	5210.075	5150 to 5250	Pass
			-20	NV	5210.075	5150 to 5250	Pass
			-10	NV	5209.925	5150 to 5250	Pass
			0	NV	5210.075	5150 to 5250	Pass
			10	NV	5210.000	5150 to 5250	Pass
			30	NV	5210.000	5150 to 5250	Pass
			40	NV	5210.075	5150 to 5250	Pass
			50	NV	5210.000	5150 to 5250	Pass
		5290	20	LV	5290.075	5250 to 5350	Pass
				NV	5290.075	5250 to 5350	Pass
				HV	5290.075	5250 to 5350	Pass
			-30	NV	5290.150	5250 to 5350	Pass
			-20	NV	5290.075	5250 to 5350	Pass
			-10	NV	5290.000	5250 to 5350	Pass
			0	NV	5290.150	5250 to 5350	Pass
			10	NV	5290.000	5250 to 5350	Pass
			30	NV	5290.075	5250 to 5350	Pass
			40	NV	5290.075	5250 to 5350	Pass
			50	NV	5290.000	5250 to 5350	Pass
		5530	20	LV	5530.150	5470 to 5725	Pass
				NV	5530.075	5470 to 5725	Pass
				HV	5530.075	5470 to 5725	Pass
			-30	NV	5530.075	5470 to 5725	Pass
			-20	NV	5530.075	5470 to 5725	Pass
			-10	NV	5530.075	5470 to 5725	Pass
			0	NV	5530.075	5470 to 5725	Pass
			10	NV	5530.075	5470 to 5725	Pass
			30	NV	5530.150	5470 to 5725	Pass
			40	NV	5530.075	5470 to 5725	Pass
			50	NV	5530.075	5470 to 5725	Pass
		5610	20	LV	5610.000	5470 to 5725	Pass
				NV	5610.075	5470 to 5725	Pass
				HV	5609.925	5470 to 5725	Pass
			-30	NV	5610.075	5470 to 5725	Pass
			-20	NV	5610.075	5470 to 5725	Pass
			-10	NV	5610.000	5470 to 5725	Pass
			0	NV	5610.000	5470 to 5725	Pass
			10	NV	5610.075	5470 to 5725	Pass




			30	NV	5610.000	5470 to 5725	Pass
			40	NV	5610.000	5470 to 5725	Pass
			50	NV	5610.075	5470 to 5725	Pass
		5775	20	LV	5775.000	5725 to 5850	Pass
				NV	5775.000	5725 to 5850	Pass
				HV	5775.075	5725 to 5850	Pass
			-30	NV	5775.075	5725 to 5850	Pass
			-20	NV	5775.000	5725 to 5850	Pass
			-10	NV	5775.000	5725 to 5850	Pass
			0	NV	5774.925	5725 to 5850	Pass
			10	NV	5775.000	5725 to 5850	Pass
			30	NV	5775.000	5725 to 5850	Pass
			40	NV	5775.000	5725 to 5850	Pass
			50	NV	5775.000	5725 to 5850	Pass



6. DFS

6.1 Test Result



Radar:




5290MHz:



5530MHz:



Duty cycle:(38.83%)



- End of the Report -