



Report No.: SUCR260500042410

Page: 1 of 53

Appendix B.2

1.1. Test Band = _LTE-Band2 TM1

1.1.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3800.625	-43.54	29.60	-59.03	-13.00	46.03	Horizontal
2	5646	-40.46	32.81	-54.44	-13.00	41.44	Horizontal
3	7623	-40.48	36.85	-52.66	-13.00	39.66	Horizontal
4	9626.625	-40.57	38.26	-51.89	-13.00	38.89	Horizontal
5	12507.375	-40.19	39.25	-49.44	-13.00	36.44	Horizontal
6	14640.75	-40.54	41.72	-49.00	-13.00	36.00	Horizontal

1.2. Test Band = _LTE-Band2 TM1

1.2.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3797.25	-43.54	29.62	-58.82	-13.00	45.82	Vertical
2	5187	-41.37	32.17	-55.14	-13.00	42.14	Vertical
3	7134.375	-40.51	36.13	-52.62	-13.00	39.62	Vertical
4	9572.625	-40.74	37.94	-52.14	-13.00	39.14	Vertical
5	12010.5	-40.26	39.89	-49.40	-13.00	36.40	Vertical
6	15747	-36.61	38.61	-48.99	-13.00	35.99	Vertical



Report No.: SUCR260500042410

Page: 2 of 53

1.3. Test Band = _LTE-Band2 TM1

1.3.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3759	-43.59	29.85	-59.10	-13.00	46.10	Horizontal
2	5829	-40.24	32.58	-54.14	-13.00	41.14	Horizontal
3	7615.875	-40.51	36.87	-52.19	-13.00	39.19	Horizontal
4	9146.25	-40.62	37.39	-51.87	-13.00	38.87	Horizontal
5	11477.625	-40.75	40.52	-49.17	-13.00	36.17	Horizontal
6	14409.75	-40.56	41.87	-48.39	-13.00	35.39	Horizontal

1.4. Test Band = _LTE-Band2 TM1

1.4.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3517.5	-44.22	29.23	-53.87	-13.00	40.87	Vertical
2	5215.125	-41.31	32.11	-55.59	-13.00	42.59	Vertical
3	7044	-40.66	35.83	-53.26	-13.00	40.26	Vertical
4	9539.25	-40.86	37.74	-52.17	-13.00	39.17	Vertical
5	12012	-40.25	39.89	-49.15	-13.00	36.15	Vertical
6	14308.5	-40.79	41.90	-48.57	-13.00	35.57	Vertical



Report No.: SUCR260500042410

Page: 3 of 53

1.5. Test Band = _LTE-Band2 TM1

1.5.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3752.625	-43.60	29.88	-59.10	-13.00	46.10	Horizontal
2	5817.75	-40.26	32.63	-54.02	-13.00	41.02	Horizontal
3	7540.125	-40.71	36.74	-52.78	-13.00	39.78	Horizontal
4	10784.625	-40.31	39.28	-50.06	-13.00	37.06	Horizontal
5	14398.875	-40.52	41.90	-48.40	-13.00	35.40	Horizontal
6	16970.625	-39.20	40.85	-48.25	-13.00	35.25	Horizontal

1.6. Test Band = _LTE-Band2 TM1

1.6.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3519	-44.22	29.22	-57.62	-13.00	44.62	Vertical
2	5211.75	-41.32	32.13	-55.52	-13.00	42.52	Vertical
3	7618.5	-40.50	36.86	-52.55	-13.00	39.55	Vertical
4	10686.75	-40.36	39.17	-49.81	-13.00	36.81	Vertical
5	14434.5	-40.65	41.80	-48.71	-13.00	35.71	Vertical
6	16965	-39.17	40.83	-48.32	-13.00	35.32	Vertical



Report No.: SUCR260500042410

Page: 4 of 53

1.7. Test Band = _LTE-Band4 TM1

1.7.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3751.5	-43.60	29.89	-60.50	-13.00	47.50	Horizontal
2	5253.75	-41.28	31.93	-57.00	-13.00	44.00	Horizontal
3	6829.5	-40.28	35.82	-54.55	-13.00	41.55	Horizontal
4	8575.5	-40.15	36.85	-54.31	-13.00	41.31	Horizontal
5	10944	-40.52	40.12	-51.11	-13.00	38.11	Horizontal
6	14382.75	-40.57	41.90	-50.31	-13.00	37.31	Horizontal

1.8. Test Band = _LTE-Band4 TM1

1.8.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3804	-43.54	29.58	-60.18	-13.00	47.18	Vertical
2	5724	-40.31	32.51	-56.06	-13.00	43.06	Vertical
3	7622.25	-40.49	36.86	-53.57	-13.00	40.57	Vertical
4	10313.25	-40.33	39.41	-52.13	-13.00	39.13	Vertical
5	13645.5	-40.41	40.45	-50.40	-13.00	37.40	Vertical
6	17103.75	-40.31	41.82	-50.81	-13.00	37.81	Vertical



Report No.: SUCR260500042410

Page: 5 of 53

1.9. Test Band = _LTE-Band4 TM1

1.9.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3505.5	-44.20	29.28	-60.20	-13.00	47.20	Horizontal
2	5198.25	-41.34	32.20	-56.66	-13.00	43.66	Horizontal
3	7071.75	-40.67	36.03	-53.99	-13.00	40.99	Horizontal
4	9600.75	-40.65	38.10	-53.35	-13.00	40.35	Horizontal
5	12087.75	-40.10	39.81	-50.70	-13.00	37.70	Horizontal
6	14302.5	-40.81	41.90	-50.14	-13.00	37.14	Horizontal

1.10. Test Band = _LTE-Band4 TM1

1.10.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3598.5	-44.29	29.20	-59.65	-13.00	46.65	Vertical
2	5184	-41.38	32.17	-57.12	-13.00	44.12	Vertical
3	7195.5	-40.23	36.28	-53.97	-13.00	40.97	Vertical
4	9639.75	-40.53	38.34	-53.37	-13.00	40.37	Vertical
5	12116.25	-40.22	39.82	-50.86	-13.00	37.86	Vertical
6	15047.25	-39.84	40.81	-50.97	-13.00	37.97	Vertical



Report No.: SUCR260500042410

Page: 6 of 53

1.11. Test Band = _LTE-Band4 TM1

1.11.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3733.5	-43.63	29.74	-60.79	-13.00	47.79	Horizontal
2	5576.25	-40.62	32.71	-56.32	-13.00	43.32	Horizontal
3	7612.5	-40.52	36.88	-53.57	-13.00	40.57	Horizontal
4	10299	-40.26	39.40	-52.58	-13.00	39.58	Horizontal
5	13647	-40.41	40.45	-50.75	-13.00	37.75	Horizontal
6	16922.25	-38.93	40.61	-50.78	-13.00	37.78	Horizontal

1.12. Test Band = _LTE-Band4 TM1

1.12.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3798	-43.54	29.61	-60.11	-13.00	47.11	Vertical
2	5625	-40.52	32.85	-56.17	-13.00	43.17	Vertical
3	7606.5	-40.55	36.89	-53.61	-13.00	40.61	Vertical
4	9573.75	-40.74	37.94	-53.42	-13.00	40.42	Vertical
5	11994.75	-40.30	39.88	-50.85	-13.00	37.85	Vertical
6	15743.25	-36.63	38.63	-50.95	-13.00	37.95	Vertical



Report No.: SUCR260500042410

Page: 7 of 53

1.13. Test Band = _LTE-Band5 TM1

1.13.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1432	-46.86	25.21	-60.90	-13.00	47.90	Horizontal
2	2356.4444	-45.74	27.29	-57.09	-13.00	44.09	Horizontal
3	3462.6667	-44.41	28.93	-54.98	-13.00	41.98	Horizontal
4	4614.6667	-42.31	30.29	-51.06	-13.00	38.06	Horizontal
5	6070.2222	-39.47	33.40	-47.08	-13.00	34.08	Horizontal
6	7581.3333	-36.93	36.83	-42.80	-13.00	29.80	Horizontal

1.14. Test Band = _LTE-Band5 TM1

1.14.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1410.6667	-46.81	24.87	-60.59	-13.00	47.59	Vertical
2	2137.3333	-46.11	26.67	-57.66	-13.00	44.66	Vertical
3	3081.3333	-44.86	28.83	-55.62	-13.00	42.62	Vertical
4	4212.8889	-43.08	29.85	-52.85	-13.00	39.85	Vertical
5	5601.3333	-40.42	32.90	-48.74	-13.00	35.74	Vertical
6	7072.4444	-37.67	36.03	-43.87	-13.00	30.87	Vertical



Report No.: SUCR260500042410

Page: 8 of 53

1.15. Test Band = _LTE-Band5 TM1

1.15.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1581.7778	-46.91	25.01	-60.85	-13.00	47.85	Horizontal
2	2627.1111	-45.17	28.10	-56.51	-13.00	43.51	Horizontal
3	3649.3333	-44.15	29.50	-54.05	-13.00	41.05	Horizontal
4	4952.8889	-41.81	30.71	-50.83	-13.00	37.83	Horizontal
5	6391.1111	-39.26	33.93	-46.95	-13.00	33.95	Horizontal
6	7580	-36.93	36.82	-41.91	-13.00	28.91	Horizontal

1.16. Test Band = _LTE-Band5 TM1

1.16.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1848.4444	-46.45	25.60	-58.36	-13.00	45.36	Vertical
2	2577.7778	-45.28	28.01	-57.24	-13.00	44.24	Vertical
3	3321.7778	-44.60	28.66	-54.41	-13.00	41.41	Vertical
4	4245.7778	-42.79	29.98	-52.90	-13.00	39.90	Vertical
5	5223.5556	-41.33	32.06	-49.01	-13.00	36.01	Vertical
6	6143.5556	-39.45	33.61	-46.60	-13.00	33.60	Vertical



Report No.: SUCR260500042410

Page: 9 of 53

1.17. Test Band = _LTE-Band5 TM1

1.17.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1611.5556	-46.87	25.30	-61.14	-13.00	48.14	Horizontal
2	2424	-45.67	27.34	-57.12	-13.00	44.12	Horizontal
3	3439.5556	-44.41	28.82	-55.38	-13.00	42.38	Horizontal
4	4375.5556	-42.36	30.00	-52.21	-13.00	39.21	Horizontal
5	5326.2222	-41.18	32.40	-49.97	-13.00	36.97	Horizontal
6	6314.6667	-39.54	33.39	-46.95	-13.00	33.95	Horizontal

1.18. Test Band = _LTE-Band5 TM1

1.18.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1360	-46.93	25.10	-60.50	-13.00	47.50	Vertical
2	1961.7778	-46.35	25.82	-58.48	-13.00	45.48	Vertical
3	2670.6667	-45.11	28.18	-55.71	-13.00	42.71	Vertical
4	3765.3333	-43.90	29.81	-52.72	-13.00	39.72	Vertical
5	4823.1111	-42.11	31.01	-51.04	-13.00	38.04	Vertical
6	6180	-39.55	33.72	-47.04	-13.00	34.04	Vertical



Report No.: SUCR260500042410

Page: 10 of 53

1.19. Test Band = _LTE-Band7 TM1

1.19.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3859.5	-43.50	29.42	-59.09	-25.00	34.09	Horizontal
2	5272	-41.26	32.08	-56.10	-25.00	31.10	Horizontal
3	7089	-40.67	36.13	-53.63	-25.00	28.63	Horizontal
4	9629.5	-40.56	38.28	-52.85	-25.00	27.85	Horizontal
5	12091.5	-40.09	39.81	-50.29	-25.00	25.29	Horizontal
6	15008	-39.87	40.97	-50.43	-25.00	25.43	Horizontal

1.20. Test Band = _LTE-Band7 TM1

1.20.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3749.5	-43.61	29.90	-59.38	-25.00	34.38	Vertical
2	5351.5	-41.18	32.49	-56.28	-25.00	31.28	Vertical
3	6844	-40.40	35.88	-53.44	-25.00	28.44	Vertical
4	8564	-40.17	36.87	-53.97	-25.00	28.97	Vertical
5	10710	-40.28	39.21	-51.00	-25.00	26.00	Vertical
6	13656.5	-40.40	40.46	-49.86	-25.00	24.86	Vertical



Report No.: SUCR260500042410

Page: 11 of 53

1.21. Test Band = _LTE-Band7 TM1

1.21.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3868	-43.49	29.44	-59.43	-25.00	34.43	Horizontal
2	4802	-42.03	31.09	-57.82	-25.00	32.82	Horizontal
3	5906	-40.12	33.11	-55.22	-25.00	30.22	Horizontal
4	7605	-40.55	36.89	-53.27	-25.00	28.27	Horizontal
5	9647.5	-40.51	38.39	-52.88	-25.00	27.88	Horizontal
6	12107.5	-40.14	39.81	-50.26	-25.00	25.26	Horizontal

1.22. Test Band = _LTE-Band7 TM1

1.22.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3517.5	-44.22	29.23	-57.50	-25.00	32.50	Vertical
2	5173.5	-41.41	32.15	-56.51	-25.00	31.51	Vertical
3	6516	-40.46	34.66	-54.15	-25.00	29.15	Vertical
4	7911	-40.34	36.78	-53.78	-25.00	28.78	Vertical
5	9649.5	-40.51	38.40	-52.89	-25.00	27.89	Vertical
6	11355	-40.71	40.51	-49.45	-25.00	24.45	Vertical



Report No.: SUCR260500042410

Page: 12 of 53

1.23. Test Band = _LTE-Band7 TM1

1.23.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3745.5	-43.61	29.86	-59.77	-25.00	34.77	Horizontal
2	5592.5	-40.60	32.84	-55.39	-25.00	30.39	Horizontal
3	7192.5	-40.24	36.27	-53.47	-25.00	28.47	Horizontal
4	8546	-40.20	36.89	-53.81	-25.00	28.81	Horizontal
5	10320.5	-40.37	39.42	-52.03	-25.00	27.03	Horizontal
6	12487	-40.15	39.33	-50.88	-25.00	25.88	Horizontal

1.24. Test Band = _LTE-Band7 TM1

1.24.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3519	-44.22	29.22	-56.30	-25.00	31.30	Vertical
2	5679	-40.37	32.80	-55.21	-25.00	30.21	Vertical
3	7604	-40.56	36.89	-53.21	-25.00	28.21	Vertical
4	10302	-40.26	39.40	-52.03	-25.00	27.03	Vertical
5	13631	-40.42	40.43	-50.50	-25.00	25.50	Vertical
6	16967	-39.18	40.84	-50.35	-25.00	25.35	Vertical



Report No.: SUCR260500042410

Page: 13 of 53

1.25. Test Band = _LTE-Band12 TM1

1.25.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1441.5	-46.88	25.36	-67.50	-13.00	54.50	Horizontal
2	2302.5	-45.76	27.40	-64.55	-13.00	51.55	Horizontal
3	3327.5	-44.58	28.65	-61.81	-13.00	48.81	Horizontal
4	4349.5	-42.34	30.10	-59.02	-13.00	46.02	Horizontal
5	5702	-40.39	32.78	-54.65	-13.00	41.65	Horizontal
6	7597.5	-36.96	36.89	-48.91	-13.00	35.91	Horizontal

1.26. Test Band = _LTE-Band12 TM1

1.26.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1448.5	-46.90	25.48	-67.41	-13.00	54.41	Vertical
2	2196	-46.08	27.07	-65.38	-13.00	52.38	Vertical
3	3159	-44.53	28.71	-62.07	-13.00	49.07	Vertical
4	4257	-42.69	29.96	-59.03	-13.00	46.03	Vertical
5	5797.5	-39.84	32.68	-54.87	-13.00	41.87	Vertical
6	7501	-36.81	36.90	-49.31	-13.00	36.31	Vertical



Report No.: SUCR260500042410

Page: 14 of 53

1.27. Test Band = _LTE-Band12 TM1

1.27.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1415.5	-46.82	24.95	-66.24	-13.00	53.24	Horizontal
2	2077	-46.17	26.51	-65.53	-13.00	52.53	Horizontal
3	3009.5	-44.72	28.86	-62.43	-13.00	49.43	Horizontal
4	4256	-42.70	29.96	-59.40	-13.00	46.40	Horizontal
5	5701.5	-40.39	32.78	-54.63	-13.00	41.63	Horizontal
6	7524.5	-36.85	36.80	-49.46	-13.00	36.46	Horizontal

1.28. Test Band = _LTE-Band12 TM1

1.28.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1625.5	-46.85	25.30	-67.50	-13.00	54.50	Vertical
2	2462	-45.60	27.55	-64.16	-13.00	51.16	Vertical
3	3637.5	-44.23	29.43	-60.57	-13.00	47.57	Vertical
4	4883	-42.11	31.10	-57.89	-13.00	44.89	Vertical
5	5619.5	-40.42	32.86	-54.94	-13.00	41.94	Vertical
6	7109	-37.63	36.18	-50.17	-13.00	37.17	Vertical



Report No.: SUCR260500042410

Page: 15 of 53

1.29. Test Band = _LTE-Band12 TM1

1.29.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1594	-46.90	25.20	-67.62	-40.00	27.62	Horizontal
2	2460.5	-45.61	27.54	-64.11	-13.00	51.11	Horizontal
3	3519	-44.43	29.22	-59.52	-13.00	46.52	Horizontal
4	4281	-42.47	29.81	-59.30	-13.00	46.30	Horizontal
5	5160	-41.50	32.12	-56.63	-13.00	43.63	Horizontal
6	6151.5	-39.47	33.61	-54.00	-13.00	41.00	Horizontal

1.30. Test Band = _LTE-Band12 TM1

1.30.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1629.5	-46.85	25.30	-67.80	-13.00	54.80	Vertical
2	2512	-45.49	27.75	-63.80	-13.00	50.80	Vertical
3	3762	-43.89	29.83	-60.45	-13.00	47.45	Vertical
4	5183	-41.42	32.17	-56.20	-13.00	43.20	Vertical
5	6855	-37.99	35.88	-51.01	-13.00	38.01	Vertical
6	8615.5	-34.98	36.77	-48.27	-13.00	35.27	Vertical



Report No.: SUCR260500042410

Page: 16 of 53

1.31. Test Band = _LTE-Band13 TM1

1.31.1. Test Channel = Mid-10M

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1496.5	-47.00	25.22	-67.59	-13.00	54.59	Horizontal
2	2294	-45.78	27.34	-64.57	-13.00	51.57	Horizontal
3	3283	-44.59	28.63	-61.98	-13.00	48.98	Horizontal
4	4379	-42.36	29.98	-58.76	-13.00	45.76	Horizontal
5	5709	-40.35	32.69	-54.65	-13.00	41.65	Horizontal
6	7512	-36.83	36.85	-49.42	-13.00	36.42	Horizontal

1.32. Test Band = _LTE-Band13 TM1

1.32.1. Test Channel = Mid-10M

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1452	-46.90	25.49	-67.51	-13.00	54.51	Vertical
2	2457	-45.61	27.53	-64.19	-13.00	51.19	Vertical
3	3501.5	-44.41	29.29	-56.34	-13.00	43.34	Vertical
4	4791.5	-42.13	30.95	-57.80	-13.00	44.80	Vertical
5	6609.5	-38.60	34.88	-52.72	-13.00	39.72	Vertical
6	7911.5	-35.94	36.78	-49.13	-13.00	36.13	Vertical



Report No.: SUCR260500042410

Page: 17 of 53

1.33. Test Band = _LTE-Band13 TM1

1.33.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1492	-46.99	25.25	-67.65	-13.00	54.65	Horizontal
2	2372.5	-45.73	27.26	-64.28	-13.00	51.28	Horizontal
3	3518.5	-44.42	29.23	-59.08	-13.00	46.08	Horizontal
4	5097	-41.71	31.77	-57.71	-13.00	44.71	Horizontal
5	6783.5	-37.88	35.63	-51.67	-13.00	38.67	Horizontal
6	8554	-35.15	36.89	-48.67	-13.00	35.67	Horizontal

1.34. Test Band = _LTE-Band13 TM1

1.34.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1445	-46.89	25.42	-67.54	-13.00	54.54	Vertical
2	2285.5	-45.81	27.26	-64.85	-13.00	51.85	Vertical
3	3186	-44.37	28.44	-62.07	-13.00	49.07	Vertical
4	4347.5	-42.34	30.08	-58.66	-13.00	45.66	Vertical
5	5899	-40.16	33.09	-54.59	-13.00	41.59	Vertical
6	7522	-36.84	36.81	-49.29	-13.00	36.29	Vertical



Report No.: SUCR260500042410

Page: 18 of 53

1.35. Test Band = _LTE-Band13 TM1

1.35.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1448	-46.90	25.47	-67.38	-13.00	54.38	Horizontal
2	2440.5	-45.64	27.44	-64.56	-13.00	51.56	Horizontal
3	3484.5	-44.41	29.15	-61.55	-13.00	48.55	Horizontal
4	4811.5	-42.11	31.05	-58.12	-13.00	45.12	Horizontal
5	6484	-39.08	34.44	-53.31	-13.00	40.31	Horizontal
6	8557.5	-35.14	36.89	-48.40	-13.00	35.40	Horizontal

1.36. Test Band = _LTE-Band13 TM1

1.36.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1477.5	-46.96	25.34	-67.70	-13.00	54.70	Vertical
2	2340	-45.74	27.32	-64.82	-13.00	51.82	Vertical
3	3519	-44.43	29.22	-59.11	-13.00	46.11	Vertical
4	4846	-42.11	30.92	-57.92	-13.00	44.92	Vertical
5	6588	-38.68	34.80	-52.50	-13.00	39.50	Vertical
6	7890.5	-36.00	36.76	-49.18	-13.00	36.18	Vertical



Report No.: SUCR260500042410

Page: 19 of 53

1.37. Test Band = _LTE-Band13 TM1

1.37.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1653	-46.82	25.27	-67.48	-13.00	54.48	Horizontal
2	2409	-45.70	27.25	-64.20	-13.00	51.20	Horizontal
3	3519	-44.43	29.22	-55.79	-13.00	42.79	Horizontal
4	4693	-42.35	30.84	-58.54	-13.00	45.54	Horizontal
5	6105	-39.33	33.69	-53.78	-13.00	40.78	Horizontal
6	8000.5	-35.90	36.70	-48.91	-13.00	35.91	Horizontal

1.38. Test Band = _LTE-Band13 TM1

1.38.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1345.5	-46.98	25.17	-68.10	-13.00	55.10	Vertical
2	2166	-46.10	26.83	-65.63	-13.00	52.63	Vertical
3	3115	-44.81	28.87	-62.05	-13.00	49.05	Vertical
4	4255.5	-42.70	29.97	-59.42	-13.00	46.42	Vertical
5	5285	-41.27	32.18	-55.96	-13.00	42.96	Vertical
6	6390	-39.27	33.92	-53.61	-13.00	40.61	Vertical



Report No.: SUCR260500042410

Page: 20 of 53

1.39. Test Band = _LTE-Band14 TM1

1.39.1. Test Channel = Mid-10M

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1353.3333	-46.95	25.17	-67.70	-13.00	54.70	Horizontal
2	2194.2222	-46.08	27.05	-65.64	-13.00	52.64	Horizontal
3	3175.5556	-44.43	28.54	-62.53	-13.00	49.53	Horizontal
4	4296.8889	-42.33	29.72	-59.71	-13.00	46.71	Horizontal
5	5511.5556	-40.72	32.65	-56.63	-13.00	43.63	Horizontal
6	6969.7778	-37.81	35.48	-51.97	-13.00	38.97	Horizontal

1.40. Test Band = _LTE-Band14 TM1

1.40.1. Test Channel = Mid-10M

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1475.5556	-46.96	25.35	-67.70	-13.00	54.70	Vertical
2	2191.1111	-46.08	27.03	-65.11	-13.00	52.11	Vertical
3	2984.8889	-44.76	28.75	-62.86	-13.00	49.86	Vertical
4	3752.8889	-43.88	29.88	-60.48	-13.00	47.48	Vertical
5	4843.5556	-42.11	30.93	-58.53	-13.00	45.53	Vertical
6	6143.1111	-39.45	33.61	-54.47	-13.00	41.47	Vertical



Report No.: SUCR260500042410

Page: 21 of 53

1.41. Test Band = _LTE-Band14 TM1

1.41.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1449.7778	-46.90	25.50	-67.81	-13.00	54.81	Horizontal
2	2207.5556	-46.06	27.07	-65.32	-13.00	52.32	Horizontal
3	3119.5556	-44.78	28.86	-62.36	-13.00	49.36	Horizontal
4	4153.7778	-43.19	29.52	-59.59	-13.00	46.59	Horizontal
5	5347.5556	-41.13	32.49	-56.74	-13.00	43.74	Horizontal
6	6730.2222	-38.16	35.22	-52.86	-13.00	39.86	Horizontal

1.42. Test Band = _LTE-Band14 TM1

1.42.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1456	-46.91	25.46	-67.59	-13.00	54.59	Vertical
2	2216.4444	-46.03	27.03	-65.27	-13.00	52.27	Vertical
3	2997.7778	-44.71	28.88	-62.49	-13.00	49.49	Vertical
4	4200.4444	-43.20	29.80	-60.17	-13.00	47.17	Vertical
5	5174.6667	-41.45	32.15	-56.84	-13.00	43.84	Vertical
6	6637.7778	-38.51	35.10	-53.01	-13.00	40.01	Vertical



Report No.: SUCR260500042410

Page: 22 of 53

1.43. Test Band = _LTE-Band14 TM1

1.43.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1448.4444	-46.90	25.48	-67.90	-13.00	54.90	Horizontal
2	2304.8889	-45.76	27.39	-64.78	-13.00	51.78	Horizontal
3	3166.2222	-44.49	28.64	-62.25	-13.00	49.25	Horizontal
4	4259.5556	-42.66	29.94	-59.68	-13.00	46.68	Horizontal
5	5801.7778	-39.84	32.69	-55.37	-13.00	42.37	Horizontal
6	7342.2222	-37.13	36.78	-50.90	-13.00	37.90	Horizontal

1.44. Test Band = _LTE-Band14 TM1

1.44.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1448.8889	-46.90	25.48	-67.78	-13.00	54.78	Vertical
2	2284.8889	-45.81	27.25	-64.45	-13.00	51.45	Vertical
3	3434.2222	-44.41	28.83	-62.48	-13.00	49.48	Vertical
4	4694.6667	-42.35	30.86	-58.95	-13.00	45.95	Vertical
5	6164.4444	-39.51	33.66	-54.51	-13.00	41.51	Vertical
6	8013.7778	-35.86	36.59	-49.74	-13.00	36.74	Vertical



Report No.: SUCR260500042410

Page: 23 of 53

1.45. Test Band = _LTE-Band14 TM1

1.45.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1460.4444	-46.92	25.44	-67.50	-13.00	54.50	Horizontal
2	2232.4444	-45.98	26.97	-65.27	-13.00	52.27	Horizontal
3	3083.1111	-44.87	28.83	-62.32	-13.00	49.32	Horizontal
4	4356	-42.34	30.08	-58.92	-13.00	45.92	Horizontal
5	5714.2222	-40.32	32.63	-55.54	-13.00	42.54	Horizontal
6	7185.7778	-37.33	36.24	-50.67	-13.00	37.67	Horizontal

1.46. Test Band = _LTE-Band14 TM1

1.46.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1447.5556	-46.89	25.46	-67.64	-13.00	54.64	Vertical
2	2200.4444	-46.08	27.10	-65.37	-13.00	52.37	Vertical
3	3116.4444	-44.80	28.87	-62.47	-13.00	49.47	Vertical
4	4257.7778	-42.68	29.95	-59.56	-13.00	46.56	Vertical
5	5581.7778	-40.48	32.75	-55.35	-13.00	42.35	Vertical
6	6883.5556	-38.09	35.77	-51.86	-13.00	38.86	Vertical



Report No.: SUCR260500042410

Page: 24 of 53

1.47. Test Band = _LTE-Band17 TM1

1.47.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1420.4444	-46.83	25.03	-67.32	-13.00	54.32	Horizontal
2	2183.1111	-46.09	26.96	-65.80	-13.00	52.80	Horizontal
3	2990.2222	-44.74	28.80	-62.50	-13.00	49.50	Horizontal
4	3875.1111	-43.60	29.45	-60.45	-13.00	47.45	Horizontal
5	5291.5556	-41.26	32.23	-56.74	-13.00	43.74	Horizontal
6	6766.6667	-37.97	35.57	-52.28	-13.00	39.28	Horizontal

1.48. Test Band = _LTE-Band17 TM1

1.48.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1449.3333	-46.90	25.49	-67.51	-13.00	54.51	Vertical
2	2195.1111	-46.08	27.06	-65.07	-13.00	52.07	Vertical
3	2985.3333	-44.76	28.75	-62.52	-13.00	49.52	Vertical
4	3801.3333	-43.94	29.59	-60.46	-13.00	47.46	Vertical
5	4812	-42.11	31.05	-58.16	-13.00	45.16	Vertical
6	6186.6667	-39.57	33.75	-54.33	-13.00	41.33	Vertical



Report No.: SUCR260500042410

Page: 25 of 53

1.49. Test Band = _LTE-Band17 TM1

1.49.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1763.5556	-46.55	25.21	-67.42	-13.00	54.42	Horizontal
2	2620.8889	-45.18	28.10	-63.64	-13.00	50.64	Horizontal
3	3517.3333	-44.42	29.23	-58.49	-13.00	45.49	Horizontal
4	4653.7778	-42.33	30.53	-58.66	-13.00	45.66	Horizontal
5	5812.8889	-39.87	32.65	-55.15	-13.00	42.15	Horizontal
6	7061.3333	-37.67	35.97	-50.78	-13.00	37.78	Horizontal

1.50. Test Band = _LTE-Band17 TM1

1.50.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1836	-46.45	25.57	-67.06	-13.00	54.06	Vertical
2	2606.6667	-45.20	28.10	-63.70	-13.00	50.70	Vertical
3	3816.8889	-43.87	29.53	-60.25	-13.00	47.25	Vertical
4	5020.8889	-41.59	31.07	-58.46	-13.00	45.46	Vertical
5	6110.6667	-39.35	33.68	-54.38	-13.00	41.38	Vertical
6	7224.4444	-37.30	36.45	-50.63	-13.00	37.63	Vertical



Report No.: SUCR260500042410

Page: 26 of 53

1.51. Test Band = _LTE-Band17 TM1

1.51.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1826.2222	-46.45	25.55	-67.02	-13.00	54.02	Horizontal
2	2684.4444	-45.09	28.24	-63.54	-13.00	50.54	Horizontal
3	3518.6667	-44.42	29.23	-49.31	-13.00	36.31	Horizontal
4	5272.8889	-41.28	32.08	-56.45	-13.00	43.45	Horizontal
5	6796.4444	-37.82	35.69	-51.89	-13.00	38.89	Horizontal
6	8422.6667	-34.98	36.59	-49.69	-13.00	36.69	Horizontal

1.52. Test Band = _LTE-Band17 TM1

1.52.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1846.6667	-46.45	25.59	-67.00	-13.00	54.00	Vertical
2	2734.6667	-45.00	28.37	-63.30	-13.00	50.30	Vertical
3	4172.4444	-43.19	29.63	-59.92	-13.00	46.92	Vertical
4	5766.6667	-40.02	32.37	-55.37	-13.00	42.37	Vertical
5	7366.2222	-36.97	36.67	-50.57	-13.00	37.57	Vertical
6	8995.5556	-34.38	36.96	-48.62	-13.00	35.62	Vertical



Report No.: SUCR260500042410

Page: 27 of 53

1.53. Test Band = _LTE-Band25 TM1

1.53.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3792	-43.55	29.65	-59.25	-13.00	46.25	Horizontal
2	5246.625	-41.28	31.92	-55.75	-13.00	42.75	Horizontal
3	6834.75	-40.32	35.84	-53.38	-13.00	40.38	Horizontal
4	8584.125	-40.13	36.83	-53.01	-13.00	40.01	Horizontal
5	10765.125	-40.30	39.27	-49.73	-13.00	36.73	Horizontal
6	14348.25	-40.68	41.90	-48.58	-13.00	35.58	Horizontal

1.54. Test Band = _LTE-Band25 TM1

1.54.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3517.5	-44.22	29.23	-56.49	-13.00	43.49	Vertical
2	4852.5	-42.00	30.92	-57.06	-13.00	44.06	Vertical
3	6207.375	-40.36	33.76	-54.11	-13.00	41.11	Vertical
4	7607.25	-40.54	36.89	-52.59	-13.00	39.59	Vertical
5	9557.625	-40.79	37.85	-52.16	-13.00	39.16	Vertical
6	11369.25	-40.55	40.54	-48.95	-13.00	35.95	Vertical



Report No.: SUCR260500042410

Page: 28 of 53

1.55. Test Band = _LTE-Band25 TM1

1.55.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3598.125	-44.29	29.20	-58.51	-13.00	45.51	Horizontal
2	4906.5	-41.95	31.14	-56.60	-13.00	43.60	Horizontal
3	6536.625	-40.40	34.75	-53.40	-13.00	40.40	Horizontal
4	8567.25	-40.16	36.87	-53.46	-13.00	40.46	Horizontal
5	10696.875	-40.30	39.19	-50.02	-13.00	37.02	Horizontal
6	13554.75	-40.33	40.04	-49.48	-13.00	36.48	Horizontal

1.56. Test Band = _LTE-Band25 TM1

1.56.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3517.875	-44.22	29.23	-56.77	-13.00	43.77	Vertical
2	4786.125	-42.07	30.85	-57.07	-13.00	44.07	Vertical
3	6519	-40.45	34.68	-53.94	-13.00	40.94	Vertical
4	8541.375	-40.21	36.88	-53.36	-13.00	40.36	Vertical
5	10976.625	-40.43	40.28	-49.92	-13.00	36.92	Vertical
6	14241	-40.70	41.72	-48.55	-13.00	35.55	Vertical



Report No.: SUCR260500042410

Page: 29 of 53

1.57. Test Band = _LTE-Band25 TM1

1.57.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3757.125	-43.60	29.86	-59.27	-13.00	46.27	Horizontal
2	5678.25	-40.37	32.80	-54.28	-13.00	41.28	Horizontal
3	7140	-40.49	36.12	-52.81	-13.00	39.81	Horizontal
4	9603.375	-40.64	38.12	-52.23	-13.00	39.23	Horizontal
5	12025.875	-40.23	39.87	-49.55	-13.00	36.55	Horizontal
6	14307.75	-40.80	41.90	-48.39	-13.00	35.39	Horizontal

1.58. Test Band = _LTE-Band25 TM1

1.58.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3618.75	-44.17	29.31	-60.00	-13.00	47.00	Vertical
2	5167.5	-41.43	32.14	-55.34	-13.00	42.34	Vertical
3	6852	-40.47	35.89	-53.30	-13.00	40.30	Vertical
4	8948.625	-40.79	36.59	-54.43	-13.00	41.43	Vertical
5	10957.5	-40.48	40.19	-49.96	-13.00	36.96	Vertical
6	12515.25	-40.22	39.19	-50.01	-13.00	37.01	Vertical



Report No.: SUCR260500042410

Page: 30 of 53

1.59. Test Band = _LTE-Band26 TM1

1.59.1. Test Channel = Mid-10M

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1663.1111	-46.80	25.17	-66.24	-13.00	53.24	Horizontal
2	2498.6667	-45.53	27.69	-64.84	-13.00	51.84	Horizontal
3	3432.4444	-44.41	28.84	-62.33	-13.00	49.33	Horizontal
4	4628	-42.31	30.37	-58.95	-13.00	45.95	Horizontal
5	5849.3333	-39.99	32.50	-55.84	-13.00	42.84	Horizontal
6	7113.3333	-37.62	36.17	-51.39	-13.00	38.39	Horizontal

1.60. Test Band = _LTE-Band26 TM1

1.60.1. Test Channel = Mid-10M

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1465.3333	-46.93	25.41	-68.05	-13.00	55.05	Vertical
2	2156.4444	-46.10	26.75	-65.61	-13.00	52.61	Vertical
3	2806.2222	-44.89	28.51	-63.20	-13.00	50.20	Vertical
4	3748.4444	-43.87	29.88	-60.86	-13.00	47.86	Vertical
5	5119.5556	-41.65	31.92	-57.89	-13.00	44.89	Vertical
6	6197.3333	-39.60	33.79	-54.67	-13.00	41.67	Vertical



Report No.: SUCR260500042410

Page: 31 of 53

1.61. Test Band = _LTE-Band26 TM1

1.61.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1642.2222	-46.83	25.30	-58.38	-13.00	45.38	Horizontal
2	2562.6667	-45.33	27.95	-57.02	-13.00	44.02	Horizontal
3	3392.8889	-44.43	28.86	-55.24	-13.00	42.24	Horizontal
4	4362.6667	-42.35	30.05	-51.87	-13.00	38.87	Horizontal
5	5576.8889	-40.50	32.72	-48.15	-13.00	35.15	Horizontal
6	6780.4444	-37.90	35.62	-44.84	-13.00	31.84	Horizontal

1.62. Test Band = _LTE-Band26 TM1

1.62.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1681.7778	-46.78	24.98	-61.28	-13.00	48.28	Vertical
2	2597.7778	-45.22	28.09	-55.96	-13.00	42.96	Vertical
3	3669.3333	-44.01	29.46	-53.90	-13.00	40.90	Vertical
4	5076	-41.68	31.56	-51.36	-13.00	38.36	Vertical
5	6397.7778	-39.24	33.98	-46.48	-13.00	33.48	Vertical
6	7935.1111	-35.93	36.73	-42.49	-13.00	29.49	Vertical



Report No.: SUCR260500042410

Page: 32 of 53

1.63. Test Band = _LTE-Band26 TM1

1.63.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1580.4444	-46.91	24.99	-60.93	-13.00	47.93	Horizontal
2	2433.3333	-45.66	27.40	-58.11	-13.00	45.11	Horizontal
3	3267.5556	-44.53	28.57	-55.53	-13.00	42.53	Horizontal
4	4418.6667	-42.42	30.05	-51.36	-13.00	38.36	Horizontal
5	5795.5556	-39.86	32.66	-47.19	-13.00	34.19	Horizontal
6	7174.2222	-37.37	36.20	-43.46	-13.00	30.46	Horizontal

1.64. Test Band = _LTE-Band26 TM1

1.64.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1641.3333	-46.83	25.30	-61.47	-13.00	48.47	Vertical
2	2407.1111	-45.71	27.24	-57.86	-13.00	44.86	Vertical
3	3232.8889	-44.40	28.43	-56.29	-13.00	43.29	Vertical
4	4336	-42.33	29.99	-52.39	-13.00	39.39	Vertical
5	5696.4444	-40.40	32.80	-48.58	-13.00	35.58	Vertical
6	7214.2222	-37.29	36.39	-43.95	-13.00	30.95	Vertical



Report No.: SUCR260500042410

Page: 33 of 53

1.65. Test Band = _LTE-Band26 TM1

1.65.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1675.5556	-46.78	25.04	-58.05	-13.00	45.05	Horizontal
2	2427.1111	-45.67	27.36	-56.95	-13.00	43.95	Horizontal
3	3115.1111	-44.81	28.87	-55.30	-13.00	42.30	Horizontal
4	3928.8889	-43.43	29.62	-53.99	-13.00	40.99	Horizontal
5	4884	-42.11	31.10	-51.67	-13.00	38.67	Horizontal
6	6386.6667	-39.28	33.89	-46.46	-13.00	33.46	Horizontal

1.66. Test Band = _LTE-Band26 TM1

1.66.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1655.5556	-46.81	25.24	-61.33	-13.00	48.33	Vertical
2	2568	-45.31	27.97	-56.92	-13.00	43.92	Vertical
3	3707.5556	-43.81	29.48	-53.20	-13.00	40.20	Vertical
4	4785.7778	-42.14	30.84	-51.45	-13.00	38.45	Vertical
5	6207.1111	-39.61	33.76	-46.62	-13.00	33.62	Vertical
6	7649.3333	-36.63	36.80	-42.73	-13.00	29.73	Vertical



Report No.: SUCR260500042410

Page: 34 of 53

1.67. Test Band = _LTE-Band30 TM1

1.67.1. Test Channel = Mid-10M

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3715.5	-43.65	29.56	-60.14	-40.00	20.14	Horizontal
2	5378.5	-41.16	32.33	-55.99	-40.00	15.99	Horizontal
3	7079.5	-40.67	36.08	-53.81	-40.00	13.81	Horizontal
4	8643	-40.20	36.71	-54.35	-40.00	14.35	Horizontal
5	10667.5	-40.47	39.14	-51.31	-40.00	11.31	Horizontal
6	13041	-40.55	39.62	-50.96	-40.00	10.96	Horizontal

1.68. Test Band = _LTE-Band30 TM1

1.68.1. Test Channel = Mid-10M

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3877.5	-43.49	29.46	-59.90	-40.00	19.90	Vertical
2	5472	-40.84	32.59	-56.33	-40.00	16.33	Vertical
3	7134	-40.51	36.13	-53.52	-40.00	13.52	Vertical
4	8682.5	-40.30	36.83	-54.71	-40.00	14.71	Vertical
5	10715.5	-40.28	39.22	-50.51	-40.00	10.51	Vertical
6	13099	-40.59	39.80	-50.96	-40.00	10.96	Vertical



Report No.: SUCR260500042410

Page: 35 of 53

1.69. Test Band = _LTE-Band30 TM1

1.69.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3869	-43.49	29.44	-59.62	-40.00	19.62	Horizontal
2	5430.5	-41.01	32.38	-56.06	-40.00	16.06	Horizontal
3	7135.5	-40.51	36.13	-53.45	-40.00	13.45	Horizontal
4	8560.5	-40.18	36.88	-54.12	-40.00	14.12	Horizontal
5	11452.5	-40.58	40.55	-49.98	-40.00	9.98	Horizontal
6	14135.5	-40.55	41.54	-49.53	-40.00	9.53	Horizontal

1.70. Test Band = _LTE-Band30 TM1

1.70.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3849	-43.51	29.40	-59.99	-40.00	19.99	Vertical
2	5499	-40.73	32.70	-55.62	-40.00	15.62	Vertical
3	7095.5	-40.67	36.17	-53.48	-40.00	13.48	Vertical
4	8584	-40.13	36.83	-54.21	-40.00	14.21	Vertical
5	10312	-40.32	39.41	-51.96	-40.00	11.96	Vertical
6	12007.5	-40.26	39.89	-50.30	-40.00	10.30	Vertical



Report No.: SUCR260500042410

Page: 36 of 53

1.71. Test Band = _LTE-Band30 TM1

1.71.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3728	-43.63	29.68	-59.93	-40.00	19.93	Horizontal
2	5570	-40.63	32.66	-55.80	-40.00	15.80	Horizontal
3	7190	-40.26	36.26	-53.61	-40.00	13.61	Horizontal
4	8614	-40.13	36.77	-54.84	-40.00	14.84	Horizontal
5	10967.5	-40.45	40.24	-50.30	-40.00	10.30	Horizontal
6	13644	-40.41	40.44	-50.43	-40.00	10.43	Horizontal

1.72. Test Band = _LTE-Band30 TM1

1.72.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3517	-44.22	29.23	-58.62	-40.00	18.62	Vertical
2	4829	-42.02	30.98	-57.77	-40.00	17.77	Vertical
3	6215.5	-40.39	33.71	-54.89	-40.00	14.89	Vertical
4	7625.5	-40.48	36.85	-53.14	-40.00	13.14	Vertical
5	9635.5	-40.55	38.31	-53.36	-40.00	13.36	Vertical
6	11443	-40.51	40.56	-50.00	-40.00	10.00	Vertical



Report No.: SUCR260500042410

Page: 37 of 53

1.73. Test Band = _LTE-Band30 TM1

1.73.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3805	-43.54	29.58	-59.67	-40.00	19.67	Horizontal
2	5199	-41.33	32.20	-56.49	-40.00	16.49	Horizontal
3	7057.5	-40.67	35.95	-53.77	-40.00	13.77	Horizontal
4	9570.5	-40.75	37.92	-53.37	-40.00	13.37	Horizontal
5	11998	-40.29	39.89	-49.89	-40.00	9.89	Horizontal
6	15038.5	-39.85	40.85	-49.87	-40.00	9.87	Horizontal

1.74. Test Band = _LTE-Band30 TM1

1.74.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3747	-43.61	29.87	-60.25	-40.00	20.25	Vertical
2	5262	-41.27	32.00	-56.57	-40.00	16.57	Vertical
3	6803	-40.05	35.71	-53.91	-40.00	13.91	Vertical
4	8520.5	-40.25	36.84	-54.20	-40.00	14.20	Vertical
5	10735.5	-40.29	39.24	-51.10	-40.00	11.10	Vertical
6	13828.5	-40.10	40.24	-50.48	-40.00	10.48	Vertical



Report No.: SUCR260500042410

Page: 38 of 53

1.75. Test Band = _LTE-Band38 TM1

1.75.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3765	-43.59	29.81	-59.74	-25.00	34.74	Horizontal
2	5071	-41.59	31.51	-57.66	-25.00	32.66	Horizontal
3	6194	-40.36	33.78	-55.17	-25.00	30.17	Horizontal
4	7619	-40.50	36.86	-53.40	-25.00	28.40	Horizontal
5	9104.5	-40.39	37.31	-53.75	-25.00	28.75	Horizontal
6	12105	-40.12	39.81	-50.63	-25.00	25.63	Horizontal

1.76. Test Band = _LTE-Band38 TM1

1.76.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3749.5	-43.61	29.90	-59.94	-25.00	34.94	Vertical
2	5262	-41.27	32.00	-56.75	-25.00	31.75	Vertical
3	6796	-40.05	35.68	-54.01	-25.00	29.01	Vertical
4	8236	-40.36	36.74	-55.01	-25.00	30.01	Vertical
5	10303.5	-40.27	39.40	-52.13	-25.00	27.13	Vertical
6	12372.5	-40.34	39.50	-51.23	-25.00	26.23	Vertical



Report No.: SUCR260500042410

Page: 39 of 53

1.77. Test Band = _LTE-Band38 TM1

1.77.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3820	-43.53	29.52	-59.90	-25.00	34.90	Horizontal
2	5204	-41.33	32.18	-56.04	-25.00	31.04	Horizontal
3	7105	-40.65	36.19	-53.42	-25.00	28.42	Horizontal
4	8571.5	-40.15	36.86	-54.38	-25.00	29.38	Horizontal
5	10727	-40.29	39.23	-51.09	-25.00	26.09	Horizontal
6	13641	-40.41	40.44	-49.89	-25.00	24.89	Horizontal

1.78. Test Band = _LTE-Band38 TM1

1.78.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3755	-43.60	29.87	-60.00	-25.00	35.00	Vertical
2	5471	-40.85	32.58	-56.21	-25.00	31.21	Vertical
3	6859.5	-40.54	35.86	-53.75	-25.00	28.75	Vertical
4	8625.5	-40.16	36.75	-54.97	-25.00	29.97	Vertical
5	10964.5	-40.46	40.22	-50.84	-25.00	25.84	Vertical
6	13491.5	-40.25	39.63	-50.64	-25.00	25.64	Vertical



Report No.: SUCR260500042410

Page: 40 of 53

1.79. Test Band = _LTE-Band38 TM1

1.79.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3804	-43.54	29.58	-59.80	-25.00	34.80	Horizontal
2	5152	-41.48	32.10	-56.56	-25.00	31.56	Horizontal
3	6824.5	-40.23	35.80	-54.08	-25.00	29.08	Horizontal
4	8609.5	-40.12	36.78	-54.75	-25.00	29.75	Horizontal
5	10309	-40.30	39.41	-52.04	-25.00	27.04	Horizontal
6	12436	-40.16	39.43	-50.87	-25.00	25.87	Horizontal

1.80. Test Band = _LTE-Band38 TM1

1.80.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3734.5	-43.63	29.75	-59.57	-25.00	34.57	Vertical
2	5322.5	-41.21	32.39	-56.45	-25.00	31.45	Vertical
3	7614	-40.52	36.87	-53.25	-25.00	28.25	Vertical
4	9635	-40.55	38.31	-53.24	-25.00	28.24	Vertical
5	11329	-40.99	40.46	-49.94	-25.00	24.94	Vertical
6	14248.5	-40.71	41.75	-49.46	-25.00	24.46	Vertical



Report No.: SUCR260500042410

Page: 41 of 53

1.81. Test Band = _LTE-Band41 TM1

1.81.1. Test Channel = Mid-10M

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3126.2222	-44.74	28.85	-62.88	-13.00	49.88	Horizontal
2	3656.4444	-44.10	29.49	-60.93	-13.00	47.93	Horizontal
3	4832.8889	-42.11	30.97	-58.53	-13.00	45.53	Horizontal
4	6200.4444	-39.61	33.80	-54.45	-13.00	41.45	Horizontal
5	7614.6667	-36.86	36.87	-50.07	-13.00	37.07	Horizontal
6	8564.8889	-35.13	36.87	-49.46	-13.00	36.46	Horizontal

1.82. Test Band = _LTE-Band41 TM1

1.82.1. Test Channel = Mid-10M

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3517.3333	-44.42	29.23	-60.19	-13.00	47.19	Vertical
2	4784	-42.15	30.81	-58.54	-13.00	45.54	Vertical
3	5832.4444	-39.94	32.57	-55.60	-13.00	42.60	Vertical
4	6883.5556	-38.09	35.77	-52.07	-13.00	39.07	Vertical
5	7606.2222	-36.92	36.89	-50.05	-13.00	37.05	Vertical
6	9000	-34.38	37.00	-49.34	-13.00	36.34	Vertical



Report No.: SUCR260500042410

Page: 42 of 53

1.83. Test Band = _LTE-Band41 TM1

1.83.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3397.3333	-44.42	28.88	-62.89	-25.00	37.89	Horizontal
2	4364.8889	-42.35	30.04	-59.41	-25.00	34.41	Horizontal
3	5330.6667	-41.17	32.42	-56.81	-25.00	31.81	Horizontal
4	6567.5556	-38.77	34.80	-53.57	-25.00	28.57	Horizontal
5	7627.1111	-36.78	36.85	-50.02	-25.00	25.02	Horizontal
6	8973.3333	-34.36	36.79	-48.91	-25.00	23.91	Horizontal

1.84. Test Band = _LTE-Band41 TM1

1.84.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3404.4444	-44.41	28.89	-63.04	-25.00	38.04	Vertical
2	4377.3333	-42.36	29.99	-59.24	-25.00	34.24	Vertical
3	5712	-40.33	32.66	-55.98	-25.00	30.98	Vertical
4	6640	-38.50	35.12	-53.41	-25.00	28.41	Vertical
5	7493.3333	-36.81	36.85	-50.75	-25.00	25.75	Vertical
6	8960	-34.35	36.68	-49.26	-25.00	24.26	Vertical



Report No.: SUCR260500042410

Page: 43 of 53

1.85. Test Band = _LTE-Band41 TM1

1.85.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3715.5	-43.65	29.56	-60.09	-25.00	35.09	Horizontal
2	5168	-41.43	32.14	-56.06	-25.00	31.06	Horizontal
3	6978	-40.71	35.43	-53.66	-25.00	28.66	Horizontal
4	9167	-40.74	37.33	-53.64	-25.00	28.64	Horizontal
5	11427.5	-40.41	40.57	-49.65	-25.00	24.65	Horizontal
6	14309.5	-40.79	41.90	-49.56	-25.00	24.56	Horizontal

1.86. Test Band = _LTE-Band41 TM1

1.86.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3863.5	-43.50	29.43	-59.06	-25.00	34.06	Vertical
2	5276.5	-41.25	32.11	-56.40	-25.00	31.40	Vertical
3	7056.5	-40.67	35.94	-53.81	-25.00	28.81	Vertical
4	9181.5	-40.82	37.27	-53.58	-25.00	28.58	Vertical
5	11464.5	-40.66	40.54	-49.47	-25.00	24.47	Vertical
6	13649	-40.41	40.45	-49.73	-25.00	24.73	Vertical



Report No.: SUCR260500042410

Page: 44 of 53

1.87. Test Band = _LTE-Band41 TM1

1.87.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3695	-43.70	29.41	-60.20	-25.00	35.20	Horizontal
2	5249	-41.28	31.91	-56.34	-25.00	31.34	Horizontal
3	6800	-40.02	35.70	-54.30	-25.00	29.30	Horizontal
4	8550.5	-40.19	36.90	-54.29	-25.00	29.29	Horizontal
5	10720	-40.29	39.22	-50.97	-25.00	25.97	Horizontal
6	13816	-40.06	40.18	-49.88	-25.00	24.88	Horizontal

1.88. Test Band = _LTE-Band41 TM1

1.88.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3735	-43.62	29.75	-59.99	-25.00	34.99	Vertical
2	5663.5	-40.41	32.80	-55.61	-25.00	30.61	Vertical
3	8559.5	-40.18	36.88	-53.96	-25.00	28.96	Vertical
4	11354.5	-40.71	40.51	-49.57	-25.00	24.57	Vertical
5	14139.5	-40.55	41.54	-49.58	-25.00	24.58	Vertical
6	16909	-38.86	40.55	-50.45	-25.00	25.45	Vertical



Report No.: SUCR260500042410

Page: 45 of 53

1.89. Test Band = _LTE-Band48 TM1

1.89.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7634.7917	-40.26	36.83	-53.99	-40.00	13.99	Horizontal
2	10354.5417	-40.23	39.45	-51.83	-40.00	11.83	Horizontal
3	11701.125	-40.23	40.20	-50.71	-40.00	10.71	Horizontal
4	13226.9167	-40.25	39.53	-51.07	-40.00	11.07	Horizontal
5	14981.875	-36.62	41.05	-48.17	-40.00	8.17	Horizontal
6	16902.75	-38.76	40.51	-50.84	-40.00	10.84	Horizontal

1.90. Test Band = _LTE-Band48 TM1

1.90.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7660.9167	-40.46	36.73	-54.32	-40.00	14.32	Vertical
2	10147.375	-40.10	38.74	-52.60	-40.00	12.60	Vertical
3	11534.2917	-40.59	40.53	-50.79	-40.00	10.79	Vertical
4	13092.1667	-40.26	39.78	-51.02	-40.00	11.02	Vertical
5	15008	-36.43	40.97	-47.48	-40.00	7.48	Vertical
6	17550.8333	-42.18	44.70	-49.72	-40.00	9.72	Vertical



Report No.: SUCR260500042410

Page: 46 of 53

1.91. Test Band = _LTE-Band48 TM1

1.91.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7612.3333	-40.09	36.88	-53.24	-40.00	13.24	Horizontal
2	9592.3333	-40.07	38.05	-53.60	-40.00	13.60	Horizontal
3	11359.6667	-40.73	40.52	-50.02	-40.00	10.02	Horizontal
4	13474.4167	-40.29	39.68	-51.38	-40.00	11.38	Horizontal
5	15415.4583	-36.83	39.45	-50.44	-40.00	10.44	Horizontal
6	17549.9167	-42.18	44.70	-49.86	-40.00	9.86	Horizontal

1.92. Test Band = _LTE-Band48 TM1

1.92.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	8001.9167	-40.71	36.68	-54.50	-40.00	14.50	Vertical
2	9604.7083	-40.05	38.13	-53.53	-40.00	13.53	Vertical
3	11418.7917	-40.50	40.58	-50.37	-40.00	10.37	Vertical
4	13444.1667	-40.28	39.77	-50.44	-40.00	10.44	Vertical
5	15066.6667	-36.57	40.73	-47.51	-40.00	7.51	Vertical
6	16892.2083	-38.70	40.45	-50.89	-40.00	10.89	Vertical



Report No.: SUCR260500042410

Page: 47 of 53

1.93. Test Band = _LTE-Band48 TM1

1.93.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7588.0417	-40.09	36.85	-53.11	-40.00	13.11	Horizontal
2	10701.0417	-40.15	39.20	-51.22	-40.00	11.22	Horizontal
3	12334.0833	-40.44	39.50	-51.13	-40.00	11.13	Horizontal
4	14447	-40.45	41.76	-49.67	-40.00	9.67	Horizontal
5	16205.1667	-36.22	38.39	-50.93	-40.00	10.93	Horizontal
6	17970.2083	-46.02	47.36	-51.47	-40.00	11.47	Horizontal

1.94. Test Band = _LTE-Band48 TM1

1.94.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7584.375	-40.12	36.84	-53.16	-40.00	13.16	Vertical
2	9602.875	-40.05	38.12	-53.54	-40.00	13.54	Vertical
3	11354.625	-40.76	40.51	-49.89	-40.00	9.89	Vertical
4	13033.0417	-40.25	39.60	-50.73	-40.00	10.73	Vertical
5	15198.2083	-36.85	40.01	-48.82	-40.00	8.82	Vertical
6	17547.1667	-42.18	44.69	-49.75	-40.00	9.75	Vertical



Report No.: SUCR260500042410

Page: 48 of 53

1.95. Test Band = _LTE-Band66 TM1

1.95.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3517.5	-44.22	29.23	-56.38	-13.00	43.38	Horizontal
2	5172.75	-41.41	32.15	-57.04	-13.00	44.04	Horizontal
3	6551.25	-40.36	34.80	-54.92	-13.00	41.92	Horizontal
4	8027.25	-40.33	36.48	-54.86	-13.00	41.86	Horizontal
5	9627.75	-40.57	38.27	-53.83	-13.00	40.83	Horizontal
6	11400.75	-40.23	40.60	-50.33	-13.00	37.33	Horizontal

1.96. Test Band = _LTE-Band66 TM1

1.96.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3501.75	-44.20	29.29	-58.66	-13.00	45.66	Vertical
2	5710.5	-40.31	32.67	-55.51	-13.00	42.51	Vertical
3	7631.25	-40.45	36.84	-53.95	-13.00	40.95	Vertical
4	10716.75	-40.29	39.22	-51.76	-13.00	38.76	Vertical
5	13663.5	-40.39	40.46	-50.52	-13.00	37.52	Vertical
6	16963.5	-39.16	40.82	-50.61	-13.00	37.61	Vertical



Report No.: SUCR260500042410

Page: 49 of 53

1.97. Test Band = _LTE-Band66 TM1

1.97.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3598.5	-44.29	29.20	-56.94	-13.00	43.94	Horizontal
2	5412.75	-41.09	32.28	-56.91	-13.00	43.91	Horizontal
3	7190.25	-40.25	36.26	-54.16	-13.00	41.16	Horizontal
4	8662.5	-40.25	36.75	-55.23	-13.00	42.23	Horizontal
5	10646.25	-40.59	39.09	-52.45	-13.00	39.45	Horizontal
6	13643.25	-40.41	40.44	-50.88	-13.00	37.88	Horizontal

1.98. Test Band = _LTE-Band66 TM1

1.98.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3815.25	-43.53	29.54	-60.62	-13.00	47.62	Vertical
2	5217.75	-41.31	32.09	-57.13	-13.00	44.13	Vertical
3	6824.25	-40.23	35.80	-54.35	-13.00	41.35	Vertical
4	8555.25	-40.19	36.89	-55.03	-13.00	42.03	Vertical
5	10700.25	-40.28	39.20	-51.98	-13.00	38.98	Vertical
6	12480	-40.15	39.34	-51.51	-13.00	38.51	Vertical



Report No.: SUCR260500042410

Page: 50 of 53

1.99. Test Band = _LTE-Band66 TM1

1.99.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3621	-44.16	29.33	-61.01	-13.00	48.01	Horizontal
2	5188.5	-41.37	32.18	-57.20	-13.00	44.20	Horizontal
3	6821.25	-40.20	35.79	-54.95	-13.00	41.95	Horizontal
4	8584.5	-40.13	36.83	-54.74	-13.00	41.74	Horizontal
5	10318.5	-40.36	39.42	-52.57	-13.00	39.57	Horizontal
6	12477.75	-40.15	39.34	-51.56	-13.00	38.56	Horizontal

1.100. Test Band = _LTE-Band66 TM1

1.100.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3518.25	-44.22	29.23	-59.81	-13.00	46.81	Vertical
2	4828.5	-42.02	30.99	-58.29	-13.00	45.29	Vertical
3	6200.25	-40.34	33.80	-55.56	-13.00	42.56	Vertical
4	7638	-40.43	36.82	-54.26	-13.00	41.26	Vertical
5	9576	-40.73	37.96	-54.24	-13.00	41.24	Vertical
6	12107.25	-40.14	39.81	-50.82	-13.00	37.82	Vertical



Report No.: SUCR260500042410

Page: 51 of 53

1.101. Test Band = _LTE-Band71 TM1

1.101.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1445	-46.89	25.42	-67.78	-13.00	54.78	Horizontal
2	2464	-45.60	27.56	-58.70	-13.00	45.70	Horizontal
3	3610	-44.42	29.26	-61.50	-13.00	48.50	Horizontal
4	4800.5	-42.11	31.10	-58.62	-13.00	45.62	Horizontal
5	6185.5	-39.57	33.74	-54.82	-13.00	41.82	Horizontal
6	7615	-36.86	36.87	-50.67	-13.00	37.67	Horizontal

1.102. Test Band = _LTE-Band71 TM1

1.102.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1440	-46.88	25.34	-66.43	-13.00	53.43	Vertical
2	2460	-45.61	27.54	-59.39	-13.00	46.39	Vertical
3	3792	-43.94	29.65	-61.03	-13.00	48.03	Vertical
4	5578	-40.49	32.72	-56.51	-13.00	43.51	Vertical
5	7348	-37.09	36.80	-51.38	-13.00	38.38	Vertical
6	8623.5	-34.95	36.75	-49.69	-13.00	36.69	Vertical



Report No.: SUCR260500042410

Page: 52 of 53

1.103. Test Band = _LTE-Band71 TM1

1.103.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1337	-47.00	25.12	-67.97	-13.00	54.97	Horizontal
2	2462.5	-45.60	27.55	-58.35	-13.00	45.35	Horizontal
3	3517.5	-44.42	29.23	-52.87	-13.00	39.87	Horizontal
4	4795.5	-42.12	31.02	-58.88	-13.00	45.88	Horizontal
5	6132.5	-39.41	33.64	-54.98	-13.00	41.98	Horizontal
6	7591.5	-36.95	36.87	-50.53	-13.00	37.53	Horizontal

1.104. Test Band = _LTE-Band71 TM1

1.104.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1440	-46.88	25.34	-66.42	-13.00	53.42	Vertical
2	2172.5	-46.09	26.88	-52.65	-13.00	39.65	Vertical
3	2826	-44.94	28.55	-63.10	-13.00	50.10	Vertical
4	3517.5	-44.42	29.23	-56.23	-13.00	43.23	Vertical
5	4340	-42.33	30.02	-59.15	-13.00	46.15	Vertical
6	5726	-40.25	32.49	-56.22	-13.00	43.22	Vertical



Report No.: SUCR260500042410

Page: 53 of 53

1.105. Test Band = _LTE-Band71 TM1

1.105.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1773	-46.52	25.28	-67.92	-13.00	54.92	Horizontal
2	2461	-45.60	27.54	-56.69	-13.00	43.69	Horizontal
3	3519	-44.43	29.22	-57.28	-13.00	44.28	Horizontal
4	5122.5	-41.64	31.94	-57.90	-13.00	44.90	Horizontal
5	6509	-39.01	34.64	-53.79	-13.00	40.79	Horizontal
6	8020	-35.84	36.54	-50.14	-13.00	37.14	Horizontal

1.106. Test Band = _LTE-Band71 TM1

1.106.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1440	-46.88	25.34	-65.72	-13.00	52.72	Vertical
2	2460	-45.61	27.54	-57.39	-13.00	44.39	Vertical
3	3501.5	-44.41	29.29	-55.53	-13.00	42.53	Vertical
4	4807.5	-42.11	31.07	-58.69	-13.00	45.69	Vertical
5	6205	-39.61	33.77	-55.07	-13.00	42.07	Vertical
6	7515.5	-36.83	36.84	-51.01	-13.00	38.01	Vertical

---End of Attachment---