



Report No.: SUCR260500042411

Page: 1 of 44

Appendix B.4

1.1. Test Band = SA N2_ TM1

1.1.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3823.875	44.92	-46.75	31.06	-66.03	-13.00	53.03	Horizontal
2	5723.625	44.09	-45.85	33.54	-63.47	-13.00	50.47	Horizontal
3	7744.5	41.68	-43.08	36.79	-59.87	-13.00	46.87	Horizontal
4	10470	38.58	-39.34	38.42	-57.60	-13.00	44.60	Horizontal
5	13623.75	37.43	-36.34	39.92	-54.25	-13.00	41.25	Horizontal
6	17923.5	37.33	-34.88	42.72	-50.09	-13.00	37.09	Horizontal

1.2. Test Band = SA N2_ TM1

1.2.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3543.75	44.85	-46.89	29.91	-67.39	-13.00	54.39	Vertical
2	5067.375	44.31	-46.06	33.53	-63.47	-13.00	50.47	Vertical
3	7207.5	42.58	-44.54	36.87	-60.35	-13.00	47.35	Vertical
4	11238.75	39.23	-37.84	38.88	-54.99	-13.00	41.99	Vertical
5	14108.25	37.02	-36.49	39.83	-54.90	-13.00	41.90	Vertical
6	17976.375	37.52	-35.44	42.98	-50.20	-13.00	37.20	Vertical



Report No.: SUCR260500042411

Page: 2 of 44

1.3. Test Band = SA N2_ TM1

1.3.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.125	47.37	-46.28	30.32	-63.85	-13.00	50.85	Horizontal
2	5065.875	44.05	-46.05	33.53	-63.73	-13.00	50.73	Horizontal
3	8204.25	40.97	-42.58	37.39	-59.48	-13.00	46.48	Horizontal
4	11138.625	39.58	-38.10	39.05	-54.74	-13.00	41.74	Horizontal
5	13788.75	37.35	-36.90	39.91	-54.90	-13.00	41.90	Horizontal
6	17917.125	37.07	-34.81	42.69	-50.32	-13.00	37.32	Horizontal

1.4. Test Band = SA N2_ TM1

1.4.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.125	46.78	-46.28	30.32	-64.44	-13.00	51.44	Vertical
2	5211	44.52	-45.36	32.82	-63.28	-13.00	50.28	Vertical
3	7484.25	45.50	-43.56	36.49	-56.82	-13.00	43.82	Vertical
4	10768.5	38.24	-38.68	38.87	-56.82	-13.00	43.82	Vertical
5	13610.625	37.03	-36.23	39.91	-54.55	-13.00	41.55	Vertical
6	17914.875	37.18	-34.79	42.67	-50.19	-13.00	37.19	Vertical



Report No.: SUCR260500042411

Page: 3 of 44

1.5. Test Band = SA N2_ TM1

1.5.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3782.25	46.00	-46.67	30.92	-65.01	-13.00	52.01	Horizontal
2	5029.5	43.98	-45.91	33.30	-63.90	-13.00	50.90	Horizontal
3	6390	43.32	-45.21	35.00	-62.15	-13.00	49.15	Horizontal
4	9769.875	38.83	-39.63	38.02	-58.04	-13.00	45.04	Horizontal
5	13170.75	37.58	-37.18	39.74	-55.12	-13.00	42.12	Horizontal
6	17998.125	38.66	-35.67	43.09	-49.18	-13.00	36.18	Horizontal

1.6. Test Band = SA N2_ TM1

1.6.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3753.75	44.84	-46.40	30.46	-66.36	-13.00	53.36	Vertical
2	4878.375	44.75	-46.12	32.93	-63.70	-13.00	50.70	Vertical
3	6616.875	43.32	-45.21	35.70	-61.45	-13.00	48.45	Vertical
4	9835.125	38.99	-39.69	38.20	-57.76	-13.00	44.76	Vertical
5	13373.625	39.07	-38.27	39.87	-54.59	-13.00	41.59	Vertical
6	17909.625	37.16	-34.73	42.65	-50.18	-13.00	37.18	Vertical



Report No.: SUCR260500042411

Page: 4 of 44

1.7. Test Band = SA N5_ TM1

1.7.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1125.1429	46.60	-48.40	26.30	-70.76	-13.00	57.76	Horizontal
2	1649.1429	59.87	-48.79	26.09	-58.08	-13.00	45.08	Horizontal
3	2496.5714	45.13	-47.47	27.90	-69.70	-13.00	56.70	Horizontal
4	4192.5714	43.32	-45.89	30.99	-66.85	-13.00	53.85	Horizontal
5	6369.7143	43.24	-45.31	34.80	-62.53	-13.00	49.53	Horizontal
6	8981.7143	38.69	-40.79	38.16	-59.19	-13.00	46.19	Horizontal

1.8. Test Band = SA N5_ TM1

1.8.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1125.1429	47.33	-48.40	26.30	-70.03	-13.00	57.03	Vertical
2	1649.1429	54.14	-48.79	26.09	-63.81	-13.00	50.81	Vertical
3	2368.5714	45.25	-48.66	27.45	-71.22	-13.00	58.22	Vertical
4	3261.1429	44.43	-47.28	30.13	-67.98	-13.00	54.98	Vertical
5	4849.7143	43.75	-46.11	33.10	-64.53	-13.00	51.53	Vertical
6	8396	41.48	-41.70	37.08	-58.40	-13.00	45.40	Vertical



Report No.: SUCR260500042411

Page: 5 of 44

1.9. Test Band = SA N5_ TM1

1.9.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1174.8571	47.83	-49.03	26.15	-70.31	-13.00	57.31	Horizontal
2	1664	60.25	-48.82	25.93	-57.90	-13.00	44.90	Horizontal
3	2517.7143	45.15	-47.56	27.97	-69.70	-13.00	56.70	Horizontal
4	3880.5714	43.57	-46.46	30.72	-67.44	-13.00	54.44	Horizontal
5	5897.1429	42.94	-45.58	34.39	-63.50	-13.00	50.50	Horizontal
6	8864	39.80	-41.62	37.80	-59.28	-13.00	46.28	Horizontal

1.10. Test Band = SA N5_ TM1

1.10.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1300	46.87	-48.75	25.60	-71.54	-13.00	58.54	Vertical
2	1664	53.70	-48.82	25.93	-64.45	-13.00	51.45	Vertical
3	3082.8571	44.72	-46.69	29.77	-67.45	-13.00	54.45	Vertical
4	4844	43.66	-46.10	33.08	-64.63	-13.00	51.63	Vertical
5	6722.8571	42.77	-44.43	36.01	-60.91	-13.00	47.91	Vertical
6	9000	38.37	-40.61	38.20	-59.30	-13.00	46.30	Vertical



Report No.: SUCR260500042411

Page: 6 of 44

1.11. Test Band = SA N5_ TM1

1.11.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1125.1429	47.06	-48.40	26.30	-70.30	-13.00	57.30	Horizontal
2	1678.8571	57.02	-48.85	25.75	-61.33	-13.00	48.33	Horizontal
3	2764.5714	44.56	-47.12	28.70	-69.12	-13.00	56.12	Horizontal
4	4198.8571	43.44	-45.86	31.00	-66.68	-13.00	53.68	Horizontal
5	6701.7143	42.20	-44.39	36.09	-61.36	-13.00	48.36	Horizontal
6	8981.1429	38.96	-40.79	38.16	-58.93	-13.00	45.93	Horizontal

1.12. Test Band = SA N5_ TM1

1.12.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1125.1429	47.44	-48.40	26.30	-69.92	-13.00	56.92	Vertical
2	1679.4286	52.90	-48.85	25.75	-65.46	-13.00	52.46	Vertical
3	2568	44.70	-47.97	28.14	-70.39	-13.00	57.39	Vertical
4	4200.5714	43.29	-45.86	31.01	-66.82	-13.00	53.82	Vertical
5	6368	43.19	-45.31	34.78	-62.60	-13.00	49.60	Vertical
6	8999.4286	38.73	-40.62	38.20	-58.95	-13.00	45.95	Vertical



Report No.: SUCR260500042411

Page: 7 of 44

1.13. Test Band = SA N7_ TM1

1.13.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3758.25	45.67	-46.44	30.53	-65.50	-25.00	40.50	Horizontal
2	5195.25	44.78	-45.33	32.84	-62.97	-25.00	37.97	Horizontal
3	6696.75	43.87	-44.30	36.09	-59.60	-25.00	34.60	Horizontal
4	9780.75	39.72	-39.54	38.08	-56.99	-25.00	31.99	Horizontal
5	13660.125	38.58	-36.65	39.96	-53.37	-25.00	28.37	Horizontal
6	17909.625	39.22	-34.73	42.65	-48.12	-25.00	23.12	Horizontal

1.14. Test Band = SA N7_ TM1

1.14.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3795.75	45.10	-46.80	31.13	-65.83	-25.00	40.83	Vertical
2	5180.25	44.93	-45.47	32.96	-62.84	-25.00	37.84	Vertical
3	7241.625	43.76	-44.26	36.73	-59.03	-25.00	34.03	Vertical
4	10520.25	40.84	-39.64	38.44	-55.61	-25.00	30.61	Vertical
5	14007.75	38.79	-36.95	40.08	-53.34	-25.00	28.34	Vertical
6	17910.75	39.82	-34.74	42.65	-47.53	-25.00	22.53	Vertical



Report No.: SUCR260500042411

Page: 8 of 44

1.15. Test Band = SA N7_ TM1

1.15.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3895.875	46.41	-46.49	30.62	-64.71	-25.00	39.71	Horizontal
2	5859	44.63	-45.62	34.32	-61.93	-25.00	36.93	Horizontal
3	7248.375	44.01	-44.20	36.71	-58.75	-25.00	33.75	Horizontal
4	11211	39.56	-37.27	38.82	-54.14	-25.00	29.14	Horizontal
5	14044.125	38.61	-36.75	39.97	-53.43	-25.00	28.43	Horizontal
6	17914.5	39.60	-34.78	42.67	-47.77	-25.00	22.77	Horizontal

1.16. Test Band = SA N7_ TM1

1.16.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3754.5	46.33	-46.40	30.47	-64.86	-25.00	39.86	Vertical
2	5025	45.11	-45.90	33.25	-62.80	-25.00	37.80	Vertical
3	6665.625	44.02	-44.65	35.96	-59.93	-25.00	34.93	Vertical
4	9003.375	40.62	-40.46	38.19	-56.91	-25.00	31.91	Vertical
5	11946.375	39.80	-38.38	38.80	-55.04	-25.00	30.04	Vertical
6	17949	39.91	-35.15	42.85	-47.65	-25.00	22.65	Vertical



Report No.: SUCR260500042411

Page: 9 of 44

1.17. Test Band = SA N7_ TM1

1.17.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3769.5	45.23	-46.55	30.71	-65.87	-25.00	40.87	Horizontal
2	4813.875	45.15	-45.95	32.96	-63.11	-25.00	38.11	Horizontal
3	6729.375	44.03	-44.34	35.98	-59.59	-25.00	34.59	Horizontal
4	8972.25	41.49	-40.71	38.14	-56.33	-25.00	31.33	Horizontal
5	12403.125	39.60	-38.07	39.09	-54.63	-25.00	29.63	Horizontal
6	17907.375	39.34	-34.71	42.64	-47.99	-25.00	22.99	Horizontal

1.18. Test Band = SA N7_ TM1

1.18.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3763.125	45.69	-46.49	30.61	-65.45	-25.00	40.45	Vertical
2	5221.125	45.25	-45.42	32.84	-62.59	-25.00	37.59	Vertical
3	7287	43.12	-43.89	36.48	-59.55	-25.00	34.55	Vertical
4	10720.125	40.86	-39.44	38.68	-55.16	-25.00	30.16	Vertical
5	13608.75	38.18	-36.21	39.91	-53.39	-25.00	28.39	Vertical
6	17925	39.24	-34.90	42.73	-48.19	-25.00	23.19	Vertical



Report No.: SUCR260500042411

Page: 10 of 44

1.19. Test Band = SA N14_5M_ TM1

1.19.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1125.1429	46.96	-48.40	26.30	-70.40	-13.00	57.40	Horizontal
2	1576.5714	53.14	-48.65	25.71	-65.06	-40.00	25.06	Horizontal
3	2314.8571	45.16	-48.43	27.16	-71.37	-13.00	58.37	Horizontal
4	3826.8571	43.94	-46.81	31.04	-67.09	-13.00	54.09	Horizontal
5	5962.2857	43.67	-45.84	34.25	-63.18	-13.00	50.18	Horizontal
6	8398.2857	41.34	-41.64	37.09	-58.47	-13.00	45.47	Horizontal

1.20. Test Band = SA N14_5M_ TM1

1.20.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1174.8571	48.61	-49.03	26.15	-69.53	-13.00	56.53	Vertical
2	1576.5714	49.63	-48.65	25.71	-68.57	-40.00	28.57	Vertical
3	2676	44.72	-47.70	28.40	-69.83	-13.00	56.83	Vertical
4	4032.5714	43.74	-47.02	31.40	-67.14	-13.00	54.14	Vertical
5	5826.8571	43.34	-45.72	34.21	-63.44	-13.00	50.44	Vertical
6	7944	41.44	-43.16	37.23	-59.75	-13.00	46.75	Vertical



Report No.: SUCR260500042411

Page: 11 of 44

1.21. Test Band = SA N14_5M_ TM1

1.21.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1125.1429	48.25	-48.40	26.30	-69.11	-13.00	56.11	Horizontal
2	1581.7143	51.29	-48.66	25.73	-66.90	-40.00	26.90	Horizontal
3	2372.5714	47.33	-48.67	27.48	-69.12	-13.00	56.12	Horizontal
4	4366.8571	43.73	-46.46	31.83	-66.16	-13.00	53.16	Horizontal
5	6714.8571	42.29	-44.42	36.04	-61.35	-13.00	48.35	Horizontal
6	8866.2857	40.09	-41.62	37.80	-58.99	-13.00	45.99	Horizontal

1.22. Test Band = SA N14_5M_ TM1

1.22.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1225.1429	50.54	-49.20	25.60	-68.32	-13.00	55.32	Vertical
2	1581.7143	49.47	-48.66	25.73	-68.72	-40.00	28.72	Vertical
3	2764.5714	44.56	-47.12	28.70	-69.12	-13.00	56.12	Vertical
4	4356.5714	44.07	-46.51	31.93	-65.77	-13.00	52.77	Vertical
5	6735.4286	42.45	-44.46	35.96	-61.31	-13.00	48.31	Vertical
6	8864.5714	40.02	-41.62	37.80	-59.06	-13.00	46.06	Vertical



Report No.: SUCR260500042411

Page: 12 of 44

1.23. Test Band = SA N14_5M_ TM1

1.23.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1124.5714	47.50	-48.39	26.30	-69.86	-13.00	56.86	Horizontal
2	1586.8571	51.37	-48.67	25.75	-66.81	-40.00	26.81	Horizontal
3	2380	47.87	-48.71	27.54	-68.56	-13.00	55.56	Horizontal
4	3864.5714	44.52	-46.57	30.81	-66.49	-13.00	53.49	Horizontal
5	5797.7143	43.76	-45.77	34.08	-63.19	-13.00	50.19	Horizontal
6	8997.7143	38.54	-40.63	38.20	-59.16	-13.00	46.16	Horizontal

1.24. Test Band = SA N14_5M_ TM1

1.24.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1125.1429	49.49	-48.40	26.30	-67.87	-13.00	54.87	Vertical
2	1600	48.78	-48.69	25.80	-69.37	-40.00	29.37	Vertical
3	2484.5714	45.19	-47.63	27.90	-69.80	-13.00	56.80	Vertical
4	4373.1429	43.91	-46.43	31.77	-66.01	-13.00	53.01	Vertical
5	6733.1429	42.54	-44.45	35.97	-61.21	-13.00	48.21	Vertical
6	8998.2857	39.00	-40.63	38.20	-58.69	-13.00	45.69	Vertical



Report No.: SUCR260500042411

Page: 13 of 44

1.25. Test Band = SA N14_10M_ TM1

1.25.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1125.1429	47.46	-48.40	26.30	-69.90	-13.00	56.90	Horizontal
2	1577.1429	53.48	-48.65	25.71	-64.72	-40.00	24.72	Horizontal
3	2365.7143	48.48	-48.65	27.43	-68.00	-13.00	55.00	Horizontal
4	3576.5714	44.76	-46.88	29.85	-67.53	-13.00	54.53	Horizontal
5	5186.8571	43.50	-45.19	32.91	-64.04	-13.00	51.04	Horizontal
6	8994.2857	38.85	-40.66	38.19	-58.89	-13.00	45.89	Horizontal

1.26. Test Band = SA N14_10M_ TM1

1.26.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1125.1429	48.25	-48.40	26.30	-69.11	-13.00	56.11	Vertical
2	1577.1429	50.34	-48.65	25.71	-67.86	-40.00	27.86	Vertical
3	2132	45.20	-48.10	27.52	-70.64	-13.00	57.64	Vertical
4	3577.1429	44.32	-46.87	29.85	-67.97	-13.00	54.97	Vertical
5	4813.1429	43.58	-46.04	32.95	-64.77	-13.00	51.77	Vertical
6	8864.5714	40.13	-41.62	37.80	-58.95	-13.00	45.95	Vertical



Report No.: SUCR260500042411

Page: 14 of 44

1.27. Test Band = SA N25_ TM1

1.27.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702.375	46.71	-45.90	29.92	-64.53	-13.00	51.53	Horizontal
2	5838.75	44.22	-45.72	34.26	-62.50	-13.00	49.50	Horizontal
3	7404.375	44.63	-44.77	36.43	-58.98	-13.00	45.98	Horizontal
4	10862.25	37.81	-38.13	39.06	-56.52	-13.00	43.52	Horizontal
5	14319	36.75	-36.18	39.96	-54.73	-13.00	41.73	Horizontal
6	17914.125	37.41	-34.78	42.67	-49.96	-13.00	36.96	Horizontal

1.28. Test Band = SA N25_ TM1

1.28.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3737.625	44.61	-46.24	30.28	-66.61	-13.00	53.61	Vertical
2	4819.5	44.46	-45.97	32.98	-63.79	-13.00	50.79	Vertical
3	6749.625	43.23	-44.40	35.90	-60.53	-13.00	47.53	Vertical
4	9006	40.03	-40.49	38.18	-57.54	-13.00	44.54	Vertical
5	12388.875	38.49	-38.12	39.07	-55.82	-13.00	42.82	Vertical
6	17922.375	37.38	-34.87	42.71	-50.04	-13.00	37.04	Vertical



Report No.: SUCR260500042411

Page: 15 of 44

1.29. Test Band = SA N25_ TM1

1.29.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3739.875	44.61	-46.26	30.30	-66.61	-13.00	53.61	Horizontal
2	5166	44.14	-45.59	33.07	-63.64	-13.00	50.64	Horizontal
3	7020.75	43.39	-44.33	35.96	-60.25	-13.00	47.25	Horizontal
4	8999.25	40.34	-40.43	38.20	-57.15	-13.00	44.15	Horizontal
5	12100.5	37.26	-36.80	39.00	-55.80	-13.00	42.80	Horizontal
6	17878.875	37.53	-35.14	42.45	-50.41	-13.00	37.41	Horizontal

1.30. Test Band = SA N25_ TM1

1.30.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3715.5	44.52	-46.03	30.06	-66.71	-13.00	53.71	Vertical
2	5164.125	44.61	-45.61	33.09	-63.17	-13.00	50.17	Vertical
3	6832.5	44.34	-44.90	35.67	-60.16	-13.00	47.16	Vertical
4	9804.75	38.96	-39.42	38.20	-57.52	-13.00	44.52	Vertical
5	13603.125	36.63	-36.17	39.90	-54.89	-13.00	41.89	Vertical
6	17918.625	37.28	-34.83	42.69	-50.11	-13.00	37.11	Vertical



Report No.: SUCR260500042411

Page: 16 of 44

1.31. Test Band = SA N25_ TM1

1.31.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3761.625	44.73	-46.47	30.59	-66.42	-13.00	53.42	Horizontal
2	5019.75	44.48	-45.88	33.20	-63.46	-13.00	50.46	Horizontal
3	6660.75	43.62	-44.71	35.94	-60.40	-13.00	47.40	Horizontal
4	9016.125	40.42	-40.61	38.14	-57.31	-13.00	44.31	Horizontal
5	13363.875	37.96	-38.24	39.86	-55.68	-13.00	42.68	Horizontal
6	17906.625	37.73	-34.70	42.63	-49.60	-13.00	36.60	Horizontal

1.32. Test Band = SA N25_ TM1

1.32.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3543.75	44.41	-46.89	29.91	-67.83	-13.00	54.83	Vertical
2	4840.875	44.67	-46.02	33.06	-63.55	-13.00	50.55	Vertical
3	6757.125	43.23	-44.42	35.86	-60.59	-13.00	47.59	Vertical
4	9375.375	40.15	-41.09	38.25	-57.95	-13.00	44.95	Vertical
5	13033.5	37.18	-37.22	39.73	-55.57	-13.00	42.57	Vertical
6	17966.625	38.37	-35.34	42.93	-49.29	-13.00	36.29	Vertical



Report No.: SUCR260500042411

Page: 17 of 44

1.33. Test Band = SA N30_ TM1

1.33.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3564.5	44.80	-46.72	29.87	-67.31	-40.00	27.31	Horizontal
2	4611	47.93	-45.96	31.96	-61.33	-40.00	21.33	Horizontal
3	6916	46.54	-45.44	36.10	-58.06	-40.00	18.06	Horizontal
4	11526.5	47.79	-37.23	38.90	-45.80	-40.00	5.80	Horizontal
5	13832	40.68	-36.85	39.84	-51.59	-40.00	11.59	Horizontal
6	17961.5	38.29	-35.28	42.91	-49.34	-40.00	9.34	Horizontal

1.34. Test Band = SA N30_ TM1

1.34.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3744	45.06	-46.30	30.34	-66.16	-40.00	26.16	Vertical
2	4610.5	46.58	-45.95	31.96	-62.67	-40.00	22.67	Vertical
3	6417	44.09	-45.25	35.13	-61.28	-40.00	21.28	Vertical
4	11526.5	47.80	-37.23	38.90	-45.79	-40.00	5.79	Vertical
5	13832	41.32	-36.85	39.84	-50.95	-40.00	10.95	Vertical
6	16137	46.17	-37.61	38.50	-48.20	-40.00	8.20	Vertical



Report No.: SUCR260500042411

Page: 18 of 44

1.35. Test Band = SA N30_ TM1

1.35.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3253	45.33	-46.79	30.18	-66.54	-40.00	26.54	Horizontal
2	4615.5	46.29	-45.99	31.94	-63.02	-40.00	23.02	Horizontal
3	6923.5	46.30	-45.34	36.10	-58.20	-40.00	18.20	Horizontal
4	11539	47.00	-37.08	38.90	-46.44	-40.00	6.44	Horizontal
5	13847	41.86	-36.83	39.81	-50.42	-40.00	10.42	Horizontal
6	16155	42.54	-37.64	38.50	-51.86	-40.00	11.86	Horizontal

1.36. Test Band = SA N30_ TM1

1.36.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3577	44.92	-46.62	29.85	-67.12	-40.00	27.12	Vertical
2	4615.5	46.84	-45.99	31.94	-62.47	-40.00	22.47	Vertical
3	6923.5	45.52	-45.34	36.10	-58.98	-40.00	18.98	Vertical
4	11539	48.55	-37.08	38.90	-44.89	-40.00	4.89	Vertical
5	13847	43.32	-36.83	39.81	-48.96	-40.00	8.96	Vertical
6	16155	45.01	-37.64	38.50	-49.39	-40.00	9.39	Vertical



Report No.: SUCR260500042411

Page: 19 of 44

1.37. Test Band = SA N30_ TM1

1.37.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3632.5	45.36	-46.26	29.74	-66.42	-40.00	26.42	Horizontal
2	5172	45.08	-45.54	33.02	-62.70	-40.00	22.70	Horizontal
3	6931	46.37	-45.24	36.10	-58.03	-40.00	18.03	Horizontal
4	11551.5	48.06	-36.94	38.90	-45.24	-40.00	5.24	Horizontal
5	13862	42.48	-36.81	39.78	-49.81	-40.00	9.81	Horizontal
6	16172.5	40.72	-37.67	38.50	-53.71	-40.00	13.71	Horizontal

1.38. Test Band = SA N30_ TM1

1.38.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4620.5	45.76	-46.02	31.92	-63.60	-40.00	23.60	Vertical
2	6930.5	45.86	-45.25	36.10	-58.55	-40.00	18.55	Vertical
3	9241.5	41.87	-41.71	38.08	-57.01	-40.00	17.01	Vertical
4	11551.5	47.86	-36.94	38.90	-45.44	-40.00	5.44	Vertical
5	13862	42.94	-36.81	39.78	-49.35	-40.00	9.35	Vertical
6	16172	44.84	-37.67	38.50	-49.59	-40.00	9.59	Vertical



Report No.: SUCR260500042411

Page: 20 of 44

1.39. Test Band = SA N38_ TM1

1.39.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3277.125	44.79	-46.95	30.04	-67.38	-25.00	42.38	Horizontal
2	5142	47.03	-45.81	33.26	-60.77	-25.00	35.77	Horizontal
3	7089	43.36	-44.42	36.13	-60.18	-25.00	35.18	Horizontal
4	10284.75	41.74	-40.00	38.38	-55.14	-25.00	30.14	Horizontal
5	12855.375	47.76	-38.39	39.51	-46.38	-25.00	21.38	Horizontal
6	17911.5	39.70	-34.75	42.66	-47.65	-25.00	22.65	Horizontal

1.40. Test Band = SA N38_ TM1

1.40.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3280.875	45.01	-46.97	30.01	-67.21	-25.00	42.21	Vertical
2	5142	47.24	-45.81	33.26	-60.56	-25.00	35.56	Vertical
3	7713.375	44.60	-43.23	36.73	-57.16	-25.00	32.16	Vertical
4	10284.375	43.50	-40.00	38.38	-53.37	-25.00	28.37	Vertical
5	12855.375	49.23	-38.39	39.51	-44.91	-25.00	19.91	Vertical
6	17887.125	39.48	-34.94	42.51	-48.21	-25.00	23.21	Vertical



Report No.: SUCR260500042411

Page: 21 of 44

1.41. Test Band = SA N38_ TM1

1.41.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3689.25	45.53	-45.94	29.86	-65.81	-25.00	40.81	Horizontal
2	5172	50.38	-45.54	33.02	-57.40	-25.00	32.40	Horizontal
3	7758.375	44.95	-43.02	36.78	-56.54	-25.00	31.54	Horizontal
4	10344.75	44.35	-39.74	38.53	-52.12	-25.00	27.12	Horizontal
5	12930.75	50.07	-38.29	39.66	-43.82	-25.00	18.82	Horizontal
6	17916.75	39.84	-34.81	42.68	-47.54	-25.00	22.54	Horizontal

1.42. Test Band = SA N38_ TM1

1.42.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3649.875	46.07	-46.16	29.70	-65.65	-25.00	40.65	Vertical
2	5172.375	46.88	-45.54	33.02	-60.89	-25.00	35.89	Vertical
3	7758.375	46.76	-43.02	36.78	-54.73	-25.00	29.73	Vertical
4	10380	41.34	-39.42	38.64	-54.70	-25.00	29.70	Vertical
5	12930	52.15	-38.31	39.66	-41.76	-25.00	16.76	Vertical
6	17905.875	39.62	-34.69	42.63	-47.70	-25.00	22.70	Vertical



Report No.: SUCR260500042411

Page: 22 of 44

1.43. Test Band = SA N38_ TM1

1.43.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3534.375	45.72	-46.97	29.93	-66.57	-25.00	41.57	Horizontal
2	5202.375	49.88	-45.30	32.80	-57.88	-25.00	32.88	Horizontal
3	7803.375	45.88	-42.82	36.69	-55.51	-25.00	30.51	Horizontal
4	10404.375	41.10	-39.24	38.68	-54.71	-25.00	29.71	Horizontal
5	13005.75	45.30	-36.96	39.79	-47.13	-25.00	22.13	Horizontal
6	17906.25	39.43	-34.70	42.63	-47.90	-25.00	22.90	Horizontal

1.44. Test Band = SA N38_ TM1

1.44.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3557.625	45.20	-46.78	29.88	-66.95	-25.00	41.95	Vertical
2	5202.375	48.52	-45.30	32.80	-59.24	-25.00	34.24	Vertical
3	8401.875	42.91	-41.57	37.12	-56.80	-25.00	31.80	Vertical
4	10440	41.60	-39.29	38.54	-54.41	-25.00	29.41	Vertical
5	13005.375	53.42	-36.95	39.79	-39.00	-25.00	14.00	Vertical
6	17902.5	39.79	-34.66	42.61	-47.51	-25.00	22.51	Vertical



Report No.: SUCR260500042411

Page: 23 of 44

1.45. Test Band = SA N41_ TM1

1.45.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3234	45.36	-46.66	30.14	-66.43	-25.00	41.43	Horizontal
2	4994.25	54.59	-45.82	32.98	-53.51	-25.00	28.51	Horizontal
3	7491	44.78	-43.46	36.45	-57.48	-25.00	32.48	Horizontal
4	9988.5	52.66	-41.61	38.23	-45.97	-25.00	20.97	Horizontal
5	12485.625	53.55	-37.98	38.93	-40.77	-25.00	15.77	Horizontal
6	17908.125	38.96	-34.72	42.64	-48.38	-25.00	23.38	Horizontal

1.46. Test Band = SA N41_ TM1

1.46.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3278.25	45.90	-46.96	30.03	-66.29	-25.00	41.29	Vertical
2	4994.25	48.18	-45.82	32.98	-59.92	-25.00	34.92	Vertical
3	7491.375	45.33	-43.45	36.45	-56.93	-25.00	31.93	Vertical
4	9988.5	57.84	-41.61	38.23	-40.79	-25.00	15.79	Vertical
5	12485.25	56.91	-37.98	38.93	-37.41	-25.00	12.41	Vertical
6	14982.375	43.04	-36.95	39.48	-49.68	-25.00	24.68	Vertical



Report No.: SUCR260500042411

Page: 24 of 44

1.47. Test Band = SA N41_ TM1

1.47.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3774.375	45.16	-46.59	30.79	-65.90	-25.00	40.90	Horizontal
2	5167.875	50.91	-45.58	33.06	-56.87	-25.00	31.87	Horizontal
3	7752	45.30	-43.05	36.80	-56.21	-25.00	31.21	Horizontal
4	10336.5	45.77	-39.82	38.51	-50.80	-25.00	25.80	Horizontal
5	12920.625	51.72	-38.50	39.64	-42.39	-25.00	17.39	Horizontal
6	17904	39.29	-34.67	42.62	-48.02	-25.00	23.02	Horizontal

1.48. Test Band = SA N41_ TM1

1.48.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3796.5	45.03	-46.81	31.14	-65.89	-25.00	40.89	Vertical
2	5168.25	48.78	-45.57	33.05	-59.00	-25.00	34.00	Vertical
3	7752	45.92	-43.05	36.80	-55.59	-25.00	30.59	Vertical
4	10336.5	41.91	-39.82	38.51	-54.66	-25.00	29.66	Vertical
5	12920.625	55.50	-38.50	39.64	-38.61	-25.00	13.61	Vertical
6	15504.375	42.40	-38.16	39.20	-51.82	-25.00	26.82	Vertical



Report No.: SUCR260500042411

Page: 25 of 44

1.49. Test Band = SA N41_ TM1

1.49.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3592.875	45.68	-46.50	29.81	-66.26	-25.00	41.26	Horizontal
2	5342.25	49.46	-45.63	33.30	-58.13	-25.00	33.13	Horizontal
3	7259.625	43.31	-44.11	36.64	-59.42	-25.00	34.42	Horizontal
4	10684.5	42.87	-39.90	38.66	-53.62	-25.00	28.62	Horizontal
5	13355.625	45.58	-38.22	39.86	-48.04	-25.00	23.04	Horizontal
6	17900.625	39.08	-34.64	42.60	-48.21	-25.00	23.21	Horizontal

1.50. Test Band = SA N41_ TM1

1.50.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3897.375	45.85	-46.48	30.62	-65.27	-25.00	40.27	Vertical
2	5342.25	47.89	-45.63	33.30	-59.70	-25.00	34.70	Vertical
3	6791.25	44.55	-44.52	35.65	-59.57	-25.00	34.57	Vertical
4	8394	42.61	-41.70	37.08	-57.28	-25.00	32.28	Vertical
5	13355.625	48.62	-38.22	39.86	-45.00	-25.00	20.00	Vertical
6	16026.75	41.95	-36.83	38.57	-51.57	-25.00	26.57	Vertical



Report No.: SUCR260500042411

Page: 26 of 44

1.51. Test Band = SA N48_ TM1

1.51.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6664.3542	42.93	-44.31	35.96	-60.68	-40.00	20.68	Horizontal
2	7882.3958	44.37	-42.90	36.66	-57.12	-40.00	17.12	Horizontal
3	10510.1458	41.41	-39.31	38.37	-54.79	-40.00	14.79	Horizontal
4	12719.1042	36.04	-38.54	39.48	-58.28	-40.00	18.28	Horizontal
5	15786.7292	35.17	-37.30	39.52	-57.87	-40.00	17.87	Horizontal
6	17892.6667	36.75	-35.20	42.55	-51.16	-40.00	11.16	Horizontal

1.52. Test Band = SA N48_ TM1

1.52.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6760.1875	42.51	-44.02	35.84	-60.94	-40.00	20.94	Vertical
2	7917.8542	41.15	-42.89	36.91	-60.09	-40.00	20.09	Vertical
3	10510.1458	40.86	-39.31	38.37	-55.34	-40.00	15.34	Vertical
4	13612.2708	36.27	-36.18	39.91	-55.26	-40.00	15.26	Vertical
5	15770.9167	35.46	-37.31	39.43	-57.68	-40.00	17.68	Vertical
6	17986.5833	36.55	-35.06	43.03	-50.74	-40.00	10.74	Vertical



Report No.: SUCR260500042411

Page: 27 of 44

1.53. Test Band = SA N48_ TM1

1.53.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6788.4583	42.14	-44.08	35.67	-61.53	-40.00	21.53	Horizontal
2	8493.3333	40.51	-42.50	37.69	-59.56	-40.00	19.56	Horizontal
3	10183.8333	37.69	-38.97	38.35	-58.19	-40.00	18.19	Horizontal
4	12570.0833	36.39	-38.44	39.04	-58.27	-40.00	18.27	Horizontal
5	15025.8125	35.61	-37.76	39.42	-57.99	-40.00	17.99	Horizontal
6	17992.3333	36.39	-35.06	43.06	-50.87	-40.00	10.87	Horizontal

1.54. Test Band = SA N48_ TM1

1.54.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6829.6667	42.53	-44.52	35.66	-61.59	-40.00	21.59	Vertical
2	8348.625	40.72	-42.75	36.91	-60.39	-40.00	20.39	Vertical
3	10623.7083	38.58	-39.96	38.91	-57.74	-40.00	17.74	Vertical
4	13652.0417	36.27	-36.44	39.95	-55.48	-40.00	15.48	Vertical
5	15802.5417	35.15	-37.31	39.59	-57.83	-40.00	17.83	Vertical
6	17987.0625	36.06	-35.06	43.04	-51.23	-40.00	11.23	Vertical



Report No.: SUCR260500042411

Page: 28 of 44

1.55. Test Band = SA N48_ TM1

1.55.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6711.7917	42.26	-43.93	36.05	-60.88	-40.00	20.88	Horizontal
2	7903.9583	41.10	-42.84	36.75	-60.25	-40.00	20.25	Horizontal
3	8889.6042	39.16	-41.49	37.80	-59.79	-40.00	19.79	Horizontal
4	10697.0208	38.52	-39.37	38.61	-57.50	-40.00	17.50	Horizontal
5	13190.6042	36.26	-36.47	39.78	-55.69	-40.00	15.69	Horizontal
6	17971.7292	36.23	-35.06	42.96	-51.13	-40.00	11.13	Horizontal

1.56. Test Band = SA N48_ TM1

1.56.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6739.5833	42.86	-43.99	35.94	-60.44	-40.00	20.44	Vertical
2	8397.5	40.73	-41.46	37.09	-58.90	-40.00	18.90	Vertical
3	9797.625	37.44	-39.04	38.19	-58.67	-40.00	18.67	Vertical
4	12071.75	36.93	-36.91	38.94	-56.30	-40.00	16.30	Vertical
5	14382.7708	35.47	-36.36	39.83	-56.31	-40.00	16.31	Vertical
6	17995.6875	36.14	-35.06	43.08	-51.10	-40.00	11.10	Vertical



Report No.: SUCR260500042411

Page: 29 of 44

1.57. Test Band = SA N66_ TM1

1.57.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3422.25	47.69	-46.99	29.59	-64.97	-13.00	51.97	Horizontal
2	4846.5	45.01	-46.04	33.09	-63.20	-13.00	50.20	Horizontal
3	6844.5	48.49	-45.04	35.69	-56.12	-13.00	43.12	Horizontal
4	9381	40.27	-41.06	38.24	-57.81	-13.00	44.81	Horizontal
5	13608.375	37.69	-36.21	39.91	-53.87	-13.00	40.87	Horizontal
6	17953.5	39.06	-35.20	42.87	-48.53	-13.00	35.53	Horizontal

1.58. Test Band = SA N66_ TM1

1.58.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3422.25	46.33	-46.99	29.59	-66.33	-13.00	53.33	Vertical
2	4862.625	45.08	-46.08	33.02	-63.23	-13.00	50.23	Vertical
3	6844.125	50.13	-45.03	35.69	-54.48	-13.00	41.48	Vertical
4	10395.75	39.50	-39.27	38.69	-56.34	-13.00	43.34	Vertical
5	14102.625	38.13	-36.46	39.81	-53.78	-13.00	40.78	Vertical
6	17912.25	38.81	-34.76	42.66	-48.55	-13.00	35.55	Vertical



Report No.: SUCR260500042411

Page: 30 of 44

1.59. Test Band = SA N66_ TM1

1.59.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3472.125	58.11	-47.15	29.83	-54.47	-13.00	41.47	Horizontal
2	4847.625	45.84	-46.04	33.09	-62.37	-13.00	49.37	Horizontal
3	6944.25	46.55	-45.06	36.10	-57.67	-13.00	44.67	Horizontal
4	9810.375	40.19	-39.47	38.20	-56.34	-13.00	43.34	Horizontal
5	14011.5	38.38	-36.93	40.07	-53.74	-13.00	40.74	Horizontal
6	17908.5	38.02	-34.72	42.64	-49.32	-13.00	36.32	Horizontal

1.60. Test Band = SA N66_ TM1

1.60.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3472.5	54.69	-47.15	29.84	-57.89	-13.00	44.89	Vertical
2	4862.625	45.23	-46.08	33.02	-63.08	-13.00	50.08	Vertical
3	6944.25	48.00	-45.06	36.10	-56.22	-13.00	43.22	Vertical
4	10410.75	39.16	-39.25	38.66	-56.69	-13.00	43.69	Vertical
5	13973.625	38.58	-36.93	39.99	-53.61	-13.00	40.61	Vertical
6	17360.625	42.16	-35.79	39.82	-49.07	-13.00	36.07	Vertical



Report No.: SUCR260500042411

Page: 31 of 44

1.61. Test Band = SA N66_ TM1

1.61.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3522	56.84	-47.06	29.96	-55.53	-13.00	42.53	Horizontal
2	4847.25	45.22	-46.04	33.09	-62.99	-13.00	49.99	Horizontal
3	6700.5	44.44	-44.26	36.10	-58.98	-13.00	45.98	Horizontal
4	8993.625	40.82	-40.49	38.19	-56.74	-13.00	43.74	Horizontal
5	11246.625	39.79	-38.00	38.89	-54.58	-13.00	41.58	Horizontal
6	17899.5	38.02	-34.64	42.60	-49.29	-13.00	36.29	Horizontal

1.62. Test Band = SA N66_ TM1

1.62.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3522.375	52.92	-47.06	29.96	-59.45	-13.00	46.45	Vertical
2	4777.5	44.81	-46.07	32.63	-63.89	-13.00	50.89	Vertical
3	7044	46.03	-44.36	35.91	-57.68	-13.00	44.68	Vertical
4	9830.25	39.84	-39.65	38.20	-56.87	-13.00	43.87	Vertical
5	12984.375	39.14	-37.21	39.77	-53.57	-13.00	40.57	Vertical
6	17921.25	38.40	-34.86	42.71	-49.01	-13.00	36.01	Vertical



Report No.: SUCR260500042411

Page: 32 of 44

1.63. Test Band = SA N71_ TM1

1.63.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1374.6	47.64	-48.70	26.45	-69.87	-13.00	56.87	Horizontal
2	2168.2	53.93	-48.47	27.70	-62.10	-13.00	49.10	Horizontal
3	3068	46.61	-46.70	29.92	-65.43	-13.00	52.43	Horizontal
4	4654.6	46.05	-46.43	31.80	-63.84	-13.00	50.84	Horizontal
5	6690	44.20	-44.51	36.06	-59.51	-13.00	46.51	Horizontal
6	8878.4	41.75	-41.60	37.80	-57.31	-13.00	44.31	Horizontal

1.64. Test Band = SA N71_ TM1

1.64.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1300	48.49	-48.75	25.60	-69.92	-13.00	56.92	Vertical
2	2175.6	51.80	-48.54	27.70	-64.30	-13.00	51.30	Vertical
3	3700	46.25	-46.52	29.90	-65.63	-13.00	52.63	Vertical
4	5246.8	45.41	-45.54	32.89	-62.49	-13.00	49.49	Vertical
5	6747.2	44.89	-44.48	35.91	-58.94	-13.00	45.94	Vertical
6	8997.6	40.42	-40.63	38.20	-57.28	-13.00	44.28	Vertical



Report No.: SUCR260500042411

Page: 33 of 44

1.65. Test Band = SA N71_ TM1

1.65.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1250	51.06	-49.05	25.40	-67.85	-13.00	54.85	Horizontal
2	2175	54.49	-48.54	27.70	-61.61	-13.00	48.61	Horizontal
3	3054.4	46.27	-46.71	30.06	-65.65	-13.00	52.65	Horizontal
4	4284.4	45.71	-46.63	31.91	-64.26	-13.00	51.26	Horizontal
5	5842.6	45.31	-45.69	34.27	-61.37	-13.00	48.37	Horizontal
6	8960.2	40.96	-40.99	38.12	-57.17	-13.00	44.17	Horizontal

1.66. Test Band = SA N71_ TM1

1.66.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1324.6	49.82	-48.73	25.90	-68.28	-13.00	55.28	Vertical
2	2175.2	51.65	-48.54	27.70	-64.45	-13.00	51.45	Vertical
3	3053.2	46.88	-46.71	30.07	-65.02	-13.00	52.02	Vertical
4	4823.2	45.61	-46.06	32.99	-62.72	-13.00	49.72	Vertical
5	6765.8	44.63	-44.52	35.81	-59.34	-13.00	46.34	Vertical
6	8993.4	40.49	-40.67	38.19	-57.26	-13.00	44.26	Vertical



Report No.: SUCR260500042411

Page: 34 of 44

1.67. Test Band = SA N71_ TM1

1.67.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1175.2	50.21	-49.04	26.15	-67.94	-13.00	54.94	Horizontal
2	2167.2	54.20	-48.46	27.70	-61.82	-13.00	48.82	Horizontal
3	3105.4	46.89	-46.69	29.60	-65.46	-13.00	52.46	Horizontal
4	4595.8	45.52	-46.06	32.03	-63.77	-13.00	50.77	Horizontal
5	6414	45.20	-45.35	35.13	-60.28	-13.00	47.28	Horizontal
6	8983.8	40.65	-40.77	38.17	-57.21	-13.00	44.21	Horizontal

1.68. Test Band = SA N71_ TM1

1.68.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1175.4	51.07	-49.04	26.14	-67.08	-13.00	54.08	Vertical
2	2175.6	49.78	-48.54	27.70	-66.32	-13.00	53.32	Vertical
3	3068.6	46.42	-46.70	29.91	-65.62	-13.00	52.62	Vertical
4	4379.2	45.59	-46.41	31.71	-64.37	-13.00	51.37	Vertical
5	6024.2	45.57	-46.12	34.10	-61.71	-13.00	48.71	Vertical
6	8995.2	40.49	-40.66	38.19	-57.24	-13.00	44.24	Vertical



Report No.: SUCR260500042411

Page: 35 of 44

1.69. Test Band = SA N77 3450-3550_ TM1

1.69.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7000.825	42.70	-43.54	36.00	-60.10	-13.00	47.10	Horizontal
2	8365.875	41.31	-42.29	36.96	-59.28	-13.00	46.28	Horizontal
3	9802.225	37.97	-39.03	38.20	-58.12	-13.00	45.12	Horizontal
4	11555.975	36.47	-36.76	38.90	-56.65	-13.00	43.65	Horizontal
5	13997.425	36.59	-35.95	40.09	-54.53	-13.00	41.53	Horizontal
6	17161.65	38.00	-37.03	39.46	-54.83	-13.00	41.83	Horizontal

1.70. Test Band = SA N77 3450-3550_ TM1

1.70.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7071.55	42.46	-43.73	36.03	-60.50	-13.00	47.50	Vertical
2	7956.475	41.62	-43.05	37.30	-59.39	-13.00	46.39	Vertical
3	9811.425	38.28	-39.12	38.20	-57.90	-13.00	44.90	Vertical
4	11236.85	38.52	-37.47	38.87	-55.33	-13.00	42.33	Vertical
5	14010.65	36.39	-35.97	40.07	-54.77	-13.00	41.77	Vertical
6	17686.625	35.68	-34.99	41.11	-53.46	-13.00	40.46	Vertical



Report No.: SUCR260500042411

Page: 36 of 44

1.71. Test Band = SA N77 3700-3980_ TM1

1.71.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7227.375	42.53	-44.45	36.79	-60.39	-13.00	47.39	Horizontal
2	9000.675	40.30	-40.60	38.20	-57.36	-13.00	44.36	Horizontal
3	10779.725	37.79	-38.34	38.92	-56.89	-13.00	43.89	Horizontal
4	12959.55	37.30	-37.55	39.72	-55.79	-13.00	42.79	Horizontal
5	14837.5	35.79	-37.30	39.59	-57.19	-13.00	44.19	Horizontal
6	17815.425	37.55	-36.59	42.01	-52.29	-13.00	39.29	Horizontal

1.72. Test Band = SA N77 3700-3980_ TM1

1.72.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7216.45	42.58	-44.56	36.83	-60.41	-13.00	47.41	Vertical
2	8611.975	40.35	-41.57	37.52	-58.96	-13.00	45.96	Vertical
3	10783.75	38.11	-38.29	38.94	-56.50	-13.00	43.50	Vertical
4	12834.775	37.37	-37.88	39.47	-56.30	-13.00	43.30	Vertical
5	14818.525	35.37	-37.01	39.64	-57.26	-13.00	44.26	Vertical
6	17924.1	37.66	-35.07	42.72	-49.95	-13.00	36.95	Vertical



Report No.: SUCR260500042411

Page: 37 of 44

1.73. Test Band = SA N77 3700-3980_ TM1

1.73.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7258.425	42.89	-44.13	36.65	-59.85	-13.00	46.85	Horizontal
2	8398.65	41.39	-41.43	37.09	-58.20	-13.00	45.20	Horizontal
3	10802.725	38.31	-38.08	39.00	-56.02	-13.00	43.02	Horizontal
4	13188.4	36.42	-36.49	39.78	-55.55	-13.00	42.55	Horizontal
5	15688.5	35.97	-37.36	39.01	-57.64	-13.00	44.64	Horizontal
6	17920.65	37.47	-35.07	42.70	-50.15	-13.00	37.15	Horizontal

1.74. Test Band = SA N77 3700-3980_ TM1

1.74.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7014.05	42.54	-43.58	35.97	-60.33	-13.00	47.33	Vertical
2	8392.9	41.64	-41.58	37.07	-58.13	-13.00	45.13	Vertical
3	9855.7	38.66	-39.56	38.17	-58.00	-13.00	45.00	Vertical
4	11791.15	37.72	-37.81	38.79	-56.56	-13.00	43.56	Vertical
5	14329.2	36.14	-35.98	39.94	-55.16	-13.00	42.16	Vertical
6	17277.8	38.71	-36.67	39.66	-53.57	-13.00	40.57	Vertical



Report No.: SUCR260500042411

Page: 38 of 44

1.75. Test Band = SA N77 3700-3980_ TM1

1.75.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7259.575	42.43	-44.12	36.64	-60.31	-13.00	47.31	Horizontal
2	8854.05	39.64	-41.49	37.80	-59.31	-13.00	46.31	Horizontal
3	10152.975	38.21	-38.91	38.44	-57.52	-13.00	44.52	Horizontal
4	11947.55	38.59	-38.19	38.80	-56.06	-13.00	43.06	Horizontal
5	14299.875	36.25	-35.77	40.00	-54.78	-13.00	41.78	Horizontal
6	17875.8	37.77	-35.51	42.43	-50.57	-13.00	37.57	Horizontal

1.76. Test Band = SA N77 3700-3980_ TM1

1.76.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7062.35	42.47	-43.71	35.97	-60.52	-13.00	47.52	Vertical
2	8667.75	40.51	-41.91	37.74	-58.91	-13.00	45.91	Vertical
3	10800.425	37.92	-38.08	39.00	-56.42	-13.00	43.42	Vertical
4	12996.35	37.01	-37.16	39.79	-55.62	-13.00	42.62	Vertical
5	14497.675	35.89	-36.35	40.00	-55.73	-13.00	42.73	Vertical
6	17879.25	37.74	-35.44	42.45	-50.51	-13.00	37.51	Vertical



Report No.: SUCR260500042411

Page: 39 of 44

1.77. Test Band = SA N78 3450-3550_ TM1

1.77.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7208.4	42.45	-44.64	36.87	-60.59	-13.00	47.59	Horizontal
2	8405.55	41.01	-41.46	37.16	-58.55	-13.00	45.55	Horizontal
3	9867.2	38.78	-39.68	38.10	-58.06	-13.00	45.06	Horizontal
4	12204	36.79	-36.90	39.18	-56.19	-13.00	43.19	Horizontal
5	14317.125	36.02	-35.89	39.97	-55.17	-13.00	42.17	Horizontal
6	17698.7	35.76	-34.91	41.19	-53.22	-13.00	40.22	Horizontal

1.78. Test Band = SA N78 3450-3550_ TM1

1.78.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7075	42.93	-43.74	36.05	-60.02	-13.00	47.02	Vertical
2	8364.725	41.06	-42.32	36.96	-59.57	-13.00	46.57	Vertical
3	9720.575	38.91	-39.89	37.84	-58.40	-13.00	45.40	Vertical
4	11892.925	38.36	-38.56	38.80	-56.66	-13.00	43.66	Vertical
5	14479.275	36.17	-36.38	39.96	-55.51	-13.00	42.51	Vertical
6	17923.525	37.85	-35.07	42.72	-49.76	-13.00	36.76	Vertical



Report No.: SUCR260500042411

Page: 40 of 44

1.79. Test Band = SA N78 3450-3550_ TM1

1.79.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7015.2	42.60	-43.58	35.97	-60.27	-13.00	47.27	Horizontal
2	8597.6	40.08	-41.53	37.51	-59.20	-13.00	46.20	Horizontal
3	9803.375	38.11	-39.04	38.20	-57.99	-13.00	44.99	Horizontal
4	11790.575	37.69	-37.80	38.79	-56.58	-13.00	43.58	Horizontal
5	15037.6	35.93	-37.82	39.39	-57.76	-13.00	44.76	Horizontal
6	17919.5	37.54	-35.07	42.70	-50.09	-13.00	37.09	Horizontal

1.80. Test Band = SA N78 3450-3550_ TM1

1.80.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6749.55	43.29	-44.00	35.90	-60.07	-13.00	47.07	Vertical
2	7923.125	41.60	-42.91	36.98	-59.60	-13.00	46.60	Vertical
3	9852.825	38.54	-39.53	38.18	-58.07	-13.00	45.07	Vertical
4	12122.35	36.78	-36.65	39.04	-56.09	-13.00	43.09	Vertical
5	14627.625	35.92	-36.95	39.70	-56.59	-13.00	43.59	Vertical
6	17880.4	37.39	-35.42	42.46	-50.83	-13.00	37.83	Vertical



Report No.: SUCR260500042411

Page: 41 of 44

1.81. Test Band = SA N78 3450-3550_ TM1

1.81.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7514.3	42.66	-43.45	36.29	-59.76	-13.00	46.76	Horizontal
2	9043.8	40.45	-40.97	38.02	-57.75	-13.00	44.75	Horizontal
3	11197.75	37.86	-36.58	38.81	-55.17	-13.00	42.17	Horizontal
4	12992.9	37.09	-37.20	39.79	-55.58	-13.00	42.58	Horizontal
5	14805.875	35.31	-36.82	39.68	-57.09	-13.00	44.09	Horizontal
6	17926.4	37.17	-35.07	42.73	-50.43	-13.00	37.43	Horizontal

1.82. Test Band = SA N78 3450-3550_ TM1

1.82.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7091.675	42.94	-43.79	36.15	-59.96	-13.00	46.96	Vertical
2	8394.625	41.65	-41.53	37.08	-58.06	-13.00	45.06	Vertical
3	10125.375	38.05	-38.86	38.52	-57.54	-13.00	44.54	Vertical
4	12844.55	37.10	-37.93	39.49	-56.60	-13.00	43.60	Vertical
5	14611.525	36.00	-37.10	39.70	-56.66	-13.00	43.66	Vertical
6	17879.25	37.81	-35.44	42.45	-50.44	-13.00	37.44	Vertical



Report No.: SUCR260500042411

Page: 42 of 44

1.83. Test Band = SA N78 3700-3800_ TM1

1.83.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7058.9	42.77	-43.70	35.95	-60.24	-13.00	47.24	Horizontal
2	8406.7	41.16	-41.47	37.17	-58.40	-13.00	45.40	Horizontal
3	10156.425	38.64	-38.92	38.43	-57.11	-13.00	44.11	Horizontal
4	12097.05	37.39	-36.62	38.99	-55.50	-13.00	42.50	Horizontal
5	14014.1	36.55	-35.98	40.06	-54.63	-13.00	41.63	Horizontal
6	17922.95	37.31	-35.07	42.71	-50.30	-13.00	37.30	Horizontal

1.84. Test Band = SA N78 3700-3800_ TM1

1.84.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7313.625	42.23	-43.80	36.37	-60.46	-13.00	47.46	Vertical
2	8411.875	40.97	-41.53	37.22	-58.60	-13.00	45.60	Vertical
3	10138.6	37.93	-38.88	38.48	-57.73	-13.00	44.73	Vertical
4	11779.075	37.76	-37.72	38.78	-56.44	-13.00	43.44	Vertical
5	13963.5	37.14	-36.30	39.95	-54.47	-13.00	41.47	Vertical
6	16373.9	37.57	-37.27	38.55	-56.41	-13.00	43.41	Vertical



Report No.: SUCR260500042411

Page: 43 of 44

1.85. Test Band = SA N78 3700-3800_ TM1

1.85.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7430.35	43.27	-44.09	36.58	-59.50	-13.00	46.50	Horizontal
2	8860.95	39.83	-41.49	37.80	-59.12	-13.00	46.12	Horizontal
3	10619.875	38.72	-39.99	38.92	-57.61	-13.00	44.61	Horizontal
4	12375.925	38.28	-38.06	39.03	-56.02	-13.00	43.02	Horizontal
5	14669.025	35.35	-36.59	39.70	-56.80	-13.00	43.80	Horizontal
6	17997.7	37.04	-35.06	43.09	-50.19	-13.00	37.19	Horizontal

1.86. Test Band = SA N78 3700-3800_ TM1

1.86.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7236	42.36	-44.36	36.76	-60.51	-13.00	47.51	Vertical
2	8685	40.62	-42.01	37.88	-58.77	-13.00	45.77	Vertical
3	10148.375	38.32	-38.90	38.45	-57.39	-13.00	44.39	Vertical
4	12200.55	37.58	-36.88	39.20	-55.37	-13.00	42.37	Vertical
5	14317.7	36.10	-35.90	39.96	-55.09	-13.00	42.09	Vertical
6	17999.425	36.86	-35.06	43.10	-50.36	-13.00	37.36	Vertical



Report No.: SUCR260500042411

Page: 44 of 44

1.87. Test Band = SA N78 3700-3800_ TM1

1.87.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7077.875	42.61	-43.75	36.07	-60.33	-13.00	47.33	Horizontal
2	8422.8	41.36	-41.66	37.33	-58.23	-13.00	45.23	Horizontal
3	9825.8	38.19	-39.27	38.20	-58.14	-13.00	45.14	Horizontal
4	11263.875	38.10	-38.15	38.93	-56.38	-13.00	43.38	Horizontal
5	13607	36.69	-36.15	39.91	-54.81	-13.00	41.81	Horizontal
6	17912.025	37.47	-35.07	42.66	-50.20	-13.00	37.20	Horizontal

1.88. Test Band = SA N78 3700-3800_ TM1

1.88.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7099.15	42.54	-43.81	36.19	-60.33	-13.00	47.33	Vertical
2	8389.45	41.51	-41.67	37.06	-58.36	-13.00	45.36	Vertical
3	10103.525	37.88	-38.82	38.59	-57.61	-13.00	44.61	Vertical
4	12106.825	37.26	-36.61	39.01	-55.60	-13.00	42.60	Vertical
5	13969.25	36.98	-36.24	39.98	-54.55	-13.00	41.55	Vertical
6	17878.675	37.39	-35.45	42.45	-50.87	-13.00	37.87	Vertical

---End of Attachment---