



Report No.: SUCR260500042411

Page: 1 of 43

Appendix B.5

1.1. Test Band = NSA 5A-N2A_ TM1

1.1.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702	45.55	-45.90	29.92	-65.69	-13.00	52.69	Horizontal
2	5686.875	44.72	-45.88	33.43	-62.99	-13.00	49.99	Horizontal
3	7928.625	42.71	-43.06	37.04	-58.56	-13.00	45.56	Horizontal
4	11235.75	39.02	-37.78	38.87	-55.14	-13.00	42.14	Horizontal
5	14055	38.10	-36.69	39.94	-53.91	-13.00	40.91	Horizontal
6	17956.125	37.77	-35.22	42.88	-49.83	-13.00	36.83	Horizontal

1.2. Test Band = NSA 5A-N2A_ TM1

1.2.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3831.75	44.83	-46.72	31.01	-66.14	-13.00	53.14	Vertical
2	5640.375	44.51	-46.04	33.48	-63.31	-13.00	50.31	Vertical
3	7404.375	52.80	-44.77	36.43	-50.81	-13.00	37.81	Vertical
4	9811.5	39.63	-39.48	38.20	-56.91	-13.00	43.91	Vertical
5	14098.5	37.48	-36.45	39.80	-54.42	-13.00	41.42	Vertical
6	17915.25	37.25	-34.79	42.68	-50.13	-13.00	37.13	Vertical



Report No.: SUCR260500042411

Page: 2 of 43

1.3. Test Band = NSA 5A-N2A_ TM1

1.3.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3524.25	44.78	-47.05	29.95	-67.57	-13.00	54.57	Horizontal
2	4864.875	44.33	-46.08	33.01	-64.00	-13.00	51.00	Horizontal
3	7484.625	44.03	-43.55	36.49	-58.29	-13.00	45.29	Horizontal
4	9398.25	39.89	-40.95	38.20	-58.12	-13.00	45.12	Horizontal
5	12389.25	38.92	-38.12	39.07	-55.39	-13.00	42.39	Horizontal
6	17253.75	39.31	-36.19	39.61	-52.53	-13.00	39.53	Horizontal

1.4. Test Band = NSA 5A-N2A_ TM1

1.4.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3712.125	45.40	-46.00	30.02	-65.84	-13.00	52.84	Vertical
2	5181	44.44	-45.46	32.95	-63.33	-13.00	50.33	Vertical
3	7484.25	47.27	-43.56	36.49	-55.05	-13.00	42.05	Vertical
4	9018.375	40.89	-40.63	38.13	-56.88	-13.00	43.88	Vertical
5	11190.375	39.60	-37.21	38.84	-54.03	-13.00	41.03	Vertical
6	15794.625	35.47	-35.57	39.57	-55.79	-13.00	42.79	Vertical



Report No.: SUCR260500042411

Page: 3 of 43

1.5. Test Band = NSA 5A-N2A_ TM1

1.5.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3781.125	45.18	-46.66	30.90	-65.84	-13.00	52.84	Horizontal
2	6458.625	43.84	-45.39	35.20	-61.61	-13.00	48.61	Horizontal
3	8403.75	41.91	-41.59	37.14	-57.81	-13.00	44.81	Horizontal
4	11060.625	38.88	-38.69	38.92	-56.14	-13.00	43.14	Horizontal
5	13594.125	37.14	-36.27	39.91	-54.48	-13.00	41.48	Horizontal
6	17956.5	37.58	-35.23	42.88	-50.03	-13.00	37.03	Horizontal

1.6. Test Band = NSA 5A-N2A_ TM1

1.6.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4066.875	45.04	-46.58	31.40	-65.41	-13.00	52.41	Vertical
2	5801.25	44.29	-45.89	34.11	-62.76	-13.00	49.76	Vertical
3	7564.5	44.19	-43.39	36.00	-58.46	-13.00	45.46	Vertical
4	11240.25	39.61	-37.87	38.88	-54.64	-13.00	41.64	Vertical
5	15128.625	39.28	-36.62	39.20	-53.40	-13.00	40.40	Vertical
6	17918.25	37.66	-34.82	42.69	-49.73	-13.00	36.73	Vertical



Report No.: SUCR260500042411

Page: 4 of 43

1.7. Test Band = NSA 12A-N2A_ TM1

1.7.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702	45.46	-45.90	29.92	-65.78	-13.00	52.78	Horizontal
2	5161.125	44.18	-45.64	33.11	-63.60	-13.00	50.60	Horizontal
3	7935	42.29	-43.08	37.12	-58.93	-13.00	45.93	Horizontal
4	10191	38.84	-39.15	38.33	-57.24	-13.00	44.24	Horizontal
5	12171.75	37.74	-37.12	39.14	-55.49	-13.00	42.49	Horizontal
6	17189.625	38.79	-35.76	39.49	-52.74	-13.00	39.74	Horizontal

1.8. Test Band = NSA 12A-N2A_ TM1

1.8.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3716.625	45.22	-46.04	30.07	-66.01	-13.00	53.01	Vertical
2	5986.875	44.99	-46.24	34.15	-62.36	-13.00	49.36	Vertical
3	7404.375	47.24	-44.77	36.43	-56.37	-13.00	43.37	Vertical
4	10136.625	38.52	-39.26	38.49	-57.51	-13.00	44.51	Vertical
5	12386.25	38.86	-38.13	39.06	-55.47	-13.00	42.47	Vertical
6	16623	37.46	-35.29	38.95	-54.15	-13.00	41.15	Vertical



Report No.: SUCR260500042411

Page: 5 of 43

1.9. Test Band = NSA 12A-N2A_ TM1

1.9.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3747.75	45.00	-46.34	30.38	-66.22	-13.00	53.22	Horizontal
2	5824.125	43.99	-45.79	34.20	-62.86	-13.00	49.86	Horizontal
3	7258.125	43.11	-44.12	36.65	-59.62	-13.00	46.62	Horizontal
4	9012.375	40.31	-40.56	38.15	-57.36	-13.00	44.36	Horizontal
5	13212.75	36.91	-37.05	39.80	-55.60	-13.00	42.60	Horizontal
6	17185.5	38.99	-35.84	39.49	-52.63	-13.00	39.63	Horizontal

1.10. Test Band = NSA 12A-N2A_ TM1

1.10.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3765.75	45.05	-46.51	30.65	-66.07	-13.00	53.07	Vertical
2	5686.875	45.13	-45.88	33.43	-62.58	-13.00	49.58	Vertical
3	7484.25	45.47	-43.56	36.49	-56.85	-13.00	43.85	Vertical
4	9833.625	39.14	-39.68	38.20	-57.60	-13.00	44.60	Vertical
5	14969.25	39.17	-37.06	39.47	-53.68	-13.00	40.68	Vertical
6	17916	37.42	-34.80	42.68	-49.96	-13.00	36.96	Vertical



Report No.: SUCR260500042411

Page: 6 of 43

1.11. Test Band = NSA 12A-N2A_ TM1

1.11.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3731.25	44.98	-46.18	30.21	-66.25	-13.00	53.25	Horizontal
2	5289	44.33	-45.85	33.21	-63.57	-13.00	50.57	Horizontal
3	7564.5	43.13	-43.39	36.00	-59.52	-13.00	46.52	Horizontal
4	10156.875	38.92	-39.22	38.43	-57.13	-13.00	44.13	Horizontal
5	12174.75	37.57	-37.13	39.15	-55.67	-13.00	42.67	Horizontal
6	17200.5	38.62	-35.55	39.50	-52.69	-13.00	39.69	Horizontal

1.12. Test Band = NSA 12A-N2A_ TM1

1.12.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3614.25	45.01	-46.36	29.77	-66.84	-13.00	53.84	Vertical
2	5168.625	44.54	-45.57	33.05	-63.24	-13.00	50.24	Vertical
3	7564.125	47.02	-43.39	36.00	-55.63	-13.00	42.63	Vertical
4	9493.5	40.30	-41.21	38.29	-57.88	-13.00	44.88	Vertical
5	13614.75	36.89	-36.27	39.91	-54.72	-13.00	41.72	Vertical
6	17923.5	37.33	-34.88	42.72	-50.09	-13.00	37.09	Vertical



Report No.: SUCR260500042411

Page: 7 of 43

1.13. Test Band = NSA 13A-N2A_ TM1

1.13.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702.375	45.29	-45.90	29.92	-65.95	-13.00	52.95	Horizontal
2	5322.75	44.00	-45.76	33.30	-63.72	-13.00	50.72	Horizontal
3	7240.125	42.71	-44.27	36.74	-60.08	-13.00	47.08	Horizontal
4	10151.25	38.34	-39.23	38.45	-57.71	-13.00	44.71	Horizontal
5	15799.875	35.60	-35.53	39.60	-55.59	-13.00	42.59	Horizontal
6	17902.5	37.16	-34.66	42.61	-50.14	-13.00	37.14	Horizontal

1.14. Test Band = NSA 13A-N2A_ TM1

1.14.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702.375	44.98	-45.90	29.92	-66.26	-13.00	53.26	Vertical
2	4846.5	44.65	-46.04	33.09	-63.56	-13.00	50.56	Vertical
3	7404.375	48.95	-44.77	36.43	-54.66	-13.00	41.66	Vertical
4	10113	38.97	-39.31	38.56	-57.04	-13.00	44.04	Vertical
5	13364.25	38.77	-38.24	39.86	-54.87	-13.00	41.87	Vertical
6	17382.75	37.92	-35.44	39.87	-52.92	-13.00	39.92	Vertical



Report No.: SUCR260500042411

Page: 8 of 43

1.15. Test Band = NSA 13A-N2A_ TM1

1.15.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4270.5	44.05	-46.33	31.75	-65.79	-13.00	52.79	Horizontal
2	5640.75	44.44	-46.04	33.48	-63.38	-13.00	50.38	Horizontal
3	8413.125	42.10	-41.71	37.23	-57.63	-13.00	44.63	Horizontal
4	11185.5	38.36	-37.29	38.86	-55.33	-13.00	42.33	Horizontal
5	13608.375	37.09	-36.21	39.91	-54.47	-13.00	41.47	Horizontal
6	16645.5	37.73	-35.16	38.99	-53.70	-13.00	40.70	Horizontal

1.16. Test Band = NSA 13A-N2A_ TM1

1.16.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3515.625	44.64	-47.12	29.97	-67.77	-13.00	54.77	Vertical
2	5133.75	44.35	-45.88	33.33	-63.46	-13.00	50.46	Vertical
3	6962.25	43.68	-44.82	36.08	-60.32	-13.00	47.32	Vertical
4	8396.25	41.89	-41.64	37.09	-57.93	-13.00	44.93	Vertical
5	12119.625	37.32	-36.89	39.04	-55.79	-13.00	42.79	Vertical
6	14614.125	36.90	-37.07	39.70	-55.73	-13.00	42.73	Vertical



Report No.: SUCR260500042411

Page: 9 of 43

1.17. Test Band = NSA 13A-N2A_ TM1

1.17.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3744.375	45.12	-46.31	30.34	-66.10	-13.00	53.10	Horizontal
2	5799.75	44.68	-45.90	34.10	-62.38	-13.00	49.38	Horizontal
3	7918.125	41.68	-43.02	36.92	-59.68	-13.00	46.68	Horizontal
4	9793.125	39.24	-39.44	38.16	-57.30	-13.00	44.30	Horizontal
5	13055.25	37.79	-37.43	39.69	-55.21	-13.00	42.21	Horizontal
6	17910.375	37.28	-34.74	42.65	-50.07	-13.00	37.07	Horizontal

1.18. Test Band = NSA 13A-N2A_ TM1

1.18.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3850.875	45.07	-46.65	30.89	-65.95	-13.00	52.95	Vertical
2	5235	44.23	-45.51	32.87	-63.67	-13.00	50.67	Vertical
3	7564.125	44.88	-43.39	36.00	-57.77	-13.00	44.77	Vertical
4	10186.5	39.30	-39.16	38.34	-56.78	-13.00	43.78	Vertical
5	14377.5	37.15	-36.31	39.85	-54.58	-13.00	41.58	Vertical



Report No.: SUCR260500042411

Page: 10 of 43

1.19. Test Band = NSA 14A-N2A_ TM1

1.19.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702	45.25	-45.90	29.92	-65.99	-13.00	52.99	Horizontal
2	5176.5	44.66	-45.50	32.99	-63.11	-13.00	50.11	Horizontal
3	6979.875	43.93	-44.58	36.04	-59.87	-13.00	46.87	Horizontal
4	9008.625	40.75	-40.52	38.17	-56.86	-13.00	43.86	Horizontal
5	12382.125	38.71	-38.15	39.05	-55.65	-13.00	42.65	Horizontal
6	17204.25	38.27	-35.59	39.51	-53.07	-13.00	40.07	Horizontal

1.20. Test Band = NSA 14A-N2A_ TM1

1.20.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3716.25	45.08	-46.04	30.06	-66.15	-13.00	53.15	Vertical
2	4853.625	44.53	-46.05	33.08	-63.71	-13.00	50.71	Vertical
3	7404.375	46.76	-44.77	36.43	-56.85	-13.00	43.85	Vertical
4	9835.5	38.80	-39.69	38.20	-57.95	-13.00	44.95	Vertical
5	12955.125	37.80	-37.80	39.71	-55.55	-13.00	42.55	Vertical
6	15805.875	36.92	-35.60	39.58	-54.36	-13.00	41.36	Vertical



Report No.: SUCR260500042411

Page: 11 of 43

1.21. Test Band = NSA 14A-N2A_ TM1

1.21.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3752.25	45.79	-46.38	30.44	-65.42	-13.00	52.42	Horizontal
2	4853.25	44.87	-46.05	33.08	-63.36	-13.00	50.36	Horizontal
3	6397.875	43.98	-45.19	35.08	-61.39	-13.00	48.39	Horizontal
4	8398.125	41.82	-41.60	37.09	-57.94	-13.00	44.94	Horizontal
5	11209.5	38.24	-37.24	38.82	-55.44	-13.00	42.44	Horizontal
6	17195.625	39.42	-35.63	39.50	-51.98	-13.00	38.98	Horizontal

1.22. Test Band = NSA 14A-N2A_ TM1

1.22.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3747.75	45.99	-46.34	30.38	-65.23	-13.00	52.23	Vertical
2	5054.25	44.76	-46.01	33.51	-63.00	-13.00	50.00	Vertical
3	7484.625	44.12	-43.55	36.49	-58.20	-13.00	45.20	Vertical
4	9812.625	39.37	-39.49	38.20	-57.18	-13.00	44.18	Vertical
5	12188.625	37.46	-37.19	39.18	-55.81	-13.00	42.81	Vertical
6	17992.5	37.70	-35.61	43.06	-50.11	-13.00	37.11	Vertical



Report No.: SUCR260500042411

Page: 12 of 43

1.23. Test Band = NSA 14A-N2A_ TM1

1.23.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4224.75	44.73	-45.97	31.25	-65.26	-13.00	52.26	Horizontal
2	5328.75	44.00	-45.72	33.30	-63.68	-13.00	50.68	Horizontal
3	7104.375	43.88	-44.44	36.24	-59.58	-13.00	46.58	Horizontal
4	9000.75	39.83	-40.43	38.20	-57.66	-13.00	44.66	Horizontal
5	12113.25	37.66	-36.86	39.03	-55.43	-13.00	42.43	Horizontal
6	16633.125	38.17	-35.23	38.97	-53.36	-13.00	40.36	Horizontal

1.24. Test Band = NSA 14A-N2A_ TM1

1.24.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3723.375	45.18	-46.10	30.13	-66.05	-13.00	53.05	Vertical
2	5002.875	45.01	-45.81	33.03	-63.03	-13.00	50.03	Vertical
3	7456.875	43.33	-43.98	36.66	-59.25	-13.00	46.25	Vertical
4	9001.125	39.88	-40.43	38.20	-57.62	-13.00	44.62	Vertical
5	12161.625	37.48	-37.07	39.12	-55.73	-13.00	42.73	Vertical
6	14304.75	36.65	-36.15	39.99	-54.77	-13.00	41.77	Vertical



Report No.: SUCR260500042411

Page: 13 of 43

1.25. Test Band = NSA 30A-N2A_ TM1

1.25.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3562	45.68	-46.74	29.88	-66.45	-40.00	26.45	Horizontal
2	4610.5	46.24	-45.95	31.96	-63.01	-40.00	23.01	Horizontal
3	6719.5	43.28	-44.31	36.02	-60.27	-40.00	20.27	Horizontal
4	11526.5	47.99	-37.23	38.90	-45.60	-40.00	5.60	Horizontal
5	13832	41.73	-36.85	39.84	-50.54	-40.00	10.54	Horizontal
6	16137	39.87	-37.61	38.50	-54.50	-40.00	14.50	Horizontal

1.26. Test Band = NSA 30A-N2A_ TM1

1.26.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3747.5	45.34	-46.34	30.38	-65.88	-40.00	25.88	Vertical
2	4610.5	48.42	-45.95	31.96	-60.83	-40.00	20.83	Vertical
3	6916	45.63	-45.44	36.10	-58.97	-40.00	18.97	Vertical
4	11526.5	47.40	-37.23	38.90	-46.19	-40.00	6.19	Vertical
5	13832	42.42	-36.85	39.84	-49.85	-40.00	9.85	Vertical
6	16137	41.21	-37.61	38.50	-53.16	-40.00	13.16	Vertical



Report No.: SUCR260500042411

Page: 14 of 43

1.27. Test Band = NSA 30A-N2A_ TM1

1.27.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3437	45.16	-47.04	29.65	-67.49	-40.00	27.49	Horizontal
2	4615.5	46.41	-45.99	31.94	-62.90	-40.00	22.90	Horizontal
3	6923.5	46.01	-45.34	36.10	-58.49	-40.00	18.49	Horizontal
4	11539.5	48.77	-37.08	38.90	-44.67	-40.00	4.67	Horizontal
5	13847	40.37	-36.83	39.81	-51.91	-40.00	11.91	Horizontal
6	16155	39.61	-37.64	38.50	-54.79	-40.00	14.79	Horizontal

1.28. Test Band = NSA 30A-N2A_ TM1

1.28.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3531.5	44.92	-46.99	29.94	-67.39	-40.00	27.39	Vertical
2	4615.5	47.34	-45.99	31.94	-61.97	-40.00	21.97	Vertical
3	6923.5	46.47	-45.34	36.10	-58.03	-40.00	18.03	Vertical
4	11539	47.40	-37.08	38.90	-46.04	-40.00	6.04	Vertical
5	13847	42.53	-36.83	39.81	-49.75	-40.00	9.75	Vertical
6	16155	43.22	-37.64	38.50	-51.18	-40.00	11.18	Vertical



Report No.: SUCR260500042411

Page: 15 of 43

1.29. Test Band = NSA 30A-N2A_ TM1

1.29.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4621	46.20	-46.02	31.92	-63.17	-40.00	23.17	Horizontal
2	6931	46.79	-45.24	36.10	-57.61	-40.00	17.61	Horizontal
3	9544	39.30	-41.03	38.39	-58.60	-40.00	18.60	Horizontal
4	11551.5	46.16	-36.94	38.90	-47.14	-40.00	7.14	Horizontal
5	13862	39.29	-36.81	39.78	-53.00	-40.00	13.00	Horizontal
6	16172	40.89	-37.67	38.50	-53.54	-40.00	13.54	Horizontal

1.30. Test Band = NSA 30A-N2A_ TM1

1.30.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4812	45.20	-45.95	32.95	-63.06	-40.00	23.06	Vertical
2	6931.5	47.25	-45.23	36.10	-57.14	-40.00	17.14	Vertical
3	9241.5	41.25	-41.71	38.08	-57.63	-40.00	17.63	Vertical
4	11552	46.79	-36.93	38.90	-46.50	-40.00	6.50	Vertical
5	13862	42.39	-36.81	39.78	-49.90	-40.00	9.90	Vertical
6	16172.5	43.46	-37.67	38.50	-50.97	-40.00	10.97	Vertical



Report No.: SUCR260500042411

Page: 16 of 43

1.31. Test Band = NSA 66A-N2A_ TM1

1.31.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4065.75	44.96	-46.60	31.41	-65.49	-13.00	52.49	Horizontal
2	5816.25	44.01	-45.82	34.17	-62.91	-13.00	49.91	Horizontal
3	7933.125	41.63	-43.07	37.10	-59.61	-13.00	46.61	Horizontal
4	10119.75	38.70	-39.30	38.54	-57.32	-13.00	44.32	Horizontal
5	12984.75	36.96	-37.21	39.77	-55.74	-13.00	42.74	Horizontal
6	17413.5	37.90	-35.23	39.94	-52.65	-13.00	39.65	Horizontal

1.32. Test Band = NSA 66A-N2A_ TM1

1.32.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4073.625	44.24	-46.52	31.36	-66.18	-13.00	53.18	Vertical
2	5884.5	43.75	-45.50	34.37	-62.64	-13.00	49.64	Vertical
3	7404.75	47.46	-44.77	36.43	-56.14	-13.00	43.14	Vertical
4	9832.875	38.50	-39.67	38.20	-58.23	-13.00	45.23	Vertical
5	13813.5	37.21	-36.87	39.87	-55.05	-13.00	42.05	Vertical
6	17902.125	36.87	-34.65	42.61	-50.43	-13.00	37.43	Vertical



Report No.: SUCR260500042411

Page: 17 of 43

1.33. Test Band = NSA 66A-N2A_ TM1

1.33.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.125	45.28	-46.28	30.32	-65.94	-13.00	52.94	Horizontal
2	5041.5	44.07	-45.96	33.42	-63.73	-13.00	50.73	Horizontal
3	6396.75	43.43	-45.20	35.07	-61.96	-13.00	48.96	Horizontal
4	8406.375	41.78	-41.63	37.16	-57.94	-13.00	44.94	Horizontal
5	12170.25	37.85	-37.11	39.14	-55.38	-13.00	42.38	Horizontal
6	15097.125	36.46	-36.48	39.21	-56.07	-13.00	43.07	Horizontal

1.34. Test Band = NSA 66A-N2A_ TM1

1.34.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4070.625	43.89	-46.55	31.38	-66.54	-13.00	53.54	Vertical
2	5592.375	43.70	-46.24	33.37	-64.43	-13.00	51.43	Vertical
3	6614.625	42.95	-45.23	35.69	-61.86	-13.00	48.86	Vertical
4	10776.75	37.91	-38.55	38.91	-56.99	-13.00	43.99	Vertical
5	13804.125	37.71	-36.88	39.89	-54.54	-13.00	41.54	Vertical
6	17921.25	37.59	-34.86	42.71	-49.82	-13.00	36.82	Vertical



Report No.: SUCR260500042411

Page: 18 of 43

1.35. Test Band = NSA 66A-N2A_ TM1

1.35.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4038.375	44.61	-46.85	31.43	-66.07	-13.00	53.07	Horizontal
2	5987.625	43.83	-46.24	34.15	-63.53	-13.00	50.53	Horizontal
3	8387.25	41.91	-41.87	37.05	-58.17	-13.00	45.17	Horizontal
4	10123.125	37.88	-39.29	38.53	-58.14	-13.00	45.14	Horizontal
5	14515.125	36.98	-37.04	39.95	-55.36	-13.00	42.36	Horizontal
6	17916	37.35	-34.80	42.68	-50.03	-13.00	37.03	Horizontal

1.36. Test Band = NSA 66A-N2A_ TM1

1.36.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3283.875	44.68	-46.99	30.00	-67.58	-13.00	54.58	Vertical
2	4374.75	44.84	-46.27	31.75	-64.94	-13.00	51.94	Vertical
3	5981.25	44.01	-46.19	34.18	-63.26	-13.00	50.26	Vertical
4	7564.5	44.03	-43.39	36.00	-58.62	-13.00	45.62	Vertical
5	9839.25	38.55	-39.73	38.20	-58.24	-13.00	45.24	Vertical
6	15128.25	39.00	-36.62	39.20	-53.68	-13.00	40.68	Vertical



Report No.: SUCR260500042411

Page: 19 of 43

1.37. Test Band = NSA 2A-N5A_ TM1

1.37.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3864.75	44.85	-46.60	30.81	-66.20	-13.00	53.20	Horizontal
2	5349.75	44.48	-45.58	33.30	-63.06	-13.00	50.06	Horizontal
3	8468.625	42.00	-42.37	37.64	-57.99	-13.00	44.99	Horizontal
4	11538	36.98	-37.09	38.90	-56.47	-13.00	43.47	Horizontal
5	14271	36.60	-36.41	40.06	-55.01	-13.00	42.01	Horizontal
6	17263.875	38.65	-36.31	39.63	-53.29	-13.00	40.29	Horizontal

1.38. Test Band = NSA 2A-N5A_ TM1

1.38.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3572.25	44.78	-46.66	29.86	-67.29	-13.00	54.29	Vertical
2	4586.625	44.18	-46.01	32.08	-65.01	-13.00	52.01	Vertical
3	5950.875	43.88	-45.90	34.30	-62.99	-13.00	49.99	Vertical
4	7404.375	47.98	-44.77	36.43	-55.63	-13.00	42.63	Vertical
5	9062.25	40.25	-41.14	38.02	-58.13	-13.00	45.13	Vertical
6	15070.5	36.79	-36.56	39.29	-55.75	-13.00	42.75	Vertical



Report No.: SUCR260500042411

Page: 20 of 43

1.39. Test Band = NSA 2A-N5A_ TM1

1.39.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3750	46.22	-46.36	30.40	-65.00	-13.00	52.00	Horizontal
2	5153.25	44.06	-45.71	33.17	-63.73	-13.00	50.73	Horizontal
3	6445.125	43.34	-45.34	35.19	-62.07	-13.00	49.07	Horizontal
4	7905.375	41.77	-42.97	36.76	-59.70	-13.00	46.70	Horizontal
5	10808.625	37.84	-38.17	39.01	-56.58	-13.00	43.58	Horizontal
6	14269.5	36.80	-36.43	40.06	-54.83	-13.00	41.83	Horizontal

1.40. Test Band = NSA 2A-N5A_ TM1

1.40.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3802.5	44.48	-46.83	31.19	-66.43	-13.00	53.43	Vertical
2	5157.375	44.27	-45.67	33.14	-63.52	-13.00	50.52	Vertical
3	7000.5	42.68	-44.31	36.00	-60.89	-13.00	47.89	Vertical
4	9025.125	40.33	-40.71	38.10	-57.54	-13.00	44.54	Vertical
5	12997.5	36.79	-36.95	39.80	-55.63	-13.00	42.63	Vertical
6	16618.125	37.32	-35.32	38.94	-54.33	-13.00	41.33	Vertical



Report No.: SUCR260500042411

Page: 21 of 43

1.41. Test Band = NSA 2A-N5A_ TM1

1.41.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4066.5	44.18	-46.59	31.40	-66.27	-13.00	53.27	Horizontal
2	5145	44.21	-45.78	33.24	-63.59	-13.00	50.59	Horizontal
3	7133.25	42.68	-44.49	36.47	-60.60	-13.00	47.60	Horizontal
4	8828.25	40.18	-41.55	37.84	-58.79	-13.00	45.79	Horizontal
5	11784	38.22	-38.05	38.78	-56.30	-13.00	43.30	Horizontal
6	14267.25	36.48	-36.45	40.07	-55.16	-13.00	42.16	Horizontal

1.42. Test Band = NSA 2A-N5A_ TM1

1.42.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3849	44.62	-46.66	30.91	-66.39	-13.00	53.39	Vertical
2	5702.25	44.29	-45.83	33.41	-63.39	-13.00	50.39	Vertical
3	6996.375	42.99	-44.36	36.01	-60.62	-13.00	47.62	Vertical
4	9006.375	39.97	-40.49	38.17	-57.61	-13.00	44.61	Vertical
5	12164.25	37.89	-37.08	39.13	-55.32	-13.00	42.32	Vertical
6	14328.75	36.47	-36.20	39.94	-55.05	-13.00	42.05	Vertical



Report No.: SUCR260500042411

Page: 22 of 43

1.43. Test Band = NSA 30A-N5A_ TM1

1.43.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4610.5	45.93	-45.95	31.96	-63.32	-40.00	23.32	Horizontal
2	6916	45.27	-45.44	36.10	-59.33	-40.00	19.33	Horizontal
3	7949.5	42.94	-43.13	37.29	-58.16	-40.00	18.16	Horizontal
4	11527	46.45	-37.22	38.90	-47.13	-40.00	7.13	Horizontal
5	13832	40.60	-36.85	39.84	-51.67	-40.00	11.67	Horizontal
6	16137.5	40.48	-37.61	38.50	-53.89	-40.00	13.89	Horizontal

1.44. Test Band = NSA 30A-N5A_ TM1

1.44.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4610.5	46.40	-45.95	31.96	-62.85	-40.00	22.85	Vertical
2	6916	48.35	-45.44	36.10	-56.25	-40.00	16.25	Vertical
3	9221.5	41.63	-41.76	38.04	-57.35	-40.00	17.35	Vertical
4	11526.5	48.50	-37.23	38.90	-45.09	-40.00	5.09	Vertical
5	13832	41.58	-36.85	39.84	-50.69	-40.00	10.69	Vertical
6	16137	41.66	-37.61	38.50	-52.71	-40.00	12.71	Vertical



Report No.: SUCR260500042411

Page: 23 of 43

1.45. Test Band = NSA 30A-N5A_ TM1

1.45.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3718	44.80	-46.05	30.08	-66.43	-40.00	26.43	Horizontal
2	4615.5	46.91	-45.99	31.94	-62.40	-40.00	22.40	Horizontal
3	6923.5	46.44	-45.34	36.10	-58.06	-40.00	18.06	Horizontal
4	9800	38.95	-39.38	38.20	-57.49	-40.00	17.49	Horizontal
5	11539.5	49.07	-37.08	38.90	-44.37	-40.00	4.37	Horizontal
6	13847.5	39.89	-36.83	39.81	-52.39	-40.00	12.39	Horizontal

1.46. Test Band = NSA 30A-N5A_ TM1

1.46.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4615.5	46.34	-45.99	31.94	-62.97	-40.00	22.97	Vertical
2	6923.5	46.99	-45.34	36.10	-57.51	-40.00	17.51	Vertical
3	9014	41.02	-40.58	38.14	-56.68	-40.00	16.68	Vertical
4	11539	48.69	-37.08	38.90	-44.75	-40.00	4.75	Vertical
5	13847	44.97	-36.83	39.81	-47.31	-40.00	7.31	Vertical
6	16155	43.18	-37.64	38.50	-51.22	-40.00	11.22	Vertical



Report No.: SUCR260500042411

Page: 24 of 43

1.47. Test Band = NSA 30A-N5A_ TM1

1.47.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4100.5	44.49	-46.28	31.20	-65.85	-40.00	25.85	Horizontal
2	5662.5	44.39	-45.96	33.48	-63.36	-40.00	23.36	Horizontal
3	6931	47.22	-45.24	36.10	-57.18	-40.00	17.18	Horizontal
4	11551.5	47.97	-36.94	38.90	-45.33	-40.00	5.33	Horizontal
5	13862	41.47	-36.81	39.78	-50.82	-40.00	10.82	Horizontal
6	16172.5	39.72	-37.67	38.50	-54.71	-40.00	14.71	Horizontal

1.48. Test Band = NSA 30A-N5A_ TM1

1.48.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4064.5	44.29	-46.61	31.41	-66.16	-40.00	26.16	Vertical
2	5094.5	44.49	-46.16	33.59	-63.34	-40.00	23.34	Vertical
3	6931	46.24	-45.24	36.10	-58.16	-40.00	18.16	Vertical
4	11551.5	48.46	-36.94	38.90	-44.84	-40.00	4.84	Vertical
5	13862	41.73	-36.81	39.78	-50.56	-40.00	10.56	Vertical
6	16172.5	43.14	-37.67	38.50	-51.29	-40.00	11.29	Vertical



Report No.: SUCR260500042411

Page: 25 of 43

1.49. Test Band = NSA 66A-N5A_ TM1

1.49.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4064.25	45.45	-46.61	31.41	-65.00	-13.00	52.00	Horizontal
2	5724.375	45.18	-45.85	33.55	-62.38	-13.00	49.38	Horizontal
3	6844.5	47.49	-45.04	35.69	-57.12	-13.00	44.12	Horizontal
4	8388.75	42.66	-41.83	37.06	-57.38	-13.00	44.38	Horizontal
5	11280.75	40.12	-38.70	38.96	-54.88	-13.00	41.88	Horizontal
6	14310.375	37.18	-36.16	39.98	-54.26	-13.00	41.26	Horizontal

1.50. Test Band = NSA 66A-N5A_ TM1

1.50.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3883.125	45.64	-46.53	30.70	-65.45	-13.00	52.45	Vertical
2	5365.125	44.39	-45.47	33.21	-63.13	-13.00	50.13	Vertical
3	6844.125	51.17	-45.03	35.69	-53.44	-13.00	40.44	Vertical
4	8379.75	42.42	-42.06	37.02	-57.88	-13.00	44.88	Vertical
5	10142.625	39.81	-39.25	38.47	-56.23	-13.00	43.23	Vertical
6	12971.625	38.38	-37.47	39.74	-54.61	-13.00	41.61	Vertical



Report No.: SUCR260500042411

Page: 26 of 43

1.51. Test Band = NSA 66A-N5A_ TM1

1.51.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3472.125	58.30	-47.15	29.83	-54.28	-13.00	41.28	Horizontal
2	4850.625	45.19	-46.05	33.10	-63.02	-13.00	50.02	Horizontal
3	6944.25	47.98	-45.06	36.10	-56.24	-13.00	43.24	Horizontal
4	8869.875	41.41	-41.49	37.80	-57.54	-13.00	44.54	Horizontal
5	11233.125	39.80	-37.72	38.87	-54.32	-13.00	41.32	Horizontal
6	14049.375	39.03	-36.72	39.95	-53.00	-13.00	40.00	Horizontal

1.52. Test Band = NSA 66A-N5A_ TM1

1.52.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3472.125	54.47	-47.15	29.83	-58.11	-13.00	45.11	Vertical
2	4542.375	45.28	-46.44	32.21	-64.21	-13.00	51.21	Vertical
3	6944.25	50.88	-45.06	36.10	-53.34	-13.00	40.34	Vertical
4	9568.875	40.37	-40.92	38.36	-57.45	-13.00	44.45	Vertical
5	13012.125	38.06	-37.02	39.78	-54.44	-13.00	41.44	Vertical
6	17920.875	38.06	-34.85	42.70	-49.35	-13.00	36.35	Vertical



Report No.: SUCR260500042411

Page: 27 of 43

1.53. Test Band = NSA 66A-N5A_ TM1

1.53.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3522	54.14	-47.06	29.96	-58.23	-13.00	45.23	Horizontal
2	5379	44.56	-45.37	33.13	-62.95	-13.00	49.95	Horizontal
3	7044.375	45.11	-44.36	35.91	-58.60	-13.00	45.60	Horizontal
4	8447.625	42.19	-42.12	37.58	-57.61	-13.00	44.61	Horizontal
5	11182.5	39.21	-37.34	38.87	-54.52	-13.00	41.52	Horizontal
6	14815.125	37.48	-36.99	39.65	-55.12	-13.00	42.12	Horizontal

1.54. Test Band = NSA 66A-N5A_ TM1

1.54.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3522.375	53.01	-47.06	29.96	-59.36	-13.00	46.36	Vertical
2	4583.25	45.19	-46.04	32.10	-64.01	-13.00	51.01	Vertical
3	5954.25	44.93	-45.93	34.28	-61.98	-13.00	48.98	Vertical
4	7044.375	48.54	-44.36	35.91	-55.17	-13.00	42.17	Vertical
5	9000	40.92	-40.42	38.20	-56.56	-13.00	43.56	Vertical
6	11564.25	37.42	-36.79	38.90	-55.73	-13.00	42.73	Vertical



Report No.: SUCR260500042411

Page: 28 of 43

1.55. Test Band = NSA 66A-N25A_ TM1

1.55.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3583.125	44.51	-46.58	29.83	-67.49	-13.00	54.49	Horizontal
2	4804.5	44.11	-45.93	32.92	-64.16	-13.00	51.16	Horizontal
3	6759.75	43.26	-44.43	35.84	-60.59	-13.00	47.59	Horizontal
4	9042.375	40.32	-40.91	38.03	-57.82	-13.00	44.82	Horizontal
5	12192.375	37.28	-37.21	39.18	-56.00	-13.00	43.00	Horizontal
6	15067.5	36.38	-36.57	39.30	-56.16	-13.00	43.16	Horizontal

1.56. Test Band = NSA 66A-N25A_ TM1

1.56.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3505.875	45.20	-47.19	29.99	-67.26	-13.00	54.26	Vertical
2	5744.625	44.17	-45.86	33.67	-63.28	-13.00	50.28	Vertical
3	7404.375	48.72	-44.77	36.43	-54.89	-13.00	41.89	Vertical
4	9777.75	38.84	-39.56	38.07	-57.92	-13.00	44.92	Vertical
5	12409.125	39.01	-38.06	39.08	-55.23	-13.00	42.23	Vertical
6	14808.375	37.93	-36.94	39.67	-54.59	-13.00	41.59	Vertical



Report No.: SUCR260500042411

Page: 29 of 43

1.57. Test Band = NSA 66A-N25A_ TM1

1.57.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3833.25	45.20	-46.72	31.00	-65.78	-13.00	52.78	Horizontal
2	5181.375	44.39	-45.46	32.95	-63.38	-13.00	50.38	Horizontal
3	6672.75	42.72	-44.57	35.99	-61.12	-13.00	48.12	Horizontal
4	7994.25	41.60	-43.30	37.30	-59.66	-13.00	46.66	Horizontal
5	10365.75	39.60	-39.55	38.60	-56.61	-13.00	43.61	Horizontal
6	13620.75	36.74	-36.32	39.92	-54.92	-13.00	41.92	Horizontal

1.58. Test Band = NSA 66A-N25A_ TM1

1.58.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4386.375	44.31	-46.22	31.64	-65.54	-13.00	52.54	Vertical
2	5841.75	43.86	-45.70	34.27	-62.84	-13.00	49.84	Vertical
3	7484.25	44.51	-43.56	36.49	-57.81	-13.00	44.81	Vertical
4	9559.875	39.64	-40.96	38.38	-58.20	-13.00	45.20	Vertical
5	13362.75	39.04	-38.24	39.86	-54.60	-13.00	41.60	Vertical
6	15069.375	36.88	-36.57	39.29	-55.66	-13.00	42.66	Vertical



Report No.: SUCR260500042411

Page: 30 of 43

1.59. Test Band = NSA 66A-N25A_ TM1

1.59.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4021.125	44.73	-47.01	31.33	-66.21	-13.00	53.21	Horizontal
2	5831.625	43.91	-45.75	34.23	-62.87	-13.00	49.87	Horizontal
3	8395.125	42.02	-41.67	37.08	-57.83	-13.00	44.83	Horizontal
4	10806	38.50	-38.18	39.01	-55.93	-13.00	42.93	Horizontal
5	14337	36.58	-36.22	39.93	-54.98	-13.00	41.98	Horizontal
6	17914.125	37.32	-34.78	42.67	-50.05	-13.00	37.05	Horizontal

1.60. Test Band = NSA 66A-N25A_ TM1

1.60.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3392.25	45.09	-46.93	29.50	-67.60	-13.00	54.60	Vertical
2	4862.625	44.16	-46.08	33.02	-64.15	-13.00	51.15	Vertical
3	7584	44.77	-43.41	36.00	-57.90	-13.00	44.90	Vertical
4	9827.25	38.67	-39.62	38.20	-58.01	-13.00	45.01	Vertical
5	12128.625	37.59	-36.93	39.06	-55.54	-13.00	42.54	Vertical
6	16610.625	37.31	-35.37	38.92	-54.40	-13.00	41.40	Vertical



Report No.: SUCR260500042411

Page: 31 of 43

1.61. Test Band = NSA 2A-N41A_ TM1

1.61.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4399.125	45.70	-46.17	31.51	-64.22	-25.00	39.22	Horizontal
2	4993.875	53.45	-45.82	32.98	-54.66	-25.00	29.66	Horizontal
3	7491.375	45.93	-43.45	36.45	-56.33	-25.00	31.33	Horizontal
4	9988.5	52.03	-41.61	38.23	-46.60	-25.00	21.60	Horizontal
5	12485.625	47.45	-37.98	38.93	-46.87	-25.00	21.87	Horizontal
6	14982.375	40.01	-36.95	39.48	-52.71	-25.00	27.71	Horizontal

1.62. Test Band = NSA 2A-N41A_ TM1

1.62.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4056.375	44.84	-46.68	31.46	-65.64	-25.00	40.64	Vertical
2	4994.25	47.41	-45.82	32.98	-60.69	-25.00	35.69	Vertical
3	7491.375	44.73	-43.45	36.45	-57.53	-25.00	32.53	Vertical
4	9988.5	57.88	-41.61	38.23	-40.75	-25.00	15.75	Vertical
5	12485.25	54.52	-37.98	38.93	-39.80	-25.00	14.80	Vertical
6	14982.75	42.31	-36.94	39.48	-50.41	-25.00	25.41	Vertical



Report No.: SUCR260500042411

Page: 32 of 43

1.63. Test Band = NSA 2A-N41A_ TM1

1.63.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4191.375	45.68	-45.82	30.98	-64.42	-25.00	39.42	Horizontal
2	5168.25	52.06	-45.57	33.05	-55.72	-25.00	30.72	Horizontal
3	7752.375	45.84	-43.04	36.80	-55.67	-25.00	30.67	Horizontal
4	10336.5	43.50	-39.82	38.51	-53.07	-25.00	28.07	Horizontal
5	12920.625	46.86	-38.50	39.64	-47.25	-25.00	22.25	Horizontal
6	15805.875	38.33	-35.60	39.58	-52.95	-25.00	27.95	Horizontal

1.64. Test Band = NSA 2A-N41A_ TM1

1.64.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4272	44.65	-46.34	31.76	-65.19	-25.00	40.19	Vertical
2	5168.25	48.42	-45.57	33.05	-59.36	-25.00	34.36	Vertical
3	7752.375	47.92	-43.04	36.80	-53.59	-25.00	28.59	Vertical
4	10372.125	41.07	-39.49	38.62	-55.06	-25.00	30.06	Vertical
5	12920.625	57.16	-38.50	39.64	-36.95	-25.00	11.95	Vertical
6	15802.875	37.96	-35.57	39.59	-53.27	-25.00	28.27	Vertical



Report No.: SUCR260500042411

Page: 33 of 43

1.65. Test Band = NSA 2A-N41A_ TM1

1.65.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3617.25	45.36	-46.34	29.77	-66.48	-25.00	41.48	Horizontal
2	5342.25	49.27	-45.63	33.30	-58.32	-25.00	33.32	Horizontal
3	7445.25	43.39	-44.15	36.67	-59.35	-25.00	34.35	Horizontal
4	10684.5	41.72	-39.90	38.66	-54.77	-25.00	29.77	Horizontal
5	13355.625	43.73	-38.22	39.86	-49.89	-25.00	24.89	Horizontal
6	16627.125	39.81	-35.27	38.95	-51.76	-25.00	26.76	Horizontal

1.66. Test Band = NSA 2A-N41A_ TM1

1.66.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3690.75	45.55	-45.93	29.86	-65.78	-25.00	40.78	Vertical
2	5342.25	46.88	-45.63	33.30	-60.71	-25.00	35.71	Vertical
3	7454.625	43.60	-44.01	36.67	-59.00	-25.00	34.00	Vertical
4	9853.875	39.90	-39.85	38.18	-57.04	-25.00	32.04	Vertical
5	13355.625	51.11	-38.22	39.86	-42.51	-25.00	17.51	Vertical
6	16026.75	43.88	-36.83	38.57	-49.64	-25.00	24.64	Vertical



Report No.: SUCR260500042411

Page: 34 of 43

1.67. Test Band = NSA 2A-N66A_ TM1

1.67.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702.375	46.09	-45.90	29.92	-65.15	-13.00	52.15	Horizontal
2	5836.125	45.21	-45.73	34.24	-61.54	-13.00	48.54	Horizontal
3	8010.75	42.05	-43.24	37.21	-59.24	-13.00	46.24	Horizontal
4	11239.5	39.49	-37.85	38.88	-54.74	-13.00	41.74	Horizontal
5	13803.75	37.31	-36.89	39.89	-54.94	-13.00	41.94	Horizontal
6	17897.25	37.47	-34.70	42.58	-49.91	-13.00	36.91	Horizontal

1.68. Test Band = NSA 2A-N66A_ TM1

1.68.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3740.25	44.95	-46.27	30.30	-66.27	-13.00	53.27	Vertical
2	5205.75	43.92	-45.33	32.81	-63.85	-13.00	50.85	Vertical
3	7404.375	48.16	-44.77	36.43	-55.45	-13.00	42.45	Vertical
4	10752	38.00	-38.94	38.81	-57.39	-13.00	44.39	Vertical
5	14007	37.26	-36.95	40.08	-54.87	-13.00	41.87	Vertical
6	17882.625	37.62	-35.05	42.48	-50.21	-13.00	37.21	Vertical



Report No.: SUCR260500042411

Page: 35 of 43

1.69. Test Band = NSA 2A-N66A_ TM1

1.69.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.125	44.92	-46.28	30.32	-66.30	-13.00	53.30	Horizontal
2	5177.25	44.92	-45.49	32.98	-62.85	-13.00	49.85	Horizontal
3	7465.125	42.91	-43.85	36.61	-59.59	-13.00	46.59	Horizontal
4	10152.75	38.57	-39.23	38.44	-57.48	-13.00	44.48	Horizontal
5	12124.125	37.19	-36.91	39.05	-55.93	-13.00	42.93	Horizontal
6	17202.375	38.04	-35.57	39.50	-53.28	-13.00	40.28	Horizontal

1.70. Test Band = NSA 2A-N66A_ TM1

1.70.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.125	45.76	-46.28	30.32	-65.46	-13.00	52.46	Vertical
2	5080.125	44.13	-46.10	33.56	-63.67	-13.00	50.67	Vertical
3	7484.25	45.35	-43.56	36.49	-56.97	-13.00	43.97	Vertical
4	11200.125	38.30	-37.04	38.80	-55.20	-13.00	42.20	Vertical
5	13596.375	37.05	-36.22	39.91	-54.52	-13.00	41.52	Vertical
6	17916	37.45	-34.80	42.68	-49.93	-13.00	36.93	Vertical



Report No.: SUCR260500042411

Page: 36 of 43

1.71. Test Band = NSA 2A-N66A_ TM1

1.71.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4265.625	44.18	-46.29	31.69	-65.68	-13.00	52.68	Horizontal
2	5177.625	44.57	-45.49	32.98	-63.20	-13.00	50.20	Horizontal
3	7135.5	43.17	-44.49	36.48	-60.10	-13.00	47.10	Horizontal
4	9018.375	39.83	-40.63	38.13	-57.94	-13.00	44.94	Horizontal
5	12995.625	37.13	-36.99	39.79	-55.33	-13.00	42.33	Horizontal
6	14269.5	36.92	-36.43	40.06	-54.71	-13.00	41.71	Horizontal

1.72. Test Band = NSA 2A-N66A_ TM1

1.72.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3782.25	45.94	-46.67	30.92	-65.07	-13.00	52.07	Vertical
2	5068.5	44.17	-46.06	33.54	-63.61	-13.00	50.61	Vertical
3	6666	43.62	-44.65	35.96	-60.32	-13.00	47.32	Vertical
4	8992.875	39.71	-40.49	38.19	-57.86	-13.00	44.86	Vertical
5	12993.375	36.99	-37.03	39.79	-55.52	-13.00	42.52	Vertical
6	17906.625	36.96	-34.70	42.63	-50.37	-13.00	37.37	Vertical



Report No.: SUCR260500042411

Page: 37 of 43

1.73. Test Band = NSA 2A-N71A_ TM1

1.73.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3774.375	45.65	-46.59	30.79	-65.41	-13.00	52.41	Horizontal
2	5145.375	44.78	-45.78	33.24	-63.02	-13.00	50.02	Horizontal
3	6726	43.72	-44.33	36.00	-59.88	-13.00	46.88	Horizontal
4	8421.75	41.67	-41.81	37.32	-58.08	-13.00	45.08	Horizontal
5	11121.75	38.22	-38.39	39.11	-56.32	-13.00	43.32	Horizontal
6	13752	37.94	-36.94	39.95	-54.31	-13.00	41.31	Horizontal

1.74. Test Band = NSA 2A-N71A_ TM1

1.74.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3753	45.50	-46.39	30.45	-65.70	-13.00	52.70	Vertical
2	5165.25	44.20	-45.60	33.08	-63.58	-13.00	50.58	Vertical
3	6747	43.25	-44.39	35.91	-60.49	-13.00	47.49	Vertical
4	8398.5	41.96	-41.59	37.09	-57.79	-13.00	44.79	Vertical
5	10765.875	38.45	-38.72	38.86	-56.67	-13.00	43.67	Vertical
6	14328	37.15	-36.20	39.94	-54.37	-13.00	41.37	Vertical



Report No.: SUCR260500042411

Page: 38 of 43

1.75. Test Band = NSA 2A-N71A_ TM1

1.75.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.5	45.98	-46.29	30.33	-65.24	-13.00	52.24	Horizontal
2	5161.875	44.76	-45.63	33.11	-63.02	-13.00	50.02	Horizontal
3	6399	43.57	-45.19	35.09	-61.79	-13.00	48.79	Horizontal
4	7797	41.79	-42.83	36.71	-59.60	-13.00	46.60	Horizontal
5	11169.375	38.46	-37.57	38.92	-55.45	-13.00	42.45	Horizontal
6	14319	36.31	-36.18	39.96	-55.17	-13.00	42.17	Horizontal

1.76. Test Band = NSA 2A-N71A_ TM1

1.76.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4369.125	44.74	-46.29	31.81	-65.00	-13.00	52.00	Vertical
2	5959.5	44.10	-45.98	34.26	-62.88	-13.00	49.88	Vertical
3	7938.375	42.17	-43.09	37.16	-59.02	-13.00	46.02	Vertical
4	11220.375	38.61	-37.46	38.84	-55.27	-13.00	42.27	Vertical
5	14254.875	36.94	-36.56	40.09	-54.79	-13.00	41.79	Vertical
6	17999.625	37.41	-35.69	43.10	-50.44	-13.00	37.44	Vertical



Report No.: SUCR260500042411

Page: 39 of 43

1.77. Test Band = NSA 2A-N71A_ TM1

1.77.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3718.5	44.55	-46.06	30.09	-66.68	-13.00	53.68	Horizontal
2	5209.875	44.58	-45.35	32.82	-63.21	-13.00	50.21	Horizontal
3	8417.625	41.72	-41.76	37.28	-58.02	-13.00	45.02	Horizontal
4	11183.25	38.21	-37.33	38.87	-55.51	-13.00	42.51	Horizontal
5	14350.125	36.98	-36.25	39.90	-54.63	-13.00	41.63	Horizontal
6	17896.5	36.81	-34.71	42.58	-50.59	-13.00	37.59	Horizontal

1.78. Test Band = NSA 2A-N71A_ TM1

1.78.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3849.75	44.91	-46.66	30.90	-66.10	-13.00	53.10	Vertical
2	4543.125	44.65	-46.43	32.22	-64.82	-13.00	51.82	Vertical
3	5839.125	44.31	-45.72	34.26	-62.41	-13.00	49.41	Vertical
4	7464	42.59	-43.87	36.62	-59.92	-13.00	46.92	Vertical
5	9004.875	40.49	-40.48	38.18	-57.07	-13.00	44.07	Vertical
6	12084.375	37.07	-37.04	38.97	-56.26	-13.00	43.26	Vertical



Report No.: SUCR260500042411

Page: 40 of 43

1.79. Test Band = NSA 2A-N77A 3450-3550_ TM1

1.79.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7479.8	41.99	-43.64	36.52	-60.38	-13.00	47.38	Horizontal
2	9019.65	39.78	-40.76	38.12	-58.12	-13.00	45.12	Horizontal
3	10114.45	38.00	-38.84	38.56	-57.54	-13.00	44.54	Horizontal
4	11186.825	37.45	-36.81	38.85	-55.76	-13.00	42.76	Horizontal
5	13605.275	36.26	-36.13	39.91	-55.23	-13.00	42.23	Horizontal
6	14612.675	36.00	-37.09	39.70	-56.65	-13.00	43.65	Horizontal

1.80. Test Band = NSA 2A-N77A 3450-3550_ TM1

1.80.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7438.4	42.40	-44.02	36.63	-60.25	-13.00	47.25	Vertical
2	8397.5	40.95	-41.46	37.09	-58.68	-13.00	45.68	Vertical
3	10151.25	37.83	-38.91	38.45	-57.89	-13.00	44.89	Vertical
4	12227	37.16	-37.04	39.09	-56.05	-13.00	43.05	Vertical
5	14003.175	36.11	-35.93	40.09	-54.99	-13.00	41.99	Vertical
6	16499.825	36.72	-36.45	38.80	-56.19	-13.00	43.19	Vertical



Report No.: SUCR260500042411

Page: 41 of 43

1.81. Test Band = NSA 2A-N77A 3700-3980_ TM1

1.81.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6717.35	42.65	-43.94	36.03	-60.52	-13.00	47.52	Horizontal
2	7942.1	41.31	-42.99	37.21	-59.74	-13.00	46.74	Horizontal
3	9813.15	38.10	-39.14	38.20	-58.10	-13.00	45.10	Horizontal
4	10654.95	39.00	-39.71	38.78	-57.19	-13.00	44.19	Horizontal
5	12996.35	37.20	-37.16	39.79	-55.43	-13.00	42.43	Horizontal
6	14309.075	35.99	-35.83	39.98	-55.12	-13.00	42.12	Horizontal

1.82. Test Band = NSA 2A-N77A 3700-3980_ TM1

1.82.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7367.1	42.74	-44.15	36.33	-60.34	-13.00	47.34	Vertical
2	9020.8	40.38	-40.77	38.12	-57.53	-13.00	44.53	Vertical
3	9834.425	38.42	-39.35	38.20	-57.99	-13.00	44.99	Vertical
4	12125.225	36.57	-36.66	39.05	-56.30	-13.00	43.30	Vertical
5	13602.975	36.60	-36.12	39.90	-54.88	-13.00	41.88	Vertical
6	15813.85	35.74	-37.35	39.56	-57.31	-13.00	44.31	Vertical



Report No.: SUCR260500042411

Page: 42 of 43

1.83. Test Band = NSA 2A-N77A 3700-3980_ TM1

1.83.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7498.775	42.13	-43.46	36.41	-60.18	-13.00	47.18	Horizontal
2	8431.425	41.52	-41.76	37.41	-58.09	-13.00	45.09	Horizontal
3	9801.65	38.22	-39.03	38.20	-57.87	-13.00	44.87	Horizontal
4	10822.275	37.45	-38.05	39.02	-56.84	-13.00	43.84	Horizontal
5	12204.575	36.82	-36.91	39.18	-56.17	-13.00	43.17	Horizontal
6	14306.2	35.54	-35.81	39.99	-55.55	-13.00	42.55	Horizontal

1.84. Test Band = NSA 2A-N77A 3700-3980_ TM1

1.84.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7106.625	42.53	-43.87	36.25	-60.35	-13.00	47.35	Vertical
2	9008.15	39.59	-40.66	38.17	-58.16	-13.00	45.16	Vertical
3	11190.275	38.14	-36.73	38.84	-55.02	-13.00	42.02	Vertical
4	12976.8	37.02	-37.37	39.75	-55.85	-13.00	42.85	Vertical
5	14328.625	36.16	-35.97	39.94	-55.13	-13.00	42.13	Vertical
6	17883.275	36.89	-35.37	42.48	-51.26	-13.00	38.26	Vertical



Report No.: SUCR260500042411

Page: 43 of 43

1.85. Test Band = NSA 2A-N77A 3700-3980_ TM1

1.85.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7102.025	42.11	-43.83	36.22	-60.76	-13.00	47.76	Horizontal
2	8379.675	41.97	-41.93	37.02	-58.20	-13.00	45.20	Horizontal
3	9400.3	38.72	-40.94	38.20	-59.28	-13.00	46.28	Horizontal
4	10741.2	38.40	-38.83	38.76	-56.92	-13.00	43.92	Horizontal
5	12820.975	37.26	-37.82	39.44	-56.38	-13.00	43.38	Horizontal
6	15795.45	35.42	-37.30	39.57	-57.57	-13.00	44.57	Horizontal

1.86. Test Band = NSA 2A-N77A 3700-3980_ TM1

1.86.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7912.2	41.79	-42.87	36.85	-59.49	-13.00	46.49	Vertical
2	9021.95	39.90	-40.78	38.11	-58.03	-13.00	45.03	Vertical
3	10122.5	38.16	-38.85	38.53	-57.42	-13.00	44.42	Vertical
4	12081.525	37.12	-36.80	38.96	-55.98	-13.00	42.98	Vertical
5	14011.225	36.33	-35.97	40.07	-54.83	-13.00	41.83	Vertical
6	16644.15	36.36	-36.29	38.99	-56.20	-13.00	43.20	Vertical

---End of Attachment---