User Manual


Copyright ⓒ 2022. Lab-T, Inc.

LavvieScanner Manual

- Product Description : LavvieScanner is a device that automatically transmits LavvieTAG's activity data to server.

- How to Use:

  - Connect the LavvieScanner to Power Adapter (USB-A) to turn it on.



  - LavvieScanner is ready to use when device registration and Wi-Fi connection are completed via PurrSong App.
  - LavvieScanner regularly connects with LavvieTAG and transmits LavvieTAG's activity data to server.
  - The transmission goes smoothly within a radius of 6m.

MARKING ACCORDING TO THE ELECTRICAL APPLIANCES AND CONSUMER PRODUCTS SAFETY CONTROL ACT

· Certification Number : KC ID: R-R-PSw-LavScanner1

: FCC ID : 2AWFPSCN1

: IC : 26107-SCAN1

· WLAN Module Certification Number

: KC ID: R-R-RDw-EMC3380

: FCC ID : P52-EMC3380

Tested To Comply
With FCC Standards
FOR HOME OR OFFICE USE
FCC ID : 2AWFPSCN1
IC ID : 26107-SCAN1
Contains FCC ID : P53-EMC3380

R XXX-XXXXXX

· Product Name: 스마트 스캐너 / Smart Scanner

· Model Name: LavvieScanner

· Input: 5V

· Temperature setting for the use: 0℃ ~ 45℃

· Place for the use: For residential use (indoor)

· Manufacturer : PurrSong, Inc.

· Address: 1st Floor, D 2nd Bldg., 179 Daehag-ro, Yuseong-gu, Daejeon, Republic of Korea

· Country of Origin: Republic of Korea

· Date of manufacture: Indicated separately

· RF SPEC.

1. Bluetooth
   - Frequency : 2402 ~ 2480 MHz
   - Version : Bluetooth Low Energy 5.0
   - Output Power : -13 dBm ± 1 dB
2. WLAN
   - Frequency : 2412 ~ 2462 MHz / 5180 ~ 5825 MHz
   - 802.11 protocol : a/b/g/n(HT20,HT40)
   - Output Power : 2.4 GHz 802.11b/g/n(HT20) : 16 dBm ± 1 dB

     802.11n(HT40) : 14 dBm ± 1 dB

     5 GHz UNII-1 : 11.5 dBm ± 1 dB

     UNII-2A : 12 dBm ± 1 dB

     UNII-3 : 10.5 dBm ± 1 dB

FCC COMPLIANCE STATEMENT

This device complies with part 15 of the FCC Rules.

Operation is subject to the following two conditions : (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.

· CAUTION: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment

· RF Exposure Statement

A minimum separation distance of 20 cm must be maintained between the antenna and the person for this appliance to satisfy the RF exposure requirements

· Industry Canada Statement

This device complies with Industry Canada license-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2)this device must accept any interference, including interference that may cause undesired operation of the device.

· Énoncé d'Industrie Canada(IC)

Le present appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisee aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioelectrique subi, meme si le brouillage est susceptible d'en compromettre le fonctionnement.

· Tout changement ou modification non expressément approuvé par la partie chargée de la mise en conformité peut annuler le droit de l'utilisateur à utiliser l'équipement.

· Déclaration d'exposition aux RF

Une distance de séparation minimale de 20 cm doit être maintenue entre l'antenne et la personne pour que cet appareil satisfasse aux exigences d'exposition aux RF