



TM2 / Polarization: Horizontal / Band: 5150-5250 MHz / BW: 20 / CH: H




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10541.000	33.65	9.04	42.69	48.20	-5.51	AVG			P	
2	10552.750	44.77	9.05	53.82	68.20	-14.38	peak			P	
3 *	12620.750	33.64	11.22	44.86	48.20	-3.34	AVG			P	
4	12667.750	43.99	11.30	55.29	68.20	-12.91	peak			P	

TM2 / Polarization: Vertical / Band: 5150-5250 MHz / BW: 20 / CH: H




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10482.250	50.19	8.63	58.82	68.20	-9.38	peak			P	
2 *	10482.250	37.91	8.63	46.54	48.20	-1.66	AVG			P	

TM2 / Polarization: Horizontal / Band: 5150-5250 MHz / BW: 40 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10458.750	33.85	8.92	42.77	48.20	-5.43	AVG			P	
2	10552.750	44.10	9.05	53.15	68.20	-15.05	peak			P	

TM2 / Polarization: Vertical / Band: 5150-5250 MHz / BW: 40 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10482.250	44.38	8.63	53.01	68.20	-15.19	peak			P	
2 *	10529.250	33.76	8.68	42.44	48.20	-5.76	AVG			P	


TM2 / Polarization: Horizontal / Band: 5725-5850 MHz / BW: 20 / CH: L




TM2 / Polarization: Vertical / Band: 5725-5850 MHz / BW: 20 / CH: L




TM2 / Polarization: Horizontal / Band: 5725-5850 MHz / BW: 20 / CH: H



TM2 / Polarization: Vertical / Band: 5725-5850 MHz / BW: 20 / CH: H




TM3 / Polarization: Horizontal / Band: 5150-5250 MHz / BW: 20 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10364.750	47.30	8.76	56.06	68.20	-12.14	peak			P	
2 *	10364.750	36.18	8.76	44.94	48.20	-3.26	AVG			P	

TM3 / Polarization: Vertical / Band: 5150-5250 MHz / BW: 20 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10364.750	48.86	8.56	57.42	68.20	-10.78	peak			P	
2 *	10364.750	36.29	8.56	44.85	48.20	-3.35	AVG			P	

TM3 / Polarization: Horizontal / Band: 5150-5250 MHz / BW: 20 / CH: H




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	9354.250	44.92	8.06	52.98	68.20	-15.22	peak			P	
2 *	9354.250	34.28	8.06	42.34	48.20	-5.86	AVG			P	

TM3 / Polarization: Vertical / Band: 5150-5250 MHz / BW: 20 / CH: H




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10482.250	50.60	8.63	59.23	68.20	-8.97	peak			P	
2 *	10482.250	38.16	8.63	46.79	48.20	-1.41	AVG			P	


TM3 / Polarization: Horizontal / Band: 5725-5850 MHz / BW: 20 / CH: L




TM3 / Polarization: Vertical / Band: 5725-5850 MHz / BW: 20 / CH: L




TM3 / Polarization: Horizontal / Band: 5725-5850 MHz / BW: 20 / CH: H




TM3 / Polarization: Vertical / Band: 5725-5850 MHz / BW: 20 / CH: H




TM3 / Polarization: Horizontal / Band: 5725-5850 MHz / BW: 40 / CH: L




TM3 / Polarization: Vertical / Band: 5725-5850 MHz / BW: 40 / CH: L



TM3 / Polarization: Horizontal / Band: 5725-5850 MHz / BW: 40 / CH: H




TM3 / Polarization: Vertical / Band: 5725-5850 MHz / BW: 40 / CH: H




MIMO

TM2 / Polarization: Horizontal / Band: 5150-5250 MHz / BW: 20 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	9342.500	34.16	8.07	42.23	48.20	-5.97	AVG			P	
2	9389.500	45.74	8.08	53.82	68.20	-14.38	peak			P	
3	12562.000	45.69	11.12	56.81	68.20	-11.39	peak			P	
4 *	12609.000	33.58	11.19	44.77	48.20	-3.43	AVG			P	

TM2 / Polarization: Vertical / Band: 5150-5250 MHz / BW: 20 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10364.750	49.41	8.56	57.97	68.20	-10.23	peak			P	
2 *	10364.750	37.14	8.56	45.70	48.20	-2.50	AVG			P	

TM2 / Polarization: Horizontal / Band: 5150-5250 MHz / BW: 20 / CH: H




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	9354.250	44.92	8.06	52.98	68.20	-15.22	peak			P	
2 *	9354.250	34.28	8.06	42.34	48.20	-5.86	AVG			P	

TM2 / Polarization: Vertical / Band: 5150-5250 MHz / BW: 20 / CH: H




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10482.250	50.60	8.63	59.23	68.20	-8.97	peak			P	
2 *	10482.250	38.16	8.63	46.79	48.20	-1.41	AVG			P	

TM2 / Polarization: Horizontal / Band: 5150-5250 MHz / BW: 40 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10388.250	36.29	8.80	45.09	48.20	-3.11	AVG			P	
2	10494.000	45.46	8.99	54.45	68.20	-13.75	peak			P	

TM2 / Polarization: Vertical / Band: 5150-5250 MHz / BW: 40 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10376.500	49.77	8.56	58.33	68.20	-9.87	peak			P	
2 *	10388.250	36.41	8.58	44.99	48.20	-3.21	AVG			P	

TM2 / Polarization: Horizontal / Band: 5150-5250 MHz / BW: 40 / CH: H




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10635.000	44.70	9.10	53.80	68.20	-14.40	peak			P	
2 *	10682.000	33.75	9.13	42.88	48.20	-5.32	AVG			P	

TM2 / Polarization: Vertical / Band: 5150-5250 MHz / BW: 40 / CH: H




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10458.750	47.01	8.62	55.63	68.20	-12.57	peak			P	
2 *	10458.750	35.98	8.62	44.60	48.20	-3.60	AVG			P	


TM2 / Polarization: Horizontal / Band: 5725-5850 MHz / BW: 20 / CH: L




TM2 / Polarization: Vertical / Band: 5725-5850 MHz / BW: 20 / CH: L




TM2 / Polarization: Horizontal / Band: 5725-5850 MHz / BW: 20 / CH: H



TM2 / Polarization: Vertical / Band: 5725-5850 MHz / BW: 20 / CH: H




TM3 / Polarization: Horizontal / Band: 5150-5250 MHz / BW: 20 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10447.000	44.43	8.91	53.34	68.20	-14.86	peak			P	
2	10482.250	33.99	8.97	42.96	48.20	-5.24	AVG			P	
3	12573.750	44.39	11.15	55.54	68.20	-12.66	peak			P	
4 *	12585.500	33.66	11.16	44.82	48.20	-3.38	AVG			P	

TM3 / Polarization: Vertical / Band: 5150-5250 MHz / BW: 20 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10364.750	51.07	8.56	59.63	68.20	-8.57	peak			P	
2 *	10364.750	36.07	8.56	44.63	48.20	-3.57	AVG			P	

TM3 / Polarization: Horizontal / Band: 5150-5250 MHz / BW: 20 / CH: H




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10482.250	33.93	8.97	42.90	48.20	-5.30	AVG			P	
2	10494.000	45.46	8.99	54.45	68.20	-13.75	peak			P	
3 *	12397.500	33.88	10.82	44.70	48.20	-3.50	AVG			P	
4	12444.500	44.47	10.91	55.38	68.20	-12.82	peak			P	

TM3 / Polarization: Vertical / Band: 5150-5250 MHz / BW: 20 / CH: H




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10482.250	37.05	8.63	45.68	48.20	-2.52	AVG			P	
2	10494.000	50.60	8.65	59.25	68.20	-8.95	peak			P	

TM3 / Polarization: Horizontal / Band: 5150-5250 MHz / BW: 40 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	9354.250	44.98	8.06	53.04	68.20	-15.16	peak			P	
2	9377.750	34.36	8.07	42.43	48.20	-5.77	AVG			P	
3	12350.500	45.75	10.73	56.48	68.20	-11.72	peak			P	
4 *	12432.750	33.94	10.90	44.84	48.20	-3.36	AVG			P	

TM3 / Polarization: Vertical / Band: 5150-5250 MHz / BW: 40 / CH: L




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10411.750	48.29	8.58	56.87	68.20	-11.33	peak			P	
2 *	10411.750	36.54	8.58	45.12	48.20	-3.08	AVG			P	

TM3 / Polarization: Horizontal / Band: 5150-5250 MHz / BW: 40 / CH: H




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	9342.500	34.35	8.07	42.42	48.20	-5.78	AVG			P	
2	9377.750	45.44	8.07	53.51	68.20	-14.69	peak			P	
3	11739.500	45.61	9.84	55.45	68.20	-12.75	peak			P	
4 *	11739.500	34.28	9.84	44.12	48.20	-4.08	AVG			P	

TM3 / Polarization: Vertical / Band: 5150-5250 MHz / BW: 40 / CH: H




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10458.750	50.24	8.62	58.86	68.20	-9.34	peak			P	
2 *	10458.750	38.42	8.62	47.04	48.20	-1.16	AVG			P	


TM3 / Polarization: Horizontal / Band: 5725-5850 MHz / BW: 20 / CH: L




TM3 / Polarization: Vertical / Band: 5725-5850 MHz / BW: 20 / CH: L




TM3 / Polarization: Horizontal / Band: 5725-5850 MHz / BW: 20 / CH: H




TM3 / Polarization: Vertical / Band: 5725-5850 MHz / BW: 20 / CH: H




TM3 / Polarization: Horizontal / Band: 5725-5850 MHz / BW: 40 / CH: L




TM3 / Polarization: Vertical / Band: 5725-5850 MHz / BW: 40 / CH: L



TM3 / Polarization: Horizontal / Band: 5725-5850 MHz / BW: 40 / CH: H



TM3 / Polarization: Vertical / Band: 5725-5850 MHz / BW: 40 / CH: H



Remark: Margin= Measurement level – Limit; Correction Factor= Antenna Factor + Cable loss – Pre-amplifier
Level=Test receiver reading + correction factor

5 TEST SETUP PHOTOS

Please Refer to test setup file for Details.

6 PHOTOS OF THE EUT

Please Refer to external and internal photos file for Details.

***** End of Report *****