

-26BW_NVNT_ANT2_802_11ax(HE80)_5290



99%_OCB_NVNT_ANT3_802_11ax(HE80)_5290



-26BW_NVNT_ANT3_802_11ax(HE80)_5290



2. Maximum Conducted Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Detector	Conducted Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5260.00	Peak	13.65	24	Pass
NVNT	ANT2	802.11a	5260.00	Peak	16.82	24	Pass
NVNT	ANT3	802.11a	5260.00	Peak	17.23	24	Pass
NVNT	ANT1	802.11a	5300.00	Peak	13.59	24	Pass
NVNT	ANT2	802.11a	5300.00	Peak	17.22	24	Pass
NVNT	ANT3	802.11a	5300.00	Peak	17.35	24	Pass
NVNT	ANT1	802.11a	5320.00	Peak	13.51	24	Pass
NVNT	ANT2	802.11a	5320.00	Peak	17.04	24	Pass
NVNT	ANT3	802.11a	5320.00	Peak	17.17	24	Pass
NVNT	ANT1	802.11n(HT20)	5260.00	Peak	10.09	24	Pass
NVNT	ANT2	802.11n(HT20)	5260.00	Peak	13.38	24	Pass
NVNT	ANT3	802.11n(HT20)	5260.00	Peak	13.76	24	Pass
NVNT	ANT1	802.11n(HT20)	5300.00	Peak	10.02	24	Pass
NVNT	ANT2	802.11n(HT20)	5300.00	Peak	13.75	24	Pass
NVNT	ANT3	802.11n(HT20)	5300.00	Peak	13.92	24	Pass
NVNT	ANT1	802.11n(HT20)	5320.00	Peak	10.03	24	Pass
NVNT	ANT2	802.11n(HT20)	5320.00	Peak	13.54	24	Pass
NVNT	ANT3	802.11n(HT20)	5320.00	Peak	13.68	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5260.00	Peak	9.18	24	Pass
NVNT	ANT2	802.11ac(VHT20)	5260.00	Peak	12.34	24	Pass
NVNT	ANT3	802.11ac(VHT20)	5260.00	Peak	12.72	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5300.00	Peak	9.03	24	Pass
NVNT	ANT2	802.11ac(VHT20)	5300.00	Peak	12.82	24	Pass
NVNT	ANT3	802.11ac(VHT20)	5300.00	Peak	12.99	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5320.00	Peak	9.07	24	Pass
NVNT	ANT2	802.11ac(VHT20)	5320.00	Peak	12.52	24	Pass
NVNT	ANT3	802.11ac(VHT20)	5320.00	Peak	12.74	24	Pass
NVNT	ANT1	802.11ax(HE20)	5260.00	Peak	10.30	24	Pass
NVNT	ANT2	802.11ax(HE20)	5260.00	Peak	13.54	24	Pass
NVNT	ANT3	802.11ax(HE20)	5260.00	Peak	13.83	24	Pass
NVNT	ANT1	802.11ax(HE20)	5300.00	Peak	10.24	24	Pass
NVNT	ANT2	802.11ax(HE20)	5300.00	Peak	13.88	24	Pass
NVNT	ANT3	802.11ax(HE20)	5300.00	Peak	14.21	24	Pass
NVNT	ANT1	802.11ax(HE20)	5320.00	Peak	10.20	24	Pass
NVNT	ANT2	802.11ax(HE20)	5320.00	Peak	13.70	24	Pass
NVNT	ANT3	802.11ax(HE20)	5320.00	Peak	13.95	24	Pass
NVNT	ANT1	802.11n(HT40)	5270.00	Peak	10.54	24	Pass
NVNT	ANT2	802.11n(HT40)	5270.00	Peak	13.81	24	Pass
NVNT	ANT3	802.11n(HT40)	5270.00	Peak	14.05	24	Pass
NVNT	ANT1	802.11n(HT40)	5310.00	Peak	10.45	24	Pass
NVNT	ANT2	802.11n(HT40)	5310.00	Peak	14.10	24	Pass
NVNT	ANT3	802.11n(HT40)	5310.00	Peak	14.22	24	Pass
NVNT	ANT1	802.11ac(VHT40)	5270.00	Peak	9.54	24	Pass
NVNT	ANT2	802.11ac(VHT40)	5270.00	Peak	13.10	24	Pass
NVNT	ANT3	802.11ac(VHT40)	5270.00	Peak	13.20	24	Pass
NVNT	ANT1	802.11ac(VHT40)	5310.00	Peak	9.31	24	Pass
NVNT	ANT2	802.11ac(VHT40)	5310.00	Peak	13.19	24	Pass
NVNT	ANT3	802.11ac(VHT40)	5310.00	Peak	13.17	24	Pass
NVNT	ANT1	802.11ax(HE40)	5270.00	Peak	10.94	24	Pass
NVNT	ANT2	802.11ax(HE40)	5270.00	Peak	13.18	24	Pass
NVNT	ANT3	802.11ax(HE40)	5270.00	Peak	13.42	24	Pass
NVNT	ANT1	802.11ax(HE40)	5310.00	Peak	10.81	24	Pass
NVNT	ANT2	802.11ax(HE40)	5310.00	Peak	14.33	24	Pass
NVNT	ANT3	802.11ax(HE40)	5310.00	Peak	14.52	24	Pass
NVNT	ANT1	802.11ac(VHT80)	5290.00	Peak	8.71	24	Pass
NVNT	ANT2	802.11ac(VHT80)	5290.00	Peak	12.53	24	Pass
NVNT	ANT3	802.11ac(VHT80)	5290.00	Peak	12.70	24	Pass
NVNT	ANT1	802.11ax(HE80)	5290.00	Peak	8.93	24	Pass
NVNT	ANT2	802.11ax(HE80)	5290.00	Peak	10.63	24	Pass
NVNT	ANT3	802.11ax(HE80)	5290.00	Peak	10.89	24	Pass

Limit is the lesser of 250 mW or 11 dBm + 10 log B, where B is the 26 dB emission bandwidth in megahertz.

Condition	Antenna	Mode	Frequency(MHz)	MIMO_Conducted_Power (dBm)	Limit(dBm)	Result
NVNT	MIMO_TX	802.11n(HT20)	5260.00	17.46	24	Pass
NVNT	MIMO_TX	802.11n(HT20)	5300.00	17.67	24	Pass
NVNT	MIMO_TX	802.11n(HT20)	5320.00	17.48	24	Pass
NVNT	MIMO_TX	802.11ac(VHT20)	5260.00	16.45	24	Pass
NVNT	MIMO_TX	802.11ac(VHT20)	5300.00	16.73	24	Pass
NVNT	MIMO_TX	802.11ac(VHT20)	5320.00	16.51	24	Pass
NVNT	MIMO_TX	802.11ax(HE20)	5260.00	17.59	24	Pass
NVNT	MIMO_TX	802.11ax(HE20)	5300.00	17.88	24	Pass
NVNT	MIMO_TX	802.11ax(HE20)	5320.00	17.69	24	Pass
NVNT	MIMO_TX	802.11n(HT40)	5270.00	17.84	24	Pass
NVNT	MIMO_TX	802.11n(HT40)	5310.00	18.01	24	Pass
NVNT	MIMO_TX	802.11ac(VHT40)	5270.00	17.02	24	Pass
NVNT	MIMO_TX	802.11ac(VHT40)	5310.00	17.00	24	Pass
NVNT	MIMO_TX	802.11ax(HE40)	5270.00	17.42	24	Pass
NVNT	MIMO_TX	802.11ax(HE40)	5310.00	18.29	24	Pass
NVNT	MIMO_TX	802.11ac(VHT80)	5290.00	16.43	24	Pass
NVNT	MIMO_TX	802.11ax(HE80)	5290.00	15.00	24	Pass

Note: MIMO Gain is 3.87dBi< 6dBi, so MIMO limit=24dBm

3. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	PSD(dBm/MHz)	limit(dBm)	Result
NVNT	ANT1	802.11a	5260.00	3.45	11	Pass
NVNT	ANT2	802.11a	5260.00	6.42	11	Pass
NVNT	ANT3	802.11a	5260.00	7.06	11	Pass
NVNT	ANT1	802.11a	5300.00	3.39	11	Pass
NVNT	ANT2	802.11a	5300.00	7.10	11	Pass
NVNT	ANT3	802.11a	5300.00	6.94	11	Pass
NVNT	ANT1	802.11a	5320.00	3.27	11	Pass
NVNT	ANT2	802.11a	5320.00	6.72	11	Pass
NVNT	ANT3	802.11a	5320.00	6.91	11	Pass
NVNT	ANT1	802.11n(HT20)	5260.00	-0.27	11	Pass
NVNT	ANT2	802.11n(HT20)	5260.00	2.69	11	Pass
NVNT	ANT3	802.11n(HT20)	5260.00	3.22	11	Pass
NVNT	ANT1	802.11n(HT20)	5300.00	-0.56	11	Pass
NVNT	ANT2	802.11n(HT20)	5300.00	3.31	11	Pass
NVNT	ANT3	802.11n(HT20)	5300.00	3.23	11	Pass
NVNT	ANT1	802.11n(HT20)	5320.00	-0.68	11	Pass
NVNT	ANT2	802.11n(HT20)	5320.00	2.85	11	Pass
NVNT	ANT3	802.11n(HT20)	5320.00	2.92	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5260.00	-2.03	11	Pass
NVNT	ANT2	802.11ac(VHT20)	5260.00	1.32	11	Pass
NVNT	ANT3	802.11ac(VHT20)	5260.00	1.47	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5300.00	-1.98	11	Pass
NVNT	ANT2	802.11ac(VHT20)	5300.00	1.72	11	Pass
NVNT	ANT3	802.11ac(VHT20)	5300.00	1.57	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5320.00	-2.27	11	Pass
NVNT	ANT2	802.11ac(VHT20)	5320.00	1.63	11	Pass
NVNT	ANT3	802.11ac(VHT20)	5320.00	1.45	11	Pass
NVNT	ANT1	802.11ax(HE20)	5260.00	-0.98	11	Pass
NVNT	ANT2	802.11ax(HE20)	5260.00	2.42	11	Pass
NVNT	ANT3	802.11ax(HE20)	5260.00	2.57	11	Pass
NVNT	ANT1	802.11ax(HE20)	5300.00	-0.86	11	Pass
NVNT	ANT2	802.11ax(HE20)	5300.00	2.74	11	Pass
NVNT	ANT3	802.11ax(HE20)	5300.00	2.71	11	Pass
NVNT	ANT1	802.11ax(HE20)	5320.00	-1.01	11	Pass
NVNT	ANT2	802.11ax(HE20)	5320.00	2.51	11	Pass
NVNT	ANT3	802.11ax(HE20)	5320.00	2.60	11	Pass
NVNT	ANT1	802.11n(HT40)	5270.00	-2.28	11	Pass
NVNT	ANT2	802.11n(HT40)	5270.00	1.00	11	Pass
NVNT	ANT3	802.11n(HT40)	5270.00	1.41	11	Pass
NVNT	ANT1	802.11n(HT40)	5310.00	-2.44	11	Pass
NVNT	ANT2	802.11n(HT40)	5310.00	1.00	11	Pass
NVNT	ANT3	802.11n(HT40)	5310.00	1.45	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5270.00	-4.23	11	Pass
NVNT	ANT2	802.11ac(VHT40)	5270.00	-0.54	11	Pass
NVNT	ANT3	802.11ac(VHT40)	5270.00	-0.87	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5310.00	-4.73	11	Pass
NVNT	ANT2	802.11ac(VHT40)	5310.00	-0.47	11	Pass
NVNT	ANT3	802.11ac(VHT40)	5310.00	-0.41	11	Pass
NVNT	ANT1	802.11ax(HE40)	5270.00	-2.52	11	Pass
NVNT	ANT2	802.11ax(HE40)	5270.00	0.73	11	Pass
NVNT	ANT3	802.11ax(HE40)	5270.00	1.04	11	Pass
NVNT	ANT1	802.11ax(HE40)	5310.00	-2.82	11	Pass
NVNT	ANT2	802.11ax(HE40)	5310.00	0.88	11	Pass
NVNT	ANT3	802.11ax(HE40)	5310.00	1.16	11	Pass
NVNT	ANT1	802.11ac(VHT80)	5290.00	-8.05	11	Pass
NVNT	ANT2	802.11ac(VHT80)	5290.00	-4.16	11	Pass
NVNT	ANT3	802.11ac(VHT80)	5290.00	-4.11	11	Pass
NVNT	ANT1	802.11ax(HE80)	5290.00	-5.74	11	Pass
NVNT	ANT2	802.11ax(HE80)	5290.00	-1.80	11	Pass
NVNT	ANT3	802.11ax(HE80)	5290.00	-1.45	11	Pass

Power_Spectral_Density_NVNT_ANT1_802_11a_5260



Power_Spectral_Density_NVNT_ANT2_802_11a_5260

Power_Spectral_Density_NVNT_ANT3_802_11a_5260



Power_Spectral_Density_NVNT_ANT1_802_11a_5300

Power_Spectral_Density_NVNT_ANT2_802_11a_5300



Power_Spectral_Density_NVNT_ANT3_802_11a_5300



Power_Spectral_Density_NVNT_ANT1_802_11a_5320



Power_Spectral_Density_NVNT_ANT2_802_11a_5320

Power_Spectral_Density_NVNT_ANT3_802_11a_5320



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5260



Power_Spectral_Density_NVNT_ANT2_802_11n(HT20)_5260

Power_Spectral_Density_NVNT_ANT3_802_11n(HT20)_5260



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5300



Power_Spectral_Density_NVNT_ANT2_802_11n(HT20)_5300

Power_Spectral_Density_NVNT_ANT3_802_11n(HT20)_5300



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5320



Power_Spectral_Density_NVNT_ANT2_802_11n(HT20)_5320

Power_Spectral_Density_NVNT_ANT3_802_11n(HT20)_5320



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5260



Power_Spectral_Density_NVNT_ANT2_802_11ac(VHT20)_5260

Power_Spectral_Density_NVNT_ANT3_802_11ac(VHT20)_5260



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5300



Power_Spectral_Density_NVNT_ANT2_802_11ac(VHT20)_5300



Power_Spectral_Density_NVNT_ANT3_802_11ac(VHT20)_5300



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5320



Power_Spectral_Density_NVNT_ANT2_802_11ac(VHT20)_5320

Power_Spectral_Density_NVNT_ANT3_802_11ac(VHT20)_5320



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE20)_5260

Power_Spectral_Density_NVNT_ANT2_802_11ax(HE20)_5260

Power_Spectral_Density_NVNT_ANT3_802_11ax(HE20)_5260

Power_Spectral_Density_NVNT_ANT1_802_11ax(HE20)_5300

Power_Spectral_Density_NVNT_ANT2_802_11ax(HE20)_5300

Power_Spectral_Density_NVNT_ANT3_802_11ax(HE20)_5300

Power_Spectral_Density_NVNT_ANT1_802_11ax(HE20)_5320

Power_Spectral_Density_NVNT_ANT2_802_11ax(HE20)_5320

Power_Spectral_Density_NVNT_ANT3_802_11ax(HE20)_5320

Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5270

Power_Spectral_Density_NVNT_ANT2_802_11n(HT40)_5270

Power_Spectral_Density_NVNT_ANT3_802_11n(HT40)_5270

Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5310

Power_Spectral_Density_NVNT_ANT2_802_11n(HT40)_5310



Power_Spectral_Density_NVNT_ANT3_802_11n(HT40)_5310

Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5270

Power_Spectral_Density_NVNT_ANT2_802_11ac(VHT40)_5270

Power_Spectral_Density_NVNT_ANT3_802_11ac(VHT40)_5270



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5310

Power_Spectral_Density_NVNT_ANT2_802_11ac(VHT40)_5310



Power_Spectral_Density_NVNT_ANT3_802_11ac(VHT40)_5310

Power_Spectral_Density_NVNT_ANT1_802_11ax(HE40)_5270



Power_Spectral_Density_NVNT_ANT2_802_11ax(HE40)_5270

Power_Spectral_Density_NVNT_ANT3_802_11ax(HE40)_5270



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE40)_5310



Power_Spectral_Density_NVNT_ANT2_802_11ax(HE40)_5310

Power_Spectral_Density_NVNT_ANT3_802_11ax(HE40)_5310

Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT80)_5290

Power_Spectral_Density_NVNT_ANT2_802_11ac(VHT80)_5290

Power_Spectral_Density_NVNT_ANT3_802_11ac(VHT80)_5290

Power_Spectral_Density_NVNT_ANT1_802_11ax(HE80)_5290

Power_Spectral_Density_NVNT_ANT2_802_11ax(HE80)_5290

Power_Spectral_Density_NVNT_ANT3_802_11ax(HE80)_5290

Condition	Antenna	Mode	Frequency (MHz)	MIMO PSD(dBm/MHz)	Limit(dBm/MHz)	Result
NVNT	MIMO_TX	802.11n(HT20)	5260.00	6.90	11	Pass
NVNT	MIMO_TX	802.11n(HT20)	5300.00	7.10	11	Pass
NVNT	MIMO_TX	802.11n(HT20)	5320.00	6.76	11	Pass
NVNT	MIMO_TX	802.11ac(VHT20)	5260.00	5.30	11	Pass
NVNT	MIMO_TX	802.11ac(VHT20)	5300.00	5.51	11	Pass
NVNT	MIMO_TX	802.11ac(VHT20)	5320.00	5.37	11	Pass
NVNT	MIMO_TX	802.11ax(HE20)	5260.00	6.39	11	Pass
NVNT	MIMO_TX	802.11ax(HE20)	5300.00	6.60	11	Pass
NVNT	MIMO_TX	802.11ax(HE20)	5320.00	6.43	11	Pass
NVNT	MIMO_TX	802.11n(HT40)	5270.00	5.10	11	Pass
NVNT	MIMO_TX	802.11n(HT40)	5310.00	5.09	11	Pass
NVNT	MIMO_TX	802.11ac(VHT40)	5270.00	3.18	11	Pass
NVNT	MIMO_TX	802.11ac(VHT40)	5310.00	3.31	11	Pass
NVNT	MIMO_TX	802.11ax(HE40)	5270.00	4.79	11	Pass
NVNT	MIMO_TX	802.11ax(HE40)	5310.00	4.85	11	Pass
NVNT	MIMO_TX	802.11ac(VHT80)	5290.00	-0.32	11	Pass
NVNT	MIMO_TX	802.11ax(HE80)	5290.00	2.16	11	Pass

Note: MIMO Gain is 3.87dBi< 6dBi, so MIMO limit=11dBm

NVNT_MIMO_TX_802_11n(HT20)_Power_Spectral_Density_5260



NVNT_MIMO_TX_802_11n(HT20)_Power_Spectral_Density_5300



NVNT_MIMO_TX_802_11n(HT20)_Power_Spectral_Density_5320



NVNT_MIMO_TX_802_11ac(VHT20)_Power_Spectral_Density_5260



NVNT_MIMO_TX_802_11ac(VHT20)_Power_Spectral_Density_5300



NVNT_MIMO_TX_802_11ac(VHT20)_Power_Spectral_Density_5320



NVNT_MIMO_TX_802_11ax(HE20)_Power_Spectral_Density_5260



NVNT_MIMO_TX_802_11ax(HE20)_Power_Spectral_Density_5300



NVNT_MIMO_TX_802_11ax(HE20)_Power_Spectral_Density_5320



NVNT_MIMO_TX_802_11n(HT40)_Power_Spectral_Density_5270



NVNT_MIMO_TX_802_11n(HT40)_Power_Spectral_Density_5310



NVNT_MIMO_TX_802_11ac(VHT40)_Power_Spectral_Density_5270



NVNT_MIMO_TX_802_11ac(VHT40)_Power_Spectral_Density_5310



NVNT_MIMO_TX_802_11ax(HE40)_Power_Spectral_Density_5270



NVNT_MIMO_TX_802_11ax(HE40)_Power_Spectral_Density_5310



NVNT_MIMO_TX_802_11ac(VHT80)_Power_Spectral_Density_5290



NVNT_MIMO_TX_802_11ax(HE80)_Power_Spectral_Density_5290



4. Bandedge

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5260.00	5139.72	-40.16	-27	Pass
NVNT	ANT2	802.11a	5260.00	5130.76	-37.79	-27	Pass
NVNT	ANT3	802.11a	5260.00	5023.52	-35.80	-27	Pass
NVNT	ANT1	802.11a	5320.00	5350.40	-39.31	-27	Pass
NVNT	ANT2	802.11a	5320.00	5353.40	-36.49	-27	Pass
NVNT	ANT3	802.11a	5320.00	5352.80	-37.47	-27	Pass
NVNT	ANT1	802.11n(HT20)	5260.00	5053.76	-39.69	-27	Pass
NVNT	ANT2	802.11n(HT20)	5260.00	5098.00	-37.58	-27	Pass
NVNT	ANT3	802.11n(HT20)	5260.00	5139.44	-37.32	-27	Pass
NVNT	ANT1	802.11n(HT20)	5320.00	5350.20	-35.18	-27	Pass
NVNT	ANT2	802.11n(HT20)	5320.00	5350.40	-31.08	-27	Pass
NVNT	ANT3	802.11n(HT20)	5320.00	5350.60	-34.59	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5260.00	5133.84	-40.47	-27	Pass
NVNT	ANT2	802.11ac(VHT20)	5260.00	5118.16	-37.79	-27	Pass
NVNT	ANT3	802.11ac(VHT20)	5260.00	5133.84	-37.42	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5320.00	5350.40	-35.60	-27	Pass
NVNT	ANT2	802.11ac(VHT20)	5320.00	5350.20	-35.90	-27	Pass
NVNT	ANT3	802.11ac(VHT20)	5320.00	5355.80	-31.68	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5260.00	5105.56	-40.01	-27	Pass
NVNT	ANT2	802.11ax(HE20)	5260.00	5071.12	-36.90	-27	Pass
NVNT	ANT3	802.11ax(HE20)	5260.00	5111.44	-37.13	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5320.00	5350.80	-32.79	-27	Pass
NVNT	ANT2	802.11ax(HE20)	5320.00	5350.20	-31.56	-27	Pass
NVNT	ANT3	802.11ax(HE20)	5320.00	5351.60	-29.10	-27	Pass
NVNT	ANT1	802.11n(HT40)	5270.00	5116.60	-40.00	-27	Pass
NVNT	ANT2	802.11n(HT40)	5270.00	5112.20	-37.58	-27	Pass
NVNT	ANT3	802.11n(HT40)	5270.00	5116.00	-37.17	-27	Pass
NVNT	ANT1	802.11n(HT40)	5310.00	5352.20	-35.59	-27	Pass
NVNT	ANT2	802.11n(HT40)	5310.00	5352.40	-32.80	-27	Pass
NVNT	ANT3	802.11n(HT40)	5310.00	5350.20	-31.84	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5270.00	5128.80	-40.29	-27	Pass
NVNT	ANT2	802.11ac(VHT40)	5270.00	5114.80	-37.87	-27	Pass
NVNT	ANT3	802.11ac(VHT40)	5270.00	5143.40	-36.84	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5310.00	5357.40	-33.34	-27	Pass
NVNT	ANT2	802.11ac(VHT40)	5310.00	5350.80	-30.24	-27	Pass
NVNT	ANT3	802.11ac(VHT40)	5310.00	5350.40	-30.21	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5270.00	5116.20	-40.35	-27	Pass
NVNT	ANT2	802.11ax(HE40)	5270.00	5136.00	-37.62	-27	Pass
NVNT	ANT3	802.11ax(HE40)	5270.00	5113.20	-37.53	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5310.00	5352.00	-31.54	-27	Pass
NVNT	ANT2	802.11ax(HE40)	5310.00	5350.60	-27.38	-27	Pass
NVNT	ANT3	802.11ax(HE40)	5310.00	5351.20	-30.06	-27	Pass

Bandedge_NVNT_ANT1_802_11a_5260



Bandedge_NVNT_ANT2_802_11a_5260



Bandedge_NVNT_ANT3_802_11a_5260



Bandedge_NVNT_ANT1_802_11a_5320



Bandedge_NVNT_ANT2_802_11a_5320

Bandedge_NVNT_ANT3_802_11a_5320



Bandedge_NVNT_ANT1_802_11n(HT20)_5260



Bandedge_NVNT_ANT2_802_11n(HT20)_5260



Bandedge_NVNT_ANT3_802_11n(HT20)_5260



Bandedge_NVNT_ANT1_802_11n(HT20)_5320



Bandedge_NVNT_ANT2_802_11n(HT20)_5320



Bandedge_NVNT_ANT3_802_11n(HT20)_5320



Bandedge_NVNT_ANT1_802_11ac(VHT20)_5260



Bandedge_NVNT_ANT2_802_11ac(VHT20)_5260



Bandedge_NVNT_ANT3_802_11ac(VHT20)_5260



Bandedge_NVNT_ANT1_802_11ac(VHT20)_5320



Bandedge_NVNT_ANT2_802_11ac(VHT20)_5320



Bandedge_NVNT_ANT3_802_11ac(VHT20)_5320



Bandedge_NVNT_ANT1_802_11ax(HE20)_5260



Bandedge_NVNT_ANT2_802_11ax(HE20)_5260



Bandedge_NVNT_ANT3_802_11ax(HE20)_5260



Bandedge_NVNT_ANT1_802_11ax(HE20)_5320



Bandedge_NVNT_ANT2_802_11ax(HE20)_5320



Bandedge_NVNT_ANT3_802_11ax(HE20)_5320



Bandedge_NVNT_ANT1_802_11n(HT40)_5270



Bandedge_NVNT_ANT2_802_11n(HT40)_5270



Bandedge_NVNT_ANT3_802_11n(HT40)_5270



Bandedge_NVNT_ANT1_802_11n(HT40)_5310



Bandedge_NVNT_ANT2_802_11n(HT40)_5310