









11AX40SISO_Ant1_5550



11AX40SISO_Ant1_5670



D.4 Emissions in Restricted Bands

Test Result

TestMode	Antenna	ChName	Freq (MHz)	Detector	Freq [MHz]	Result [dBm]	Limit [dBm]	Gain [dBi]	DC Factor [dB]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11A	Ant1	Low	5500	AV	5350.000	-63.57	≤-46.97	3.99	1.78	37.40	≤54	PASS
				AV	5459.390	-53.88	≤-46.97	3.99	1.78	47.09	≤54	PASS
				AV	5460.000	-55.28	≤-46.97	3.99	1.78	45.69	≤54	PASS
				Peak	5350.000	-53.9	≤-30.99	3.99	0.00	45.29	≤68.2	PASS
				Peak	5442.590	-38.02	≤-30.99	3.99	0.00	61.17	≤68.2	PASS
				Peak	5460.000	-42.09	≤-30.99	3.99	0.00	57.10	≤68.2	PASS
		High	5700	AV	5725.000	-54.2	≤-46.96	3.99	1.77	46.76	≤54	PASS
				AV	5725.910	-52.75	≤-46.96	3.99	1.77	48.21	≤54	PASS
				AV	5735.000	-57.58	≤-46.96	3.99	1.77	43.38	≤54	PASS
				Peak	5725.000	-38.55	≤-30.99	3.99	0.00	60.64	≤68.2	PASS
				Peak	5726.670	-37.16	≤-30.99	3.99	0.00	62.03	≤68.2	PASS
				Peak	5735.000	-46.61	≤-30.99	3.99	0.00	52.58	≤68.2	PASS
11N20SISO	Ant1	Low	5500	AV	5350.000	-60.32	≤-52.73	3.99	7.54	46.41	≤54	PASS
				AV	5459.810	-58.68	≤-52.73	3.99	7.54	48.05	≤54	PASS
				AV	5460.000	-58.44	≤-52.73	3.99	7.54	48.29	≤54	PASS
				Peak	5350.000	-52.35	≤-30.99	3.99	0.00	46.84	≤68.2	PASS
				Peak	5456.660	-44.93	≤-30.99	3.99	0.00	54.26	≤68.2	PASS
				Peak	5460.000	-43.56	≤-30.99	3.99	0.00	55.63	≤68.2	PASS
		High	5700	AV	5725.000	-64.63	≤-52.54	3.99	7.35	41.91	≤54	PASS
				AV	5729.330	-64.28	≤-52.54	3.99	7.35	42.26	≤54	PASS
				AV	5735.000	-65.58	≤-52.54	3.99	7.35	40.96	≤54	PASS
				Peak	5725.000	-45.02	≤-30.99	3.99	0.00	54.17	≤68.2	PASS
				Peak	5731.990	-47.01	≤-30.99	3.99	0.00	52.18	≤68.2	PASS
				Peak	5735.000	-46.83	≤-30.99	3.99	0.00	52.36	≤68.2	PASS
11N40SISO	Ant1	Low	5510	AV	5350.000	-60.43	≤-54.66	3.99	9.47	48.23	≤54	PASS
				AV	5457.960	-58.91	≤-54.66	3.99	9.47	49.75	≤54	PASS
				AV	5460.000	-59.22	≤-54.66	3.99	9.47	49.44	≤54	PASS
				Peak	5350.000	-50.7	≤-30.99	3.99	0.00	48.49	≤68.2	PASS
				Peak	5446.520	-40.4	≤-30.99	3.99	0.00	58.79	≤68.2	PASS
				Peak	5460.000	-45.58	≤-30.99	3.99	0.00	53.61	≤68.2	PASS
		High	5670	AV	5725.000	-65.51	≤-54.66	3.99	9.47	43.15	≤54	PASS
				AV	5725.440	-65.03	≤-54.66	3.99	9.47	43.63	≤54	PASS
				AV	5735.000	-66.27	≤-54.66	3.99	9.47	42.39	≤54	PASS
				Peak	5725.000	-51.13	≤-30.99	3.99	0.00	48.06	≤68.2	PASS
				Peak	5726.130	-46.96	≤-30.99	3.99	0.00	52.23	≤68.2	PASS


				Peak	5735.000	-56.25	≤-30.99	3.99	0.00	42.94	≤68.2	PASS
11AC20SISO	Ant1	Low	5500	AV	5350.000	-63.43	≤-47.06	3.99	1.87	37.63	≤54	PASS
				AV	5458.970	-51.53	≤-47.06	3.99	1.87	49.53	≤54	PASS
				AV	5460.000	-52.82	≤-47.06	3.99	1.87	48.24	≤54	PASS
				Peak	5350.000	-54.8	≤-30.99	3.99	0.00	44.39	≤68.2	PASS
				Peak	5456.450	-37.57	≤-30.99	3.99	0.00	61.62	≤68.2	PASS
				Peak	5460.000	-43.95	≤-30.99	3.99	0.00	55.24	≤68.2	PASS
		High	5700	AV	5725.000	-53.44	≤-47.07	3.99	1.88	47.63	≤54	PASS
				AV	5726.100	-52.6	≤-47.07	3.99	1.88	48.47	≤54	PASS
				AV	5735.000	-57.6	≤-47.07	3.99	1.88	43.47	≤54	PASS
				Peak	5725.000	-38.23	≤-30.99	3.99	0.00	60.96	≤68.2	PASS
				Peak	5725.720	-33.99	≤-30.99	3.99	0.00	65.20	≤68.2	PASS
				Peak	5735.000	-38.76	≤-30.99	3.99	0.00	60.43	≤68.2	PASS
11AC40SISO	Ant1	Low	5510	AV	5350.000	-66.76	≤-48.38	3.99	3.19	35.62	≤54	PASS
				AV	5459.940	-63.44	≤-48.38	3.99	3.19	38.94	≤54	PASS
				AV	5460.000	-63.44	≤-48.38	3.99	3.19	38.94	≤54	PASS
				Peak	5350.000	-58.18	≤-30.99	3.99	0.00	41.01	≤68.2	PASS
				Peak	5455.760	-49.79	≤-30.99	3.99	0.00	49.40	≤68.2	PASS
				Peak	5460.000	-52.59	≤-30.99	3.99	0.00	46.60	≤68.2	PASS
		High	5670	AV	5725.000	-55.59	≤-48.43	3.99	3.24	46.84	≤54	PASS
				AV	5725.210	-54.25	≤-48.43	3.99	3.24	48.18	≤54	PASS
				AV	5735.000	-58.52	≤-48.43	3.99	3.24	43.91	≤54	PASS
				Peak	5725.000	-43.03	≤-30.99	3.99	0.00	56.16	≤68.2	PASS
				Peak	5727.510	-36.76	≤-30.99	3.99	0.00	62.43	≤68.2	PASS
				Peak	5735.000	-44.98	≤-30.99	3.99	0.00	54.21	≤68.2	PASS
11AX20SISO	Ant1	Low	5500	AV	5350.000	-60.51	≤-54.37	3.99	9.18	47.86	≤54	PASS
				AV	5457.710	-59.07	≤-54.37	3.99	9.18	49.30	≤54	PASS
				AV	5460.000	-59.67	≤-54.37	3.99	9.18	48.70	≤54	PASS
				Peak	5350.000	-50.79	≤-30.99	3.99	0.00	48.40	≤68.2	PASS
				Peak	5433.140	-40.08	≤-30.99	3.99	0.00	59.11	≤68.2	PASS
				Peak	5460.000	-46.67	≤-30.99	3.99	0.00	52.52	≤68.2	PASS
		High	5700	AV	5725.000	-65.38	≤-54.41	3.99	9.22	43.03	≤54	PASS
				AV	5725.340	-65.12	≤-54.41	3.99	9.22	43.29	≤54	PASS
				AV	5735.000	-65.9	≤-54.41	3.99	9.22	42.51	≤54	PASS
				Peak	5725.000	-51.27	≤-30.99	3.99	0.00	47.92	≤68.2	PASS
				Peak	5725.340	-43.09	≤-30.99	3.99	0.00	56.10	≤68.2	PASS
				Peak	5735.000	-48.48	≤-30.99	3.99	0.00	50.71	≤68.2	PASS
11AX40SISO	Ant1	Low	5510	AV	5350.000	-60.33	≤-55.31	3.99	10.12	48.98	≤54	PASS
				AV	5458.840	-59.58	≤-55.31	3.99	10.12	49.73	≤54	PASS
				AV	5460.000	-59.79	≤-55.31	3.99	10.12	49.52	≤54	PASS
				Peak	5350.000	-49.62	≤-30.99	3.99	0.00	49.57	≤68.2	PASS
				Peak	5441.020	-39.41	≤-30.99	3.99	0.00	59.78	≤68.2	PASS


				Peak	5460.000	-46.04	≤ -30.99	3.99	0.00	53.15	≤ 68.2	PASS
				AV	5725.000	-65.42	≤ -55.72	3.99	10.53	44.30	≤ 54	PASS
				AV	5726.130	-65.13	≤ -55.72	3.99	10.53	44.59	≤ 54	PASS
				AV	5735.000	-66.02	≤ -55.72	3.99	10.53	43.70	≤ 54	PASS
		High	5670	Peak	5725.000	-50.13	≤ -30.99	3.99	0.00	49.06	≤ 68.2	PASS
				Peak	5729.580	-46.94	≤ -30.99	3.99	0.00	52.25	≤ 68.2	PASS
				Peak	5735.000	-52.33	≤ -30.99	3.99	0.00	46.86	≤ 68.2	PASS

Note:


1. The Antenna Gain is compensated in the graph.

Test Graphs








11A_Ant1_High_5700_Peak




11N20SISO_Ant1_Low_5500_AV









11N40SISO_Ant1_Low_5510_Peak




11N40SISO_Ant1_High_5670_AV




11N40SISO_Ant1_High_5670_Peak




11AC20SISO_Ant1_Low_5500_AV




11AC20SISO_Ant1_Low_5500_Peak




11AC20SISO_Ant1_High_5700_AV







11AC40SISO_Ant1_Low_5510_Peak




11AC40SISO_Ant1_High_5670_AV




11AC40SISO_Ant1_High_5670_Peak




11AX20SISO_Ant1_Low_5500_AV







11AX20SISO_Ant1_High_5700_Peak



11AX40SISO_Ant1_Low_5510_AV





D.5 Frequency Stability

Test Result

Voltage								
TestMode	Antenna	Freq(M Hz)	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5500	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-80000.00	-14.545455	20	PASS
			HV	NT	-40000.00	-7.272727	20	PASS
		5580	NV	NT	-20000.00	-3.584229	20	PASS
			LV	NT	-60000.00	-10.752688	20	PASS
			HV	NT	-60000.00	-10.752688	20	PASS
		5700	NV	NT	-20000.00	-3.508772	20	PASS
			LV	NT	-20000.00	-3.508772	20	PASS
			HV	NT	-40000.00	-7.017544	20	PASS
11N20SI SO	Ant1	5500	NV	NT	-80000.00	-14.545455	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-40000.00	-7.272727	20	PASS
		5580	NV	NT	-60000.00	-10.752688	20	PASS
			LV	NT	60000.00	10.752688	20	PASS
			HV	NT	-60000.00	-10.752688	20	PASS
		5700	NV	NT	20000.00	3.508772	20	PASS
			LV	NT	40000.00	7.017544	20	PASS
			HV	NT	40000.00	7.017544	20	PASS
11N40SI SO	Ant1	5510	NV	NT	40000.00	7.017544	20	PASS
			LV	NT	40000.00	7.017544	20	PASS
			HV	NT	40000.00	7.017544	20	PASS
		5550	NV	NT	-80000.00	-14.414414	20	PASS
			LV	NT	-80000.00	-14.414414	20	PASS
			HV	NT	-80000.00	-14.414414	20	PASS
		5670	NV	NT	40000.00	7.054674	20	PASS
			LV	NT	40000.00	7.054674	20	PASS
			HV	NT	-40000.00	-7.054674	20	PASS
11AC20S ISO	Ant1	5500	NV	NT	-60000.00	-10.909091	20	PASS
			LV	NT	-40000.00	-7.272727	20	PASS
			HV	NT	-100000.00	-18.181818	20	PASS
		5580	NV	NT	20000.00	3.584229	20	PASS
			LV	NT	-40000.00	-7.168459	20	PASS
			HV	NT	40000.00	7.168459	20	PASS
		5700	NV	NT	-40000.00	-7.017544	20	PASS
			LV	NT	-40000.00	-7.017544	20	PASS

			HV	NT	-60000.00	-10.526316	20	PASS
11AC40S ISO	Ant1	5510	NV	NT	-40000.00	-7.259528	20	PASS
			LV	NT	40000.00	7.259528	20	PASS
			HV	NT	40000.00	7.017544	20	PASS
		5550	NV	NT	-40000.00	-7.207207	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	40000.00	7.017544	20	PASS
		5670	NV	NT	-40000.00	-7.054674	20	PASS
			LV	NT	40000.00	7.017544	20	PASS
			HV	NT	-80000.00	-14.109347	20	PASS
11AX20SI SO	Ant1	5500	NV	NT	-20000.00	-3.636364	20	PASS
			LV	NT	-40000.00	-7.272727	20	PASS
			HV	NT	-20000.00	-3.636364	20	PASS
		5580	NV	NT	-40000.00	-7.168459	20	PASS
			LV	NT	-40000.00	-7.168459	20	PASS
			HV	NT	-80000.00	-14.336918	20	PASS
		5700	NV	NT	-20000.00	-3.508772	20	PASS
			LV	NT	-20000.00	-3.508772	20	PASS
			HV	NT	-20000.00	-3.508772	20	PASS
11AX40SI SO	Ant1	5510	NV	NT	-80000.00	-14.519056	20	PASS
			LV	NT	40000.00	7.017544	20	PASS
			HV	NT	-40000.00	-7.259528	20	PASS
		5550	NV	NT	-40000.00	-7.207207	20	PASS
			LV	NT	-40000.00	-7.207207	20	PASS
			HV	NT	40000.00	7.207207	20	PASS
		5670	NV	NT	-40000.00	-7.054674	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-40000.00	-7.054674	20	PASS

Temperature								
TestMode	Antenna	Freq(M Hz)	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5500	NV	-30	-40000.00	-7.272727	20	PASS
			NV	-20	-40000.00	-7.272727	20	PASS
			NV	-10	-20000.00	-3.636364	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-20000.00	-3.636364	20	PASS
			NV	20	-60000.00	-10.909091	20	PASS
			NV	30	-20000.00	-3.636364	20	PASS
			NV	40	-100000.00	-18.181818	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5580	NV	-30	0.00	0.000000	20	PASS

			NV	-20	-40000.00	-7.168459	20	PASS
			NV	-10	-20000.00	-3.584229	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-60000.00	-10.752688	20	PASS
			NV	30	-60000.00	-10.752688	20	PASS
			NV	40	-40000.00	-7.168459	20	PASS
			NV	50	-40000.00	-7.168459	20	PASS
		5700	NV	-30	-40000.00	-7.017544	20	PASS
			NV	-20	-40000.00	-7.017544	20	PASS
			NV	-10	-20000.00	-3.508772	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-20000.00	-3.508772	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-20000.00	-3.508772	20	PASS
			NV	50	-80000.00	-14.035088	20	PASS
11N20SI SO	Ant1	5500	NV	-30	-60000.00	-10.909091	20	PASS
			NV	-20	40000.00	7.272727	20	PASS
			NV	-10	-20000.00	-3.636364	20	PASS
			NV	0	-60000.00	-10.909091	20	PASS
			NV	10	-20000.00	-3.636364	20	PASS
			NV	20	-60000.00	-10.909091	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	80000.00	14.545455	20	PASS
			NV	50	-40000.00	-7.272727	20	PASS
		5580	NV	-30	-20000.00	-3.584229	20	PASS
			NV	-20	-100000.00	-17.921147	20	PASS
			NV	-10	40000.00	7.168459	20	PASS
			NV	0	-60000.00	-10.752688	20	PASS
			NV	10	-20000.00	-3.584229	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-60000.00	-10.752688	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	100000.00	17.921147	20	PASS
		5700	NV	-30	-60000.00	-10.526316	20	PASS
			NV	-20	-60000.00	-10.526316	20	PASS
			NV	-10	-60000.00	-10.526316	20	PASS
			NV	0	-20000.00	-3.508772	20	PASS
			NV	10	-60000.00	-10.526316	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-40000.00	-7.017544	20	PASS

			NV	40	-40000.00	-7.017544	20	PASS
			NV	50	40000.00	7.017544	20	PASS
11N40SI SO	Ant1	5510	NV	-30	40000.00	7.017544	20	PASS
			NV	-20	40000.00	7.017544	20	PASS
			NV	-10	-80000.00	-14.519056	20	PASS
			NV	0	40000.00	7.017544	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	40000.00	7.017544	20	PASS
			NV	30	40000.00	7.017544	20	PASS
			NV	40	40000.00	7.017544	20	PASS
			NV	50	-80000.00	-14.519056	20	PASS
		5550	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-40000.00	-7.207207	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	40000.00	7.017544	20	PASS
			NV	10	40000.00	7.017544	20	PASS
			NV	20	-40000.00	-7.207207	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	40000.00	7.207207	20	PASS
			NV	50	80000.00	14.414414	20	PASS
		5670	NV	-30	-40000.00	-7.054674	20	PASS
			NV	-20	40000.00	7.017544	20	PASS
			NV	-10	40000.00	7.017544	20	PASS
			NV	0	-40000.00	-7.054674	20	PASS
			NV	10	-80000.00	-14.109347	20	PASS
			NV	20	-80000.00	-14.109347	20	PASS
			NV	30	40000.00	7.017544	20	PASS
			NV	40	40000.00	7.017544	20	PASS
			NV	50	0.00	0.000000	20	PASS
11AC20S ISO	Ant1	5500	NV	-30	40000.00	7.017544	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	40000.00	7.017544	20	PASS
			NV	0	-20000.00	-3.636364	20	PASS
			NV	10	-20000.00	-3.636364	20	PASS
			NV	20	-40000.00	-7.272727	20	PASS
			NV	30	-40000.00	-7.272727	20	PASS
			NV	40	-40000.00	-7.272727	20	PASS
			NV	50	-40000.00	-7.272727	20	PASS
		5580	NV	-30	-20000.00	-3.584229	20	PASS
			NV	-20	-100000.00	-17.921147	20	PASS
			NV	-10	-60000.00	-10.752688	20	PASS
			NV	0	-80000.00	-14.336918	20	PASS

			NV	10	-40000.00	-7.168459	20	PASS
			NV	20	-60000.00	-10.752688	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	20000.00	3.584229	20	PASS
			NV	50	-20000.00	-3.584229	20	PASS
		5700	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-80000.00	-14.035088	20	PASS
			NV	-10	-60000.00	-10.526316	20	PASS
			NV	0	-40000.00	-7.017544	20	PASS
			NV	10	-80000.00	-14.035088	20	PASS
			NV	20	-40000.00	-7.017544	20	PASS
			NV	30	40000.00	7.017544	20	PASS
			NV	40	-20000.00	-3.508772	20	PASS
			NV	50	-40000.00	-7.017544	20	PASS
11AC40S ISO	Ant1	5510	NV	-30	-80000.00	-14.519056	20	PASS
			NV	-20	40000.00	7.017544	20	PASS
			NV	-10	-80000.00	-14.519056	20	PASS
			NV	0	40000.00	7.017544	20	PASS
			NV	10	-80000.00	-14.519056	20	PASS
			NV	20	40000.00	7.017544	20	PASS
			NV	30	40000.00	7.259528	20	PASS
			NV	40	-40000.00	-7.259528	20	PASS
			NV	50	-40000.00	-7.259528	20	PASS
		5550	NV	-30	80000.00	14.414414	20	PASS
			NV	-20	40000.00	7.017544	20	PASS
			NV	-10	40000.00	7.017544	20	PASS
			NV	0	40000.00	7.017544	20	PASS
			NV	10	40000.00	7.017544	20	PASS
			NV	20	40000.00	7.017544	20	PASS
			NV	30	80000.00	14.414414	20	PASS
			NV	40	40000.00	7.017544	20	PASS
			NV	50	40000.00	7.017544	20	PASS
		5670	NV	-30	-40000.00	-7.054674	20	PASS
			NV	-20	-40000.00	-7.054674	20	PASS
			NV	-10	-40000.00	-7.054674	20	PASS
			NV	0	-40000.00	-7.054674	20	PASS
			NV	10	-40000.00	-7.054674	20	PASS
			NV	20	-40000.00	-7.054674	20	PASS
			NV	30	40000.00	7.017544	20	PASS
			NV	40	-40000.00	-7.054674	20	PASS
			NV	50	0.00	0.000000	20	PASS
11AX20SI	Ant1	5500	NV	-30	0.00	0.000000	20	PASS

SO			NV	-20	-20000.00	-3.636364	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-7.272727	20	PASS
			NV	10	20000.00	3.636364	20	PASS
			NV	20	-40000.00	-7.272727	20	PASS
			NV	30	-40000.00	-7.272727	20	PASS
			NV	40	20000.00	3.636364	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5580	NV	-30	-60000.00	-10.752688	20	PASS
			NV	-20	-40000.00	-7.168459	20	PASS
			NV	-10	-20000.00	-3.584229	20	PASS
			NV	0	-80000.00	-14.336918	20	PASS
			NV	10	-40000.00	-7.168459	20	PASS
			NV	20	-60000.00	-10.752688	20	PASS
			NV	30	-40000.00	-7.168459	20	PASS
			NV	40	-80000.00	-14.336918	20	PASS
			NV	50	-40000.00	-7.168459	20	PASS
		5700	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-7.017544	20	PASS
			NV	10	-40000.00	-7.017544	20	PASS
			NV	20	-40000.00	-7.017544	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	20000.00	3.508772	20	PASS
			NV	50	-20000.00	-3.508772	20	PASS
11AX40SI SO	Ant1	5510	NV	-30	0.00	0.000000	20	PASS
			NV	-20	40000.00	7.017544	20	PASS
			NV	-10	-40000.00	-7.259528	20	PASS
			NV	0	-80000.00	-14.519056	20	PASS
			NV	10	-40000.00	-7.259528	20	PASS
			NV	20	-40000.00	-7.259528	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-40000.00	-7.259528	20	PASS
			NV	50	-80000.00	-14.519056	20	PASS
		5550	NV	-30	-40000.00	-7.207207	20	PASS
			NV	-20	-80000.00	-14.414414	20	PASS
			NV	-10	80000.00	14.414414	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-80000.00	-14.414414	20	PASS
			NV	20	-80000.00	-14.414414	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS

			NV	40	-40000.00	-7.207207	20	PASS
			NV	50	-40000.00	-7.207207	20	PASS
		5670	NV	-30	0.00	0.000000	20	PASS
			NV	-20	40000.00	7.054674	20	PASS
			NV	-10	40000.00	7.017544	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-80000.00	-14.109347	20	PASS
			NV	20	40000.00	7.017544	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-40000.00	-7.054674	20	PASS

D.6 Duty Cycle

Test Result

TestMode	Antenna	Freq(MHz)	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	DC Factor	Limit	Verdict
11A	Ant1	5500	2.03	3.06	66.34	1.78	---	---
		5580	2.03	3.06	66.34	1.78	---	---
		5700	2.03	3.05	66.56	1.77	---	---
11N20SISO	Ant1	5500	0.22	1.25	17.60	7.54	---	---
		5580	0.23	1.25	18.40	7.35	---	---
		5700	0.23	1.25	18.40	7.35	---	---
11N40SISO	Ant1	5510	0.13	1.15	11.30	9.47	---	---
		5550	0.13	1.15	11.30	9.47	---	---
		5670	0.13	1.15	11.30	9.47	---	---
11AC20SISO	Ant1	5500	1.90	2.92	65.07	1.87	---	---
		5580	1.90	2.93	64.85	1.88	---	---
		5700	1.90	2.93	64.85	1.88	---	---
11AC40SISO	Ant1	5510	0.94	1.96	47.96	3.19	---	---
		5550	0.94	1.97	47.72	3.21	---	---
		5670	0.93	1.96	47.45	3.24	---	---
11AX20SISO	Ant1	5500	0.14	1.16	12.07	9.18	---	---
		5580	0.15	1.17	12.82	8.92	---	---
		5700	0.14	1.17	11.97	9.22	---	---
11AX40SISO	Ant1	5510	0.11	1.13	9.73	10.12	---	---
		5550	0.10	1.12	8.93	10.49	---	---
		5670	0.10	1.13	8.85	10.53	---	---

Test Graphs

