








Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com


Hotline
400-003-0500
www.anbotek.com



Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com


Hotline
400-003-0500
www.anbotek.com



Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com


Hotline
400-003-0500
www.anbotek.com




Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com




Test Graphs B4



Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com


Hotline
400-003-0500
www.anbotek.com



Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com


Hotline
400-003-0500
www.anbotek.com



Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com


Hotline
400-003-0500
www.anbotek.com





Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com








Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com


Hotline
400-003-0500
www.anbotek.com



Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com


Hotline
400-003-0500
www.anbotek.com



Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com


Hotline
400-003-0500
www.anbotek.com





Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com

Hotline
400-003-0500
www.anbotech.com








Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com


Hotline
400-003-0500
www.anbotek.com



Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com


Hotline
400-003-0500
www.anbotek.com



Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com


Hotline
400-003-0500
www.anbotek.com



Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com


Hotline
400-003-0500
www.anbotek.com




Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com

Hotline
400-003-0500
www.anbotek.com






Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com

Hotline
400-003-0500
www.anbotek.com



Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com

Appendix E: Band edge measurements

Test Result B1

Test Mode	Antenna	ChName	Frequency[MHz]	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	Low	5180	-31.71	≤-27	PASS
11A	Ant2	Low	5180	-31.36	≤-27	PASS
11A	Ant1	High	5240	-39.86	≤-27	PASS
11A	Ant2	High	5240	-38.74	≤-27	PASS
11N20MIMO	Ant1	Low	5180	-31.16	≤-27	PASS
11N20MIMO	Ant2	Low	5180	-31.07	≤-27	PASS
11N20MIMO	Ant1	High	5240	-39.38	≤-27	PASS
11N20MIMO	Ant2	High	5240	-39.39	≤-27	PASS
11N40MIMO	Ant1	Low	5190	-30.91	≤-27	PASS
11N40MIMO	Ant2	Low	5190	-30.61	≤-27	PASS
11N40MIMO	Ant1	High	5230	-39.83	≤-27	PASS
11N40MIMO	Ant2	High	5230	-39.1	≤-27	PASS
11AC20MIMO	Ant1	Low	5180	-31.04	≤-27	PASS
11AC20MIMO	Ant2	Low	5180	-30.61	≤-27	PASS
11AC20MIMO	Ant1	High	5240	-39.56	≤-27	PASS
11AC20MIMO	Ant2	High	5240	-40.27	≤-27	PASS
11AC40MIMO	Ant1	Low	5190	-31.18	≤-27	PASS
11AC40MIMO	Ant2	Low	5190	-31.27	≤-27	PASS
11AC40MIMO	Ant1	High	5230	-39.38	≤-27	PASS
11AC40MIMO	Ant2	High	5230	-39.17	≤-27	PASS
11AC80MIMO	Ant1	Low	5210	-30.28	≤-27	PASS
11AC80MIMO	Ant1	High	5210	-39.58	≤-27	PASS
11AC80MIMO	Ant2	Low	5210	-31.3	≤-27	PASS
11AC80MIMO	Ant2	High	5210	-39.59	≤-27	PASS
11AX20MIMO	Ant1	Low	5180	-31.35	≤-27	PASS
11AX20MIMO	Ant2	Low	5180	-30.71	≤-27	PASS
11AX20MIMO	Ant1	High	5240	-40.26	≤-27	PASS
11AX20MIMO	Ant2	High	5240	-39.48	≤-27	PASS
11AX40MIMO	Ant1	Low	5190	-30.94	≤-27	PASS
11AX40MIMO	Ant2	Low	5190	-31.15	≤-27	PASS
11AX40MIMO	Ant1	High	5230	-39.33	≤-27	PASS
11AX40MIMO	Ant2	High	5230	-39.31	≤-27	PASS
11AX80MIMO	Ant1	Low	5210	-30.93	≤-27	PASS
11AX80MIMO	Ant1	High	5210	-38.16	≤-27	PASS
11AX80MIMO	Ant2	Low	5210	-31.24	≤-27	PASS
11AX80MIMO	Ant2	High	5210	-38.96	≤-27	PASS

Note: The margin plus the antenna gain also meets the limit.

Shenzhen Anbotek Compliance Laboratory Limited



Test Result B4

Test Mode	Antenna	Ch. Name	Frequency[MHz]	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5745	5720~5725	-40.61	≤15.98	PASS
11A	Ant1	Low	5745	5700~5720	-40.42	≤11.21	PASS
11A	Ant1	Low	5745	5650~5700	-41.18	≤-26.88	PASS
11A	Ant1	Low	5745	5760~5650	-41.35	≤-27	PASS
11A	Ant2	Low	5745	5720~5725	-41.97	≤17.12	PASS
11A	Ant2	Low	5745	5700~5720	-39.34	≤11.07	PASS
11A	Ant2	Low	5745	5650~5700	-43.52	≤-26.88	PASS
11A	Ant2	Low	5745	5760~5650	-40.02	≤-27	PASS
11A	Ant1	High	5825	5850~5855	-41.82	≤15.65	PASS
11A	Ant1	High	5825	5855~5875	-41.1	≤10.40	PASS
11A	Ant1	High	5825	5875~5925	-42.57	≤-26.58	PASS
11A	Ant1	High	5825	5925~5935	-40.19	≤-27	PASS
11A	Ant2	High	5825	5850~5855	-40.34	≤15.65	PASS
11A	Ant2	High	5825	5855~5875	-40.67	≤10.29	PASS
11A	Ant2	High	5825	5875~5925	-42.32	≤-26.87	PASS
11A	Ant2	High	5825	5925~5935	-39.9	≤-27	PASS
11N20MIMO	Ant1	Low	5745	5720~5725	-40.71	≤15.98	PASS
11N20MIMO	Ant1	Low	5745	5700~5720	-41.58	≤10.23	PASS
11N20MIMO	Ant1	Low	5745	5650~5700	-42.82	≤-26.88	PASS
11N20MIMO	Ant1	Low	5745	5760~5650	-41.61	≤-27	PASS
11N20MIMO	Ant2	Low	5745	5720~5725	-39.85	≤17.12	PASS
11N20MIMO	Ant2	Low	5745	5700~5720	-41.02	≤10.33	PASS
11N20MIMO	Ant2	Low	5745	5650~5700	-43.89	≤-26.88	PASS
11N20MIMO	Ant2	Low	5745	5760~5650	-41.12	≤-27	PASS
11N20MIMO	Ant1	High	5825	5850~5855	-42.1	≤15.65	PASS
11N20MIMO	Ant1	High	5825	5855~5875	-41.55	≤10.02	PASS
11N20MIMO	Ant1	High	5825	5875~5925	-42.76	≤-26.29	PASS
11N20MIMO	Ant1	High	5825	5925~5935	-39.93	≤-27	PASS
11N20MIMO	Ant2	High	5825	5850~5855	-41.27	≤15.65	PASS
11N20MIMO	Ant2	High	5825	5855~5875	-41.31	≤10.46	PASS
11N20MIMO	Ant2	High	5825	5875~5925	-41.81	≤-26.87	PASS
11N20MIMO	Ant2	High	5825	5925~5935	-41.65	≤-27	PASS
11N40MIMO	Ant1	Low	5755	5720~5725	-34.32	≤16.34	PASS
11N40MIMO	Ant1	Low	5755	5700~5720	-35.01	≤15.42	PASS
11N40MIMO	Ant1	Low	5755	5650~5700	-40.85	≤-26.21	PASS
11N40MIMO	Ant1	Low	5755	5780~5650	-41.67	≤-27	PASS
11N40MIMO	Ant2	Low	5755	5720~5725	-36.57	≤15.90	PASS
11N40MIMO	Ant2	Low	5755	5700~5720	-37.19	≤12.19	PASS
11N40MIMO	Ant2	Low	5755	5650~5700	-42.07	≤-26.79	PASS

Shenzhen Anbotek Compliance Laboratory Limited



11N40MIMO	Ant2	Low	5755	5780~5650	-41.38	≤-27	PASS
11N40MIMO	Ant1	High	5795	5850~5855	-41.1	≤15.85	PASS
11N40MIMO	Ant1	High	5795	5855~5875	-40.04	≤10.94	PASS
11N40MIMO	Ant1	High	5795	5875~5925	-42.37	≤-26.97	PASS
11N40MIMO	Ant1	High	5795	5925~5935	-40.5	≤-27	PASS
11N40MIMO	Ant2	High	5795	5850~5855	-40.59	≤15.85	PASS
11N40MIMO	Ant2	High	5795	5855~5875	-40.39	≤10.54	PASS
11N40MIMO	Ant2	High	5795	5875~5925	-43.23	≤-26.97	PASS
11N40MIMO	Ant2	High	5795	5925~5935	-40.86	≤-27	PASS
11AC20MIMO	Ant1	Low	5745	5720~5725	-38	≤15.98	PASS
11AC20MIMO	Ant1	Low	5745	5700~5720	-39.21	≤10.93	PASS
11AC20MIMO	Ant1	Low	5745	5650~5700	-42.16	≤-26.88	PASS
11AC20MIMO	Ant1	Low	5745	5760~5650	-41.59	≤-27	PASS
11AC20MIMO	Ant2	Low	5745	5720~5725	-41.54	≤15.98	PASS
11AC20MIMO	Ant2	Low	5745	5700~5720	-41.96	≤10.33	PASS
11AC20MIMO	Ant2	Low	5745	5650~5700	-42.01	≤-26.63	PASS
11AC20MIMO	Ant2	Low	5745	5760~5650	-41.56	≤-27	PASS
11AC20MIMO	Ant1	High	5825	5850~5855	-39.69	≤15.65	PASS
11AC20MIMO	Ant1	High	5825	5855~5875	-42.12	≤10.02	PASS
11AC20MIMO	Ant1	High	5825	5875~5925	-42.24	≤-26.29	PASS
11AC20MIMO	Ant1	High	5825	5925~5935	-41.2	≤-27	PASS
11AC20MIMO	Ant2	High	5825	5850~5855	-41.58	≤15.65	PASS
11AC20MIMO	Ant2	High	5825	5855~5875	-41.43	≤10.18	PASS
11AC20MIMO	Ant2	High	5825	5875~5925	-40.98	≤-26.29	PASS
11AC20MIMO	Ant2	High	5825	5925~5935	-40.65	≤-27	PASS
11AC40MIMO	Ant1	Low	5755	5720~5725	-37.81	≤15.90	PASS
11AC40MIMO	Ant1	Low	5755	5700~5720	-34.69	≤15.31	PASS
11AC40MIMO	Ant1	Low	5755	5650~5700	-41.96	≤-26.94	PASS
11AC40MIMO	Ant1	Low	5755	5780~5650	-42.17	≤-27	PASS
11AC40MIMO	Ant2	Low	5755	5720~5725	-36.57	≤15.90	PASS
11AC40MIMO	Ant2	Low	5755	5700~5720	-40.19	≤10.05	PASS
11AC40MIMO	Ant2	Low	5755	5650~5700	-40.99	≤-25.78	PASS
11AC40MIMO	Ant2	Low	5755	5780~5650	-42.07	≤-27	PASS
11AC40MIMO	Ant1	High	5795	5850~5855	-40.54	≤15.85	PASS
11AC40MIMO	Ant1	High	5795	5855~5875	-40.62	≤10.61	PASS
11AC40MIMO	Ant1	High	5795	5875~5925	-43.18	≤-26.97	PASS
11AC40MIMO	Ant1	High	5795	5925~5935	-41.46	≤-27	PASS
11AC40MIMO	Ant2	High	5795	5850~5855	-40.55	≤15.85	PASS
11AC40MIMO	Ant2	High	5795	5855~5875	-38.38	≤12.28	PASS
11AC40MIMO	Ant2	High	5795	5875~5925	-42.88	≤-26.79	PASS
11AC40MIMO	Ant2	High	5795	5925~5935	-40.16	≤-27	PASS
11AC80MIMO	Ant1	Low	5775	5720~5725	-33.19	≤16.18	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com



Hotline
400-003-0500
www.anbotech.com

11AC80MIMO	Ant1	Low	5775	5700~5720	-36.27	≤10.95	PASS
11AC80MIMO	Ant1	Low	5775	5650~5700	-42.17	≤-26.71	PASS
11AC80MIMO	Ant1	Low	5775	5800~5650	-41.76	≤-27	PASS
11AC80MIMO	Ant1	High	5775	5850~5855	-38.9	≤15.98	PASS
11AC80MIMO	Ant1	High	5775	5855~5875	-38.15	≤10.02	PASS
11AC80MIMO	Ant1	High	5775	5875~5925	-42.36	≤-26.46	PASS
11AC80MIMO	Ant1	High	5775	5925~5935	-40.71	≤-27	PASS
11AC80MIMO	Ant2	Low	5775	5720~5725	-35.62	≤16.69	PASS
11AC80MIMO	Ant2	Low	5775	5700~5720	-36.06	≤10.76	PASS
11AC80MIMO	Ant2	Low	5775	5650~5700	-39.39	≤-25.71	PASS
11AC80MIMO	Ant2	Low	5775	5800~5650	-41.15	≤-27	PASS
11AC80MIMO	Ant2	High	5775	5850~5855	-40.48	≤15.98	PASS
11AC80MIMO	Ant2	High	5775	5855~5875	-39.87	≤10.54	PASS
11AC80MIMO	Ant2	High	5775	5875~5925	-41.25	≤-26.86	PASS
11AC80MIMO	Ant2	High	5775	5925~5935	-41.21	≤-27	PASS
11AX20MIMO	Ant1	Low	5745	5720~5725	-39.38	≤17.88	PASS
11AX20MIMO	Ant1	Low	5745	5700~5720	-41.6	≤10.05	PASS
11AX20MIMO	Ant1	Low	5745	5650~5700	-42.48	≤-26.88	PASS
11AX20MIMO	Ant1	Low	5745	5760~5650	-42.47	≤-27	PASS
11AX20MIMO	Ant2	Low	5745	5720~5725	-42.06	≤15.98	PASS
11AX20MIMO	Ant2	Low	5745	5700~5720	-41.32	≤10.05	PASS
11AX20MIMO	Ant2	Low	5745	5650~5700	-43.18	≤-26.75	PASS
11AX20MIMO	Ant2	Low	5745	5760~5650	-41.91	≤-27	PASS
11AX20MIMO	Ant1	High	5825	5850~5855	-40.81	≤15.65	PASS
11AX20MIMO	Ant1	High	5825	5855~5875	-41.53	≤10.18	PASS
11AX20MIMO	Ant1	High	5825	5875~5925	-41.51	≤-26.87	PASS
11AX20MIMO	Ant1	High	5825	5925~5935	-41.47	≤-27	PASS
11AX20MIMO	Ant2	High	5825	5850~5855	-42.24	≤16.10	PASS
11AX20MIMO	Ant2	High	5825	5855~5875	-40.45	≤11.33	PASS
11AX20MIMO	Ant2	High	5825	5875~5925	-41.98	≤-26.87	PASS
11AX20MIMO	Ant2	High	5825	5925~5935	-41.5	≤-27	PASS
11AX40MIMO	Ant1	Low	5755	5720~5725	-34.77	≤15.90	PASS
11AX40MIMO	Ant1	Low	5755	5700~5720	-33.82	≤15.09	PASS
11AX40MIMO	Ant1	Low	5755	5650~5700	-41.89	≤-25.63	PASS
11AX40MIMO	Ant1	Low	5755	5780~5650	-40.71	≤-27	PASS
11AX40MIMO	Ant2	Low	5755	5720~5725	-33.3	≤17.24	PASS
11AX40MIMO	Ant2	Low	5755	5700~5720	-39.28	≤10.87	PASS
11AX40MIMO	Ant2	Low	5755	5650~5700	-42.01	≤-26.36	PASS
11AX40MIMO	Ant2	Low	5755	5780~5650	-41.5	≤-27	PASS
11AX40MIMO	Ant1	High	5795	5850~5855	-41.14	≤15.85	PASS
11AX40MIMO	Ant1	High	5795	5855~5875	-41.13	≤10.01	PASS
11AX40MIMO	Ant1	High	5795	5875~5925	-40.3	≤-26.61	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com



Hotline
400-003-0500
www.anbotek.com

11AX40MIMO	Ant1	High	5795	5925~5935	-40.45	≤ -27	PASS
11AX40MIMO	Ant2	High	5795	5850~5855	-41.52	≤ 15.85	PASS
11AX40MIMO	Ant2	High	5795	5855~5875	-40.44	≤ 10.41	PASS
11AX40MIMO	Ant2	High	5795	5875~5925	-42	≤ -26.97	PASS
11AX40MIMO	Ant2	High	5795	5925~5935	-40.91	≤ -27	PASS
11AX80MIMO	Ant1	Low	5775	5720~5725	-35.44	≤ 16.69	PASS
11AX80MIMO	Ant1	Low	5775	5700~5720	-38.46	≤ 10.14	PASS
11AX80MIMO	Ant1	Low	5775	5650~5700	-42.82	≤ -26.88	PASS
11AX80MIMO	Ant1	Low	5775	5800~5650	-41.08	≤ -27	PASS
11AX80MIMO	Ant1	High	5775	5850~5855	-38.71	≤ 17.81	PASS
11AX80MIMO	Ant1	High	5775	5855~5875	-40.84	≤ 10.17	PASS
11AX80MIMO	Ant1	High	5775	5875~5925	-40.42	≤ -25.47	PASS
11AX80MIMO	Ant1	High	5775	5925~5935	-41.26	≤ -27	PASS
11AX80MIMO	Ant2	Low	5775	5720~5725	-36.24	≤ 16.18	PASS
11AX80MIMO	Ant2	Low	5775	5700~5720	-36.82	≤ 10.58	PASS
11AX80MIMO	Ant2	Low	5775	5650~5700	-42.51	≤ -26.21	PASS
11AX80MIMO	Ant2	Low	5775	5800~5650	-42.03	≤ -27	PASS
11AX80MIMO	Ant2	High	5775	5850~5855	-38.73	≤ 15.98	PASS
11AX80MIMO	Ant2	High	5775	5855~5875	-40.06	≤ 10.24	PASS
11AX80MIMO	Ant2	High	5775	5875~5925	-42.11	≤ -26.86	PASS
11AX80MIMO	Ant2	High	5775	5925~5935	-41.68	≤ -27	PASS

Note: The margin plus the antenna gain also meets the limit.

Test Graphs B1

