

Mask, 4.5GHz ~ 7GHz
U-NII-3


802.11a

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5519.00	55.55	13.82	41.73	68.20	-12.65	242	354 Peak	Vertical	
2	5690.00	55.43	13.94	41.49	97.83	-42.40	242	354 Peak	Vertical	
3	5720.00	54.49	12.84	41.65	110.80	-56.31	242	354 Peak	Vertical	
4	5720.00	54.49	12.84	41.65	110.80	-56.31	242	354 Peak	Vertical	
5	5825.00	117.82	75.67	42.15	135.00	-17.18	242	354 Peak	Vertical	
6	5850.00	82.47	40.40	42.07	135.00	-52.53	242	354 Peak	Vertical	
7	5855.00	80.51	38.40	42.11	110.80	-30.29	242	354 Peak	Vertical	
8	5878.50	67.15	24.83	42.32	102.60	-35.45	242	354 Peak	Vertical	
9	5934.00	57.96	15.51	42.45	68.20	-10.24	242	354 Peak	Vertical	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5635.00	57.42	15.85	41.57	68.20	-10.78	100	176 Peak	Horizontal	
2	5675.00	56.15	14.64	41.51	86.74	-30.59	100	176 Peak	Horizontal	
3	5706.50	56.04	14.51	41.53	107.02	-50.98	100	176 Peak	Horizontal	
4	5722.50	55.74	14.07	41.67	122.90	-67.16	100	176 Peak	Horizontal	
5	5825.00	117.80	75.65	42.15	135.00	-17.20	100	176 Peak	Horizontal	
6	5852.00	85.41	43.32	42.09	125.32	-39.91	100	176 Peak	Horizontal	
7	5857.50	79.30	37.17	42.13	110.10	-30.80	100	176 Peak	Horizontal	
8	5878.50	69.28	26.96	42.32	102.60	-33.32	100	176 Peak	Horizontal	
9	5928.00	58.70	16.24	42.46	68.20	-9.50	100	176 Peak	Horizontal	

802.11be EHT20

CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5568.50	56.74	14.51	42.23	68.20	-11.46	119	158 Peak	Horizontal	
2	5671.50	57.30	15.20	42.10	84.15	-26.85	119	158 Peak	Horizontal	
3	5717.00	55.62	13.41	42.21	109.96	-54.34	119	158 Peak	Horizontal	
4	5722.00	55.28	13.02	42.26	120.48	-65.20	119	158 Peak	Horizontal	
5	5825.00	117.80	75.05	42.75	135.00	-17.20	119	158 Peak	Horizontal	
6	5851.00	86.54	43.06	42.68	130.16	-43.62	119	158 Peak	Horizontal	
7	5856.00	79.61	36.89	42.72	110.52	-30.91	119	158 Peak	Horizontal	
8	5876.00	67.16	24.27	42.89	104.46	-37.30	119	158 Peak	Horizontal	
9	5930.00	58.41	15.35	43.06	68.20	-9.79	119	158 Peak	Horizontal	

CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5570.50	56.39	14.16	42.23	68.20	-11.81	300	358 Peak	Vertical	
2	5654.50	55.85	13.73	42.12	71.54	-15.69	300	358 Peak	Vertical	
3	5716.50	55.08	12.88	42.20	109.82	-54.74	300	358 Peak	Vertical	
4	5728.50	54.74	12.50	42.24	113.22	-58.48	300	358 Peak	Vertical	
5	5825.00	117.20	74.45	42.75	135.00	-17.00	300	358 Peak	Vertical	
6	5850.00	89.22	46.55	42.67	135.00	-45.78	300	358 Peak	Vertical	
7	5857.50	82.14	39.41	42.73	110.18	-27.96	300	358 Peak	Vertical	
8	5875.00	64.00	21.12	42.88	105.20	-41.20	300	358 Peak	Vertical	
9	5927.00	58.27	15.20	43.07	68.20	-9.93	300	358 Peak	Vertical	


802.11be EHT40

CH 159 (Horizontal) Peak

CH 159 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5634.00	58.96	16.81	42.15	68.20	-9.24	100	163 Peak	Horizontal	
2	5697.50	64.44	22.37	42.07	103.36	-38.92	100	163 Peak	Horizontal	
3	5719.00	72.29	30.06	42.23	110.52	-38.23	100	163 Peak	Horizontal	
4	5723.50	70.91	28.64	42.27	127.74	-56.83	100	163 Peak	Horizontal	
5	5795.00	114.41	71.61	42.00	135.00	-20.59	100	163 Peak	Horizontal	
6	5850.00	74.46	31.79	42.67	135.00	-60.54	100	163 Peak	Horizontal	
7	5862.00	72.30	29.53	42.77	108.84	-36.54	100	163 Peak	Horizontal	
8	5875.00	68.52	25.64	42.88	105.20	-36.68	100	163 Peak	Horizontal	
9	5929.00	62.46	19.40	43.06	68.20	-5.74	100	163 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5624.50	56.58	14.42	42.16	68.20	-11.62	211	167 Peak	Vertical	
2	5698.00	61.14	19.08	42.06	103.73	-42.59	211	167 Peak	Vertical	
3	5719.00	69.12	26.89	42.23	110.52	-41.40	211	167 Peak	Vertical	
4	5722.50	69.38	27.12	42.26	122.90	-53.52	211	167 Peak	Vertical	
5	5795.00	114.79	71.99	42.00	135.00	-20.21	211	167 Peak	Vertical	
6	5853.00	73.63	31.14	42.69	120.40	-46.65	211	167 Peak	Vertical	
7	5857.00	73.41	30.68	42.73	110.24	-36.83	211	167 Peak	Vertical	
8	5878.50	68.67	25.75	42.92	102.60	-33.93	211	167 Peak	Vertical	
9	5929.50	61.79	18.73	43.06	68.20	-6.41	211	167 Peak	Vertical	


802.11be EHT80

CH 155 (Horizontal) Peak

CH 155 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5648.50	61.32	19.19	42.13	68.20	-6.88	100	163 Peak	Horizontal	
2	5688.50	75.98	33.90	42.08	96.72	-20.74	100	163 Peak	Horizontal	
3	5719.00	82.21	39.98	42.23	110.52	-28.31	100	163 Peak	Horizontal	
4	5724.00	81.27	39.00	42.27	130.16	-48.89	100	163 Peak	Horizontal	
5	5775.00	108.10	65.44	42.66	135.00	-26.90	100	163 Peak	Horizontal	
6	5853.50	72.36	29.66	42.70	118.06	-45.70	100	163 Peak	Horizontal	
7	5863.50	71.86	29.07	42.79	108.42	-36.56	100	163 Peak	Horizontal	
8	5875.00	64.54	21.66	42.88	105.20	-40.66	100	163 Peak	Horizontal	
9	5942.00	56.84	13.79	43.05	68.20	-11.36	100	163 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5649.00	59.54	17.41	42.13	68.20	-8.66	289	360 Peak	Vertical	
2	5688.50	72.67	30.59	42.08	96.72	-24.05	289	360 Peak	Vertical	
3	5719.00	75.91	33.68	42.23	110.52	-34.61	289	360 Peak	Vertical	
4	5723.50	75.83	33.56	42.27	127.74	-51.91	289	360 Peak	Vertical	
5	5775.00	107.72	65.06	42.66	135.00	-27.28	289	360 Peak	Vertical	
6	5853.50	69.69	26.99	42.70	118.06	-48.37	289	360 Peak	Vertical	
7	5859.50	69.04	27.19	42.75	109.54	-39.60	289	360 Peak	Vertical	
8	5882.00	63.84	20.89	42.95	100.00	-36.16	289	360 Peak	Vertical	
9	5929.50	59.97	16.91	43.06	68.20	-8.23	289	360 Peak	Vertical	

Band Edges, 4.5GHz ~ 7GHz
U-NII-4


802.11a

CH 177 (Horizontal) Peak

CH 177 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5569.00	57.09	14.86	42.23	68.20	-11.11	208	7 Peak	Horizontal	
2	5885.00	106.71	63.74	42.97	135.00	-28.29	208	7 Peak	Horizontal	
3	5898.90	82.02	38.93	43.09	107.34	-25.32	208	7 Peak	Horizontal	
4	5960.40	57.88	14.90	42.98	88.20	-30.32	208	7 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5602.10	56.96	14.76	42.20	68.20	-11.24	273	154 Peak	Vertical	
2	5885.00	109.51	66.54	42.97	135.00	-25.49	273	154 Peak	Vertical	
3	5895.40	88.42	45.36	43.06	109.91	-21.49	273	154 Peak	Vertical	
4	5963.80	57.18	14.21	42.97	88.20	-31.02	273	154 Peak	Vertical	

802.11a

CH 177 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5885.00	97.50	54.53	42.97	135.00	-37.50	200	7	Average	Horizontal
2	5895.10	65.49	22.43	43.06	90.13	-24.64	200	7	Average	Horizontal
3	5929.80	44.65	1.59	43.06	68.20	-23.55	200	7	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5885.00	99.53	56.56	42.97	135.00	-35.47	273	154	Average	Vertical
2	5895.30	67.77	24.71	43.06	89.98	-22.21	273	154	Average	Vertical
3	5929.90	44.69	1.63	43.06	68.20	-23.51	273	154	Average	Vertical


802.11be EHT20

CH 173 (Horizontal) Peak

CH 173 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5558.40	56.46	14.21	42.25	68.20	-11.74		100	153	Peak	Horizontal	
2	5865.00	114.24	71.44	42.80	135.00	-20.76		100	153	Peak	Horizontal	
3	5901.90	62.39	19.29	43.10	105.13	-42.74		100	153	Peak	Horizontal	
4	5939.20	57.92	14.87	43.05	88.20	-30.28		100	153	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5571.40	56.51	14.28	42.23	68.20	-11.69		300	156	Peak	Vertical	
2	5865.00	112.64	69.84	42.80	135.00	-22.36		300	156	Peak	Vertical	
3	5897.20	60.90	17.82	43.08	108.58	-47.68		300	156	Peak	Vertical	
4	5943.90	57.26	14.22	43.04	88.20	-30.94		300	156	Peak	Vertical	

802.11be EHT20

CH 173 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5865.00	95.68	52.88	42.88	135.00	-39.32	100	153	Average	Horizontal		
2	5896.60	49.19	6.12	43.07	89.03	-39.84	100	153	Average	Horizontal		
3	5926.50	45.01	1.94	43.07	68.20	-23.19	100	153	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5865.00	95.52	52.72	42.88	135.00	-39.48	300	156	Average	Vertical		
2	5897.40	48.40	5.32	43.08	88.44	-40.04	300	156	Average	Vertical		
3	5929.90	45.00	1.94	43.06	68.20	-23.20	300	156	Average	Vertical		


802.11be EHT40

CH 175 (Horizontal) Peak

CH 175 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5575.70	56.58	14.35	42.23	68.20	-11.62	100	154	Peak	HORIZONTAL	
2	5875.00	112.17	69.29	42.88	135.00	-22.83	100	154	Peak	HORIZONTAL	
3	5901.20	87.74	44.64	43.10	105.65	-17.91	100	154	Peak	HORIZONTAL	
4	5931.58	66.12	23.06	43.06	88.20	-22.08	100	154	Peak	HORIZONTAL	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5592.50	56.42	14.21	42.21	68.20	-11.78	281	0	Peak	Vertical	
2	5875.00	111.21	68.33	42.88	135.00	-22.79	281	0	Peak	Vertical	
3	5900.20	86.99	43.89	43.10	106.38	-19.39	281	0	Peak	Vertical	
4	5925.00	65.40	22.33	43.07	88.20	-22.80	281	0	Peak	Vertical	

802.11be EHT40

CH 175 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5875.00	101.64	58.96	42.88	135.00	-33.16	100	154 Average	HORIZONTAL	
2	5895.70	70.44	27.37	43.07	89.69	-19.25	100	154 Average	HORIZONTAL	
3	5928.40	49.71	6.65	43.06	68.20	-18.49	100	154 Average	HORIZONTAL	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5875.00	100.61	57.73	42.88	135.00	-34.39	281	0 Average	Vertical	
2	5895.00	69.94	26.88	43.06	90.20	-20.26	281	0 Average	Vertical	
3	5925.30	49.55	6.48	43.07	68.20	-18.65	281	0 Average	Vertical	


802.11be EHT80

CH 171 (Horizontal) Peak

CH 171 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5648.48	56.37	14.23	42.14	68.20	-11.83	100	154 Peak	Horizontal	
2	5855.00	111.61	68.90	42.71	135.00	-23.39	100	154 Peak	Horizontal	
3	5897.70	85.76	42.68	43.08	108.22	-22.46	100	154 Peak	Horizontal	
4	5937.30	81.23	38.17	43.06	88.20	-6.97	100	154 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5567.50	57.32	15.09	42.23	68.20	-10.88	297	360 Peak	Vertical	
2	5855.00	110.47	67.76	42.71	135.00	-24.53	297	360 Peak	Vertical	
3	5897.60	85.49	42.41	43.08	108.29	-22.80	297	360 Peak	Vertical	
4	5926.30	77.37	34.30	43.07	88.20	-10.83	297	360 Peak	Vertical	


802.11be EHT80

CH 171 (Horizontal) Average

CH 171 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5855.00	99.54	56.83	42.71	135.00	-35.46	100	154	Average	Horizontal	
2	5899.30	72.69	29.60	43.09	87.04	-14.35	100	154	Average	Horizontal	
3	5926.70	66.95	23.88	43.07	68.20	-1.25	100	154	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5855.00	98.75	56.04	42.71	135.00	-36.25	297	360	Average	Vertical	
2	5896.50	71.09	28.02	43.07	89.10	-18.01	297	360	Average	Vertical	
3	5926.40	64.47	21.40	43.07	68.20	-3.73	297	360	Average	Vertical	


802.11be EHT160

CH 163 (Horizontal) Peak

CH 163 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5596.90	60.20	18.00	42.20	60.20	-8.00	100	186 Peak	Horizontal	
2	5815.00	104.86	62.08	42.78	135.00	-30.14	100	186 Peak	Horizontal	
3	5897.20	86.29	43.21	43.08	108.58	-22.29	100	186 Peak	Horizontal	
4	5946.30	66.86	23.82	43.04	88.20	-21.34	100	186 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5640.00	58.38	16.24	42.14	68.20	-9.82	300	360 Peak	Vertical	
2	5815.00	104.10	61.32	42.78	135.00	-30.90	300	360 Peak	Vertical	
3	5900.20	82.13	39.03	43.10	106.38	-24.25	300	360 Peak	Vertical	
4	5943.00	66.00	22.96	43.04	88.20	-22.20	300	360 Peak	Vertical	

802.11be EHT160

CH 163 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5815.00	93.81	51.03	42.78	135.00	-41.19	100	186 Average	Horizontal	
2	5895.90	70.18	27.11	43.07	89.54	-19.36	100	186 Average	Horizontal	
3	5943.60	53.44	10.40	43.04	68.20	-14.76	100	186 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5815.00	92.86	50.08	42.78	135.00	-42.14	300	360 Average	Vertical	
2	5895.10	66.41	23.35	43.06	90.13	-23.72	300	360 Average	Vertical	
3	5962.90	54.17	11.21	42.96	68.20	-14.03	300	360 Average	Vertical	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	47.46	23.87	29.95	-6.08	40.00	-16.13	200	279	Peak	Horizontal		
2	183.26	32.59	40.02	-7.43	43.50	-10.91	100	85	Peak	Horizontal		
3	730.34	32.36	29.66	2.70	46.00	-13.64	100	360	Peak	Horizontal		
4	769.14	33.23	29.55	3.68	46.00	-12.77	100	104	Peak	Horizontal		
5	849.05	33.72	29.53	4.19	46.00	-12.28	200	360	Peak	Horizontal		
6	926.28	35.18	30.06	5.12	46.00	-10.82	100	121	Peak	Horizontal		

Vertical



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	53.28	30.15	36.05	-5.90	40.00	-9.85	100	282	Peak	Vertical		
2	185.20	32.10	39.81	-7.71	43.50	-11.40	100	115	Peak	Vertical		
3	547.98	31.79	32.43	-0.64	46.00	-14.21	200	185	Peak	Vertical		
4	714.82	34.52	31.97	2.55	46.00	-11.48	190	360	Peak	Vertical		
5	773.02	34.36	30.52	3.84	46.00	-11.64	136	360	Peak	Vertical		
6	928.46	34.61	29.53	5.08	46.00	-11.39	100	354	Peak	Vertical		

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz
U-NII-1


802.11a

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10400.00	42.71	46.35	-3.64	68.20	-25.49	100	59 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10400.00	40.74	44.38	-3.64	68.20	-27.46	100	182 Peak	Vertical	


802.11be EHT20

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10480.00	40.91	44.29	-3.38	68.20	-27.29	106	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10480.00	41.65	45.03	-3.38	68.20	-26.55	200	108	Peak	Vertical	


802.11be EHT40

CH 46 (Horizontal)

CH 46 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10460.00	41.98	44.45	-2.47	68.20	-26.22	261	0	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10460.00	43.06	45.53	-2.47	68.20	-25.14	211	0	Peak	Vertical	


802.11be EHT80

CH 42 (Horizontal)

CH 42 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10420.00	40.57	43.18	-2.61	68.20	-27.63	100	28	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10420.00	40.79	43.40	-2.61	68.20	-27.41	100	38	Peak	Vertical	

U-NII-2A


802.11a

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.00	31.40	34.58	-3.18	54.00	-22.60	100	235	Average	Horizontal	
2	10600.00	45.04	48.22	-3.18	74.00	-28.96	100	235	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.00	31.42	34.60	-3.18	54.00	-22.58	100	360	Average	Vertical	
2	10600.00	44.99	48.17	-3.18	74.00	-29.01	100	360	Peak	Vertical	


802.11be EHT20

CH 52 (Horizontal)


CH 52 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11be EHT40

CH 54 (Horizontal)

CH 54 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10540.00	41.93	44.21	-2.28	68.20	-26.27	200	180	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10540.00	43.33	45.61	-2.28	68.20	-24.87	300	176	Peak	Vertical	


802.11be EHT80

CH 58 (Horizontal)

CH 58 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10580.00	42.10	44.32	-2.22	68.20	-26.10	100	74 Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10580.00	41.83	44.05	-2.22	68.20	-26.37	100	284 Peak	Vertical		


802.11be EHT160

CH 50 (Horizontal)

CH 50 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10500.00	41.33	43.67	-2.34	68.20	-26.87	100	268 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10500.00	42.09	44.43	-2.34	68.20	-26.11	100	32 Peak	Vertical

U-NII-2C


802.11be EHT20

CH 116 (Horizontal)

CH 116 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	32.53	33.70	-1.17	54.00	-21.47	200	29	Average	Horizontal	
2	11160.00	45.96	47.13	-1.17	74.00	-28.04	200	29	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	32.35	33.52	-1.17	54.00	-21.65	200	96	Average	Vertical	
2	11160.00	46.10	47.27	-1.17	74.00	-27.90	200	96	Peak	Vertical	


802.11be EHT80

CH 122 (Horizontal)

CH 122 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11220.00	32.45	33.51	-1.06	54.00	-21.55	100	196	Average	Horizontal	
2	11220.00	45.59	46.65	-1.06	74.00	-28.41	100	196	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11220.00	32.66	33.72	-1.06	54.00	-21.34	100	85	Average	Vertical	
2	11220.00	45.35	46.41	-1.06	74.00	-28.65	100	85	Peak	Vertical	


802.11be EHT160

CH 114 (Horizontal)

CH 114 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11140.00	32.50	33.71	-1.21	54.00	-21.50	100	357	Average	Horizontal	
2	11140.00	45.37	46.58	-1.21	74.00	-28.63	100	357	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11140.00	32.86	34.07	-1.21	54.00	-21.14	200	2	Average	Vertical	
2	11140.00	45.46	46.67	-1.21	74.00	-28.54	200	2	Peak	Vertical	

U-NII-2C&3


802.11a

CH 144 (Horizontal)

CH 144 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11440.00	31.04	32.70	-1.66	54.00	-22.96	300	127	Average	Horizontal	
2	11440.00	45.33	46.99	-1.66	74.00	-28.67	300	127	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11440.00	31.27	32.93	-1.66	54.00	-22.73	299	0	Average	Vertical	
2	11440.00	45.01	46.67	-1.66	74.00	-28.99	299	0	Peak	Vertical	


802.11be EHT40

CH 142 (Horizontal)

CH 142 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11420.00	32.47	33.17	-0.70	54.00	-21.53	100	333	Average	Horizontal	
2	11420.00	45.17	45.67	-0.70	74.00	-28.83	100	333	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11420.00	32.49	33.19	-0.70	54.00	-21.51	100	360	Average	Vertical	
2	11420.00	44.40	45.10	-0.70	74.00	-29.60	100	360	Peak	Vertical	

U-NII-3


802.11a

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	40.63	41.83	-1.20	54.00	-13.37	300	166	Average	Horizontal	
2	11650.00	55.33	56.53	-1.20	74.00	-18.67	300	166	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	40.26	41.46	-1.20	54.00	-13.74	400	285	Average	Vertical	
2	11650.00	54.22	55.42	-1.20	74.00	-19.78	400	285	Peak	Vertical	


802.11be EHT20

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	42.85	43.01	-0.16	54.00	-11.15	223	152	Average	Horizontal	
2	11650.00	58.24	58.40	-0.16	74.00	-15.76	223	152	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	40.98	41.14	-0.16	54.00	-13.02	200	145	Average	Vertical	
2	11650.00	55.38	55.54	-0.16	74.00	-18.62	200	145	Peak	Vertical	


802.11be EHT40

CH 159 (Horizontal)

CH 159 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11590.00	33.27	33.64	-0.37	54.00	-20.73	200	166	Average	Horizontal	
2	11590.00	45.75	46.12	-0.37	74.00	-28.25	200	166	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11590.00	33.30	33.67	-0.37	54.00	-20.70	100	340	Average	Vertical	
2	11590.00	46.33	46.70	-0.37	74.00	-27.67	100	340	Peak	Vertical	


802.11be EHT80

CH 155 (Horizontal)

CH 155 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11550.00	32.70	33.10	-0.40	54.00	-21.30	100	3	Average	Horizontal	
2	11550.00	45.41	45.61	-0.40	74.00	-28.59	100	3	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11550.00	32.68	33.08	-0.40	54.00	-21.32	191	360	Average	Vertical	
2	11550.00	44.75	45.15	-0.40	74.00	-29.25	191	360	Peak	Vertical	

U-NII-4


802.11a

CH 177 (Horizontal)

CH 177 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11770.00	32.94	32.76	0.18	54.00	-21.06	204	360	Average	Horizontal
2	11770.00	46.17	45.99	0.18	74.00	-27.83	204	360	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11770.00	33.09	32.91	0.18	54.00	-20.91	191	360	Average	Vertical
2	11770.00	46.57	46.39	0.18	74.00	-27.43	191	360	Peak	Vertical


802.11be EHT20

CH 173 (Horizontal)

CH 173 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11730.00	33.11	33.02	0.09	54.00	-20.89	200	210 Average	Horizontal	
2	11730.00	46.50	46.41	0.09	74.00	-27.50	200	210 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11730.00	33.04	32.95	0.09	54.00	-20.96	184	360 Average	Vertical	
2	11730.00	46.78	46.69	0.09	74.00	-27.22	184	360 Peak	Vertical	


802.11be EHT40

CH 175 (Horizontal)

CH 175 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11750.00	34.01	33.88	0.13	54.00	-19.99	200	45 Average	Horizontal	
2	11750.00	46.13	46.00	0.13	74.00	-27.87	200	45 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11750.00	34.08	33.95	0.13	54.00	-19.92	200	34 Average	Vertical	
2	11750.00	46.62	46.49	0.13	74.00	-27.38	200	34 Peak	Vertical	

802.11be EHT80

CH 171 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11710.00	34.35	34.29	0.06	54.00	-19.65	200	308	Average	Horizontal	
2	11710.00	45.64	45.58	0.06	74.00	-28.36	200	308	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11710.00	33.31	33.25	0.06	54.00	-20.69	100	55	Average	Vertical	
2	11710.00	45.84	45.78	0.06	74.00	-28.16	100	55	Peak	Vertical	


802.11be EHT160

CH 163 (Horizontal)

CH 163 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11630.00	33.92	34.05	-0.23	54.00	-20.18	200	266 Average	Horizontal	
2	11630.00	45.75	45.98	-0.23	74.00	-28.25	200	266 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11630.00	33.92	34.15	-0.23	54.00	-20.08	200	218 Average	Vertical	
2	11630.00	46.55	46.78	-0.23	74.00	-27.45	200	218 Peak	Vertical	

Mains Conducted Emission, (150kHz ~ 30MHz)

Line

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV) Date: 07-24-2026

Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.22	22.20	12.27	9.93	52.90	-30.70	Average	line1	
2	0.22	40.00	30.07	9.93	62.90	-22.90	QP	line1	
3	0.35	42.61	32.67	9.94	49.00	-6.39	Average	line1	
4	0.35	48.91	38.97	9.94	59.00	-10.09	QP	line1	
5	0.58	34.41	24.42	9.99	46.00	-11.59	Average	line1	
6	0.58	44.96	34.97	9.99	56.00	-11.04	QP	line1	
7	0.77	25.80	15.77	10.03	46.00	-20.20	Average	line1	
8	0.77	37.68	27.65	10.03	56.00	-18.32	QP	line1	
9	6.46	14.32	4.09	10.23	50.00	-35.68	Average	line1	
10	6.46	26.57	16.34	10.23	60.00	-33.43	QP	line1	
11	19.44	20.05	9.47	10.58	50.00	-29.95	Average	line1	
12	19.44	27.60	17.02	10.58	60.00	-32.40	QP	line1	

Neutral

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV) Date: 07-24-2026

Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.24	37.55	27.63	9.92	52.19	-14.64	Average	neutral	
2	0.24	48.44	38.52	9.92	62.19	-13.75	QP	neutral	
3	0.36	43.76	33.83	9.93	48.84	-5.08	Average	neutral	
4	0.36	49.81	39.88	9.93	58.84	-9.03	QP	neutral	
5	0.60	36.42	26.47	9.95	46.00	-9.58	Average	neutral	
6	0.60	45.18	35.23	9.95	56.00	-10.82	QP	neutral	
7	0.83	31.60	21.62	9.98	46.00	-14.40	Average	neutral	
8	0.83	43.27	33.29	9.98	56.00	-12.73	QP	neutral	
9	6.43	14.47	4.33	10.14	50.00	-35.53	Average	neutral	
10	6.43	26.85	16.71	10.14	60.00	-33.15	QP	neutral	
11	13.45	15.44	5.09	10.35	50.00	-34.56	Average	neutral	
12	13.45	26.79	16.44	10.35	60.00	-33.21	QP	neutral	