

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz
U-NII 5


802.11be EHT20

CH01 (Horizontal)

CH01 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11918.00	32.47	32.02	0.45	54.00	-21.53	100	267 Average	Horizontal	
2	11918.00	46.56	46.11	0.45	74.00	-27.44	100	267 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11918.00	32.51	32.06	0.45	54.00	-21.49	200	182 Average	Vertical	
2	11918.00	46.09	45.64	0.45	74.00	-27.91	200	182 Peak	Vertical	


802.11be EHT40

CH43 (Horizontal)

CH43 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12330.00	34.49	33.30	1.19	54.00	-19.51	100	360	Average	Horizontal	
2	12330.00	46.54	45.35	1.19	74.00	-27.46	100	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12330.00	34.40	33.21	1.19	54.00	-19.60	100	360	Average	Vertical	
2	12330.00	46.74	45.55	1.19	74.00	-27.26	100	360	Peak	Vertical	


802.11be EHT80

CH87 (Horizontal)

CH87 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12770.00	47.52	45.69	1.83	88.20	-40.68	200	22	Peak	Horizontal		
2	12770.00	35.57	33.74	1.83	68.20	-32.63	200	22	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12770.00	47.53	45.70	1.83	88.20	-40.67	100	360	Peak	Vertical		
2	12770.00	35.42	33.59	1.83	68.20	-32.78	100	360	RMS	Vertical		


802.11be EHT160

CH47 (Horizontal)

CH47 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12370.00	34.69	33.42	1.27	54.00	-19.31	100			4 Average	Horizontal	
2	12370.00	46.14	44.87	1.27	74.00	-27.86	100			4 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12370.00	34.01	32.74	1.27	54.00	-19.99	200			119 Average	Vertical	
2	12370.00	46.68	45.41	1.27	74.00	-27.32	200			119 Peak	Vertical	

U-NII 6


802.11be EHT20

CH113 (Horizontal)

CH113 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13030.00	46.77	44.89	1.88	88.20	-41.43	200	29	Peak	Horizontal		
2	13030.00	34.30	32.42	1.88	66.20	-33.90	200	29	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13030.00	46.88	45.00	1.88	88.20	-41.32	100	360	Peak	Vertical		
2	13030.00	34.52	32.64	1.88	66.20	-33.66	100	360	RMS	Vertical		


802.11be EHT40

CH99 (Horizontal)

CH99 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12890.00	47.81	45.84	1.97	88.20	-40.39	200	20	Peak	Horizontal		
2	12890.00	34.29	32.32	1.97	68.20	-33.91	200	20	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12890.00	46.89	44.92	1.97	88.20	-41.31	100	360	Peak	Vertical		
2	12890.00	34.56	32.59	1.97	68.20	-33.64	100	360	RMS	Vertical		


802.11be EHT80

CH103 (Horizontal)

CH103 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12930.00	46.16	44.22	1.94	88.20	-42.04	138	360	Peak	Horizontal		
2	12930.00	34.63	32.69	1.94	68.20	-33.57	138	360	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12930.00	46.52	44.58	1.94	88.20	-41.68	100	40	Peak	Vertical		
2	12930.00	34.75	32.81	1.94	68.20	-33.45	100	40	RMS	Vertical		


802.11be EHT160

CH111 (Horizontal)

CH111 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13010.00	46.69	44.83	1.86	88.20	-41.51	156	360	Peak	Horizontal		
2	13010.00	34.72	32.86	1.86	68.20	-33.48	156	360	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13010.00	46.91	45.05	1.86	88.20	-41.29	200	321	Peak	Vertical		
2	13010.00	34.95	33.09	1.86	68.20	-35.25	200	321	RMS	Vertical		

U-NII 7


802.11be EHT20

CH149 (Horizontal)

CH149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13390.00	34.74	32.56	2.18	54.00	-19.26	100	239	Average	Horizontal		
2	13390.00	47.24	45.06	2.18	74.00	-26.76	100	239	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13390.00	34.76	32.58	2.18	54.00	-19.24	100	57	Average	Vertical		
2	13390.00	47.30	45.12	2.18	74.00	-26.70	100	57	Peak	Vertical		


802.11be EHT40

CH123 (Horizontal)

CH123 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13130.00	47.49	45.52	1.97	88.20	-40.71	100	290	Peak	Horizontal		
2	13130.00	34.63	32.66	1.97	68.20	-33.57	100	290	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13130.00	47.62	45.65	1.97	88.20	-40.58	105	360	Peak	Vertical		
2	13130.00	34.54	32.57	1.97	68.20	-33.66	105	360	RMS	Vertical		


802.11be EHT80

CH151 (Horizontal)

CH151 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13410.00	47.31	45.14	2.17	88.20	-40.89	194	360	Peak	Horizontal		
2	13410.00	35.42	33.25	2.17	68.20	-32.78	194	360	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13410.00	47.91	45.74	2.17	88.20	-40.29	100	137	Peak	Vertical		
2	13410.00	35.77	33.60	2.17	68.20	-32.43	100	137	RMS	Vertical		


802.11be EHT160

CH143 (Horizontal)

CH143 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13330.00	35.63	33.50	2.13	54.00	-18.37	100	70	Average	Horizontal	
2	13330.00	47.61	45.48	2.13	74.00	-26.39	100	70	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13330.00	35.41	33.28	2.13	54.00	-18.59	200	142	Average	Vertical	
2	13330.00	47.28	45.15	2.13	74.00	-26.72	200	142	Peak	Vertical	

U-NII 7&8


802.11be EHT20

CH185 (Horizontal)

CH185 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13750.00	46.52	44.45	2.07	88.20	-41.68	110	360	Peak	Horizontal	
2	13750.00	34.08	32.01	2.07	68.20	-34.12	110	360	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13750.00	46.71	44.64	2.07	88.20	-41.49	100	242	Peak	Vertical	
2	13750.00	34.16	32.09	2.07	68.20	-34.04	100	242	RMS	Vertical	

U-NII 8


802.11be EHT40

CH227 (Horizontal)

CH227 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	14170.00	46.69	43.62	3.07	88.20	-41.51	100	94	Peak	Horizontal	
2	14170.00	34.53	31.46	3.07	68.20	-33.67	100	94	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	14170.00	47.20	44.13	3.07	88.20	-41.00	135	360	Peak	Vertical	
2	14170.00	34.48	31.41	3.07	68.20	-33.72	135	360	RMS	Vertical	


802.11be EHT80

CH215 (Horizontal)

CH215 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	14050.00	47.03	44.28	2.75	88.20	-41.17	159	360	Peak	Horizontal		
2	14050.00	34.98	32.23	2.75	68.20	-33.22	159	360	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	14050.00	46.62	43.87	2.75	88.20	-41.58	100	358	Peak	Vertical		
2	14050.00	34.82	32.07	2.75	68.20	-33.38	100	358	RMS	Vertical		


802.11be EHT160

CH207 (Horizontal)

CH207 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13970.00	47.51	45.08	2.43	88.20	-40.69	200			4 Peak	Horizontal	
2	13970.00	34.84	32.41	2.43	68.20	-33.36	200			4 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13970.00	47.56	45.13	2.43	88.20	-40.64	100			139 Peak	Vertical	
2	13970.00	35.17	32.74	2.43	68.20	-33.03	100			139 RMS	Vertical	

Mains Conducted Emission, TX (150kHz ~ 30MHz)

Line



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.23	35.17	25.24	9.93	52.27	-17.10	Average	line1	
2	0.23	44.99	35.06	9.93	62.27	-17.28	QP	line1	
3	0.35	43.83	33.08	9.95	48.96	-5.93	Average	line1	
4	0.35	49.35	39.40	9.95	58.96	-9.61	QP	line1	
5	0.58	34.96	24.97	9.99	46.00	-11.04	Average	line1	
6	0.58	45.20	35.21	9.99	56.00	-10.80	QP	line1	
7	0.91	38.48	28.46	10.02	46.00	-15.52	Average	line1	
8	0.91	42.82	32.00	10.82	56.00	-13.98	QP	line1	
9	6.43	13.71	3.48	10.23	50.00	-36.29	Average	line1	
10	6.43	26.27	16.04	10.23	60.00	-33.73	QP	line1	
11	19.06	19.20	8.62	10.58	50.00	-30.80	Average	line1	
12	19.06	26.77	16.19	10.58	60.00	-33.23	QP	line1	

Neutral



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.24	37.63	27.71	9.92	52.15	-14.52	Average	neutral	
2	0.24	48.76	38.84	9.92	62.15	-13.39	QP	neutral	
3	0.36	43.88	33.95	9.93	48.80	-4.92	Average	neutral	
4	0.36	49.94	40.01	9.93	58.80	-8.86	QP	neutral	
5	0.59	35.46	25.51	9.95	46.00	-10.54	Average	neutral	
6	0.59	45.34	35.39	9.95	56.00	-10.66	QP	neutral	
7	0.82	31.72	21.74	9.98	46.00	-14.28	Average	neutral	
8	0.82	43.42	33.44	9.98	56.00	-12.58	QP	neutral	
9	6.63	15.29	5.14	10.15	50.00	-34.71	Average	neutral	
10	6.63	27.13	16.98	10.15	60.00	-32.87	QP	neutral	
11	13.51	15.02	4.67	10.35	50.00	-34.98	Average	neutral	
12	13.51	26.39	16.04	10.35	60.00	-33.61	QP	neutral	